

GPT Image 2.5

GPT Image 2

GPT Image 1.5

GPT Image 1

## Overview

Start with the image you need, then describe the subject, composition, style, and constraints. For edits, identify what should change and what must stay the same. Refine one thing at a time and inspect the result.

GPT Image 2.5 includes two model choices. GPT Image 2.5 Flare is the small model, optimized for speed, with image quality comparable to GPT Image 2. GPT Image 2.5 Sunburst is the base model, optimized for quality, with higher image quality than GPT Image 2. Both models offer improvements in precise editing and subject preservation.

For API setup and request examples, see the [image generation guide](#).

## Choose a model

For a new workflow, start with GPT Image 2.5 Flare when speed is the priority, or GPT Image 2.5 Sunburst when demanding quality requirements are the priority. Once the output meets your requirements, look for opportunities to reduce latency.

For migrating from a current image model, use your current image quality as the starting point. Both models support image generation, editing, and transparent backgrounds.

### Your current workflow

### Start by testing

An existing, validated GPT Image 2 workflow already meets your quality requirements

GPT Image 2.5 Flare. Check whether you can retain acceptable quality while reducing latency.

A complex use case where GPT Image 2 does not meet your quality requirements

GPT Image 2.5 Sunburst. First establish that it delivers the quality you need.

If GPT Image 2.5 Sunburst meets your quality requirements, then test GPT Image 2.5 Flare with the same prompts and inputs. Switch to GPT Image 2.5 Flare if it also

Loading docs agent...

- Both edges must be multiples of 16 pixels.
- The ratio of the longer edge to the shorter edge must not exceed 3:1.
- The total pixel count must be between 655,360 and 8,294,400.

Outputs with more than 3,686,400 total pixels ( `2560x1440` ) are experimental.

Choose the model using the workflow above before tuning `quality` . For the first comparison, keep an explicitly selected quality setting unchanged when both models support it, along with the prompt, reference images, and output dimensions. The same quality label does not imply the same image quality or response time across models.

If the output falls short, test a higher quality setting. Once it meets your requirements, test lower settings to see whether they preserve acceptable quality while reducing

Loading docs agent...

against the same requirements. Switch only if the quality remains acceptable and latency improves; otherwise, keep GPT Image 2.5 Sunburst.

5. **Tune one setting at a time.** Compare quality levels before rewriting the prompt. Measure typical and slow responses, failures, retries, and cost per accepted image. Confirm current pricing rather than assuming the faster model costs less.
6. **Roll out by workflow.** Once the released model passes your acceptance criteria, move a small share of traffic, monitor the same measures, and expand gradually. Keep the previous model available for rollback while it remains supported.

When migrating from GPT Image 1 or 1.5, use the reference tabs to check parameter differences and shutdown dates. Test the candidate model's supported request settings rather than copying older settings unchanged. For GPT Image 2, keep your existing resolution and transparency requirements in the comparison.

Loading docs agent...

typography. Open unusual words or brand names letter by letter when needed.

Ask for no extra text, then check spelling and legibility in the output. Compare medium or high quality for small text, dense information, or multiple fonts.

6. **Separate changes from constraints.** For edits, say “change only X” and list the details to preserve, such as identity, geometry, layout, lighting, or labels. State exclusions such as unwanted text, logos, or watermarks. For precise local edits, also identify saturation, contrast, arrows, camera angle, and surrounding objects that must remain unchanged.
7. **Assign roles to references.** Identify each input by number and purpose: subject, style, clothing, or background. Explain how the inputs should combine and which elements should move where.
8. **Iterate deliberately.** Pass the previous output as the next edit input, request one change, and repeat the details to preserve. References such as “same style as before” can carry context, but restate critical constraints if the result drifts. Compare results before adding more instructions.

Loading docs agent...



### Explain a process visually

Name the process, audience, and information the image should communicate. For diagrams and information graphics, verify labels and factual relationships as well as

Loading docs agent...

quote the required copy and tell the model how many times it should appear. Specify the audience and visual treatment without adding unrelated instructions.

Generation settings: `size="1024x1536"`, `quality="medium"`.

Give me a cool in culture ad / fashion shot for a brand called Thread. 

It's a hip young street brand. The ad shows a group of friends hanging out together with the tagline "Yours to Create."

Make it feel like a polished campaign image for a youth streetwear audience: stylish, contemporary, energetic, and tasteful.

Use clean composition, strong color direction, natural poses, and premium fashion photography cues.

Render the tagline exactly once, clearly and legibly, integrated into the ad layout.

No extra text, no watermarks, no unrelated logos.

Loading docs agent...

vector-like shapes, a strong silhouette, and balanced negative space.

Favor simplicity over detail so it reads clearly at small and large sizes. Flat design, minimal strokes, no gradients unless essential.

Fully transparent background. Deliver a single centered logo with generous padding, clean alpha edges, and no solid backdrop, scenery, checkerboard, or watermark.

Each row compares one variation from each model.

Example outputs:

GPT Image 2.5 Flare

GPT Image 2.5 Sunburst

Loading docs agent...



GPT Image 2.5 Flare



GPT Image 2.5 Sunburst


Loading docs agent...



## Turn a story into a comic strip

For story-to-comic generation, define the narrative as a sequence of clear visual beats, one per panel. Keep descriptions concrete and action-focused so the model

Loading docs agent...



## Create an interface preview

Interface previews work best when you describe the product as if it already exists. Focus on layout, hierarchy, spacing, and real interface elements, and avoid concept art language so the result looks like a usable, shipped interface rather than a design sketch.

Generation settings: `size="1024x1536"`, `quality="medium"`.

Create a realistic mobile app UI mockup for a local farmers market.



Show today's market with a simple header, a short list of

Loading docs agent...

like an instructional design brief: define the audience, lesson objective, visual format, required labels, and scientific constraints. For best results, ask for a clean, flat visual system with consistent icon style, clear arrows, readable labels, and enough white space for students to scan the concept quickly.

When accuracy matters, list the required components explicitly and say what should not be included. Use `quality="high"` for dense labels, diagrams, or assets that will be used in slides or course materials.

Generation settings: `size="1536x1024"`, `quality="high"`.

Create a simple biology diagram titled "Cellular Respiration at a Glance" for high school students.



Show how glucose turns into energy inside a cell. Include glycolysis, the Krebs cycle, and the electron transport chain.

Loading docs agent...

chart, page image), define the canvas and hierarchy, provide the real text or data, and describe the visual language. These prompts should include practical constraints: readable typography, polished spacing, no decorative clutter, and no generic stock-photo treatment.

For slides, charts, and diagram-heavy assets, include the numbers and labels directly in the prompt. Use a landscape size for deck-style outputs and `quality="high"` when the image contains small text, legends, axes, or footnotes.


The sample market figures and citations below are fictional design inputs. Replace them with verified data before using the slide.

Generation settings: `size="1536x864"`, `quality="high"`.

Loading docs agent...

GPT Image 2.5 Flare

GPT Image 2.5 Sunburst



Edit images

Loading docs agent...



## Transfer a visual style

Assign the reference image a specific role: its palette, texture, or visual medium. Describe the new subject separately. Use the pixel-art image below as the input.

Edit settings: `size="1024x1536"`, `quality="medium"`.

Use the same style from the input image and generate a man riding a motorcycle on a white background.



Input image:

Loading docs agent...

Use the person photograph and three clothing references below as inputs. State which aspects of the person must remain fixed, and allow only the clothing to change. This pattern also applies to edits where a product or object must remain recognizable.

Edit settings: `size="1024x1536"`, `quality="medium"`.

Edit the image to dress the woman using the provided clothing images. Do not change her face, facial features, skin tone, body shape, pose, or identity in any way. Preserve her exact likeness, expression, hairstyle, and proportions. Replace only the clothing, fitting the garments naturally to her existing pose and body geometry with realistic fabric behavior. Match lighting, shadows, and color temperature to the original photo so the outfit integrates photorealistically, without looking pasted on. Do not change the background, camera angle, framing,



Loading docs agent...

Example outputs.

GPT Image 2.5 Flare



GPT Image 2.5 Sunburst



Combine references

Loading docs agent...



## Create a transparent product cutout

Request both an isolated subject in the prompt and `background="transparent"` in the API. Use PNG or WebP, preserve the returned alpha channel, and omit `output_compression` for PNG. A drawn checkerboard is not transparency. For

Loading docs agent...

Example outputs.

GPT Image 2.5 Flare




GPT Image 2.5 Sunburst



Turn a drawing into a realistic image

Loading docs agent...

GPT Image 2.5 Flare



GPT Image 2.5 Sunburst



Remove an object

Loading docs agent...



### Insert a person into a scene

Insert a person into a new scene while preserving their identity. Specify natural lighting, believable detail, body framing, gaze, and interaction with the scene. State which facial features and proportions must remain unchanged. For `gpt-image-2`, omit `input_fidelity`; image inputs are always processed at high fidelity.

Use the [woman in the museum](#) as the input image.

Loading docs agent...



## Refine an image across turns


Start with one output, inspect it, and use it as the next input. Keep each follow-up narrow so you can see which change helped.

## Create the starting image

Use the shampoo photograph from [Create a transparent product cutout](#) as the input for this billboard scene. Quote the label text exactly.

Edit settings: `size="1024x1536"`, `quality="medium"`.

Loading docs agent...



## Change one condition

Pass each model's billboard output from the previous step into its next edit request. This short follow-up changes the weather while retaining the existing scene.

Edit settings: `size="1024x1536"` , `quality="medium"` .

Loading docs agent...

Generation settings: `size="1024x1536"`, `quality="medium"`.

Create a children's book illustration introducing a main character. 

Character:

A young, storybook-style hero inspired by a little forest outlaw,

wearing a simple green hooded tunic, soft brown boots, and a small belt pouch.

The character has a kind expression, gentle eyes, and a brave but warm demeanor.

Carries a small wooden bow used only for helping, never harming.

Theme:

The character protects and rescues small forest animals like squirrels, birds, and rabbits.

Loading docs agent...

## Continue the story

Reuse each model's generated character image and describe a new scene. Repeat the appearance constraints so the character stays consistent.

Edit settings: `size="1024x1536"`, `quality="medium"`.

Continue the children's book story using the same character.



### Scene:

The same young forest hero is gently helping a frightened squirrel

out of a fallen tree after a winter storm.

The character kneels beside the squirrel, offering reassurance.

### Character Consistency:

- Same green hooded tunic
- Same facial features, proportions, and color palette

Loading docs agent...

## Change furniture in a room

Visualize furniture or décor changes in real spaces without recreating the entire scene. The goal is surgical realism: swap a single object while preserving camera angle, lighting, shadows, and surrounding context so the edit looks like a real photograph, not a redesign.

Edit settings: `size="1536x1024"`, `quality="medium"`.

In this room photo, replace **ONLY** the white chairs with chairs made of wood.

Preserve camera angle, room lighting, floor shadows, and surrounding objects.

Keep all other aspects of the image unchanged.

Photorealistic contact shadows and fabric texture.



Loading docs agent...

## Design a holiday card

For seasonal card concepts, describe the scene, emotional tone, materials, lighting, and exact copy. For a 3D pop-up or photographed-card treatment, specify paper layers, fibers, folds, and soft studio lighting. The example below uses a nostalgic teddy-bear scene.

Generation settings: `size="1024x1536"`, `quality="medium"`.



Create a Christmas holiday card illustration.



Scene:

a cozy Christmas scene with an old teddy bear sitting inside a keepsake box, slightly worn fur, soft stitching repairs, placed near a window with falling snow outside. The scene suggests the child has grown up, but the memories remain.

Loading docs agent...



## Design collectible merchandise

Explore merchandise and packaging concepts using product photography cues: materials, packaging, and print clarity. Keep designs original and non-infringing, and compare multiple character or packaging variants.

Generation settings: `size="1024x1536"`, `quality="medium"`.

Create a collectible action figure of a vintage-style toy propeller airplane with rounded wings, a front-mounted spinning propeller, slightly worn paint edges, classic childhood proportions, designed as a nostalgic holiday collectible, in blister packaging.



Loading docs agent...



## Run a complete example

This runnable example remains pinned to `gpt-image-2`. Use it as a baseline, then choose an available model and its supported request settings for your evaluation.

The examples below generate four logo variations and extract a product onto a transparent background. Install the [OpenAI SDK](#) with `pip install openai` for Python or `gem install openai` for Ruby. Set `OPENAI_API_KEY` and save the

Loading docs agent...