

Problem 1: Stop When Negative Number is Entered (**break**)

Write a Java program that repeatedly accepts integers from the user.

- If the user enters a **negative number**, stop the loop immediately.
- Otherwise, print the entered number.
- After the loop ends, display:

None

•

Program Ended

•

Example Input:

None

12

25

8

-3

Problem 2: Skip Multiples of 5 (**continue**)

Write a Java program to print numbers from 1 to 50.

- If a number is divisible by 5, skip printing it.
- Print all remaining numbers.

Expected Output Pattern:

None

1

2

3

4

6

```
7
8
9
11
...
```

Problem 3: Find the First Even Number (**break**)

Write a Java program that accepts **10 integers** from the user.

- As soon as the first **even number** is entered:
 - Display the number.
 - Exit the loop immediately using **break**.
- If no even number is entered after all 10 inputs, display:

None

- **No Even Number Found**

Problem 4: Skip Vowels (**continue**)

Write a Java program that accepts a word from the user.

Print each character of the word **except vowels** (**a, e, i, o, u** in both uppercase and lowercase).

Example Input:

None

Education

Expected Output Pattern:

None

d
c
t
n

Problem 5: Guess the Secret Number (**break**)

Create a number guessing game.

- Assume the secret number is **25**.
- Repeatedly ask the user to guess the number.
- If the guess is incorrect, display:

None

-

Try Again

-

- If the guess is correct:
 - Display:

None

-

Congratulations! You guessed the correct number.

-

- Exit the loop using **break**.