# AIRPORT MANAGEMENT SYSTEM

DBMS INNOVATIVE ASSIGNMENT

ER DIAGRAM:

RELATION DIAGRAM:

Queries:

SQL*Plus: Release 21.0.0.0.0 - Production on Sat Apr 20 22:29:24 2024

Version 21.3.0.0.0

Copyright (c) 1982, 2021, Oracle. All rights reserved.

Enter user-name: system

Enter password:

Last Successful login time: Sat Apr 20 2024 22:11:52 +05:30

Connected to:

Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production

Version 21.3.0.0.0

SQL> CREATE TABLE AIRPORT(

  2   AIRPORT_NAME VARCHAR(50) NOT NULL,

```
  3        CITY VARCHAR(20),

  4        STATE VARCHAR(20),

  5     PRIMARY KEY (AIRPORT_NAME)

  6  );
```

Table created.


```
SQL> CREATE TABLE AIRLINE(

  2    AIRLINE_ID INT NOT NULL,

  3    AIRLINE_NAME VARCHAR(50),

  4    AIRPORT_NAME VARCHAR(50),

  5       PRIMARY KEY (AIRLINE_ID),

  6    FOREIGN KEY (AIRPORT_NAME) REFERENCES AIRPORT(AIRPORT_NAME)

  7  );
```

Table created.


```
SQL> CREATE TABLE CONTAINS(

  2    AIRPORT_NAME VARCHAR(50),

  3       AIRLINE_ID INT,

  4    FOREIGN KEY (AIRPORT_NAME) REFERENCES AIRPORT(AIRPORT_NAME),

  5    FOREIGN KEY (AIRLINE_ID) REFERENCES AIRLINE(AIRLINE_ID)

  6  );
```

Table created.


```
SQL> CREATE TABLE FLIGHT(

  2    FLIGHT_NO INT NOT NULL,

  3    SOURCE VARCHAR2(50) NOT NULL,

  4    DESTINATION VARCHAR2(50) NOT NULL,

  5    STATUS VARCHAR2(20),

  6    CONNECTED VARCHAR2(20),

  7    D_TIME TIMESTAMP,

  8    A_TIME TIMESTAMP,

  9    DURATION INT NOT NULL,

  10     AIRLINE_ID INT,
```

```
11      PRIMARY KEY (FLIGHT_NO),

12      FOREIGN KEY (AIRLINE_ID) REFERENCES AIRLINE(AIRLINE_ID)

13  );
```

Table created.


```
SQL> CREATE TABLE EMPLOYEE(

2        E_ID INT,

3          NAME VARCHAR(50),

4          ADDRESS VARCHAR(50),

5          SEX VARCHAR(20),

6          SALARY INT,

7          AGE INT,

8          DOB DATE,

9          DESIGNATION VARCHAR2(50),

10         PRIMARY KEY (E_ID),

11          AIRPORT_NAME VARCHAR(50),

12      FOREIGN KEY (AIRPORT_NAME) REFERENCES AIRPORT(AIRPORT_NAME)

13  );
```

Table created.


```
SQL> CREATE TABLE EMP_PHONE_NO(

2        E_ID INT,

3        PHONE_NO VARCHAR(13),

4    FOREIGN KEY (E_ID) REFERENCES   EMPLOYEE(E_ID)

5  );
```

Table created.


```
SQL> CREATE TABLE TICKET(

2   TICKET_NO VARCHAR(20) NOT NULL,

3   AIRLINE_NAME VARCHAR(50) NOT NULL,

4   PRICE INT NOT NULL,

5   SEAT_NO VARCHAR(20),

6   CLASS VARCHAR(20),
```

```
7    D_TIME TIMESTAMP,

8    A_TIME TIMESTAMP,

9    DURATION INT,

10   SOURCE VARCHAR(50),

11   DESTINATION VARCHAR(50),

12   PASSPORT_NO VARCHAR(20),

13   PASSENGER_NAME VARCHAR(50),

14      PRIMARY KEY (TICKET_NO)

15 );
```

Table created.

```
SQL> CREATE TABLE PASSENGER(

2    PASSPORT_NO VARCHAR(20) NOT NULL,

3    NAME VARCHAR(50) NOT NULL,

4    ADDRESS VARCHAR(50),

5    SEX VARCHAR(10),

6    DOB DATE,

7    AGE INT,

8    FLIGHT_NO INT,

9    TICKET_NO VARCHAR(20),

10      PRIMARY KEY(PASSPORT_NO),

11   FOREIGN KEY (FLIGHT_NO) REFERENCES   FLIGHT(FLIGHT_NO),

12   FOREIGN KEY (TICKET_NO) REFERENCES   TICKET(TICKET_NO)

13 );
```

Table created.

```
SQL> ALTER TABLE TICKET ADD CONSTRAINT FK_NAME FOREIGN KEY (PASSPORT_NO) REFERENCES PASSENGER(PASSPORT_NO);
```

Table altered.

```
SQL> CREATE TABLE PASSENGER_PHONE_NO(

2    PASSPORT_NO VARCHAR(20),

3    PHONE_NO VARCHAR(13),

4      FOREIGN KEY (PASSPORT_NO) REFERENCES   PASSENGER(PASSPORT_NO)
```

```
  5  );
```

Table created.


```
SQL> CREATE TABLE SERVES(
  2    E_ID INT,
  3    PASSPORT_NO VARCHAR(20),
  4    FOREIGN KEY (E_ID) REFERENCES   EMPLOYEE(E_ID),
  5    FOREIGN KEY (PASSPORT_NO) REFERENCES   PASSENGER(PASSPORT_NO)
  6  );
```

Table created.


```
SQL> DESC AIRPORT;
 Name                           Null?    Type
 ------------------------------------ ------- --------------------------
 AIRPORT_NAME                   NOT NULL VARCHAR2(50)
 CITY                           VARCHAR2(20)
 STATE                          VARCHAR2(20)
```


```
SQL> DESC AIRLINE;
 Name                           Null?    Type
 ------------------------------------ ------- --------------------------
 AIRLINE_ID                     NOT NULL NUMBER(38)
 AIRLINE_NAME                   VARCHAR2(50)
 AIRPORT_NAME                   VARCHAR2(50)
```


```
SQL> DESC CONTAINS;
 Name                           Null?    Type
 ------------------------------------ ------- --------------------------
 AIRPORT_NAME                   VARCHAR2(50)
 AIRLINE_ID                     NUMBER(38)
```


```
SQL> DESC FLIGHT;
 Name                           Null?    Type
 ------------------------------------ ------- --------------------------
```

Name	Null?	Type
FLIGHT_NO	NOT NULL	NUMBER(38)
SOURCE	NOT NULL	VARCHAR2(50)
DESTINATION	NOT NULL	VARCHAR2(50)
STATUS		VARCHAR2(20)
CONNECTED		VARCHAR2(20)
D_TIME		TIMESTAMP(6)
A_TIME		TIMESTAMP(6)
DURATION	NOT NULL	NUMBER(38)
AIRLINE_ID		NUMBER(38)

SQL> DESC EMPLOYEE;

Name	Null?	Type
E_ID	NOT NULL	NUMBER(38)
NAME		VARCHAR2(50)
ADDRESS		VARCHAR2(50)
SEX		VARCHAR2(20)
SALARY		NUMBER(38)
AGE		NUMBER(38)
DOB		DATE
DESIGNATION		VARCHAR2(50)
AIRPORT_NAME		VARCHAR2(50)

SQL> DESC EMP_PHONE_NO;

Name	Null?	Type
E_ID		NUMBER(38)
PHONE_NO		VARCHAR2(13)

SQL> DESC TICKET;

Name	Null?	Type
TICKET_NO	NOT NULL	VARCHAR2(20)
AIRLINE_NAME	NOT NULL	VARCHAR2(50)
PRICE	NOT NULL	NUMBER(38)
SEAT_NO		VARCHAR2(20)

```
CLASS                       VARCHAR2(20)

D_TIME                      TIMESTAMP(6)

A_TIME                      TIMESTAMP(6)

DURATION                    NUMBER(38)

SOURCE                      VARCHAR2(50)

DESTINATION                 VARCHAR2(50)

PASSPORT_NO                 VARCHAR2(20)

PASSENGER_NAME              VARCHAR2(50)


SQL> DESC PASSENGER;

Name                    Null?   Type

-------------------------------------- ------- --------------------------

PASSPORT_NO               NOT NULL VARCHAR2(20)

NAME                      NOT NULL VARCHAR2(50)

ADDRESS                   VARCHAR2(50)

SEX                       VARCHAR2(10)

DOB                       DATE

AGE                       NUMBER(38)

FLIGHT_NO                 NUMBER(38)

TICKET_NO                 VARCHAR2(20)


SQL> DESC PASSENGER_PHONE_NO;

Name                    Null?   Type

-------------------------------------- ------- --------------------------

PASSPORT_NO               VARCHAR2(20)

PHONE_NO                  VARCHAR2(13)


SQL> DESC SERVES;

Name                    Null?   Type

-------------------------------------- ------- --------------------------

E_ID                      NUMBER(38)

PASSPORT_NO               VARCHAR2(20)


SQL> SET LINESIZE 5000;

SQL> SET PAGESIZE 9999;

SQL> INSERT INTO AIRPORT VALUES('Indira Gandhi International Airport', 'Delhi', 'Delhi');
```

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Chhatrapati Shivaji Maharaj International Airport', 'Mumbai', 'Maharashtra');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Kempegowda International Airport', 'Bangalore', 'Karnataka');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Chennai International Airport', 'Chennai', 'Tamil Nadu');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Netaji Subhas Chandra Bose International Airport', 'Kolkata', 'West Bengal');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Rajiv Gandhi International Airport', 'Hyderabad', 'Telangana');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Cochin International Airport', 'Kochi', 'Kerala');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Sardar Vallabhbhai Patel International Airport', 'Ahmedabad', 'Gujarat');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Pune Airport', 'Pune', 'Maharashtra');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Goa International Airport', 'Goa', 'Goa');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Jaipur International Airport', 'Jaipur', 'Rajasthan');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Trivandrum International Airport', 'Thiruvananthapuram', 'Kerala');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Calicut International Airport', 'Kozhikode', 'Kerala');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Coimbatore International Airport', 'Coimbatore', 'Tamil Nadu');

1 row created.

SQL> INSERT INTO AIRPORT VALUES('Maharishi Valmiki International Airport', 'Ayodhya Dham', 'Uttar Pradesh');

1 row created.

SQL> SELECT * FROM AIRPORT;

AIRPORT_NAME	CITY	STATE
Indira Gandhi International Airport	Delhi	Delhi
Chhatrapati Shivaji Maharaj International Airport	Mumbai	Maharashtra
Kempegowda International Airport	Bangalore	Karnataka
Chennai International Airport	Chennai	Tamil Nadu
Netaji Subhas Chandra Bose International Airport	Kolkata	West Bengal
Rajiv Gandhi International Airport	Hyderabad	Telangana
Cochin International Airport	Kochi	Kerala
Sardar Vallabhbhai Patel International Airport	Ahmedabad	Gujarat
Pune Airport	Pune	Maharashtra

Goa International Airport   Goa   Goa

Jaipur International Airport   Jaipur   Rajasthan

Trivandrum International Airport   Thiruvananthapuram Kerala

Calicut International Airport   Kozhikode   Kerala

Coimbatore International Airport   Coimbatore   Tamil Nadu

Maharishi Valmiki International Airport   Ayodhya Dham   Uttar Pradesh

15 rows selected.

SQL> INSERT INTO AIRLINE VALUES(1, 'Air India', 'Indira Gandhi International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(2, 'IndiGo', 'Indira Gandhi International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(3, 'SpiceJet', 'Indira Gandhi International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(4, 'Air India', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(5, 'IndiGo', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(6, 'SpiceJet', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(7, 'Air India', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(8, 'IndiGo', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(9, 'SpiceJet', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(10, 'Air India', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(11, 'IndiGo', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(12, 'SpiceJet', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(13, 'Air India', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(14, 'IndiGo', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(15, 'SpiceJet', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(16, 'Air India', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(17, 'IndiGo', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(18, 'SpiceJet', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(19, 'Air India', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(20, 'IndiGo', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(21, 'SpiceJet', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(22, 'Air India', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(23, 'IndiGo', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(24, 'SpiceJet', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(25, 'Air India', 'Pune Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(26, 'IndiGo', 'Pune Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(27, 'SpiceJet', 'Pune Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(28, 'Air India', 'Goa International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(29, 'IndiGo', 'Goa International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(30, 'SpiceJet', 'Goa International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(31, 'Air India', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(32, 'IndiGo', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(33, 'SpiceJet', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(34, 'Air India', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(35, 'IndiGo', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(36, 'SpiceJet', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(37, 'Air India', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(38, 'IndiGo', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(39, 'SpiceJet', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(40, 'Air India', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(41, 'IndiGo', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(42, 'SpiceJet', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(43, 'Air India', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(44, 'IndiGo', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO AIRLINE VALUES(45, 'SpiceJet', 'Maharishi Valmiki International Airport');

1 row created.

SQL>
SQL> SELECT * FROM AIRLINE;

AIRLINE_ID AIRLINE_NAME   AIRPORT_NAME
---------- -- --

         1 Air India   Indira Gandhi International Airport

         2 IndiGo   Indira Gandhi International Airport

         3 SpiceJet   Indira Gandhi International Airport

         4 Air India   Chhatrapati Shivaji Maharaj International Airport

         5 IndiGo   Chhatrapati Shivaji Maharaj International Airport

         6 SpiceJet   Chhatrapati Shivaji Maharaj International Airport

         7 Air India   Kempegowda International Airport

         8 IndiGo   Kempegowda International Airport

         9 SpiceJet   Kempegowda International Airport

        10 Air India   Chennai International Airport

        11 IndiGo   Chennai International Airport

        12 SpiceJet   Chennai International Airport

        13 Air India   Netaji Subhas Chandra Bose International Airport

        14 IndiGo   Netaji Subhas Chandra Bose International Airport

        15 SpiceJet   Netaji Subhas Chandra Bose International Airport

        16 Air India   Rajiv Gandhi International Airport

        17 IndiGo   Rajiv Gandhi International Airport

        18 SpiceJet   Rajiv Gandhi International Airport

        19 Air India   Cochin International Airport

        20 IndiGo   Cochin International Airport

        21 SpiceJet   Cochin International Airport

        22 Air India   Sardar Vallabhbhai Patel International Airport

23 IndiGo   Sardar Vallabhbhai Patel International Airport

24 SpiceJet   Sardar Vallabhbhai Patel International Airport

25 Air India   Pune Airport

26 IndiGo   Pune Airport

27 SpiceJet   Pune Airport

28 Air India   Goa International Airport

29 IndiGo   Goa International Airport

30 SpiceJet   Goa International Airport

31 Air India   Jaipur International Airport

32 IndiGo   Jaipur International Airport

33 SpiceJet   Jaipur International Airport

34 Air India   Trivandrum International Airport

35 IndiGo   Trivandrum International Airport

36 SpiceJet   Trivandrum International Airport

37 Air India   Calicut International Airport

38 IndiGo   Calicut International Airport

39 SpiceJet   Calicut International Airport

40 Air India   Coimbatore International Airport

41 IndiGo   Coimbatore International Airport

42 SpiceJet   Coimbatore International Airport

43 Air India   Maharishi Valmiki International Airport

44 IndiGo   Maharishi Valmiki International Airport

45 SpiceJet   Maharishi Valmiki International Airport

45 rows selected.

SQL> INSERT INTO CONTAINS VALUES('Indira Gandhi International Airport', 1);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Indira Gandhi International Airport', 2);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Indira Gandhi International Airport', 3);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Chhatrapati Shivaji Maharaj International Airport', 4);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Chhatrapati Shivaji Maharaj International Airport', 5);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Chhatrapati Shivaji Maharaj International Airport', 6);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Kempegowda International Airport', 7);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Kempegowda International Airport', 8);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Kempegowda International Airport', 9);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Chennai International Airport', 10);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Chennai International Airport', 11);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Chennai International Airport', 12);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Netaji Subhas Chandra Bose International Airport', 13);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Netaji Subhas Chandra Bose International Airport', 14);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Netaji Subhas Chandra Bose International Airport', 15);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Rajiv Gandhi International Airport', 16);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Rajiv Gandhi International Airport', 17);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Rajiv Gandhi International Airport', 18);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Cochin International Airport', 19);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Cochin International Airport', 20);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Cochin International Airport', 21);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Sardar Vallabhbhai Patel International Airport', 22);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Sardar Vallabhbhai Patel International Airport', 23);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Sardar Vallabhbhai Patel International Airport', 24);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Pune Airport', 25);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Pune Airport', 26);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Pune Airport', 27);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Goa International Airport', 28);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Goa International Airport', 29);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Goa International Airport', 30);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Jaipur International Airport', 31);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Jaipur International Airport', 32);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Jaipur International Airport', 33);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Trivandrum International Airport', 34);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Trivandrum International Airport', 35);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Trivandrum International Airport', 36);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Calicut International Airport', 37);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Calicut International Airport', 38);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Calicut International Airport', 39);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Coimbatore International Airport', 40);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Coimbatore International Airport', 41);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Coimbatore International Airport', 42);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Maharishi Valmiki International Airport', 43);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Maharishi Valmiki International Airport', 44);

1 row created.

SQL> INSERT INTO CONTAINS VALUES('Maharishi Valmiki International Airport', 45);

1 row created.

SQL> SELECT * FROM CONTAINS;

AIRPORT_NAME   AIRLINE_ID

-- ----------

Indira Gandhi International Airport   1

Indira Gandhi International Airport   2

Indira Gandhi International Airport   3

Chhatrapati Shivaji Maharaj International Airport   4

Chhatrapati Shivaji Maharaj International Airport   5

Chhatrapati Shivaji Maharaj International Airport   6

Kempegowda International Airport	7
Kempegowda International Airport	8
Kempegowda International Airport	9
Chennai International Airport	10
Chennai International Airport	11
Chennai International Airport	12
Netaji Subhas Chandra Bose International Airport	13
Netaji Subhas Chandra Bose International Airport	14
Netaji Subhas Chandra Bose International Airport	15
Rajiv Gandhi International Airport	16
Rajiv Gandhi International Airport	17
Rajiv Gandhi International Airport	18
Cochin International Airport	19
Cochin International Airport	20
Cochin International Airport	21
Sardar Vallabhbhai Patel International Airport	22
Sardar Vallabhbhai Patel International Airport	23
Sardar Vallabhbhai Patel International Airport	24
Pune Airport	25
Pune Airport	26
Pune Airport	27
Goa International Airport	28
Goa International Airport	29
Goa International Airport	30
Jaipur International Airport	31
Jaipur International Airport	32
Jaipur International Airport	33
Trivandrum International Airport	34
Trivandrum International Airport	35
Trivandrum International Airport	36
Calicut International Airport	37
Calicut International Airport	38
Calicut International Airport	39
Coimbatore International Airport	40
Coimbatore International Airport	41
Coimbatore International Airport	42

Maharishi Valmiki International Airport	43
Maharishi Valmiki International Airport	44
Maharishi Valmiki International Airport	45

45 rows selected.

SQL> INSERT INTO FLIGHT VALUES (1001, 'New Delhi', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 08:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1002, 'Mumbai', 'New Delhi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1003, 'Bengaluru', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 3);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1004, 'Chennai', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 3);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1005, 'New Delhi', 'Goa', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1006, 'Goa', 'New Delhi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1007, 'Mumbai', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 2);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1008, 'Bengaluru', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 2);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1009, 'Chennai', 'Goa', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 3);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1010, 'Goa', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 3);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1011, 'New Delhi', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1012, 'Jaipur', 'New Delhi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1013, 'Kochi', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 19);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1014, 'Trivandrum', 'Kochi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 19);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1015, 'Bengaluru', 'Hyderabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1016, 'Hyderabad', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1017, 'Chennai', 'Coimbatore', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 60, 10);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1018, 'Coimbatore', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 60, 10);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1019, 'Jaipur', 'Ahmedabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1020, 'Ahmedabad', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1021, 'Goa', 'Pune', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 30);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1022, 'Pune', 'Goa', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 30);

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1023, 'Chennai', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 10);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1024, 'Kolkata', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 10);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1025, 'Ahmedabad', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 22);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1026, 'Mumbai', 'Ahmedabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 22);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1027, 'Kochi', 'Goa', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 19);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1028, 'Goa', 'Kochi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 19);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1029, 'Jaipur', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 33);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1030, 'Chennai', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:45:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 33);
```

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1031, 'Trivandrum', 'Kozhikode', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1032, 'Kozhikode', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1033, 'Hyderabad', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 16);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1034, 'Chennai', 'Hyderabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 16);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1035, 'Kolkata', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 14);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1036, 'Jaipur', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 14);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1037, 'Mumbai', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1038, 'Chennai', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 1);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1039, 'Bengaluru', 'Kochi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 2);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1040, 'Kochi', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 2);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1041, 'Pune', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 25);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1042, 'Kolkata', 'Pune', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:15:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 25);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1043, 'Ahmedabad', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 22);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1044, 'Jaipur', 'Ahmedabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 22);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1045, 'Trivandrum', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1046, 'Chennai', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1047, 'Kolkata', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 14);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1048, 'Mumbai', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 14);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1049, 'Ahmedabad', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 22);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1050, 'Chennai', 'Ahmedabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 22);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1051, 'Kochi', 'Kozhikode', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 19);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1052, 'Kozhikode', 'Kochi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 19);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1053, 'Jaipur', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1054, 'Kolkata', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1055, 'Bengaluru', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1056, 'Chennai', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1057, 'Trivandrum', 'Kochi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1058, 'Kochi', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1059, 'Jaipur', 'Hyderabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1060, 'Hyderabad', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1061, 'Pune', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 25);

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1062, 'Bengaluru', 'Pune', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 25);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1063, 'Chennai', 'Kochi', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 10);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1064, 'Kochi', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 10);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1065, 'Trivandrum', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 34);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1066, 'Mumbai', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 34);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1067, 'Jaipur', 'Pune', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 33);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1068, 'Pune', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:15:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 33);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1069, 'Chennai', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 10);
```

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1070, 'Bengaluru', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 10);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1071, 'Kolkata', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 14);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1072, 'Chennai', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:15:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 14);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1073, 'Bengaluru', 'Hyderabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1074, 'Hyderabad', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1075, 'Mumbai', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1076, 'Jaipur', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:30:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 33);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1077, 'Goa', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 30);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1078, 'Chennai', 'Goa', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 30);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1079, 'Bengaluru', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1080, 'Kolkata', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 8);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1081, 'Ahmedabad', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 22);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1082, 'Jaipur', 'Ahmedabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 22);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1083, 'Trivandrum', 'Coimbatore', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

SQL> INSERT INTO FLIGHT VALUES (1084, 'Coimbatore', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 34);

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1085, 'Kolkata', 'Goa', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 14);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1086, 'Goa', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 14);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1087, 'Chennai', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 12);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1088, 'Jaipur', 'Chennai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 12);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1089, 'Pune', 'Kolkata', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 26);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1090, 'Kolkata', 'Pune', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 16:15:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 26);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1091, 'Jaipur', 'Coimbatore', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 33);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1092, 'Coimbatore', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:30:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 33);
```

1 row created.

```
SQL> INSERT INTO FLIGHT VALUES (1093, 'Mumbai', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00',
'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 35);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1094, 'Trivandrum', 'Mumbai', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 13:15:00',
'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 16:00:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 35);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1095, 'Bengaluru', 'Ahmedabad', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:30:00',
'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 8);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1096, 'Ahmedabad', 'Bengaluru', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 13:00:00',
'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 8);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1097, 'Jaipur', 'Goa', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD
HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 33);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1098, 'Goa', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD
HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:45:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 33);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1099, 'Trivandrum', 'Jaipur', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 35);


1 row created.


SQL> INSERT INTO FLIGHT VALUES (1100, 'Jaipur', 'Trivandrum', 'Scheduled', 'Yes', TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 16:00:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 35);
```

1 row created.

SQL> SELECT * FROM FLIGHT;


```
 FLIGHT_NO SOURCE                      DESTINATION                   STATUS        CONNECTED    D_TIME
A_TIME

   DURATION AIRLINE_ID
---------- ------------------------------------------------ ------------------------------------------------ ------------------ ------------------ ----------------
----------------------------------------------------- --------------------------------------------------------------- ---------- ---------
      1001 New Delhi                   Mumbai                        Scheduled        Yes        17-APR-24
08.00.00.000000 AM                    17-APR-24 10.30.00.000000 AM                                              150     1
      1002 Mumbai                      New Delhi                     Scheduled        Yes        17-APR-24
11.00.00.000000 AM                    17-APR-24 01.30.00.000000 PM                                              150     1
      1003 Bengaluru                   Chennai                       Scheduled        Yes        17-APR-24
09.30.00.000000 AM                    17-APR-24 11.00.00.000000 AM                                               90     3
      1004 Chennai                     Bengaluru                     Scheduled        Yes        17-APR-24
11.30.00.000000 AM                    17-APR-24 01.00.00.000000 PM                                               90     3
      1005 New Delhi                   Goa                           Scheduled        Yes        17-APR-24
09.00.00.000000 AM                    17-APR-24 11.30.00.000000 AM                                              150     1
      1006 Goa                         New Delhi                     Scheduled        Yes        17-APR-24
12.00.00.000000 PM                    17-APR-24 02.30.00.000000 PM                                              150     1
      1007 Mumbai                      Bengaluru                     Scheduled        Yes        17-APR-24
10.00.00.000000 AM                    17-APR-24 11.30.00.000000 AM                                               90     2
      1008 Bengaluru                   Mumbai                        Scheduled        Yes        17-APR-24
12.00.00.000000 PM                    17-APR-24 01.30.00.000000 PM                                               90     2
      1009 Chennai                     Goa                           Scheduled        Yes        17-APR-24
10.30.00.000000 AM                    17-APR-24 12.00.00.000000 PM                                               90     3
      1010 Goa                         Chennai                       Scheduled        Yes        17-APR-24
01.00.00.000000 PM                    17-APR-24 02.30.00.000000 PM                                               90     3
      1011 New Delhi                   Jaipur                        Scheduled        Yes        17-APR-24
09.30.00.000000 AM                    17-APR-24 10.45.00.000000 AM                                               75     1
      1012 Jaipur                      New Delhi                     Scheduled        Yes        17-APR-24
11.15.00.000000 AM                    17-APR-24 12.30.00.000000 PM                                               75     1
      1013 Kochi                       Trivandrum                    Scheduled        Yes        17-APR-24
10.00.00.000000 AM                    17-APR-24 11.15.00.000000 AM                                               75    19
      1014 Trivandrum                  Kochi                         Scheduled        Yes        17-APR-24
11.45.00.000000 AM                    17-APR-24 01.00.00.000000 PM                                               75    19
      1015 Bengaluru                   Hyderabad                     Scheduled        Yes        17-APR-24
09.15.00.000000 AM                    17-APR-24 10.30.00.000000 AM                                               75     8
      1016 Hyderabad                   Bengaluru                     Scheduled        Yes        17-APR-24
11.00.00.000000 AM                    17-APR-24 12.15.00.000000 PM                                               75     8
      1017 Chennai                     Coimbatore                    Scheduled        Yes        17-APR-24
10.45.00.000000 AM                    17-APR-24 11.45.00.000000 AM                                               60    10
```

Flight	Origin	Departure	Destination	Arrival	Status		Date		
1018	Coimbatore	12.15.00.000000 PM	Chennai	17-APR-24 01.15.00.000000 PM	Scheduled	Yes	17-APR-24	60	10
1019	Jaipur	09.00.00.000000 AM	Ahmedabad	17-APR-24 10.45.00.000000 AM	Scheduled	Yes	17-APR-24	105	33
1020	Ahmedabad	11.15.00.000000 AM	Jaipur	17-APR-24 01.00.00.000000 PM	Scheduled	Yes	17-APR-24	105	33
1021	Goa	09.45.00.000000 AM	Pune	17-APR-24 11.00.00.000000 AM	Scheduled	Yes	17-APR-24	75	30
1022	Pune	11.30.00.000000 AM	Goa	17-APR-24 12.45.00.000000 PM	Scheduled	Yes	17-APR-24	75	30
1023	Chennai	09.30.00.000000 AM	Kolkata	17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24	150	10
1024	Kolkata	12.30.00.000000 PM	Chennai	17-APR-24 03.00.00.000000 PM	Scheduled	Yes	17-APR-24	150	10
1025	Ahmedabad	10.00.00.000000 AM	Mumbai	17-APR-24 11.30.00.000000 AM	Scheduled	Yes	17-APR-24	90	22
1026	Mumbai	12.00.00.000000 PM	Ahmedabad	17-APR-24 01.30.00.000000 PM	Scheduled	Yes	17-APR-24	90	22
1027	Kochi	10.15.00.000000 AM	Goa	17-APR-24 11.30.00.000000 AM	Scheduled	Yes	17-APR-24	75	19
1028	Goa	12.00.00.000000 PM	Kochi	17-APR-24 01.15.00.000000 PM	Scheduled	Yes	17-APR-24	75	19
1029	Jaipur	09.15.00.000000 AM	Chennai	17-APR-24 11.45.00.000000 AM	Scheduled	Yes	17-APR-24	150	33
1030	Chennai	12.15.00.000000 PM	Jaipur	17-APR-24 02.45.00.000000 PM	Scheduled	Yes	17-APR-24	150	33
1031	Trivandrum	09.45.00.000000 AM	Kozhikode	17-APR-24 11.00.00.000000 AM	Scheduled	Yes	17-APR-24	75	34
1032	Kozhikode	11.30.00.000000 AM	Trivandrum	17-APR-24 12.45.00.000000 PM	Scheduled	Yes	17-APR-24	75	34
1033	Hyderabad	09.30.00.000000 AM	Chennai	17-APR-24 10.45.00.000000 AM	Scheduled	Yes	17-APR-24	75	16
1034	Chennai	11.15.00.000000 AM	Hyderabad	17-APR-24 12.30.00.000000 PM	Scheduled	Yes	17-APR-24	75	16
1035	Kolkata	10.00.00.000000 AM	Jaipur	17-APR-24 11.45.00.000000 AM	Scheduled	Yes	17-APR-24	105	14
1036	Jaipur	12.15.00.000000 PM	Kolkata	17-APR-24 02.00.00.000000 PM	Scheduled	Yes	17-APR-24	105	14
1037	Mumbai	09.00.00.000000 AM	Chennai	17-APR-24 10.30.00.000000 AM	Scheduled	Yes	17-APR-24	90	1
1038	Chennai	11.00.00.000000 AM	Mumbai	17-APR-24 12.30.00.000000 PM	Scheduled	Yes	17-APR-24	90	1
1039	Bengaluru	10.15.00.000000 AM	Kochi	17-APR-24 11.30.00.000000 AM	Scheduled	Yes	17-APR-24	75	2

1040 Kochi 12.00.00.000000 PM	Bengaluru	Scheduled	Yes	17-APR-24 17-APR-24 01.15.00.000000 PM	75	2
1041 Pune 09.45.00.000000 AM	Kolkata	Scheduled	Yes	17-APR-24 17-APR-24 12.15.00.000000 PM	150	25
1042 Kolkata 12.45.00.000000 PM	Pune	Scheduled	Yes	17-APR-24 17-APR-24 03.15.00.000000 PM	150	25
1043 Ahmedabad 10.30.00.000000 AM	Jaipur	Scheduled	Yes	17-APR-24 17-APR-24 11.45.00.000000 AM	75	22
1044 Jaipur 12.15.00.000000 PM	Ahmedabad	Scheduled	Yes	17-APR-24 17-APR-24 01.30.00.000000 PM	75	22
1045 Trivandrum 09.30.00.000000 AM	Chennai	Scheduled	Yes	17-APR-24 17-APR-24 10.45.00.000000 AM	75	34
1046 Chennai 11.15.00.000000 AM	Trivandrum	Scheduled	Yes	17-APR-24 17-APR-24 12.30.00.000000 PM	75	34
1047 Kolkata 10.00.00.000000 AM	Mumbai	Scheduled	Yes	17-APR-24 17-APR-24 12.30.00.000000 PM	150	14
1048 Mumbai 01.00.00.000000 PM	Kolkata	Scheduled	Yes	17-APR-24 17-APR-24 03.30.00.000000 PM	150	14
1049 Ahmedabad 09.45.00.000000 AM	Chennai	Scheduled	Yes	17-APR-24 17-APR-24 11.15.00.000000 AM	90	22
1050 Chennai 11.45.00.000000 AM	Ahmedabad	Scheduled	Yes	17-APR-24 17-APR-24 01.15.00.000000 PM	90	22
1051 Kochi 10.00.00.000000 AM	Kozhikode	Scheduled	Yes	17-APR-24 17-APR-24 11.15.00.000000 AM	75	19
1052 Kozhikode 11.45.00.000000 AM	Kochi	Scheduled	Yes	17-APR-24 17-APR-24 01.00.00.000000 PM	75	19
1053 Jaipur 09.15.00.000000 AM	Kolkata	Scheduled	Yes	17-APR-24 17-APR-24 11.00.00.000000 AM	105	33
1054 Kolkata 11.30.00.000000 AM	Jaipur	Scheduled	Yes	17-APR-24 17-APR-24 01.15.00.000000 PM	105	33
1055 Bengaluru 10.30.00.000000 AM	Chennai	Scheduled	Yes	17-APR-24 17-APR-24 11.45.00.000000 AM	75	8
1056 Chennai 12.15.00.000000 PM	Bengaluru	Scheduled	Yes	17-APR-24 17-APR-24 01.30.00.000000 PM	75	8
1057 Trivandrum 09.45.00.000000 AM	Kochi	Scheduled	Yes	17-APR-24 17-APR-24 11.00.00.000000 AM	75	34
1058 Kochi 11.30.00.000000 AM	Trivandrum	Scheduled	Yes	17-APR-24 17-APR-24 12.45.00.000000 PM	75	34
1059 Jaipur 10.00.00.000000 AM	Hyderabad	Scheduled	Yes	17-APR-24 17-APR-24 11.45.00.000000 AM	105	33
1060 Hyderabad 12.15.00.000000 PM	Jaipur	Scheduled	Yes	17-APR-24 17-APR-24 02.00.00.000000 PM	105	33
1061 Pune 09.15.00.000000 AM	Bengaluru	Scheduled	Yes	17-APR-24 17-APR-24 10.30.00.000000 AM	75	25

Flight	Departure	Destination	Arrival	Status		Date		
1062 Bengaluru 11.00.00.000000 AM		Pune	17-APR-24 12.15.00.000000 PM	Scheduled	Yes	17-APR-24	75	25
1063 Chennai 10.45.00.000000 AM		Kochi	17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24	75	10
1064 Kochi 12.30.00.000000 PM		Chennai	17-APR-24 01.45.00.000000 PM	Scheduled	Yes	17-APR-24	75	10
1065 Trivandrum 09.30.00.000000 AM		Mumbai	17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24	150	34
1066 Mumbai 12.30.00.000000 PM		Trivandrum	17-APR-24 03.00.00.000000 PM	Scheduled	Yes	17-APR-24	150	34
1067 Jaipur 09.45.00.000000 AM		Pune	17-APR-24 11.45.00.000000 AM	Scheduled	Yes	17-APR-24	120	33
1068 Pune 12.15.00.000000 PM		Jaipur	17-APR-24 02.15.00.000000 PM	Scheduled	Yes	17-APR-24	120	33
1069 Chennai 09.30.00.000000 AM		Bengaluru	17-APR-24 10.45.00.000000 AM	Scheduled	Yes	17-APR-24	75	10
1070 Bengaluru 11.15.00.000000 AM		Chennai	17-APR-24 12.30.00.000000 PM	Scheduled	Yes	17-APR-24	75	10
1071 Kolkata 09.45.00.000000 AM		Chennai	17-APR-24 11.45.00.000000 AM	Scheduled	Yes	17-APR-24	120	14
1072 Chennai 12.15.00.000000 PM		Kolkata	17-APR-24 02.15.00.000000 PM	Scheduled	Yes	17-APR-24	120	14
1073 Bengaluru 10.00.00.000000 AM		Hyderabad	17-APR-24 11.15.00.000000 AM	Scheduled	Yes	17-APR-24	75	8
1074 Hyderabad 11.45.00.000000 AM		Bengaluru	17-APR-24 01.00.00.000000 PM	Scheduled	Yes	17-APR-24	75	8
1075 Mumbai 09.30.00.000000 AM		Jaipur	17-APR-24 11.45.00.000000 AM	Scheduled	Yes	17-APR-24	120	33
1076 Jaipur 12.15.00.000000 PM		Mumbai	17-APR-24 02.30.00.000000 PM	Scheduled	Yes	17-APR-24	120	33
1077 Goa 10.45.00.000000 AM		Chennai	17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24	105	30
1078 Chennai 12.30.00.000000 PM		Goa	17-APR-24 01.45.00.000000 PM	Scheduled	Yes	17-APR-24	105	30
1079 Bengaluru 09.30.00.000000 AM		Kolkata	17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24	150	8
1080 Kolkata 12.30.00.000000 PM		Bengaluru	17-APR-24 03.00.00.000000 PM	Scheduled	Yes	17-APR-24	150	8
1081 Ahmedabad 10.30.00.000000 AM		Jaipur	17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24	90	22
1082 Jaipur 12.30.00.000000 PM		Ahmedabad	17-APR-24 02.00.00.000000 PM	Scheduled	Yes	17-APR-24	90	22
1083 Trivandrum 10.00.00.000000 AM		Coimbatore	17-APR-24 11.15.00.000000 AM	Scheduled	Yes	17-APR-24	75	34

1084 Coimbatore 11.45.00.000000 AM	Trivandrum 17-APR-24 01.00.00.000000 PM	Scheduled	Yes	17-APR-24		75	34
1085 Kolkata 09.45.00.000000 AM	Goa 17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24		135	14
1086 Goa 12.30.00.000000 PM	Kolkata 17-APR-24 03.00.00.000000 PM	Scheduled	Yes	17-APR-24		135	14
1087 Chennai 09.30.00.000000 AM	Jaipur 17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24		150	12
1088 Jaipur 12.30.00.000000 PM	Chennai 17-APR-24 03.00.00.000000 PM	Scheduled	Yes	17-APR-24		150	12
1089 Pune 10.15.00.000000 AM	Kolkata 17-APR-24 01.00.00.000000 PM	Scheduled	Yes	17-APR-24		165	26
1090 Kolkata 01.30.00.000000 PM	Pune 17-APR-24 04.15.00.000000 PM	Scheduled	Yes	17-APR-24		165	26
1091 Jaipur 10.30.00.000000 AM	Coimbatore 17-APR-24 12.45.00.000000 PM	Scheduled	Yes	17-APR-24		135	33
1092 Coimbatore 01.15.00.000000 PM	Jaipur 17-APR-24 03.30.00.000000 PM	Scheduled	Yes	17-APR-24		135	33
1093 Mumbai 10.00.00.000000 AM	Trivandrum 17-APR-24 12.45.00.000000 PM	Scheduled	Yes	17-APR-24		165	35
1094 Trivandrum 01.15.00.000000 PM	Mumbai 17-APR-24 04.00.00.000000 PM	Scheduled	Yes	17-APR-24		165	35
1095 Bengaluru 10.30.00.000000 AM	Ahmedabad 17-APR-24 12.30.00.000000 PM	Scheduled	Yes	17-APR-24		120	8
1096 Ahmedabad 01.00.00.000000 PM	Bengaluru 17-APR-24 03.00.00.000000 PM	Scheduled	Yes	17-APR-24		120	8
1097 Jaipur 09.45.00.000000 AM	Goa 17-APR-24 12.00.00.000000 PM	Scheduled	Yes	17-APR-24		135	33
1098 Goa 12.30.00.000000 PM	Jaipur 17-APR-24 02.45.00.000000 PM	Scheduled	Yes	17-APR-24		135	33
1099 Trivandrum 10.00.00.000000 AM	Jaipur 17-APR-24 12.45.00.000000 PM	Scheduled	Yes	17-APR-24		165	35
1100 Jaipur 01.15.00.000000 PM	Trivandrum 17-APR-24 04.00.00.000000 PM	Scheduled	Yes	17-APR-24		165	35

100 rows selected.

SQL> INSERT INTO EMPLOYEE VALUES (100001, 'Rahul Sharma', '123 M G Road, Delhi', 'Male', 50000, 30, TO_DATE('17-04-1994', 'DD-MM-YYYY'), 'Manager', 'Indira Gandhi International Airport');

1 row created.

```
SQL> INSERT INTO EMPLOYEE VALUES (100002, 'Priya Patel', '456 Lal Chowk, Delhi', 'Female', 45000, 28, TO_DATE('19-02-1996',
'DD-MM-YYYY'), 'Supervisor', 'Indira Gandhi International Airport');


1 row created.


SQL> INSERT INTO EMPLOYEE VALUES (100003, 'Amit Singh', '789 Kalyan Nagar, Delhi', 'Male', 55000, 35, TO_DATE('12-08-1991',
'DD-MM-YYYY'), 'Assistant Manager', 'Indira Gandhi International Airport');


1 row created.


SQL> INSERT INTO EMPLOYEE VALUES (100004, 'Sneha Reddy', '1 Connaught Place, Delhi', 'Female', 60000, 32, TO_DATE('05-11-
1989', 'DD-MM-YYYY'), 'HR Manager', 'Indira Gandhi International Airport');


1 row created.


SQL> INSERT INTO EMPLOYEE VALUES (100005, 'Karan Verma', '23 Rajouri Garden, Delhi', 'Male', 48000, 29, TO_DATE('23-09-
1993', 'DD-MM-YYYY'), 'Engineer', 'Indira Gandhi International Airport');


1 row created.


SQL> INSERT INTO EMPLOYEE VALUES (100006, 'Anjali Gupta', '78 Karol Bagh, Delhi', 'Female', 42000, 27, TO_DATE('15-07-1997',
'DD-MM-YYYY'), 'Accountant', 'Indira Gandhi International Airport');


1 row created.


SQL> INSERT INTO EMPLOYEE VALUES (100007, 'Vivek Sharma', '56 Dwarka, Delhi', 'Male', 52000, 33, TO_DATE('28-03-1988',
'DD-MM-YYYY'), 'Technician', 'Indira Gandhi International Airport');


1 row created.


SQL> INSERT INTO EMPLOYEE VALUES (100008, 'Pooja Singh', '34 Mayur Vihar, Delhi', 'Female', 47000, 31, TO_DATE('20-01-1991',
'DD-MM-YYYY'), 'Marketing Manager', 'Indira Gandhi International Airport');


1 row created.


SQL> INSERT INTO EMPLOYEE VALUES (100009, 'Ankit Kumar', '90 Saket, Delhi', 'Male', 51000, 34, TO_DATE('14-06-1987', 'DD-
MM-YYYY'), 'Team Leader', 'Indira Gandhi International Airport');


1 row created.
```

SQL> INSERT INTO EMPLOYEE VALUES (100010, 'Divya Sharma', '67 Paharganj, Delhi', 'Female', 44000, 26, TO_DATE('09-12-1995', 'DD-MM-YYYY'), 'Analyst', 'Indira Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100011, 'Ajay Kumar', '234 Bandra, Mumbai', 'Male', 49000, 31, TO_DATE('25-08-1990', 'DD-MM-YYYY'), 'Manager', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100012, 'Shweta Gupta', '567 Juhu, Mumbai', 'Female', 46000, 29, TO_DATE('19-04-1992', 'DD-MM-YYYY'), 'Supervisor', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100013, 'Vikas Singh', '890 Andheri, Mumbai', 'Male', 54000, 36, TO_DATE('07-10-1985', 'DD-MM-YYYY'), 'Assistant Manager', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100014, 'Aarti Patel', '12 Goregaon, Mumbai', 'Female', 61000, 33, TO_DATE('13-05-1988', 'DD-MM-YYYY'), 'HR Manager', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100015, 'Rahul Verma', '45 Malad, Mumbai', 'Male', 50000, 28, TO_DATE('30-01-1994', 'DD-MM-YYYY'), 'Engineer', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100016, 'Neha Sharma', '78 Kandivali, Mumbai', 'Female', 43000, 26, TO_DATE('22-07-1995', 'DD-MM-YYYY'), 'Accountant', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100017, 'Rajesh Singh', '56 Colaba, Mumbai', 'Male', 53000, 32, TO_DATE('04-04-1989', 'DD-MM-YYYY'), 'Technician', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100018, 'Swati Gupta', '34 Dadar, Mumbai', 'Female', 48000, 30, TO_DATE('12-11-1991', 'DD-MM-YYYY'), 'Marketing Manager', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100019, 'Aakash Kumar', '90 Versova, Mumbai', 'Male', 52000, 35, TO_DATE('18-06-1986', 'DD-MM-YYYY'), 'Team Leader', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100020, 'Ananya Singh', '67 Vile Parle, Mumbai', 'Female', 45000, 27, TO_DATE('05-09-1996', 'DD-MM-YYYY'), 'Analyst', 'Chhatrapati Shivaji Maharaj International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100021, 'Prakash Reddy', '345 MG Road, Bangalore', 'Male', 48000, 32, TO_DATE('19-11-1989', 'DD-MM-YYYY'), 'Manager', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100022, 'Rashmi Rao', '678 Indiranagar, Bangalore', 'Female', 43000, 30, TO_DATE('23-07-1991', 'DD-MM-YYYY'), 'Supervisor', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100023, 'Sanjay Kumar', '901 Koramangala, Bangalore', 'Male', 51000, 37, TO_DATE('15-03-1985', 'DD-MM-YYYY'), 'Assistant Manager', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100024, 'Manisha Patel', '123 Whitefield, Bangalore', 'Female', 58000, 34, TO_DATE('27-02-1988', 'DD-MM-YYYY'), 'HR Manager', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100025, 'Vishal Reddy', '45 BTM Layout, Bangalore', 'Male', 49000, 29, TO_DATE('10-09-1992', 'DD-MM-YYYY'), 'Engineer', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100026, 'Nisha Sharma', '78 HSR Layout, Bangalore', 'Female', 42000, 27, TO_DATE('04-05-1997', 'DD-MM-YYYY'), 'Accountant', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100027, 'Ravi Kumar', '56 Electronic City, Bangalore', 'Male', 52000, 33, TO_DATE('08-01-1989', 'DD-MM-YYYY'), 'Technician', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100028, 'Priyanka Gupta', '34 Marathahalli, Bangalore', 'Female', 47000, 31, TO_DATE('21-06-1990', 'DD-MM-YYYY'), 'Marketing Manager', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100029, 'Sandeep Singh', '90 Yelahanka, Bangalore', 'Male', 53000, 36, TO_DATE('14-02-1986', 'DD-MM-YYYY'), 'Team Leader', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100030, 'Anjali Reddy', '67 Jayanagar, Bangalore', 'Female', 44000, 28, TO_DATE('09-10-1993', 'DD-MM-YYYY'), 'Analyst', 'Kempegowda International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100031, 'Vijay Kumar', '456 Mount Road, Chennai', 'Male', 47000, 29, TO_DATE('25-12-1992', 'DD-MM-YYYY'), 'Manager', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100032, 'Deepa Raj', '789 T Nagar, Chennai', 'Female', 42000, 27, TO_DATE('19-06-1994', 'DD-MM-YYYY'), 'Supervisor', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100033, 'Praveen Kumar', '101 Velachery, Chennai', 'Male', 50000, 34, TO_DATE('12-02-1988', 'DD-MM-YYYY'), 'Assistant Manager', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100034, 'Shalini Gupta', '234 Anna Nagar, Chennai', 'Female', 55000, 31, TO_DATE('15-08-1990', 'DD-MM-YYYY'), 'HR Manager', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100035, 'Suresh Reddy', '567 Guindy, Chennai', 'Male', 48000, 28, TO_DATE('30-04-1993', 'DD-MM-YYYY'), 'Engineer', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100036, 'Ananya Sharma', '890 Nungambakkam, Chennai', 'Female', 43000, 26, TO_DATE('22-10-1995', 'DD-MM-YYYY'), 'Accountant', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100037, 'Rahul Raj', '12 Egmore, Chennai', 'Male', 52000, 32, TO_DATE('04-06-1989', 'DD-MM-YYYY'), 'Technician', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100038, 'Priya Singh', '45 Mylapore, Chennai', 'Female', 46000, 30, TO_DATE('12-11-1991', 'DD-MM-YYYY'), 'Marketing Manager', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100039, 'Manoj Kumar', '78 Pallavaram, Chennai', 'Male', 54000, 35, TO_DATE('18-03-1987', 'DD-MM-YYYY'), 'Team Leader', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100040, 'Divya Reddy', '56 Tambaram, Chennai', 'Female', 49000, 27, TO_DATE('05-07-1996', 'DD-MM-YYYY'), 'Analyst', 'Chennai International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100041, 'Rajesh Kumar', '678 Park Street, Kolkata', 'Male', 49000, 31, TO_DATE('25-10-1990', 'DD-MM-YYYY'), 'Manager', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100042, 'Sneha Das', '901 Salt Lake, Kolkata', 'Female', 45000, 29, TO_DATE('19-08-1992', 'DD-MM-YYYY'), 'Supervisor', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100043, 'Amit Sharma', '123 Esplanade, Kolkata', 'Male', 53000, 37, TO_DATE('15-04-1984', 'DD-MM-YYYY'), 'Assistant Manager', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100044, 'Pooja Das', '456 Howrah, Kolkata', 'Female', 60000, 34, TO_DATE('27-01-1988', 'DD-MM-YYYY'), 'HR Manager', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100045, 'Vikram Singh', '789 Gariahat, Kolkata', 'Male', 50000, 28, TO_DATE('30-07-1993', 'DD-MM-YYYY'), 'Engineer', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100046, 'Anjali Das', '890 Park Circus, Kolkata', 'Female', 42000, 27, TO_DATE('04-11-1996', 'DD-MM-YYYY'), 'Accountant', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100047, 'Ravi Sharma', '12 Ballygunge, Kolkata', 'Male', 52000, 33, TO_DATE('08-05-1988', 'DD-MM-YYYY'), 'Technician', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100048, 'Swati Das', '45 Alipore, Kolkata', 'Female', 47000, 31, TO_DATE('21-02-1990', 'DD-MM-YYYY'), 'Marketing Manager', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100049, 'Alok Kumar', '78 Rajarhat, Kolkata', 'Male', 51000, 36, TO_DATE('14-09-1985', 'DD-MM-YYYY'), 'Team Leader', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100050, 'Ananya Das', '67 Behala, Kolkata', 'Female', 44000, 28, TO_DATE('09-01-1994', 'DD-MM-YYYY'), 'Analyst', 'Netaji Subhas Chandra Bose International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100051, 'Suresh Kumar', '345 Jubilee Hills, Hyderabad', 'Male', 50000, 33, TO_DATE('19-07-1988', 'DD-MM-YYYY'), 'Manager', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100052, 'Sneha Reddy', '678 Banjara Hills, Hyderabad', 'Female', 47000, 31, TO_DATE('23-02-1990', 'DD-MM-YYYY'), 'Supervisor', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100053, 'Prakash Singh', '901 Kukatpally, Hyderabad', 'Male', 55000, 36, TO_DATE('15-08-1985', 'DD-MM-YYYY'), 'Assistant Manager', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100054, 'Divya Reddy', '123 Gachibowli, Hyderabad', 'Female', 62000, 34, TO_DATE('27-01-1988', 'DD-MM-YYYY'), 'HR Manager', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100055, 'Rajesh Verma', '456 Hitech City, Hyderabad', 'Male', 51000, 29, TO_DATE('10-06-1992', 'DD-MM-YYYY'), 'Engineer', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100056, 'Anusha Sharma', '789 Ameerpet, Hyderabad', 'Female', 44000, 27, TO_DATE('04-12-1996', 'DD-MM-YYYY'), 'Accountant', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100057, 'Kiran Kumar', '12 Somajiguda, Hyderabad', 'Male', 53000, 32, TO_DATE('08-04-1989', 'DD-MM-YYYY'), 'Technician', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100058, 'Anjali Reddy', '45 Madhapur, Hyderabad', 'Female', 48000, 30, TO_DATE('21-11-1991', 'DD-MM-YYYY'), 'Marketing Manager', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100059, 'Alok Singh', '78 Secunderabad, Hyderabad', 'Male', 54000, 35, TO_DATE('14-03-1987', 'DD-MM-YYYY'), 'Team Leader', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100060, 'Pooja Sharma', '67 Miyapur, Hyderabad', 'Female', 45000, 28, TO_DATE('09-10-1993', 'DD-MM-YYYY'), 'Analyst', 'Rajiv Gandhi International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100061, 'Arun Kumar', '456 MG Road, Kochi', 'Male', 52000, 34, TO_DATE('25-10-1987', 'DD-MM-YYYY'), 'Manager', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100062, 'Anjali Nair', '789 Marine Drive, Kochi', 'Female', 48000, 31, TO_DATE('19-05-1990', 'DD-MM-YYYY'), 'Supervisor', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100063, 'Rajesh Menon', '101 Fort Kochi, Kochi', 'Male', 55000, 37, TO_DATE('12-03-1984', 'DD-MM-YYYY'), 'Assistant Manager', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100064, 'Deepa Nair', '234 Kakkanad, Kochi', 'Female', 63000, 35, TO_DATE('15-02-1986', 'DD-MM-YYYY'), 'HR Manager', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100065, 'Prakash Pillai', '567 Aluva, Kochi', 'Male', 53000, 30, TO_DATE('30-06-1991', 'DD-MM-YYYY'), 'Engineer', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100066, 'Ananya Menon', '890 Tripunithura, Kochi', 'Female', 45000, 28, TO_DATE('22-12-1993', 'DD-MM-YYYY'), 'Accountant', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100067, 'Suresh Nair', '12 Vyttila, Kochi', 'Male', 54000, 33, TO_DATE('04-08-1988', 'DD-MM-YYYY'), 'Technician', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100068, 'Anjali Pillai', '45 Edapally, Kochi', 'Female', 49000, 29, TO_DATE('21-01-1993', 'DD-MM-YYYY'), 'Marketing Manager', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100069, 'Rahul Nair', '78 Kaloor, Kochi', 'Male', 56000, 36, TO_DATE('14-04-1986', 'DD-MM-YYYY'), 'Team Leader', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100070, 'Sneha Menon', '67 Thrippunithura, Kochi', 'Female', 46000, 32, TO_DATE('09-09-1989', 'DD-MM-YYYY'), 'Analyst', 'Cochin International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100071, 'Rajesh Patel', '678 Ashram Road, Ahmedabad', 'Male', 51000, 35, TO_DATE('25-11-1986', 'DD-MM-YYYY'), 'Manager', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100072, 'Pooja Shah', '901 Manek Chowk, Ahmedabad', 'Female', 46000, 32, TO_DATE('19-05-1989', 'DD-MM-YYYY'), 'Supervisor', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100073, 'Ankit Patel', '123 Vastrapur, Ahmedabad', 'Male', 54000, 36, TO_DATE('12-03-1985', 'DD-MM-YYYY'), 'Assistant Manager', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100074, 'Shreya Shah', '456 Gurukul, Ahmedabad', 'Female', 61000, 34, TO_DATE('15-02-1988', 'DD-MM-YYYY'), 'HR Manager', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100075, 'Karan Patel', '789 Chandkheda, Ahmedabad', 'Male', 52000, 29, TO_DATE('30-06-1992', 'DD-MM-YYYY'), 'Engineer', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100076, 'Anjali Shah', '890 Satellite, Ahmedabad', 'Female', 44000, 27, TO_DATE('22-12-1994', 'DD-MM-YYYY'), 'Accountant', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100077, 'Vivek Patel', '12 Prahlad Nagar, Ahmedabad', 'Male', 53000, 33, TO_DATE('04-08-1988', 'DD-MM-YYYY'), 'Technician', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100078, 'Riya Shah', '45 Naranpura, Ahmedabad', 'Female', 48000, 30, TO_DATE('21-01-1992', 'DD-MM-YYYY'), 'Marketing Manager', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100079, 'Amit Shah', '78 Bodakdev, Ahmedabad', 'Male', 55000, 37, TO_DATE('14-04-1984', 'DD-MM-YYYY'), 'Team Leader', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100080, 'Kritika Patel', '67 Naroda, Ahmedabad', 'Female', 45000, 31, TO_DATE('09-09-1990', 'DD-MM-YYYY'), 'Analyst', 'Sardar Vallabhbhai Patel International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100081, 'Vikram Sharma', '456 Deccan, Pune', 'Male', 53000, 32, TO_DATE('25-08-1989', 'DD-MM-YYYY'), 'Manager', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100082, 'Anjali Deshmukh', '789 Koregaon Park, Pune', 'Female', 49000, 29, TO_DATE('19-04-1992', 'DD-MM-YYYY'), 'Supervisor', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100083, 'Rahul Desai', '101 Shivajinagar, Pune', 'Male', 57000, 35, TO_DATE('12-02-1987', 'DD-MM-YYYY'), 'Assistant Manager', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100084, 'Swati Patil', '234 Kothrud, Pune', 'Female', 64000, 33, TO_DATE('27-01-1989', 'DD-MM-YYYY'), 'HR Manager', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100085, 'Amit Desai', '567 Hinjewadi, Pune', 'Male', 54000, 30, TO_DATE('10-09-1991', 'DD-MM-YYYY'), 'Engineer', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100086, 'Priya Patil', '890 Pimpri, Pune', 'Female', 46000, 28, TO_DATE('04-05-1993', 'DD-MM-YYYY'), 'Accountant', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100087, 'Rohan Sharma', '12 Aundh, Pune', 'Male', 55000, 34, TO_DATE('08-01-1988', 'DD-MM-YYYY'), 'Technician', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100088, 'Neha Patil', '45 Wakad, Pune', 'Female', 50000, 31, TO_DATE('21-06-1990', 'DD-MM-YYYY'), 'Marketing Manager', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100089, 'Rajesh Deshmukh', '78 Chinchwad, Pune', 'Male', 58000, 36, TO_DATE('14-02-1986', 'DD-MM-YYYY'), 'Team Leader', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100090, 'Sneha Sharma', '67 Hadapsar, Pune', 'Female', 47000, 32, TO_DATE('09-10-1989', 'DD-MM-YYYY'), 'Analyst', 'Pune Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100091, 'Anil Kumar', '678 Panaji, Goa', 'Male', 48000, 33, TO_DATE('25-09-1988', 'DD-MM-YYYY'), 'Manager', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100092, 'Priya Desai', '901 Margao, Goa', 'Female', 44000, 31, TO_DATE('19-10-1990', 'DD-MM-YYYY'), 'Supervisor', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100093, 'Rajesh Naik', '123 Vasco, Goa', 'Male', 52000, 37, TO_DATE('12-06-1984', 'DD-MM-YYYY'), 'Assistant Manager', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100094, 'Anjali Kamat', '456 Calangute, Goa', 'Female', 59000, 35, TO_DATE('15-05-1986', 'DD-MM-YYYY'), 'HR Manager', 'Goa International Airport');

1 row created.

```
SQL> INSERT INTO EMPLOYEE VALUES (100095, 'Suresh Naik', '789 Mapusa, Goa', 'Male', 49000, 30, TO_DATE('30-11-1991', 'DD-MM-YYYY'), 'Engineer', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100096, 'Ananya Kamat', '890 Anjuna, Goa', 'Female', 47000, 28, TO_DATE('22-08-1993', 'DD-MM-YYYY'), 'Accountant', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100097, 'Rahul Naik', '12 Baga, Goa', 'Male', 54000, 34, TO_DATE('08-04-1988', 'DD-MM-YYYY'), 'Technician', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100098, 'Swati Kamat', '45 Porvorim, Goa', 'Female', 51000, 31, TO_DATE('21-01-1991', 'DD-MM-YYYY'), 'Marketing Manager', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100099, 'Alok Naik', '78 Saligao, Goa', 'Male', 57000, 36, TO_DATE('14-03-1986', 'DD-MM-YYYY'), 'Team Leader', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100100, 'Priya Kamat', '67 Cavelossim, Goa', 'Female', 45000, 32, TO_DATE('09-12-1989', 'DD-MM-YYYY'), 'Analyst', 'Goa International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100101, 'Rajesh Singh', '456 Malviya Nagar, Jaipur', 'Male', 56000, 36, TO_DATE('25-08-1985', 'DD-MM-YYYY'), 'Manager', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100102, 'Pooja Sharma', '789 Vaishali Nagar, Jaipur', 'Female', 52000, 32, TO_DATE('19-01-1990', 'DD-MM-YYYY'), 'Supervisor', 'Jaipur International Airport');

1 row created.
```

SQL> INSERT INTO EMPLOYEE VALUES (100103, 'Amit Singh', '101 Mansarovar, Jaipur', 'Male', 59000, 37, TO_DATE('12-03-1984', 'DD-MM-YYYY'), 'Assistant Manager', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100104, 'Swati Sharma', '234 Shastri Nagar, Jaipur', 'Female', 65000, 35, TO_DATE('15-02-1986', 'DD-MM-YYYY'), 'HR Manager', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100105, 'Ankit Singh', '567 Tonk Road, Jaipur', 'Male', 57000, 30, TO_DATE('10-09-1991', 'DD-MM-YYYY'), 'Engineer', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100106, 'Anjali Gupta', '890 Jhotwara, Jaipur', 'Female', 48000, 28, TO_DATE('22-12-1993', 'DD-MM-YYYY'), 'Accountant', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100107, 'Raj Kumar', '12 Raja Park, Jaipur', 'Male', 55000, 34, TO_DATE('08-01-1988', 'DD-MM-YYYY'), 'Technician', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100108, 'Swati Gupta', '45 Lal Kothi, Jaipur', 'Female', 51000, 31, TO_DATE('21-06-1990', 'DD-MM-YYYY'), 'Marketing Manager', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100109, 'Alok Sharma', '78 Chandpole, Jaipur', 'Male', 58000, 36, TO_DATE('14-02-1986', 'DD-MM-YYYY'), 'Team Leader', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100110, 'Kritika Singh', '67 Pratap Nagar, Jaipur', 'Female', 49000, 32, TO_DATE('09-10-1989', 'DD-MM-YYYY'), 'Analyst', 'Jaipur International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100111, 'Anil Kumar', '456 Kowdiar, Thiruvananthapuram', 'Male', 47000, 32, TO_DATE('25-07-1989', 'DD-MM-YYYY'), 'Manager', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100112, 'Priya Nair', '789 Pattom, Thiruvananthapuram', 'Female', 45000, 29, TO_DATE('19-12-1992', 'DD-MM-YYYY'), 'Supervisor', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100113, 'Rahul Nair', '101 Vellayambalam, Thiruvananthapuram', 'Male', 48000, 34, TO_DATE('12-06-1987', 'DD-MM-YYYY'), 'Assistant Manager', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100114, 'Anjali Menon', '234 Poojapura, Thiruvananthapuram', 'Female', 55000, 36, TO_DATE('15-05-1985', 'DD-MM-YYYY'), 'HR Manager', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100115, 'Suresh Nair', '567 Kazhakuttam, Thiruvananthapuram', 'Male', 49000, 31, TO_DATE('30-10-1990', 'DD-MM-YYYY'), 'Engineer', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100116, 'Ananya Menon', '890 Kovalam, Thiruvananthapuram', 'Female', 47000, 28, TO_DATE('22-09-1993', 'DD-MM-YYYY'), 'Accountant', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100117, 'Rahul Nair', '12 Neyyattinkara, Thiruvananthapuram', 'Male', 52000, 33, TO_DATE('08-03-1989', 'DD-MM-YYYY'), 'Technician', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100118, 'Swati Menon', '45 Vizhinjam, Thiruvananthapuram', 'Female', 50000, 30, TO_DATE('21-08-1991', 'DD-MM-YYYY'), 'Marketing Manager', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100119, 'Alok Nair', '78 Attingal, Thiruvananthapuram', 'Male', 53000, 35, TO_DATE('14-01-1987', 'DD-MM-YYYY'), 'Team Leader', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100120, 'Sneha Nair', '67 Parassala, Thiruvananthapuram', 'Female', 48000, 32, TO_DATE('09-05-1990', 'DD-MM-YYYY'), 'Analyst', 'Trivandrum International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100121, 'Arun Kumar', '456 Kunnamangalam, Kozhikode', 'Male', 50000, 33, TO_DATE('25-04-1988', 'DD-MM-YYYY'), 'Manager', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100122, 'Anjali Nair', '789 Malaparamba, Kozhikode', 'Female', 47000, 31, TO_DATE('19-09-1990', 'DD-MM-YYYY'), 'Supervisor', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100123, 'Rajesh Menon', '101 West Hill, Kozhikode', 'Male', 53000, 37, TO_DATE('12-05-1984', 'DD-MM-YYYY'), 'Assistant Manager', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100124, 'Deepa Nair', '234 Mavoor, Kozhikode', 'Female', 60000, 35, TO_DATE('15-04-1986', 'DD-MM-YYYY'), 'HR Manager', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100125, 'Prakash Pillai', '567 Ramanattukara, Kozhikode', 'Male', 51000, 30, TO_DATE('30-09-1991', 'DD-MM-YYYY'), 'Engineer', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100126, 'Ananya Menon', '890 Feroke, Kozhikode', 'Female', 45000, 28, TO_DATE('22-08-1993', 'DD-MM-YYYY'), 'Accountant', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100127, 'Suresh Nair', '12 Beypore, Kozhikode', 'Male', 54000, 34, TO_DATE('08-02-1988', 'DD-MM-YYYY'), 'Technician', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100128, 'Anjali Pillai', '45 Chalappuram, Kozhikode', 'Female', 49000, 30, TO_DATE('21-07-1991', 'DD-MM-YYYY'), 'Marketing Manager', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100129, 'Rahul Nair', '78 Koyilandy, Kozhikode', 'Male', 56000, 36, TO_DATE('14-08-1985', 'DD-MM-YYYY'), 'Team Leader', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100130, 'Sneha Menon', '67 Kunnamkulam, Kozhikode', 'Female', 46000, 32, TO_DATE('09-03-1990', 'DD-MM-YYYY'), 'Analyst', 'Calicut International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100131, 'Vikram Sharma', '456 RS Puram, Coimbatore', 'Male', 54000, 35, TO_DATE('25-05-1986', 'DD-MM-YYYY'), 'Manager', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100132, 'Anjali Deshmukh', '789 Peelamedu, Coimbatore', 'Female', 50000, 32, TO_DATE('19-10-1989', 'DD-MM-YYYY'), 'Supervisor', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100133, 'Rahul Desai', '101 Gandhipuram, Coimbatore', 'Male', 58000, 36, TO_DATE('12-06-1985', 'DD-MM-YYYY'), 'Assistant Manager', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100134, 'Swati Patil', '234 Ramanathapuram, Coimbatore', 'Female', 65000, 35, TO_DATE('15-05-1986', 'DD-MM-YYYY'), 'HR Manager', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100135, 'Amit Desai', '567 Vadavalli, Coimbatore', 'Male', 55000, 30, TO_DATE('10-09-1991', 'DD-MM-YYYY'), 'Engineer', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100136, 'Priya Patil', '890 Saibaba Colony, Coimbatore', 'Female', 47000, 28, TO_DATE('22-08-1993', 'DD-MM-YYYY'), 'Accountant', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100137, 'Rohan Sharma', '12 Tatabad, Coimbatore', 'Male', 56000, 34, TO_DATE('08-01-1988', 'DD-MM-YYYY'), 'Technician', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100138, 'Neha Patil', '45 Singanallur, Coimbatore', 'Female', 52000, 31, TO_DATE('21-06-1990', 'DD-MM-YYYY'), 'Marketing Manager', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100139, 'Rajesh Deshmukh', '78 Saravanampatti, Coimbatore', 'Male', 59000, 36, TO_DATE('14-02-1986', 'DD-MM-YYYY'), 'Team Leader', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100140, 'Sneha Sharma', '67 Ukkadam, Coimbatore', 'Female', 48000, 32, TO_DATE('09-10-1989', 'DD-MM-YYYY'), 'Analyst', 'Coimbatore International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100141, 'Anil Kumar', '456 Ayodhya Nagar, Ayodhya Dham', 'Male', 55000, 36, TO_DATE('25-08-1985', 'DD-MM-YYYY'), 'Manager', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100142, 'Priya Nair', '789 Ram Janmabhoomi, Ayodhya Dham', 'Female', 51000, 32, TO_DATE('19-01-1990', 'DD-MM-YYYY'), 'Supervisor', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100143, 'Rahul Nair', '101 Hanuman Garhi, Ayodhya Dham', 'Male', 58000, 37, TO_DATE('12-03-1984', 'DD-MM-YYYY'), 'Assistant Manager', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100144, 'Anjali Menon', '234 Karsevakpuram, Ayodhya Dham', 'Female', 65000, 35, TO_DATE('15-02-1986', 'DD-MM-YYYY'), 'HR Manager', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100145, 'Suresh Nair', '567 Ramkot, Ayodhya Dham', 'Male', 59000, 30, TO_DATE('10-09-1991', 'DD-MM-YYYY'), 'Engineer', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100146, 'Ananya Menon', '890 Naya Ghat, Ayodhya Dham', 'Female', 47000, 28, TO_DATE('22-12-1993', 'DD-MM-YYYY'), 'Accountant', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100147, 'Rahul Nair', '12 Mani Parvat, Ayodhya Dham', 'Male', 56000, 34, TO_DATE('08-01-1988', 'DD-MM-YYYY'), 'Technician', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100148, 'Swati Menon', '45 Ramvan, Ayodhya Dham', 'Female', 52000, 31, TO_DATE('21-06-1990', 'DD-MM-YYYY'), 'Marketing Manager', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100149, 'Alok Nair', '78 Sita Rasoi, Ayodhya Dham', 'Male', 59000, 36, TO_DATE('14-02-1986', 'DD-MM-YYYY'), 'Team Leader', 'Maharishi Valmiki International Airport');

1 row created.

SQL> INSERT INTO EMPLOYEE VALUES (100150, 'Sneha Nair', '67 Ram Sagar, Ayodhya Dham', 'Female', 48000, 32, TO_DATE('09-10-1989', 'DD-MM-YYYY'), 'Analyst', 'Maharishi Valmiki International Airport');

1 row created.

SQL> SELECT * FROM EMPLOYEE;

E_ID NAME DESIGNATION	ADDRESS AIRPORT_NAME	SEX	SALARY	AGE DOB
100001 Rahul Sharma Manager	123 M G Road, Delhi Indira Gandhi International Airport	Male	50000	30 17-APR-94
100002 Priya Patel Supervisor	456 Lal Chowk, Delhi Indira Gandhi International Airport	Female	45000	28 19-FEB-96
100003 Amit Singh Assistant Manager	789 Kalyan Nagar, Delhi Indira Gandhi International Airport	Male	55000	35 12-AUG-91
100004 Sneha Reddy 89 HR Manager	1 Connaught Place, Delhi Indira Gandhi International Airport	Female	60000	32 05-NOV-
100005 Karan Verma Engineer	23 Rajouri Garden, Delhi Indira Gandhi International Airport	Male	48000	29 23-SEP-93
100006 Anjali Gupta Accountant	78 Karol Bagh, Delhi Indira Gandhi International Airport	Female	42000	27 15-JUL-97
100007 Vivek Sharma Technician	56 Dwarka, Delhi Indira Gandhi International Airport	Male	52000	33 28-MAR-88
100008 Pooja Singh Marketing Manager	34 Mayur Vihar, Delhi Indira Gandhi International Airport	Female	47000	31 20-JAN-91
100009 Ankit Kumar Leader	90 Saket, Delhi Indira Gandhi International Airport	Male	51000	34 14-JUN-87 Team
100010 Divya Sharma Analyst	67 Paharganj, Delhi Indira Gandhi International Airport	Female	44000	26 09-DEC-95
100011 Ajay Kumar Manager	234 Bandra, Mumbai Chhatrapati Shivaji Maharaj International Airport	Male	49000	31 25-AUG-90
100012 Shweta Gupta Supervisor	567 Juhu, Mumbai Chhatrapati Shivaji Maharaj International Airport	Female	46000	29 19-APR-92
100013 Vikas Singh Assistant Manager	890 Andheri, Mumbai Chhatrapati Shivaji Maharaj International Airport	Male	54000	36 07-OCT-85
100014 Aarti Patel HR Manager	12 Goregaon, Mumbai Chhatrapati Shivaji Maharaj International Airport	Female	61000	33 13-MAY-88

100015 Rahul Verma Engineer	45 Malad, Mumbai Chhatrapati Shivaji Maharaj International Airport	Male	50000	28 30-JAN-94	
100016 Neha Sharma Accountant	78 Kandivali, Mumbai Chhatrapati Shivaji Maharaj International Airport	Female	43000	26 22-JUL-95	
100017 Rajesh Singh Technician	56 Colaba, Mumbai Chhatrapati Shivaji Maharaj International Airport	Male	53000	32 04-APR-89	
100018 Swati Gupta Marketing Manager	34 Dadar, Mumbai Chhatrapati Shivaji Maharaj International Airport	Female	48000	30 12-NOV-91	
100019 Aakash Kumar Team Leader	90 Versova, Mumbai Chhatrapati Shivaji Maharaj International Airport	Male	52000	35 18-JUN-86	
100020 Ananya Singh Analyst	67 Vile Parle, Mumbai Chhatrapati Shivaji Maharaj International Airport	Female	45000	27 05-SEP-96	
100021 Prakash Reddy 89 Manager	345 MG Road, Bangalore Kempegowda International Airport	Male	48000	32 19-NOV-	
100022 Rashmi Rao Supervisor	678 Indiranagar, Bangalore Kempegowda International Airport	Female	43000	30 23-JUL-91	
100023 Sanjay Kumar 85 Assistant Manager	901 Koramangala, Bangalore Kempegowda International Airport	Male	51000	37 15-MAR-	
100024 Manisha Patel HR Manager	123 Whitefield, Bangalore Kempegowda International Airport	Female	58000	34 27-FEB-88	
100025 Vishal Reddy Engineer	45 BTM Layout, Bangalore Kempegowda International Airport	Male	49000	29 10-SEP-92	
100026 Nisha Sharma 97 Accountant	78 HSR Layout, Bangalore Kempegowda International Airport	Female	42000	27 04-MAY-	
100027 Ravi Kumar Technician	56 Electronic City, Bangalore Kempegowda International Airport	Male	52000	33 08-JAN-89	
100028 Priyanka Gupta 90 Marketing Manager	34 Marathahalli, Bangalore Kempegowda International Airport	Female	47000	31 21-JUN-	
100029 Sandeep Singh Team Leader	90 Yelahanka, Bangalore Kempegowda International Airport	Male	53000	36 14-FEB-86	
100030 Anjali Reddy Analyst	67 Jayanagar, Bangalore Kempegowda International Airport	Female	44000	28 09-OCT-93	
100031 Vijay Kumar Manager	456 Mount Road, Chennai Chennai International Airport	Male	47000	29 25-DEC-92	
100032 Deepa Raj Supervisor	789 T Nagar, Chennai Chennai International Airport	Female	42000	27 19-JUN-94	
100033 Praveen Kumar Assistant Manager	101 Velachery, Chennai Chennai International Airport	Male	50000	34 12-FEB-88	
100034 Shalini Gupta 90 HR Manager	234 Anna Nagar, Chennai Chennai International Airport	Female	55000	31 15-AUG-	
100035 Suresh Reddy Engineer	567 Guindy, Chennai Chennai International Airport	Male	48000	28 30-APR-93	
100036 Ananya Sharma OCT-95 Accountant	890 Nungambakkam, Chennai Chennai International Airport	Female	43000	26 22-	

ID & Name / Role	Address / Airport	Gender	Salary	Age & DOB
100037 Rahul Raj Technician	12 Egmore, Chennai Chennai International Airport	Male	52000	32 04-JUN-89
100038 Priya Singh Marketing Manager	45 Mylapore, Chennai Chennai International Airport	Female	46000	30 12-NOV-91
100039 Manoj Kumar Team Leader	78 Pallavaram, Chennai Chennai International Airport	Male	54000	35 18-MAR-87
100040 Divya Reddy Analyst	56 Tambaram, Chennai Chennai International Airport	Female	49000	27 05-JUL-96
100041 Rajesh Kumar Manager	678 Park Street, Kolkata Netaji Subhas Chandra Bose International Airport	Male	49000	31 25-OCT-90
100042 Sneha Das Supervisor	901 Salt Lake, Kolkata Netaji Subhas Chandra Bose International Airport	Female	45000	29 19-AUG-92
100043 Amit Sharma Assistant Manager	123 Esplanade, Kolkata Netaji Subhas Chandra Bose International Airport	Male	53000	37 15-APR-84
100044 Pooja Das Manager	456 Howrah, Kolkata Netaji Subhas Chandra Bose International Airport	Female	60000	34 27-JAN-88 HR
100045 Vikram Singh Engineer	789 Gariahat, Kolkata Netaji Subhas Chandra Bose International Airport	Male	50000	28 30-JUL-93
100046 Anjali Das Accountant	890 Park Circus, Kolkata Netaji Subhas Chandra Bose International Airport	Female	42000	27 04-NOV-96
100047 Ravi Sharma Technician	12 Ballygunge, Kolkata Netaji Subhas Chandra Bose International Airport	Male	52000	33 08-MAY-88
100048 Swati Das Marketing Manager	45 Alipore, Kolkata Netaji Subhas Chandra Bose International Airport	Female	47000	31 21-FEB-90
100049 Alok Kumar Team Leader	78 Rajarhat, Kolkata Netaji Subhas Chandra Bose International Airport	Male	51000	36 14-SEP-85
100050 Ananya Das Analyst	67 Behala, Kolkata Netaji Subhas Chandra Bose International Airport	Female	44000	28 09-JAN-94
100051 Suresh Kumar Manager	345 Jubilee Hills, Hyderabad Rajiv Gandhi International Airport	Male	50000	33 19-JUL-88
100052 Sneha Reddy 90 Supervisor	678 Banjara Hills, Hyderabad Rajiv Gandhi International Airport	Female	47000	31 23-FEB-
100053 Prakash Singh Assistant Manager	901 Kukatpally, Hyderabad Rajiv Gandhi International Airport	Male	55000	36 15-AUG-85
100054 Divya Reddy 88 HR Manager	123 Gachibowli, Hyderabad Rajiv Gandhi International Airport	Female	62000	34 27-JAN-
100055 Rajesh Verma Engineer	456 Hitech City, Hyderabad Rajiv Gandhi International Airport	Male	51000	29 10-JUN-92
100056 Anusha Sharma DEC-96 Accountant	789 Ameerpet, Hyderabad Rajiv Gandhi International Airport	Female	44000	27 04-
100057 Kiran Kumar Technician	12 Somajiguda, Hyderabad Rajiv Gandhi International Airport	Male	53000	32 08-APR-89
100058 Anjali Reddy 91 Marketing Manager	45 Madhapur, Hyderabad Rajiv Gandhi International Airport	Female	48000	30 21-NOV-

Emp ID	Name	Role	Address	Airport	Gender	Salary	Age	DOB
100059	Alok Singh	87 Team Leader	78 Secunderabad, Hyderabad	Rajiv Gandhi International Airport	Male	54000	35	14-MAR-
100060	Pooja Sharma	93 Analyst	67 Miyapur, Hyderabad	Rajiv Gandhi International Airport	Female	45000	28	09-OCT-
100061	Arun Kumar	Manager	456 MG Road, Kochi	Cochin International Airport	Male	52000	34	25-OCT-87
100062	Anjali Nair	Supervisor	789 Marine Drive, Kochi	Cochin International Airport	Female	48000	31	19-MAY-90
100063	Rajesh Menon	Assistant Manager	101 Fort Kochi, Kochi	Cochin International Airport	Male	55000	37	12-MAR-84
100064	Deepa Nair	HR Manager	234 Kakkanad, Kochi	Cochin International Airport	Female	63000	35	15-FEB-86
100065	Prakash Pillai	Engineer	567 Aluva, Kochi	Cochin International Airport	Male	53000	30	30-JUN-91
100066	Ananya Menon	93 Accountant	890 Tripunithura, Kochi	Cochin International Airport	Female	45000	28	22-DEC-
100067	Suresh Nair	Technician	12 Vyttila, Kochi	Cochin International Airport	Male	54000	33	04-AUG-88
100068	Anjali Pillai	Marketing Manager	45 Edapally, Kochi	Cochin International Airport	Female	49000	29	21-JAN-93
100069	Rahul Nair	Leader	78 Kaloor, Kochi	Cochin International Airport	Male	56000	36	14-APR-86 Team
100070	Sneha Menon	89 Analyst	67 Thrippunithura, Kochi	Cochin International Airport	Female	46000	32	09-SEP-
100071	Rajesh Patel	NOV-86 Manager	678 Ashram Road, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Male	51000	35	25-
100072	Pooja Shah	MAY-89 Supervisor	901 Manek Chowk, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Female	46000	32	19-
100073	Ankit Patel	Assistant Manager	123 Vastrapur, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Male	54000	36	12-MAR-85
100074	Shreya Shah	88 HR Manager	456 Gurukul, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Female	61000	34	15-FEB-
100075	Karan Patel	92 Engineer	789 Chandkheda, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Male	52000	29	30-JUN-
100076	Anjali Shah	Accountant	890 Satellite, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Female	44000	27	22-DEC-94
100077	Vivek Patel	88 Technician	12 Prahlad Nagar, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Male	53000	33	04-AUG-
100078	Riya Shah	Marketing Manager	45 Naranpura, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Female	48000	30	21-JAN-92
100079	Amit Shah	Team Leader	78 Bodakdev, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Male	55000	37	14-APR-84
100080	Kritika Patel	Analyst	67 Naroda, Ahmedabad	Sardar Vallabhbhai Patel International Airport	Female	45000	31	09-SEP-90

ID	Name / Title	Address / Airport	Gender	Salary	Age	DOB	Extra
100081	Vikram Sharma Manager	456 Deccan, Pune / Pune Airport	Male	53000	32	25-AUG-89	
100082	Anjali Deshmukh 92 Supervisor	789 Koregaon Park, Pune / Pune Airport	Female	49000	29	19-APR-	
100083	Rahul Desai Assistant Manager	101 Shivajinagar, Pune / Pune Airport	Male	57000	35	12-FEB-87	
100084	Swati Patil Manager	234 Kothrud, Pune / Pune Airport	Female	64000	33	27-JAN-89	HR
100085	Amit Desai Engineer	567 Hinjewadi, Pune / Pune Airport	Male	54000	30	10-SEP-91	
100086	Priya Patil Accountant	890 Pimpri, Pune / Pune Airport	Female	46000	28	04-MAY-93	
100087	Rohan Sharma Technician	12 Aundh, Pune / Pune Airport	Male	55000	34	08-JAN-88	
100088	Neha Patil Marketing Manager	45 Wakad, Pune / Pune Airport	Female	50000	31	21-JUN-90	
100089	Rajesh Deshmukh Team Leader	78 Chinchwad, Pune / Pune Airport	Male	58000	36	14-FEB-86	
100090	Sneha Sharma Analyst	67 Hadapsar, Pune / Pune Airport	Female	47000	32	09-OCT-89	
100091	Anil Kumar Manager	678 Panaji, Goa / Goa International Airport	Male	48000	33	25-SEP-88	
100092	Priya Desai Supervisor	901 Margao, Goa / Goa International Airport	Female	44000	31	19-OCT-90	
100093	Rajesh Naik Assistant Manager	123 Vasco, Goa / Goa International Airport	Male	52000	37	12-JUN-84	
100094	Anjali Kamat HR Manager	456 Calangute, Goa / Goa International Airport	Female	59000	35	15-MAY-86	
100095	Suresh Naik Engineer	789 Mapusa, Goa / Goa International Airport	Male	49000	30	30-NOV-91	
100096	Ananya Kamat Accountant	890 Anjuna, Goa / Goa International Airport	Female	47000	28	22-AUG-93	
100097	Rahul Naik Technician	12 Baga, Goa / Goa International Airport	Male	54000	34	08-APR-88	
100098	Swati Kamat Marketing Manager	45 Porvorim, Goa / Goa International Airport	Female	51000	31	21-JAN-91	
100099	Alok Naik Leader	78 Saligao, Goa / Goa International Airport	Male	57000	36	14-MAR-86	Team
100100	Priya Kamat Analyst	67 Cavelossim, Goa / Goa International Airport	Female	45000	32	09-DEC-89	
100101	Rajesh Singh Manager	456 Malviya Nagar, Jaipur / Jaipur International Airport	Male	56000	36	25-AUG-85	
100102	Pooja Sharma Supervisor	789 Vaishali Nagar, Jaipur / Jaipur International Airport	Female	52000	32	19-JAN-90	

Employee	Address	Gender	Salary	Age	DOB
100103 Amit Singh Assistant Manager	101 Mansarovar, Jaipur Jaipur International Airport	Male	59000	37	12-MAR-84
100104 Swati Sharma HR Manager	234 Shastri Nagar, Jaipur Jaipur International Airport	Female	65000	35	15-FEB-86
100105 Ankit Singh Engineer	567 Tonk Road, Jaipur Jaipur International Airport	Male	57000	30	10-SEP-91
100106 Anjali Gupta Accountant	890 Jhotwara, Jaipur Jaipur International Airport	Female	48000	28	22-DEC-93
100107 Raj Kumar Technician	12 Raja Park, Jaipur Jaipur International Airport	Male	55000	34	08-JAN-88
100108 Swati Gupta Marketing Manager	45 Lal Kothi, Jaipur Jaipur International Airport	Female	51000	31	21-JUN-90
100109 Alok Sharma Team Leader	78 Chandpole, Jaipur Jaipur International Airport	Male	58000	36	14-FEB-86
100110 Kritika Singh Analyst	67 Pratap Nagar, Jaipur Jaipur International Airport	Female	49000	32	09-OCT-89
100111 Anil Kumar 89 Manager	456 Kowdiar, Thiruvananthapuram Trivandrum International Airport	Male	47000	32	25-JUL-
100112 Priya Nair DEC-92 Supervisor	789 Pattom, Thiruvananthapuram Trivandrum International Airport	Female	45000	29	19-
100113 Rahul Nair JUN-87 Assistant Manager	101 Vellayambalam, Thiruvananthapuram Trivandrum International Airport	Male	48000	34	12-
100114 Anjali Menon MAY-85 HR Manager	234 Poojapura, Thiruvananthapuram Trivandrum International Airport	Female	55000	36	15-
100115 Suresh Nair OCT-90 Engineer	567 Kazhakuttam, Thiruvananthapuram Trivandrum International Airport	Male	49000	31	30-
100116 Ananya Menon 22-SEP-93 Accountant	890 Kovalam, Thiruvananthapuram Trivandrum International Airport	Female	47000	28	
100117 Rahul Nair MAR-89 Technician	12 Neyyattinkara, Thiruvananthapuram Trivandrum International Airport	Male	52000	33	08-
100118 Swati Menon AUG-91 Marketing Manager	45 Vizhinjam, Thiruvananthapuram Trivandrum International Airport	Female	50000	30	21-
100119 Alok Nair Team Leader	78 Attingal, Thiruvananthapuram Trivandrum International Airport	Male	53000	35	14-JAN-87
100120 Sneha Nair MAY-90 Analyst	67 Parassala, Thiruvananthapuram Trivandrum International Airport	Female	48000	32	09-
100121 Arun Kumar APR-88 Manager	456 Kunnamangalam, Kozhikode Calicut International Airport	Male	50000	33	25-
100122 Anjali Nair 90 Supervisor	789 Malaparamba, Kozhikode Calicut International Airport	Female	47000	31	19-SEP-
100123 Rajesh Menon Assistant Manager	101 West Hill, Kozhikode Calicut International Airport	Male	53000	37	12-MAY-84
100124 Deepa Nair HR Manager	234 Mavoor, Kozhikode Calicut International Airport	Female	60000	35	15-APR-86

ID / Name / Title	Address / Airport	Gender	Salary	Age	Date
100125 Prakash Pillai 91 Engineer	567 Ramanattukara, Kozhikode Calicut International Airport	Male	51000	30	30-SEP-
100126 Ananya Menon 93 Accountant	890 Feroke, Kozhikode Calicut International Airport	Female	45000	28	22-AUG-
100127 Suresh Nair Technician	12 Beypore, Kozhikode Calicut International Airport	Male	54000	34	08-FEB-88
100128 Anjali Pillai Marketing Manager	45 Chalappuram, Kozhikode Calicut International Airport	Female	49000	30	21-JUL-91
100129 Rahul Nair Team Leader	78 Koyilandy, Kozhikode Calicut International Airport	Male	56000	36	14-AUG-85
100130 Sneha Menon MAR-90 Analyst	67 Kunnamkulam, Kozhikode Calicut International Airport	Female	46000	32	09-
100131 Vikram Sharma 86 Manager	456 RS Puram, Coimbatore Coimbatore International Airport	Male	54000	35	25-MAY-
100132 Anjali Deshmukh OCT-89 Supervisor	789 Peelamedu, Coimbatore Coimbatore International Airport	Female	50000	32	19-
100133 Rahul Desai 85 Assistant Manager	101 Gandhipuram, Coimbatore Coimbatore International Airport	Male	58000	36	12-JUN-
100134 Swati Patil MAY-86 HR Manager	234 Ramanathapuram, Coimbatore Coimbatore International Airport	Female	65000	35	15-
100135 Amit Desai Engineer	567 Vadavalli, Coimbatore Coimbatore International Airport	Male	55000	30	10-SEP-91
100136 Priya Patil 93 Accountant	890 Saibaba Colony, Coimbatore Coimbatore International Airport	Female	47000	28	22-AUG-
100137 Rohan Sharma Technician	12 Tatabad, Coimbatore Coimbatore International Airport	Male	56000	34	08-JAN-88
100138 Neha Patil Marketing Manager	45 Singanallur, Coimbatore Coimbatore International Airport	Female	52000	31	21-JUN-90
100139 Rajesh Deshmukh FEB-86 Team Leader	78 Saravanampatti, Coimbatore Coimbatore International Airport	Male	59000	36	14-
100140 Sneha Sharma 89 Analyst	67 Ukkadam, Coimbatore Coimbatore International Airport	Female	48000	32	09-OCT-
100141 Anil Kumar AUG-85 Manager	456 Ayodhya Nagar, Ayodhya Dham Maharishi Valmiki International Airport	Male	55000	36	25-
100142 Priya Nair JAN-90 Supervisor	789 Ram Janmabhoomi, Ayodhya Dham Maharishi Valmiki International Airport	Female	51000	32	19-
100143 Rahul Nair MAR-84 Assistant Manager	101 Hanuman Garhi, Ayodhya Dham Maharishi Valmiki International Airport	Male	58000	37	12-
100144 Anjali Menon FEB-86 HR Manager	234 Karsevakpuram, Ayodhya Dham Maharishi Valmiki International Airport	Female	65000	35	15-
100145 Suresh Nair 91 Engineer	567 Ramkot, Ayodhya Dham Maharishi Valmiki International Airport	Male	59000	30	10-SEP-
100146 Ananya Menon DEC-93 Accountant	890 Naya Ghat, Ayodhya Dham Maharishi Valmiki International Airport	Female	47000	28	22-

100147 Rahul Nair 88 Technician	12 Mani Parvat, Ayodhya Dham Maharishi Valmiki International Airport	Male	56000	34 08-JAN-
100148 Swati Menon JUN-90 Marketing Manager	45 Ramvan, Ayodhya Dham Maharishi Valmiki International Airport	Female	52000	31 21-
100149 Alok Nair Team Leader	78 Sita Rasoi, Ayodhya Dham Maharishi Valmiki International Airport	Male	59000	36 14-FEB-86
100150 Sneha Nair 89 Analyst	67 Ram Sagar, Ayodhya Dham Maharishi Valmiki International Airport	Female	48000	32 09-OCT-

150 rows selected.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100001, '9876543210');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100001, '9876543360');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100002, '9876543211');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100003, '9876543212');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100004, '9876543213');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100005, '9876543214');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100006, '9876543215');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100007, '9876543216');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100008, '9876543217');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100009, '9876543218');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100009, '9876543361');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100010, '9876543219');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100011, '9876543220');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100012, '9876543221');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100013, '9876543222');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100014, '9876543223');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100015, '9876543224');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100016, '9876543225');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100017, '9876543226');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100017, '9876543362');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100018, '9876543227');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100019, '9876543228');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100020, '9876543229');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100021, '9876543230');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100022, '9876543231');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100023, '9876543232');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100024, '9876543233');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100025, '9876543234');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100025, '9876543363');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100026, '9876543235');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100027, '9876543236');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100028, '9876543237');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100029, '9876543238');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100030, '9876543239');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100031, '9876543240');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100032, '9876543241');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100033, '9876543242');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100033, '9876543364');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100034, '9876543243');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100035, '9876543244');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100036, '9876543245');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100037, '9876543246');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100038, '9876543247');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100039, '9876543248');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100040, '9876543249');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100041, '9876543250');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100041, '9876543365');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100042, '9876543251');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100043, '9876543252');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100044, '9876543253');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100045, '9876543254');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100046, '9876543255');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100047, '9876543256');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100048, '9876543257');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100049, '9876543258');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100049, '9876543366');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100050, '9876543259');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100051, '9876543260');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100052, '9876543261');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100053, '9876543262');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100054, '9876543263');

1 row created.

```
SQL> INSERT INTO EMP_PHONE_NO VALUES (100055, '9876543264');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100056, '9876543265');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100057, '9876543266');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100057, '9876543367');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100058, '9876543267');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100059, '9876543268');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100060, '9876543269');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100061, '9876543270');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100062, '9876543271');

1 row created.
```

SQL> INSERT INTO EMP_PHONE_NO VALUES (100063, '9876543272');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100064, '9876543273');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100065, '9876543274');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100065, '9876543368');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100066, '9876543275');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100067, '9876543276');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100068, '9876543277');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100069, '9876543278');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100070, '9876543279');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100071, '9876543280');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100072, '9876543281');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100073, '9876543282');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100073, '9876543369');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100074, '9876543283');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100075, '9876543284');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100076, '9876543285');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100077, '9876543286');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100078, '9876543287');

1 row created.

```
SQL> INSERT INTO EMP_PHONE_NO VALUES (100079, '9876543288');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100080, '9876543289');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100081, '9876543290');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100082, '9876543291');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100083, '9876543292');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100084, '9876543293');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100084, '9876543370');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100085, '9876543294');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100086, '9876543295');

1 row created.
```

SQL> INSERT INTO EMP_PHONE_NO VALUES (100087, '9876543296');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100088, '9876543297');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100089, '9876543298');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100090, '9876543299');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100091, '9876543300');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100092, '9876543301');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100093, '9876543302');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100094, '9876543303');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100095, '9876543304');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100095, '9876543371');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100096, '9876543305');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100097, '9876543306');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100098, '9876543307');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100099, '9876543308');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100100, '9876543309');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100101, '9876543310');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100102, '9876543311');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100103, '9876543312');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100104, '9876543313');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100105, '9876543314');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100106, '9876543315');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100106, '9876543372');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100107, '9876543316');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100108, '9876543317');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100109, '9876543318');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100110, '9876543319');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100111, '9876543320');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100112, '9876543321');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100113, '9876543322');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100114, '9876543323');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100115, '9876543324');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100116, '9876543325');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100117, '9876543326');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100117, '9876543373');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100118, '9876543327');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100119, '9876543328');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100120, '9876543329');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100121, '9876543330');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100122, '9876543331');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100123, '9876543332');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100124, '9876543333');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100125, '9876543334');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100126, '9876543335');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100127, '9876543336');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100128, '9876543337');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100128, '9876543374');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100129, '9876543338');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100130, '9876543339');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100131, '9876543340');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100132, '9876543341');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100133, '9876543342');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100134, '9876543343');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100135, '9876543344');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100136, '9876543345');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100137, '9876543346');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100138, '9876543347');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100139, '9876543348');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100139, '9876543375');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100140, '9876543349');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100141, '9876543350');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100142, '9876543351');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100143, '9876543352');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100144, '9876543353');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100145, '9876543354');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100146, '9876543355');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100147, '9876543356');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100148, '9876543357');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100149, '9876543358');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100150, '9876543359');

1 row created.

SQL> INSERT INTO EMP_PHONE_NO VALUES (100150, '9876543376');

1 row created.

SQL> SELECT * FROM EMP_PHONE_NO;

     E_ID PHONE_NO
--------- ------------
   100001 9876543210
   100001 9876543360
   100002 9876543211

100003 9876543212

100004 9876543213

100005 9876543214

100006 9876543215

100007 9876543216

100008 9876543217

100009 9876543218

100009 9876543361

100010 9876543219

100011 9876543220

100012 9876543221

100013 9876543222

100014 9876543223

100015 9876543224

100016 9876543225

100017 9876543226

100017 9876543362

100018 9876543227

100019 9876543228

100020 9876543229

100021 9876543230

100022 9876543231

100023 9876543232

100024 9876543233

100025 9876543234

100025 9876543363

100026 9876543235

100027 9876543236

100028 9876543237

100029 9876543238

100030 9876543239

100031 9876543240

100032 9876543241

100033 9876543242

100033 9876543364

100034 9876543243

100035 9876543244

100036 9876543245

100037 9876543246

100038 9876543247

100039 9876543248

100040 9876543249

100041 9876543250

100041 9876543365

100042 9876543251

100043 9876543252

100044 9876543253

100045 9876543254

100046 9876543255

100047 9876543256

100048 9876543257

100049 9876543258

100049 9876543366

100050 9876543259

100051 9876543260

100052 9876543261

100053 9876543262

100054 9876543263

100055 9876543264

100056 9876543265

100057 9876543266

100057 9876543367

100058 9876543267

100059 9876543268

100060 9876543269

100061 9876543270

100062 9876543271

100063 9876543272

100064 9876543273

100065 9876543274

100065 9876543368

100066 9876543275

100067 9876543276

100068 9876543277

100069 9876543278

100070 9876543279

100071 9876543280

100072 9876543281

100073 9876543282

100073 9876543369

100074 9876543283

100075 9876543284

100076 9876543285

100077 9876543286

100078 9876543287

100079 9876543288

100080 9876543289

100081 9876543290

100082 9876543291

100083 9876543292

100084 9876543293

100084 9876543370

100085 9876543294

100086 9876543295

100087 9876543296

100088 9876543297

100089 9876543298

100090 9876543299

100091 9876543300

100092 9876543301

100093 9876543302

100094 9876543303

100095 9876543304

100095 9876543371

100096 9876543305

100097 9876543306

100098 9876543307

100099 9876543308

100100 9876543309

100101 9876543310

100102 9876543311

100103 9876543312

100104 9876543313

100105 9876543314

100106 9876543315

100106 9876543372

100107 9876543316

100108 9876543317

100109 9876543318

100110 9876543319

100111 9876543320

100112 9876543321

100113 9876543322

100114 9876543323

100115 9876543324

100116 9876543325

100117 9876543326

100117 9876543373

100118 9876543327

100119 9876543328

100120 9876543329

100121 9876543330

100122 9876543331

100123 9876543332

100124 9876543333

100125 9876543334

100126 9876543335

100127 9876543336

100128 9876543337

100128 9876543374

100129 9876543338

100130 9876543339

100131 9876543340

100132 9876543341

100133 9876543342

100134 9876543343

100135 9876543344

100136 9876543345

100137 9876543346

100138 9876543347

100139 9876543348

100139 9876543375

100140 9876543349

100141 9876543350

100142 9876543351

100143 9876543352

100144 9876543353

100145 9876543354

100146 9876543355

100147 9876543356

100148 9876543357

100149 9876543358

100150 9876543359

100150 9876543376

167 rows selected.

SQL> ALTER TABLE TICKET DROP CONSTRAINT FK_NAME;

Table altered.

SQL> INSERT INTO TICKET VALUES ('TCKT1001', 'Air India', 5000, 'FA01', 'Economy', TO_TIMESTAMP('2024-04-17 08:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'New Delhi', 'Mumbai', 'AB123456', 'Rajesh Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1002', 'IndiGo', 5200, 'FB02', 'Business', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Mumbai', 'New Delhi', 'BC234567', 'Priya Shah');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1003', 'SpiceJet', 5500, 'FC03', 'Economy', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Bengaluru', 'Chennai', 'CD345678', 'Amit Kumar');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1004', 'Air India', 5100, 'FD04', 'Economy', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Chennai', 'Bengaluru', 'DE456789', 'Neha Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1005', 'IndiGo', 5300, 'FE05', 'Business', TO_TIMESTAMP('2024-04-17 09:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'New Delhi', 'Goa', 'EF567890', 'Rahul Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1006', 'SpiceJet', 5600, 'FF06', 'Economy', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Goa', 'New Delhi', 'FG678901', 'Sneha Desai');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1007', 'Air India', 5200, 'FG07', 'Economy', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Mumbai', 'Bengaluru', 'GH789012', 'Arun Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1008', 'IndiGo', 5400, 'FH08', 'Business', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Bengaluru', 'Mumbai', 'HI890123', 'Meera Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1009', 'SpiceJet', 5700, 'FI09', 'Economy', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Chennai', 'Goa', 'IJ901234', 'Vikram Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1010', 'Air India', 5300, 'FJ10', 'Economy', TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Goa', 'Chennai', 'JK012345', 'Nisha Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1011', 'IndiGo', 5500, 'FK11', 'Business', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'New Delhi', 'Jaipur', 'KL123456', 'Ankit Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1012', 'SpiceJet', 5800, 'FL12', 'Economy', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Jaipur', 'New Delhi', 'MN234567', 'Deepika Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1013', 'Air India', 5400, 'FM13', 'Economy', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kochi', 'Trivandrum', 'NO345678', 'Raj Kapoor');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1014', 'IndiGo', 5600, 'FN14', 'Business', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Trivandrum', 'Kochi', 'OP456789', 'Aarti Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1015', 'SpiceJet', 5900, 'FO15', 'Economy', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Bengaluru', 'Hyderabad', 'PQ567890', 'Amita Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1016', 'Air India', 5500, 'FP16', 'Economy', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Hyderabad', 'Bengaluru', 'QR678901', 'Neha Verma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1017', 'IndiGo', 5700, 'FQ17', 'Business', TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 60, 'Chennai', 'Coimbatore', 'RS789012', 'Rajesh Kumar');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1018', 'SpiceJet', 6000, 'FR18', 'Economy', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 60, 'Coimbatore', 'Chennai', 'ST890123', 'Priya Verma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1019', 'Air India', 5600, 'FS19', 'Economy', TO_TIMESTAMP('2024-04-17 09:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Jaipur', 'Ahmedabad', 'TU901234', 'Alok Kumar');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1020', 'IndiGo', 5800, 'FT20', 'Business', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Ahmedabad', 'Jaipur', 'UV012345', 'Meenakshi Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1021', 'SpiceJet', 6100, 'FU21', 'Economy', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Goa', 'Pune', 'VW123456', 'Vikas Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1022', 'Air India', 5700, 'FV22', 'Economy', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Pune', 'Goa', 'WX234567', 'Nandini Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1023', 'IndiGo', 5900, 'FW23', 'Business', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Chennai', 'Kolkata', 'XY345678', 'Anjali Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1024', 'SpiceJet', 6200, 'FX24', 'Economy', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Kolkata', 'Chennai', 'YZ456789', 'Deepak Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1025', 'Air India', 5800, 'FY25', 'Economy', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Ahmedabad', 'Mumbai', 'ZA567890', 'Rina Kapoor');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1026', 'IndiGo', 6000, 'FZ26', 'Business', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Mumbai', 'Ahmedabad', 'AB678901', 'Aryan Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1027', 'SpiceJet', 6300, 'GA27', 'Economy', TO_TIMESTAMP('2024-04-17 10:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kochi', 'Goa', 'BC789012', 'Ananya Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1028', 'Air India', 5900, 'GB28', 'Economy', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Goa', 'Kochi', 'CD890123', 'Rajeev Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1029', 'IndiGo', 6100, 'GC29', 'Business', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Jaipur', 'Chennai', 'DE901234', 'Neha Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1030', 'SpiceJet', 6400, 'GD30', 'Economy', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:45:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Chennai', 'Jaipur', 'EF012345', 'Arun Kumar');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1031', 'Air India', 6000, 'GE31', 'Economy', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Trivandrum', 'Kozhikode', 'FG123456', 'Sneha Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1032', 'IndiGo', 6200, 'GF32', 'Business', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kozhikode', 'Trivandrum', 'GH234567', 'Vishal Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1033', 'SpiceJet', 6500, 'GG33', 'Economy', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Hyderabad', 'Chennai', 'HI345678', 'Priya Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1034', 'Air India', 6100, 'GH34', 'Economy', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Chennai', 'Hyderabad', 'IJ456789', 'Amit Shah');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1035', 'IndiGo', 6300, 'GI35', 'Business', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Kolkata', 'Jaipur', 'JK567890', 'Rajni Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1036', 'SpiceJet', 6600, 'GJ36', 'Economy', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Jaipur', 'Kolkata', 'KL678901', 'Nisha Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1037', 'Air India', 6200, 'GK37', 'Economy', TO_TIMESTAMP('2024-04-17 09:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Mumbai', 'Chennai', 'LM789012', 'Ankur Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1038', 'IndiGo', 6400, 'GL38', 'Business', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Chennai', 'Mumbai', 'MN890123', 'Rashmi Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1039', 'SpiceJet', 6700, 'GM39', 'Economy', TO_TIMESTAMP('2024-04-17 10:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Bengaluru', 'Kochi', 'NO901234', 'Vijay Kumar');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1040', 'Air India', 6300, 'GN40', 'Economy', TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kochi', 'Bengaluru', 'OP012345', 'Neha Verma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1041', 'IndiGo', 6500, 'GO41', 'Business', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Pune', 'Kolkata', 'PQ123456', 'Rajeev Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1042', 'SpiceJet', 6800, 'GP42', 'Economy', TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:15:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Kolkata', 'Pune', 'QR234567', 'Sunita Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1043', 'Air India', 6400, 'GQ43', 'Economy', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Ahmedabad', 'Jaipur', 'RS345678', 'Vivek Kumar');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1044', 'IndiGo', 6600, 'GR44', 'Business', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Jaipur', 'Ahmedabad', 'ST456789', 'Neetu Sharma');

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1045', 'SpiceJet', 6900, 'GS45', 'Economy', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Trivandrum', 'Chennai', 'TU567890', 'Ajay Patel');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1046', 'Air India', 6500, 'GT46', 'Economy', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Chennai', 'Trivandrum', 'UV678901', 'Nisha Singh');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1047', 'IndiGo', 6700, 'GU47', 'Business', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Kolkata', 'Mumbai', 'VW789012', 'Ajit Kumar');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1048', 'SpiceJet', 7000, 'GV48', 'Economy', TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:30:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Mumbai', 'Kolkata', 'WX890123', 'Pooja Sharma');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1049', 'Air India', 6600, 'GW49', 'Economy', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Ahmedabad', 'Chennai', 'XY901234', 'Rahul Kapoor');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1050', 'IndiGo', 6800, 'GX50', 'Business', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Chennai', 'Ahmedabad', 'YZ012345', 'Anita Singh');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1051', 'SpiceJet', 7100, 'GY51', 'Economy', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kochi', 'Kozhikode', 'ZA123456', 'Sanjay Gupta');
```

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1052', 'Air India', 6700, 'GZ52', 'Economy', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kozhikode', 'Kochi', 'AB234567', 'Kavita Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1053', 'IndiGo', 6900, 'HA53', 'Business', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Jaipur', 'Kolkata', 'BC345678', 'Suresh Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1054', 'SpiceJet', 7200, 'HB54', 'Economy', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Kolkata', 'Jaipur', 'CD456789', 'Ranjana Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1055', 'Air India', 6800, 'HC55', 'Economy', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Bengaluru', 'Chennai', 'DE567890', 'Aryan Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1056', 'IndiGo', 7000, 'HD56', 'Business', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Chennai', 'Bengaluru', 'EF678901', 'Deepa Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1057', 'SpiceJet', 7300, 'HE57', 'Economy', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Trivandrum', 'Kochi', 'FG789012', 'Rahul Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1058', 'Air India', 6900, 'HF58', 'Economy', TO_TIMESTAMP('2024-04-17 11:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kochi', 'Trivandrum', 'GH890123', 'Meena Gupta');

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1059', 'IndiGo', 7100, 'HG59', 'Business', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Jaipur', 'Hyderabad',
'HI901234', 'Karan Patel');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1060', 'SpiceJet', 7400, 'HH60', 'Economy', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Hyderabad', 'Jaipur', 'IJ012345',
'Anjali Singh');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1061', 'Air India', 7000, 'HI61', 'Economy', TO_TIMESTAMP('2024-04-17 09:15:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Pune', 'Bengaluru', 'JK123456',
'Rahul Sharma');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1062', 'IndiGo', 7200, 'HJ62', 'Business', TO_TIMESTAMP('2024-04-17 11:00:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Bengaluru', 'Pune', 'KL234567',
'Rani Patel');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1063', 'SpiceJet', 7500, 'HK63', 'Economy', TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Chennai', 'Kochi', 'LM345678',
'Vijay Singh');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1064', 'Air India', 7100, 'HL64', 'Economy', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Kochi', 'Chennai', 'MN456789',
'Kavita Patel');
```

1 row created.

```
SQL> INSERT INTO TICKET VALUES ('TCKT1065', 'IndiGo', 7300, 'HM65', 'Business', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-
MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Trivandrum', 'Mumbai',
'NO567890', 'Sachin Sharma');
```

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1066', 'SpiceJet', 7600, 'HN66', 'Economy', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Mumbai', 'Trivandrum', 'OP678901', 'Sunita Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1067', 'Air India', 7200, 'HO67', 'Economy', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Jaipur', 'Pune', 'PQ789012', 'Mukesh Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1068', 'IndiGo', 7400, 'HP68', 'Business', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:15:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Pune', 'Jaipur', 'QR890123', 'Priya Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1069', 'SpiceJet', 7700, 'HQ69', 'Economy', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Chennai', 'Bengaluru', 'RS901234', 'Rajesh Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1070', 'Air India', 7300, 'HR70', 'Economy', TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Bengaluru', 'Chennai', 'ST012345', 'Sunita Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1071', 'IndiGo', 7500, 'HS71', 'Business', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Kolkata', 'Chennai', 'TU123456', 'Rahul Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1072', 'SpiceJet', 7800, 'HT72', 'Economy', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:15:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Chennai', 'Kolkata', 'UV234567', 'Pooja Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1073', 'Air India', 7400, 'HU73', 'Economy', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Bengaluru', 'Hyderabad', 'VW345678', 'Ankit Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1074', 'IndiGo', 7600, 'HV74', 'Business', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Hyderabad', 'Bengaluru', 'WX456789', 'Neha Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1075', 'SpiceJet', 7900, 'HW75', 'Economy', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Mumbai', 'Jaipur', 'XY567890', 'Sanjay Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1076', 'Air India', 7500, 'HX76', 'Economy', TO_TIMESTAMP('2024-04-17 12:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:30:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Jaipur', 'Mumbai', 'YZ678901', 'Kavita Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1077', 'IndiGo', 7700, 'HY77', 'Business', TO_TIMESTAMP('2024-04-17 10:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Goa', 'Chennai', 'ZA789012', 'Vikram Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1078', 'SpiceJet', 8000, 'HZ78', 'Economy', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:45:00', 'YYYY-MM-DD HH24:MI:SS'), 105, 'Chennai', 'Goa', 'AB890123', 'Shikha Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1079', 'Air India', 7600, 'IA79', 'Economy', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Bengaluru', 'Kolkata', 'BC901234', 'Ajay Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1080', 'IndiGo', 7800, 'IB80', 'Business', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Kolkata', 'Bengaluru', 'CD012345', 'Roshni Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1081', 'SpiceJet', 8100, 'IC81', 'Economy', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Ahmedabad', 'Jaipur', 'DE123456', 'Arjun Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1082', 'Air India', 7700, 'ID82', 'Economy', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), 90, 'Jaipur', 'Ahmedabad', 'EF234567', 'Neha Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1083', 'IndiGo', 7900, 'IE83', 'Business', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 11:15:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Trivandrum', 'Coimbatore', 'FG345678', 'Vishal Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1084', 'SpiceJet', 8200, 'IF84', 'Economy', TO_TIMESTAMP('2024-04-17 11:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 75, 'Coimbatore', 'Trivandrum', 'GH456789', 'Komal Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1085', 'Air India', 7800, 'IG85', 'Economy', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 'Kolkata', 'Goa', 'HI567890', 'Ravi Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1086', 'IndiGo', 8000, 'IH86', 'Business', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 'Goa', 'Kolkata', 'IJ678901', 'Mamta Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1087', 'SpiceJet', 8300, 'II87', 'Economy', TO_TIMESTAMP('2024-04-17 09:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Chennai', 'Jaipur', 'JK789012', 'Anil Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1088', 'Air India', 7900, 'IJ88', 'Economy', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 150, 'Jaipur', 'Chennai', 'KL890123', 'Kirti Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1089', 'IndiGo', 8100, 'IK89', 'Business', TO_TIMESTAMP('2024-04-17 10:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 'Pune', 'Kolkata', 'LM901234', 'Anita Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1090', 'SpiceJet', 8400, 'IL90', 'Economy', TO_TIMESTAMP('2024-04-17 13:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 16:15:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 'Kolkata', 'Pune', 'MN012345', 'Rakesh Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1091', 'Air India', 8000, 'IM91', 'Economy', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 'Jaipur', 'Coimbatore', 'NO123456', 'Meera Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1092', 'IndiGo', 8200, 'IN92', 'Business', TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:30:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 'Coimbatore', 'Jaipur', 'OP234567', 'Suresh Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1093', 'SpiceJet', 8500, 'IO93', 'Economy', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 'Mumbai', 'Trivandrum', 'PQ345678', 'Preeti Singh');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1094', 'Air India', 8100, 'IP94', 'Economy', TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 16:00:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 'Trivandrum', 'Mumbai', 'QR456789', 'Deepak Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1095', 'IndiGo', 8300, 'IQ95', 'Business', TO_TIMESTAMP('2024-04-17 10:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Bengaluru', 'Ahmedabad', 'RS567890', 'Neelam Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1096', 'SpiceJet', 8600, 'IR96', 'Economy', TO_TIMESTAMP('2024-04-17 13:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 15:00:00', 'YYYY-MM-DD HH24:MI:SS'), 120, 'Ahmedabad', 'Bengaluru', 'ST678901', 'Alok Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1097', 'Air India', 8200, 'IS97', 'Economy', TO_TIMESTAMP('2024-04-17 09:45:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:00:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 'Jaipur', 'Goa', 'TU789012', 'Sapna Patel');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1098', 'IndiGo', 8400, 'IT98', 'Business', TO_TIMESTAMP('2024-04-17 12:30:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 14:45:00', 'YYYY-MM-DD HH24:MI:SS'), 135, 'Goa', 'Jaipur', 'UV890123', 'Rakesh Gupta');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1099', 'SpiceJet', 8700, 'IU99', 'Economy', TO_TIMESTAMP('2024-04-17 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 12:45:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 'Trivandrum', 'Jaipur', 'VW901234', 'Sneha Sharma');

1 row created.

SQL> INSERT INTO TICKET VALUES ('TCKT1100', 'Air India', 8300, 'IV00', 'Economy', TO_TIMESTAMP('2024-04-17 13:15:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2024-04-17 16:00:00', 'YYYY-MM-DD HH24:MI:SS'), 165, 'Jaipur', 'Trivandrum', 'WX012345', 'Parul Patel');

1 row created.

```
SQL> SELECT * FROM TICKET;


TICKET_NO       AIRLINE_NAME                          PRICE SEAT_NO          CLASS          D_TIME
A_TIME
   DURATION SOURCE                        DESTINATION               PASSPORT_NO    PASSENGER_NAME
------------------ -------------------------------------------- --------- ------------------ ------------------ -------------------------------------------
-------------------------- -------------------------------------------------------------------- --------- --------------------------------------------- ----
-------------------------------------------- ------------------ ---------------------------------------------

TCKT1001        Air India                             5000 FA01          Economy        17-APR-24 08.00.00.000000 AM
17-APR-24 10.30.00.000000 AM
AB123456        Rajesh Patel                          150 New Delhi             Mumbai

TCKT1002        IndiGo                                5200 FB02          Business       17-APR-24 11.00.00.000000 AM
17-APR-24 01.30.00.000000 PM
BC234567        Priya Shah                            150 Mumbai                New Delhi

TCKT1003        SpiceJet                              5500 FC03          Economy        17-APR-24 09.30.00.000000 AM
17-APR-24 11.00.00.000000 AM
CD345678        Amit Kumar                            90 Bengaluru              Chennai

TCKT1004        Air India                             5100 FD04          Economy        17-APR-24 11.30.00.000000 AM
17-APR-24 01.00.00.000000 PM
DE456789        Neha Gupta                            90 Chennai                Bengaluru

TCKT1005        IndiGo                                5300 FE05          Business       17-APR-24 09.00.00.000000 AM
17-APR-24 11.30.00.000000 AM
EF567890        Rahul Singh                           150 New Delhi             Goa

TCKT1006        SpiceJet                              5600 FF06          Economy        17-APR-24 12.00.00.000000 PM
17-APR-24 02.30.00.000000 PM
FG678901        Sneha Desai                           150 Goa                   New Delhi

TCKT1007        Air India                             5200 FG07          Economy        17-APR-24 10.00.00.000000 AM
17-APR-24 11.30.00.000000 AM
GH789012        Arun Sharma                           90 Mumbai                 Bengaluru

TCKT1008        IndiGo                                5400 FH08          Business       17-APR-24 12.00.00.000000 PM
17-APR-24 01.30.00.000000 PM
HI890123        Meera Patel                           90 Bengaluru              Mumbai

TCKT1009        SpiceJet                              5700 FI09          Economy        17-APR-24 10.30.00.000000 AM
17-APR-24 12.00.00.000000 PM
IJ901234        Vikram Singh                          90 Chennai                Goa

TCKT1010        Air India                             5300 FJ10          Economy        17-APR-24 01.00.00.000000 PM
17-APR-24 02.30.00.000000 PM
JK012345        Nisha Gupta                           90 Goa                    Chennai

TCKT1011        IndiGo                                5500 FK11          Business       17-APR-24 09.30.00.000000 AM
17-APR-24 10.45.00.000000 AM
KL123456        Ankit Sharma                          75 New Delhi              Jaipur

TCKT1012        SpiceJet                              5800 FL12          Economy        17-APR-24 11.15.00.000000 AM
17-APR-24 12.30.00.000000 PM
MN234567        Deepika Patel                         75 Jaipur                 New Delhi
```

TCKT1013	Air India	5400	FM13	Economy	17-APR-24 10.00.00.000000 AM
17-APR-24 11.15.00.000000 AM		75	Kochi		Trivandrum
NO345678	Raj Kapoor				
TCKT1014	IndiGo	5600	FN14	Business	17-APR-24 11.45.00.000000 AM
17-APR-24 01.00.00.000000 PM		75	Trivandrum		Kochi
OP456789	Aarti Sharma				
TCKT1015	SpiceJet	5900	FO15	Economy	17-APR-24 09.15.00.000000 AM
17-APR-24 10.30.00.000000 AM		75	Bengaluru		Hyderabad
PQ567890	Amita Singh				
TCKT1016	Air India	5500	FP16	Economy	17-APR-24 11.00.00.000000 AM
17-APR-24 12.15.00.000000 PM		75	Hyderabad		Bengaluru
QR678901	Neha Verma				
TCKT1017	IndiGo	5700	FQ17	Business	17-APR-24 10.45.00.000000 AM
17-APR-24 11.45.00.000000 AM		60	Chennai		Coimbatore
RS789012	Rajesh Kumar				
TCKT1018	SpiceJet	6000	FR18	Economy	17-APR-24 12.15.00.000000 PM
17-APR-24 01.15.00.000000 PM		60	Coimbatore		Chennai
ST890123	Priya Verma				
TCKT1019	Air India	5600	FS19	Economy	17-APR-24 09.00.00.000000 AM
17-APR-24 10.45.00.000000 AM		105	Jaipur		Ahmedabad
TU901234	Alok Kumar				
TCKT1020	IndiGo	5800	FT20	Business	17-APR-24 11.15.00.000000 AM
17-APR-24 01.00.00.000000 PM		105	Ahmedabad		Jaipur
UV012345	Meenakshi Sharma				
TCKT1021	SpiceJet	6100	FU21	Economy	17-APR-24 09.45.00.000000 AM
17-APR-24 11.00.00.000000 AM		75	Goa		Pune
VW123456	Vikas Patel				
TCKT1022	Air India	5700	FV22	Economy	17-APR-24 11.30.00.000000 AM
17-APR-24 12.45.00.000000 PM		75	Pune		Goa
WX234567	Nandini Singh				
TCKT1023	IndiGo	5900	FW23	Business	17-APR-24 09.30.00.000000 AM
17-APR-24 12.00.00.000000 PM		150	Chennai		Kolkata
XY345678	Anjali Sharma				
TCKT1024	SpiceJet	6200	FX24	Economy	17-APR-24 12.30.00.000000 PM
17-APR-24 03.00.00.000000 PM		150	Kolkata		Chennai
YZ456789	Deepak Patel				
TCKT1025	Air India	5800	FY25	Economy	17-APR-24 10.00.00.000000 AM
17-APR-24 11.30.00.000000 AM		90	Ahmedabad		Mumbai
ZA567890	Rina Kapoor				
TCKT1026	IndiGo	6000	FZ26	Business	17-APR-24 12.00.00.000000 PM
17-APR-24 01.30.00.000000 PM		90	Mumbai		Ahmedabad
AB678901	Aryan Sharma				
TCKT1027	SpiceJet	6300	GA27	Economy	17-APR-24 10.15.00.000000 AM
17-APR-24 11.30.00.000000 AM		75	Kochi		Goa
BC789012	Ananya Singh				
TCKT1028	Air India	5900	GB28	Economy	17-APR-24 12.00.00.000000 PM
17-APR-24 01.15.00.000000 PM		75	Goa		Kochi
CD890123	Rajeev Patel				

Ticket	Airline	Departure	PNR	Passenger	Fare	Flight	Class	Dist	Origin	Arrival	Destination
TCKT1029	IndiGo	17-APR-24 11.45.00.000000 AM	DE901234	Neha Singh	6100	GC29	Business	150	Jaipur	17-APR-24 09.15.00.000000 AM	Chennai
TCKT1030	SpiceJet	17-APR-24 02.45.00.000000 PM	EF012345	Arun Kumar	6400	GD30	Economy	150	Chennai	17-APR-24 12.15.00.000000 PM	Jaipur
TCKT1031	Air India	17-APR-24 11.00.00.000000 AM	FG123456	Sneha Sharma	6000	GE31	Economy	75	Trivandrum	17-APR-24 09.45.00.000000 AM	Kozhikode
TCKT1032	IndiGo	17-APR-24 12.45.00.000000 PM	GH234567	Vishal Patel	6200	GF32	Business	75	Kozhikode	17-APR-24 11.30.00.000000 AM	Trivandrum
TCKT1033	SpiceJet	17-APR-24 10.45.00.000000 AM	HI345678	Priya Sharma	6500	GG33	Economy	75	Hyderabad	17-APR-24 09.30.00.000000 AM	Chennai
TCKT1034	Air India	17-APR-24 12.30.00.000000 PM	IJ456789	Amit Shah	6100	GH34	Economy	75	Chennai	17-APR-24 11.15.00.000000 AM	Hyderabad
TCKT1035	IndiGo	17-APR-24 11.45.00.000000 AM	JK567890	Rajni Patel	6300	GI35	Business	105	Kolkata	17-APR-24 10.00.00.000000 AM	Jaipur
TCKT1036	SpiceJet	17-APR-24 02.00.00.000000 PM	KL678901	Nisha Singh	6600	GJ36	Economy	105	Jaipur	17-APR-24 12.15.00.000000 PM	Kolkata
TCKT1037	Air India	17-APR-24 10.30.00.000000 AM	LM789012	Ankur Sharma	6200	GK37	Economy	90	Mumbai	17-APR-24 09.00.00.000000 AM	Chennai
TCKT1038	IndiGo	17-APR-24 12.30.00.000000 PM	MN890123	Rashmi Patel	6400	GL38	Business	90	Chennai	17-APR-24 11.00.00.000000 AM	Mumbai
TCKT1039	SpiceJet	17-APR-24 11.30.00.000000 AM	NO901234	Vijay Kumar	6700	GM39	Economy	75	Bengaluru	17-APR-24 10.15.00.000000 AM	Kochi
TCKT1040	Air India	17-APR-24 01.15.00.000000 PM	OP012345	Neha Verma	6300	GN40	Economy	75	Kochi	17-APR-24 12.00.00.000000 PM	Bengaluru
TCKT1041	IndiGo	17-APR-24 12.15.00.000000 PM	PQ123456	Rajeev Singh	6500	GO41	Business	150	Pune	17-APR-24 09.45.00.000000 AM	Kolkata
TCKT1042	SpiceJet	17-APR-24 03.15.00.000000 PM	QR234567	Sunita Patel	6800	GP42	Economy	150	Kolkata	17-APR-24 12.45.00.000000 PM	Pune
TCKT1043	Air India	17-APR-24 11.45.00.000000 AM	RS345678	Vivek Kumar	6400	GQ43	Economy	75	Ahmedabad	17-APR-24 10.30.00.000000 AM	Jaipur
TCKT1044	IndiGo	17-APR-24 01.30.00.000000 PM	ST456789	Neetu Sharma	6600	GR44	Business	75	Jaipur	17-APR-24 12.15.00.000000 PM	Ahmedabad

TCKT1045	SpiceJet 17-APR-24 10.45.00.000000 AM TU567890 Ajay Patel	6900 GS45 Economy 75 Trivandrum	17-APR-24 09.30.00.000000 AM Chennai
TCKT1046	Air India 17-APR-24 12.30.00.000000 PM UV678901 Nisha Singh	6500 GT46 Economy 75 Chennai	17-APR-24 11.15.00.000000 AM Trivandrum
TCKT1047	IndiGo 17-APR-24 12.30.00.000000 PM VW789012 Ajit Kumar	6700 GU47 Business 150 Kolkata	17-APR-24 10.00.00.000000 AM Mumbai
TCKT1048	SpiceJet 17-APR-24 03.30.00.000000 PM WX890123 Pooja Sharma	7000 GV48 Economy 150 Mumbai	17-APR-24 01.00.00.000000 PM Kolkata
TCKT1049	Air India 17-APR-24 11.15.00.000000 AM XY901234 Rahul Kapoor	6600 GW49 Economy 90 Ahmedabad	17-APR-24 09.45.00.000000 AM Chennai
TCKT1050	IndiGo 17-APR-24 01.15.00.000000 PM YZ012345 Anita Singh	6800 GX50 Business 90 Chennai	17-APR-24 11.45.00.000000 AM Ahmedabad
TCKT1051	SpiceJet 17-APR-24 11.15.00.000000 AM ZA123456 Sanjay Gupta	7100 GY51 Economy 75 Kochi	17-APR-24 10.00.00.000000 AM Kozhikode
TCKT1052	Air India 17-APR-24 01.00.00.000000 PM AB234567 Kavita Sharma	6700 GZ52 Economy 75 Kozhikode	17-APR-24 11.45.00.000000 AM Kochi
TCKT1053	IndiGo 17-APR-24 11.00.00.000000 AM BC345678 Suresh Patel	6900 HA53 Business 105 Jaipur	17-APR-24 09.15.00.000000 AM Kolkata
TCKT1054	SpiceJet 17-APR-24 01.15.00.000000 PM CD456789 Ranjana Singh	7200 HB54 Economy 105 Kolkata	17-APR-24 11.30.00.000000 AM Jaipur
TCKT1055	Air India 17-APR-24 11.45.00.000000 AM DE567890 Aryan Gupta	6800 HC55 Economy 75 Bengaluru	17-APR-24 10.30.00.000000 AM Chennai
TCKT1056	IndiGo 17-APR-24 01.30.00.000000 PM EF678901 Deepa Patel	7000 HD56 Business 75 Chennai	17-APR-24 12.15.00.000000 PM Bengaluru
TCKT1057	SpiceJet 17-APR-24 11.00.00.000000 AM FG789012 Rahul Singh	7300 HE57 Economy 75 Trivandrum	17-APR-24 09.45.00.000000 AM Kochi
TCKT1058	Air India 17-APR-24 12.45.00.000000 PM GH890123 Meena Gupta	6900 HF58 Economy 75 Kochi	17-APR-24 11.30.00.000000 AM Trivandrum
TCKT1059	IndiGo 17-APR-24 11.45.00.000000 AM HI901234 Karan Patel	7100 HG59 Business 105 Jaipur	17-APR-24 10.00.00.000000 AM Hyderabad
TCKT1060	SpiceJet 17-APR-24 02.00.00.000000 PM IJ012345 Anjali Singh	7400 HH60 Economy 105 Hyderabad	17-APR-24 12.15.00.000000 PM Jaipur

Ticket	Airline	Departure Date/Time	PNR	Passenger	Flight	Class	Price / From	Arrival Date/Time	To
TCKT1061	Air India	17-APR-24 10.30.00.000000 AM	JK123456	Rahul Sharma	7000 HI61	Economy	75 Pune	17-APR-24 09.15.00.000000 AM	Bengaluru
TCKT1062	IndiGo	17-APR-24 12.15.00.000000 PM	KL234567	Rani Patel	7200 HJ62	Business	75 Bengaluru	17-APR-24 11.00.00.000000 AM	Pune
TCKT1063	SpiceJet	17-APR-24 12.00.00.000000 PM	LM345678	Vijay Singh	7500 HK63	Economy	75 Chennai	17-APR-24 10.45.00.000000 AM	Kochi
TCKT1064	Air India	17-APR-24 01.45.00.000000 PM	MN456789	Kavita Patel	7100 HL64	Economy	75 Kochi	17-APR-24 12.30.00.000000 PM	Chennai
TCKT1065	IndiGo	17-APR-24 12.00.00.000000 PM	NO567890	Sachin Sharma	7300 HM65	Business	150 Trivandrum	17-APR-24 09.30.00.000000 AM	Mumbai
TCKT1066	SpiceJet	17-APR-24 03.00.00.000000 PM	OP678901	Sunita Gupta	7600 HN66	Economy	150 Mumbai	17-APR-24 12.30.00.000000 PM	Trivandrum
TCKT1067	Air India	17-APR-24 11.45.00.000000 AM	PQ789012	Mukesh Patel	7200 HO67	Economy	120 Jaipur	17-APR-24 09.45.00.000000 AM	Pune
TCKT1068	IndiGo	17-APR-24 02.15.00.000000 PM	QR890123	Priya Sharma	7400 HP68	Business	120 Pune	17-APR-24 12.15.00.000000 PM	Jaipur
TCKT1069	SpiceJet	17-APR-24 10.45.00.000000 AM	RS901234	Rajesh Singh	7700 HQ69	Economy	75 Chennai	17-APR-24 09.30.00.000000 AM	Bengaluru
TCKT1070	Air India	17-APR-24 12.30.00.000000 PM	ST012345	Sunita Patel	7300 HR70	Economy	75 Bengaluru	17-APR-24 11.15.00.000000 AM	Chennai
TCKT1071	IndiGo	17-APR-24 11.45.00.000000 AM	TU123456	Rahul Gupta	7500 HS71	Business	120 Kolkata	17-APR-24 09.45.00.000000 AM	Chennai
TCKT1072	SpiceJet	17-APR-24 02.15.00.000000 PM	UV234567	Pooja Patel	7800 HT72	Economy	120 Chennai	17-APR-24 12.15.00.000000 PM	Kolkata
TCKT1073	Air India	17-APR-24 11.15.00.000000 AM	VW345678	Ankit Sharma	7400 HU73	Economy	75 Bengaluru	17-APR-24 10.00.00.000000 AM	Hyderabad
TCKT1074	IndiGo	17-APR-24 01.00.00.000000 PM	WX456789	Neha Patel	7600 HV74	Business	75 Hyderabad	17-APR-24 11.45.00.000000 AM	Bengaluru
TCKT1075	SpiceJet	17-APR-24 11.45.00.000000 AM	XY567890	Sanjay Singh	7900 HW75	Economy	120 Mumbai	17-APR-24 09.30.00.000000 AM	Jaipur
TCKT1076	Air India	17-APR-24 02.30.00.000000 PM	YZ678901	Kavita Gupta	7500 HX76	Economy	120 Jaipur	17-APR-24 12.15.00.000000 PM	Mumbai

Ticket	Airline	Departure Booking	PNR	Passenger	Flight	Class	Price	Origin	Departure Time	Destination
TCKT1077	IndiGo	17-APR-24 12.00.00.000000 PM	ZA789012	Vikram Patel	7700 HY77	Business	105	Goa	17-APR-24 10.45.00.000000 AM	Chennai
TCKT1078	SpiceJet	17-APR-24 01.45.00.000000 PM	AB890123	Shikha Sharma	8000 HZ78	Economy	105	Chennai	17-APR-24 12.30.00.000000 PM	Goa
TCKT1079	Air India	17-APR-24 12.00.00.000000 PM	BC901234	Ajay Patel	7600 IA79	Economy	150	Bengaluru	17-APR-24 09.30.00.000000 AM	Kolkata
TCKT1080	IndiGo	17-APR-24 03.00.00.000000 PM	CD012345	Roshni Singh	7800 IB80	Business	150	Kolkata	17-APR-24 12.30.00.000000 PM	Bengaluru
TCKT1081	SpiceJet	17-APR-24 12.00.00.000000 PM	DE123456	Arjun Sharma	8100 IC81	Economy	90	Ahmedabad	17-APR-24 10.30.00.000000 AM	Jaipur
TCKT1082	Air India	17-APR-24 02.00.00.000000 PM	EF234567	Neha Gupta	7700 ID82	Economy	90	Jaipur	17-APR-24 12.30.00.000000 PM	Ahmedabad
TCKT1083	IndiGo	17-APR-24 11.15.00.000000 AM	FG345678	Vishal Patel	7900 IE83	Business	75	Trivandrum	17-APR-24 10.00.00.000000 AM	Coimbatore
TCKT1084	SpiceJet	17-APR-24 01.00.00.000000 PM	GH456789	Komal Sharma	8200 IF84	Economy	75	Coimbatore	17-APR-24 11.45.00.000000 AM	Trivandrum
TCKT1085	Air India	17-APR-24 12.00.00.000000 PM	HI567890	Ravi Patel	7800 IG85	Economy	135	Kolkata	17-APR-24 09.45.00.000000 AM	Goa
TCKT1086	IndiGo	17-APR-24 03.00.00.000000 PM	IJ678901	Mamta Singh	8000 IH86	Business	135	Goa	17-APR-24 12.30.00.000000 PM	Kolkata
TCKT1087	SpiceJet	17-APR-24 12.00.00.000000 PM	JK789012	Anil Gupta	8300 II87	Economy	150	Chennai	17-APR-24 09.30.00.000000 AM	Jaipur
TCKT1088	Air India	17-APR-24 03.00.00.000000 PM	KL890123	Kirti Patel	7900 IJ88	Economy	150	Jaipur	17-APR-24 12.30.00.000000 PM	Chennai
TCKT1089	IndiGo	17-APR-24 01.00.00.000000 PM	LM901234	Anita Sharma	8100 IK89	Business	165	Pune	17-APR-24 10.15.00.000000 AM	Kolkata
TCKT1090	SpiceJet	17-APR-24 04.15.00.000000 PM	MN012345	Rakesh Patel	8400 IL90	Economy	165	Kolkata	17-APR-24 01.30.00.000000 PM	Pune
TCKT1091	Air India	17-APR-24 12.45.00.000000 PM	NO123456	Meera Gupta	8000 IM91	Economy	135	Jaipur	17-APR-24 10.30.00.000000 AM	Coimbatore
TCKT1092	IndiGo	17-APR-24 03.30.00.000000 PM	OP234567	Suresh Sharma	8200 IN92	Business	135	Coimbatore	17-APR-24 01.15.00.000000 PM	Jaipur

TCKT1093	SpiceJet	8500 IO93	Economy	17-APR-24 10.00.00.000000 AM
17-APR-24 12.45.00.000000 PM		165 Mumbai		Trivandrum
PQ345678	Preeti Singh			

TCKT1094	Air India	8100 IP94	Economy	17-APR-24 01.15.00.000000 PM
17-APR-24 04.00.00.000000 PM		165 Trivandrum		Mumbai
QR456789	Deepak Patel			

TCKT1095	IndiGo	8300 IQ95	Business	17-APR-24 10.30.00.000000 AM
17-APR-24 12.30.00.000000 PM		120 Bengaluru		Ahmedabad
RS567890	Neelam Gupta			

TCKT1096	SpiceJet	8600 IR96	Economy	17-APR-24 01.00.00.000000 PM
17-APR-24 03.00.00.000000 PM		120 Ahmedabad		Bengaluru
ST678901	Alok Sharma			

TCKT1097	Air India	8200 IS97	Economy	17-APR-24 09.45.00.000000 AM
17-APR-24 12.00.00.000000 PM		135 Jaipur		Goa
TU789012	Sapna Patel			

TCKT1098	IndiGo	8400 IT98	Business	17-APR-24 12.30.00.000000 PM
17-APR-24 02.45.00.000000 PM		135 Goa		Jaipur
UV890123	Rakesh Gupta			

TCKT1099	SpiceJet	8700 IU99	Economy	17-APR-24 10.00.00.000000 AM
17-APR-24 12.45.00.000000 PM		165 Trivandrum		Jaipur
VW901234	Sneha Sharma			

TCKT1100	Air India	8300 IV00	Economy	17-APR-24 01.15.00.000000 PM
17-APR-24 04.00.00.000000 PM		165 Jaipur		Trivandrum
WX012345	Parul Patel			

100 rows selected.

SQL> INSERT INTO PASSENGER VALUES ('AB123456', 'Rajesh Patel', '123, Krishna Nagar, Mumbai', 'Male', TO_DATE('1990-01-01', 'YYYY-MM-DD'), 31, 1001, 'TCKT1001');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('BC234567', 'Priya Shah', '456, Shanti Vihar, Delhi', 'Female', TO_DATE('1985-03-15', 'YYYY-MM-DD'), 36, 1002, 'TCKT1002');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('CD345678', 'Amit Kumar', '789, Ganga Nagar, Kolkata', 'Male', TO_DATE('1988-07-20', 'YYYY-MM-DD'), 33, 1003, 'TCKT1003');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('DE456789', 'Neha Gupta', '234, Gandhi Chowk, Chennai', 'Female', TO_DATE('1995-05-10', 'YYYY-MM-DD'), 26, 1004, 'TCKT1004');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('EF567890', 'Rahul Singh', '567, Laxmi Nagar, Bengaluru', 'Male', TO_DATE('1980-11-30', 'YYYY-MM-DD'), 41, 1005, 'TCKT1005');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('FG678901', 'Sneha Desai', '890, Shivaji Park, Pune', 'Female', TO_DATE('1993-09-25', 'YYYY-MM-DD'), 28, 1006, 'TCKT1006');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('GH789012', 'Arun Sharma', '123, Rajendra Nagar, Hyderabad', 'Male', TO_DATE('1982-04-05', 'YYYY-MM-DD'), 39, 1007, 'TCKT1007');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('HI890123', 'Meera Patel', '456, Gandhi Nagar, Ahmedabad', 'Female', TO_DATE('1978-12-12', 'YYYY-MM-DD'), 43, 1008, 'TCKT1008');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('IJ901234', 'Vikram Singh', '789, Tilak Nagar, Jaipur', 'Male', TO_DATE('1987-06-18', 'YYYY-MM-DD'), 34, 1009, 'TCKT1009');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('JK012345', 'Nisha Gupta', '234, Malviya Nagar, Lucknow', 'Female', TO_DATE('1984-10-22', 'YYYY-MM-DD'), 37, 1010, 'TCKT1010');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('KL123456', 'Ankit Sharma', '567, Model Town, Chandigarh', 'Male', TO_DATE('1983-02-14', 'YYYY-MM-DD'), 38, 1011, 'TCKT1011');

1 row created.

```
SQL> INSERT INTO PASSENGER VALUES ('MN234567', 'Deepika Patel', '890, Jodhpur Park, Indore', 'Female', TO_DATE('1992-08-08', 'YYYY-MM-DD'), 29, 1012, 'TCKT1012');


1 row created.


SQL> INSERT INTO PASSENGER VALUES ('NO345678', 'Raj Kapoor', '123, Rajouri Garden, Bhopal', 'Male', TO_DATE('1981-06-30', 'YYYY-MM-DD'), 40, 1013, 'TCKT1013');


1 row created.


SQL> INSERT INTO PASSENGER VALUES ('OP456789', 'Aarti Sharma', '456, Saket, Kanpur', 'Female', TO_DATE('1979-09-12', 'YYYY-MM-DD'), 42, 1014, 'TCKT1014');


1 row created.


SQL> INSERT INTO PASSENGER VALUES ('PQ567890', 'Amita Singh', '789, Raj Bhavan Road, Nagpur', 'Female', TO_DATE('1986-12-25', 'YYYY-MM-DD'), 35, 1015, 'TCKT1015');


1 row created.


SQL> INSERT INTO PASSENGER VALUES ('QR678901', 'Neha Verma', '234, Pragati Maidan, Patna', 'Female', TO_DATE('1994-04-19', 'YYYY-MM-DD'), 27, 1016, 'TCKT1016');


1 row created.


SQL> INSERT INTO PASSENGER VALUES ('RS789012', 'Rajesh Kumar', '567, Gomti Nagar, Faridabad', 'Male', TO_DATE('1989-03-05', 'YYYY-MM-DD'), 32, 1017, 'TCKT1017');


1 row created.


SQL> INSERT INTO PASSENGER VALUES ('ST890123', 'Priya Verma', '890, Vaishali Nagar, Ludhiana', 'Female', TO_DATE('1980-07-15', 'YYYY-MM-DD'), 41, 1018, 'TCKT1018');


1 row created.


SQL> INSERT INTO PASSENGER VALUES ('TU901234', 'Alok Kumar', '123, Civil Lines, Agra', 'Male', TO_DATE('1985-05-18', 'YYYY-MM-DD'), 36, 1019, 'TCKT1019');


1 row created.
```

SQL> INSERT INTO PASSENGER VALUES ('UV012345', 'Meenakshi Sharma', '456, Connaught Place, Amritsar', 'Female', TO_DATE('1977-11-29', 'YYYY-MM-DD'), 44, 1020, 'TCKT1020');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('VW123456', 'Vikas Patel', '789, Malabar Hill, Varanasi', 'Male', TO_DATE('1991-08-20', 'YYYY-MM-DD'), 32, 1021, 'TCKT1021');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('WX234567', 'Nandini Singh', '234, Salt Lake City, Allahabad', 'Female', TO_DATE('1986-05-12', 'YYYY-MM-DD'), 37, 1022, 'TCKT1022');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('XY345678', 'Anjali Sharma', '567, Karol Bagh, Ranchi', 'Female', TO_DATE('1989-10-25', 'YYYY-MM-DD'), 32, 1023, 'TCKT1023');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('YZ456789', 'Deepak Patel', '890, Noida Extension, Gurgaon', 'Male', TO_DATE('1984-03-15', 'YYYY-MM-DD'), 38, 1024, 'TCKT1024');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('ZA567890', 'Rina Kapoor', '123, Jayanagar, Guwahati', 'Female', TO_DATE('1983-11-28', 'YYYY-MM-DD'), 38, 1025, 'TCKT1025');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('AB678901', 'Aryan Sharma', '456, Sector 17, Ghaziabad', 'Male', TO_DATE('1987-07-05', 'YYYY-MM-DD'), 34, 1026, 'TCKT1026');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('BC789012', 'Ananya Singh', '789, Jubilee Hills, Thane', 'Female', TO_DATE('1990-09-18', 'YYYY-MM-DD'), 31, 1027, 'TCKT1027');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('CD890123', 'Rajeev Patel', '234, Hinjewadi, Bhubaneswar', 'Male', TO_DATE('1985-01-30', 'YYYY-MM-DD'), 37, 1028, 'TCKT1028');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('DE901234', 'Neha Singh', '567, BTM Layout, Visakhapatnam', 'Female', TO_DATE('1982-06-08', 'YYYY-MM-DD'), 39, 1029, 'TCKT1029');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('EF012345', 'Arun Kumar', '890, Banjara Hills, Coimbatore', 'Male', TO_DATE('1986-12-12', 'YYYY-MM-DD'), 35, 1030, 'TCKT1030');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('FG123456', 'Sneha Sharma', '123, Goregaon West, Vadodara', 'Female', TO_DATE('1981-04-25', 'YYYY-MM-DD'), 43, 1031, 'TCKT1031');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('GH234567', 'Vishal Patel', '456, Jubilee Road, Raipur', 'Male', TO_DATE('1979-09-17', 'YYYY-MM-DD'), 44, 1032, 'TCKT1032');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('HI345678', 'Priya Sharma', '789, Aundh, Meerut', 'Female', TO_DATE('1993-02-20', 'YYYY-MM-DD'), 31, 1033, 'TCKT1033');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('IJ456789', 'Amit Shah', '234, Salt Lake City, Gwalior', 'Male', TO_DATE('1988-08-10', 'YYYY-MM-DD'), 33, 1034, 'TCKT1034');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('JK567890', 'Rajni Patel', '567, Marathahalli, Vijayawada', 'Female', TO_DATE('1984-06-15', 'YYYY-MM-DD'), 37, 1035, 'TCKT1035');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('KL678901', 'Nisha Singh', '890, Alipore, Jodhpur', 'Female', TO_DATE('1992-11-28', 'YYYY-MM-DD'), 29, 1036, 'TCKT1036');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('LM789012', 'Ankur Sharma', '123, Hiranandani Gardens, Jabalpur', 'Male', TO_DATE('1983-03-20', 'YYYY-MM-DD'), 39, 1037, 'TCKT1037');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('MN890123', 'Rashmi Patel', '456, Bandra West, Guntur', 'Female', TO_DATE('1980-07-05', 'YYYY-MM-DD'), 43, 1038, 'TCKT1038');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('NO901234', 'Vijay Kumar', '123, Malviya Nagar, Kolkata', 'Male', TO_DATE('1986-05-10', 'YYYY-MM-DD'), 35, 1039, 'TCKT1039');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('OP012345', 'Neha Verma', '456, MG Road, Chennai', 'Female', TO_DATE('1990-10-15', 'YYYY-MM-DD'), 31, 1040, 'TCKT1040');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('PQ123456', 'Rajeev Singh', '789, Karol Bagh, Hyderabad', 'Male', TO_DATE('1990-04-17', 'YYYY-MM-DD'), 34, 1041, 'TCKT1041');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('QR234567', 'Sunita Patel', '234, Rajouri Garden, Pune', 'Female', TO_DATE('1985-11-22', 'YYYY-MM-DD'), 36, 1042, 'TCKT1042');

1 row created.

```
SQL> INSERT INTO PASSENGER VALUES ('RS345678', 'Vivek Kumar', '567, Connaught Place, Jaipur', 'Male', TO_DATE('1982-07-15', 'YYYY-MM-DD'), 39, 1043, 'TCKT1043');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('ST456789', 'Neetu Sharma', '890, Gandhi Nagar, Lucknow', 'Female', TO_DATE('1987-03-10', 'YYYY-MM-DD'), 35, 1044, 'TCKT1044');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('TU567890', 'Ajay Patel', '123, Tilak Nagar, Chandigarh', 'Male', TO_DATE('1984-09-25', 'YYYY-MM-DD'), 37, 1045, 'TCKT1045');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('UV678901', 'Nisha Singh', '456, Laxmi Nagar, Indore', 'Female', TO_DATE('1992-06-08', 'YYYY-MM-DD'), 29, 1046, 'TCKT1046');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('VW789012', 'Ajit Kumar', '789, Hauz Khas, Bhopal', 'Male', TO_DATE('1988-01-30', 'YYYY-MM-DD'), 34, 1047, 'TCKT1047');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('WX890123', 'Pooja Sharma', '234, Greater Kailash, Kanpur', 'Female', TO_DATE('1983-05-18', 'YYYY-MM-DD'), 38, 1048, 'TCKT1048');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('XY901234', 'Rahul Kapoor', '567, Salt Lake City, Varanasi', 'Male', TO_DATE('1989-10-10', 'YYYY-MM-DD'), 32, 1049, 'TCKT1049');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('YZ012345', 'Anita Singh', '890, Model Town, Allahabad', 'Female', TO_DATE('1986-12-05', 'YYYY-MM-DD'), 35, 1050, 'TCKT1050');

1 row created.
```

SQL> INSERT INTO PASSENGER VALUES ('ZA123456', 'Sanjay Gupta', '123, Rajendra Nagar, Guwahati', 'Male', TO_DATE('1981-08-20', 'YYYY-MM-DD'), 40, 1051, 'TCKT1051');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('AB234567', 'Kavita Sharma', '456, Vaishali Nagar, Ghaziabad', 'Female', TO_DATE('1979-04-15', 'YYYY-MM-DD'), 43, 1052, 'TCKT1052');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('BC345678', 'Suresh Patel', '789, Saket, Thane', 'Male', TO_DATE('1993-02-20', 'YYYY-MM-DD'), 31, 1053, 'TCKT1053');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('CD456789', 'Ranjana Singh', '234, Raj Bhavan Road, Bhubaneswar', 'Female', TO_DATE('1988-07-10', 'YYYY-MM-DD'), 33, 1054, 'TCKT1054');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('DE567890', 'Aryan Gupta', '567, Jayanagar, Gwalior', 'Male', TO_DATE('1985-03-25', 'YYYY-MM-DD'), 36, 1055, 'TCKT1055');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('EF678901', 'Deepa Patel', '890, Sector 17, Vijayawada', 'Female', TO_DATE('1991-11-28', 'YYYY-MM-DD'), 30, 1056, 'TCKT1056');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('FG789012', 'Rahul Singh', '123, Jubilee Hills, Ranchi', 'Male', TO_DATE('1980-09-17', 'YYYY-MM-DD'), 41, 1057, 'TCKT1057');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('GH890123', 'Meena Gupta', '456, Hiranandani Gardens, Faridabad', 'Female', TO_DATE('1986-07-05', 'YYYY-MM-DD'), 35, 1058, 'TCKT1058');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('HI901234', 'Karan Patel', '789, Malabar Hill, Meerut', 'Male', TO_DATE('1982-12-15', 'YYYY-MM-DD'), 39, 1059, 'TCKT1059');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('IJ012345', 'Anjali Singh', '234, Salt Lake City, Jabalpur', 'Female', TO_DATE('1988-05-10', 'YYYY-MM-DD'), 33, 1060, 'TCKT1060');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('JK123456', 'Rahul Sharma', '567, Hauz Khas, Guntur', 'Male', TO_DATE('1987-04-17', 'YYYY-MM-DD'), 35, 1061, 'TCKT1061');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('KL234567', 'Rani Patel', '890, Malviya Nagar, Jodhpur', 'Female', TO_DATE('1982-11-22', 'YYYY-MM-DD'), 36, 1062, 'TCKT1062');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('LM345678', 'Vijay Singh', '123, Connaught Place, Jabalpur', 'Male', TO_DATE('1989-07-15', 'YYYY-MM-DD'), 39, 1063, 'TCKT1063');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('MN456789', 'Kavita Patel', '456, Rajouri Garden, Guntur', 'Female', TO_DATE('1984-03-10', 'YYYY-MM-DD'), 35, 1064, 'TCKT1064');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('NO567890', 'Sachin Sharma', '789, Gandhi Nagar, Faridabad', 'Male', TO_DATE('1981-09-25', 'YYYY-MM-DD'), 37, 1065, 'TCKT1065');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('OP678901', 'Sunita Gupta', '123, Tilak Nagar, Guwahati', 'Female', TO_DATE('1995-06-08', 'YYYY-MM-DD'), 29, 1066, 'TCKT1066');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('PQ789012', 'Mukesh Patel', '456, Laxmi Nagar, Chandigarh', 'Male', TO_DATE('1988-01-30', 'YYYY-MM-DD'), 34, 1067, 'TCKT1067');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('QR890123', 'Priya Sharma', '789, Greater Kailash, Bhopal', 'Female', TO_DATE('1983-05-18', 'YYYY-MM-DD'), 38, 1068, 'TCKT1068');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('RS901234', 'Rajesh Singh', '234, Rajendra Nagar, Varanasi', 'Male', TO_DATE('1986-10-10', 'YYYY-MM-DD'), 32, 1069, 'TCKT1069');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('ST012345', 'Sunita Patel', '567, Malviya Nagar, Allahabad', 'Female', TO_DATE('1985-12-05', 'YYYY-MM-DD'), 35, 1070, 'TCKT1070');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('TU123456', 'Rahul Gupta', '890, Model Town, Kanpur', 'Male', TO_DATE('1980-08-20', 'YYYY-MM-DD'), 40, 1071, 'TCKT1071');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('UV234567', 'Pooja Patel', '123, Tilak Nagar, Varanasi', 'Female', TO_DATE('1978-04-15', 'YYYY-MM-DD'), 43, 1072, 'TCKT1072');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('VW345678', 'Ankit Sharma', '456, Laxmi Nagar, Allahabad', 'Male', TO_DATE('1990-02-20', 'YYYY-MM-DD'), 31, 1073, 'TCKT1073');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('WX456789', 'Neha Patel', '789, Greater Kailash, Kanpur', 'Female', TO_DATE('1985-07-10', 'YYYY-MM-DD'), 33, 1074, 'TCKT1074');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('XY567890', 'Sanjay Singh', '234, Rajendra Nagar, Varanasi', 'Male', TO_DATE('1982-03-25', 'YYYY-MM-DD'), 36, 1075, 'TCKT1075');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('YZ678901', 'Kavita Gupta', '567, Malviya Nagar, Allahabad', 'Female', TO_DATE('1991-11-28', 'YYYY-MM-DD'), 30, 1076, 'TCKT1076');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('ZA789012', 'Vikram Patel', '890, Model Town, Kanpur', 'Male', TO_DATE('1980-09-17', 'YYYY-MM-DD'), 41, 1077, 'TCKT1077');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('AB890123', 'Shikha Sharma', '123, Tilak Nagar, Varanasi', 'Female', TO_DATE('1986-07-05', 'YYYY-MM-DD'), 35, 1078, 'TCKT1078');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('BC901234', 'Ajay Patel', '345, MG Road, Jaipur', 'Male', TO_DATE('1982-12-15', 'YYYY-MM-DD'), 39, 1079, 'TCKT1079');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('CD012345', 'Roshni Singh', '678, Rajouri Garden, Pune', 'Female', TO_DATE('1988-05-10', 'YYYY-MM-DD'), 33, 1080, 'TCKT1080');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('DE123456', 'Arjun Sharma', '901, Laxmi Nagar, Chandigarh', 'Male', TO_DATE('1986-04-17', 'YYYY-MM-DD'), 38, 1081, 'TCKT1081');

1 row created.

```
SQL> INSERT INTO PASSENGER VALUES ('EF234567', 'Neha Gupta', '234, Malviya Nagar, Lucknow', 'Female', TO_DATE('1990-11-22', 'YYYY-MM-DD'), 34, 1082, 'TCKT1082');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('FG345678', 'Vishal Patel', '567, Connaught Place, Ahmedabad', 'Male', TO_DATE('1985-07-15', 'YYYY-MM-DD'), 38, 1083, 'TCKT1083');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('GH456789', 'Komal Sharma', '890, Karol Bagh, Surat', 'Female', TO_DATE('1989-03-10', 'YYYY-MM-DD'), 33, 1084, 'TCKT1084');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('HI567890', 'Ravi Patel', '123, Gandhi Nagar, Nagpur', 'Male', TO_DATE('1982-09-25', 'YYYY-MM-DD'), 39, 1085, 'TCKT1085');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('IJ678901', 'Mamta Singh', '456, Tilak Nagar, Visakhapatnam', 'Female', TO_DATE('1986-06-08', 'YYYY-MM-DD'), 36, 1086, 'TCKT1086');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('JK789012', 'Anil Gupta', '789, Model Town, Ludhiana', 'Male', TO_DATE('1988-01-30', 'YYYY-MM-DD'), 32, 1087, 'TCKT1087');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('KL890123', 'Kirti Patel', '123, Rajendra Nagar, Kochi', 'Female', TO_DATE('1983-05-18', 'YYYY-MM-DD'), 37, 1088, 'TCKT1088');

1 row created.


SQL> INSERT INTO PASSENGER VALUES ('LM901234', 'Anita Sharma', '456, Malviya Nagar, Varanasi', 'Male', TO_DATE('1987-10-10', 'YYYY-MM-DD'), 35, 1089, 'TCKT1089');
```

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('MN012345', 'Rakesh Patel', '789, Salt Lake City, Patna', 'Female', TO_DATE('1984-12-05', 'YYYY-MM-DD'), 40, 1090, 'TCKT1090');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('NO123456', 'Meera Gupta', '123, Hauz Khas, Indore', 'Male', TO_DATE('1980-08-20', 'YYYY-MM-DD'), 42, 1091, 'TCKT1091');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('OP234567', 'Suresh Sharma', '456, Laxmi Nagar, Bhopal', 'Female', TO_DATE('1978-04-15', 'YYYY-MM-DD'), 45, 1092, 'TCKT1092');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('PQ345678', 'Preeti Singh', '789, Connaught Place, Jaipur', 'Male', TO_DATE('1990-02-20', 'YYYY-MM-DD'), 29, 1093, 'TCKT1093');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('QR456789', 'Deepak Patel', '123, Malviya Nagar, Visakhapatnam', 'Female', TO_DATE('1985-07-10', 'YYYY-MM-DD'), 36, 1094, 'TCKT1094');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('RS567890', 'Neelam Gupta', '456, Rajouri Garden, Ludhiana', 'Male', TO_DATE('1982-03-25', 'YYYY-MM-DD'), 39, 1095, 'TCKT1095');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('ST678901', 'Alok Sharma', '789, Hauz Khas, Bhubaneswar', 'Female', TO_DATE('1991-11-28', 'YYYY-MM-DD'), 32, 1096, 'TCKT1096');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('TU789012', 'Sapna Patel', '123, Tilak Nagar, Guwahati', 'Male', TO_DATE('1980-09-17', 'YYYY-MM-DD'), 41, 1097, 'TCKT1097');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('UV890123', 'Rakesh Gupta', '456, Laxmi Nagar, Ranchi', 'Female', TO_DATE('1986-07-05', 'YYYY-MM-DD'), 35, 1098, 'TCKT1098');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('VW901234', 'Sneha Sharma', '789, Connaught Place, Lucknow', 'Male', TO_DATE('1982-12-15', 'YYYY-MM-DD'), 38, 1099, 'TCKT1099');

1 row created.

SQL> INSERT INTO PASSENGER VALUES ('WX012345', 'Parul Patel', '123, Rajouri Garden, Patna', 'Female', TO_DATE('1988-05-10', 'YYYY-MM-DD'), 33, 1100, 'TCKT1100');

1 row created.

SQL> SELECT * FROM PASSENGER;

PASSPORT_NO TICKET_NO	NAME	ADDRESS	SEX	DOB	AGE	FLIGHT_NO
AB123456 1001 TCKT1001	Rajesh Patel	123, Krishna Nagar, Mumbai	Male	01-JAN-90	31	
BC234567 TCKT1002	Priya Shah	456, Shanti Vihar, Delhi	Female	15-MAR-85	36	1002
CD345678 TCKT1003	Amit Kumar	789, Ganga Nagar, Kolkata	Male	20-JUL-88	33	1003
DE456789 1004 TCKT1004	Neha Gupta	234, Gandhi Chowk, Chennai	Female	10-MAY-95	26	
EF567890 1005 TCKT1005	Rahul Singh	567, Laxmi Nagar, Bengaluru	Male	30-NOV-80	41	
FG678901 TCKT1006	Sneha Desai	890, Shivaji Park, Pune	Female	25-SEP-93	28	1006
GH789012 1007 TCKT1007	Arun Sharma	123, Rajendra Nagar, Hyderabad	Male	05-APR-82	39	
HI890123 1008 TCKT1008	Meera Patel	456, Gandhi Nagar, Ahmedabad	Female	12-DEC-78	43	
IJ901234 TCKT1009	Vikram Singh	789, Tilak Nagar, Jaipur	Male	18-JUN-87	34	1009

ID	Serial	Ticket	Name	Address	Gender	DOB	Age	Extra
JK012345	1010	TCKT1010	Nisha Gupta	234, Malviya Nagar, Lucknow	Female	22-OCT-84	37	
KL123456	1011	TCKT1011	Ankit Sharma	567, Model Town, Chandigarh	Male	14-FEB-83	38	
MN234567	1012	TCKT1012	Deepika Patel	890, Jodhpur Park, Indore	Female	08-AUG-92	29	
NO345678	1013	TCKT1013	Raj Kapoor	123, Rajouri Garden, Bhopal	Male	30-JUN-81	40	
OP456789		TCKT1014	Aarti Sharma	456, Saket, Kanpur	Female	12-SEP-79	42	1014
PQ567890	1015	TCKT1015	Amita Singh	789, Raj Bhavan Road, Nagpur	Female	25-DEC-86	35	
QR678901	1016	TCKT1016	Neha Verma	234, Pragati Maidan, Patna	Female	19-APR-94	27	
RS789012	1017	TCKT1017	Rajesh Kumar	567, Gomti Nagar, Faridabad	Male	05-MAR-89	32	
ST890123	1018	TCKT1018	Priya Verma	890, Vaishali Nagar, Ludhiana	Female	15-JUL-80	41	
TU901234		TCKT1019	Alok Kumar	123, Civil Lines, Agra	Male	18-MAY-85	36	1019
UV012345	1020	TCKT1020	Meenakshi Sharma	456, Connaught Place, Amritsar	Female	29-NOV-77	44	
VW123456		TCKT1021	Vikas Patel	789, Malabar Hill, Varanasi	Male	20-AUG-91	32	1021
WX234567	1022	TCKT1022	Nandini Singh	234, Salt Lake City, Allahabad	Female	12-MAY-86	37	
XY345678		TCKT1023	Anjali Sharma	567, Karol Bagh, Ranchi	Female	25-OCT-89	32	1023
YZ456789	1024	TCKT1024	Deepak Patel	890, Noida Extension, Gurgaon	Male	15-MAR-84	38	
ZA567890	1025	TCKT1025	Rina Kapoor	123, Jayanagar, Guwahati	Female	28-NOV-83	38	
AB678901	1026	TCKT1026	Aryan Sharma	456, Sector 17, Ghaziabad	Male	05-JUL-87	34	
BC789012		TCKT1027	Ananya Singh	789, Jubilee Hills, Thane	Female	18-SEP-90	31	1027
CD890123	1028	TCKT1028	Rajeev Patel	234, Hinjewadi, Bhubaneswar	Male	30-JAN-85	37	
DE901234	1029	TCKT1029	Neha Singh	567, BTM Layout, Visakhapatnam	Female	08-JUN-82	39	
EF012345	1030	TCKT1030	Arun Kumar	890, Banjara Hills, Coimbatore	Male	12-DEC-86	35	
FG123456	1031	TCKT1031	Sneha Sharma	123, Goregaon West, Vadodara	Female	25-APR-81	43	

Ticket	Name	Address	Gender	DOB	Age	ID
GH234567 TCKT1032	Vishal Patel	456, Jubilee Road, Raipur	Male	17-SEP-79	44	1032
HI345678 TCKT1033	Priya Sharma	789, Aundh, Meerut	Female	20-FEB-93	31	1033
IJ456789 TCKT1034	Amit Shah	234, Salt Lake City, Gwalior	Male	10-AUG-88	33	1034
JK567890 TCKT1035	Rajni Patel	567, Marathahalli, Vijayawada	Female	15-JUN-84	37	1035
KL678901 TCKT1036	Nisha Singh	890, Alipore, Jodhpur	Female	28-NOV-92	29	1036
LM789012 1037 TCKT1037	Ankur Sharma	123, Hiranandani Gardens, Jabalpur	Male	20-MAR-83	39	
MN890123 1038 TCKT1038	Rashmi Patel	456, Bandra West, Guntur	Female	05-JUL-80	43	
NO901234 1039 TCKT1039	Vijay Kumar	123, Malviya Nagar, Kolkata	Male	10-MAY-86	35	
OP012345 1040 TCKT1040	Neha Verma	456, MG Road, Chennai	Female	15-OCT-90	31	
PQ123456 1041 TCKT1041	Rajeev Singh	789, Karol Bagh, Hyderabad	Male	17-APR-90	34	
QR234567 1042 TCKT1042	Sunita Patel	234, Rajouri Garden, Pune	Female	22-NOV-85	36	
RS345678 TCKT1043	Vivek Kumar	567, Connaught Place, Jaipur	Male	15-JUL-82	39	1043
ST456789 1044 TCKT1044	Neetu Sharma	890, Gandhi Nagar, Lucknow	Female	10-MAR-87	35	
TU567890 TCKT1045	Ajay Patel	123, Tilak Nagar, Chandigarh	Male	25-SEP-84	37	1045
UV678901 TCKT1046	Nisha Singh	456, Laxmi Nagar, Indore	Female	08-JUN-92	29	1046
VW789012 TCKT1047	Ajit Kumar	789, Hauz Khas, Bhopal	Male	30-JAN-88	34	1047
WX890123 1048 TCKT1048	Pooja Sharma	234, Greater Kailash, Kanpur	Female	18-MAY-83	38	
XY901234 TCKT1049	Rahul Kapoor	567, Salt Lake City, Varanasi	Male	10-OCT-89	32	1049
YZ012345 1050 TCKT1050	Anita Singh	890, Model Town, Allahabad	Female	05-DEC-86	35	
ZA123456 1051 TCKT1051	Sanjay Gupta	123, Rajendra Nagar, Guwahati	Male	20-AUG-81	40	
AB234567 1052 TCKT1052	Kavita Sharma	456, Vaishali Nagar, Ghaziabad	Female	15-APR-79	43	
BC345678 TCKT1053	Suresh Patel	789, Saket, Thane	Male	20-FEB-93	31	1053

CD456789 1054 TCKT1054	Ranjana Singh	234, Raj Bhavan Road, Bhubaneswar	Female	10-JUL-88	33	
DE567890 TCKT1055	Aryan Gupta	567, Jayanagar, Gwalior	Male	25-MAR-85	36	1055
EF678901 1056 TCKT1056	Deepa Patel	890, Sector 17, Vijayawada	Female	28-NOV-91	30	
FG789012 TCKT1057	Rahul Singh	123, Jubilee Hills, Ranchi	Male	17-SEP-80	41	1057
GH890123 1058 TCKT1058	Meena Gupta	456, Hiranandani Gardens, Faridabad	Female	05-JUL-86	35	
HI901234 TCKT1059	Karan Patel	789, Malabar Hill, Meerut	Male	15-DEC-82	39	1059
IJ012345 TCKT1060	Anjali Singh	234, Salt Lake City, Jabalpur	Female	10-MAY-88	33	1060
JK123456 TCKT1061	Rahul Sharma	567, Hauz Khas, Guntur	Male	17-APR-87	35	1061
KL234567 TCKT1062	Rani Patel	890, Malviya Nagar, Jodhpur	Female	22-NOV-82	36	1062
LM345678 1063 TCKT1063	Vijay Singh	123, Connaught Place, Jabalpur	Male	15-JUL-89	39	
MN456789 1064 TCKT1064	Kavita Patel	456, Rajouri Garden, Guntur	Female	10-MAR-84	35	
NO567890 1065 TCKT1065	Sachin Sharma	789, Gandhi Nagar, Faridabad	Male	25-SEP-81	37	
OP678901 1066 TCKT1066	Sunita Gupta	123, Tilak Nagar, Guwahati	Female	08-JUN-95	29	
PQ789012 1067 TCKT1067	Mukesh Patel	456, Laxmi Nagar, Chandigarh	Male	30-JAN-88	34	
QR890123 1068 TCKT1068	Priya Sharma	789, Greater Kailash, Bhopal	Female	18-MAY-83	38	
RS901234 1069 TCKT1069	Rajesh Singh	234, Rajendra Nagar, Varanasi	Male	10-OCT-86	32	
ST012345 1070 TCKT1070	Sunita Patel	567, Malviya Nagar, Allahabad	Female	05-DEC-85	35	
TU123456 1071 TCKT1071	Rahul Gupta	890, Model Town, Kanpur	Male	20-AUG-80	40	
UV234567 TCKT1072	Pooja Patel	123, Tilak Nagar, Varanasi	Female	15-APR-78	43	1072
VW345678 1073 TCKT1073	Ankit Sharma	456, Laxmi Nagar, Allahabad	Male	20-FEB-90	31	
WX456789 1074 TCKT1074	Neha Patel	789, Greater Kailash, Kanpur	Female	10-JUL-85	33	
XY567890 1075 TCKT1075	Sanjay Singh	234, Rajendra Nagar, Varanasi	Male	25-MAR-82	36	

Ticket	Name	Address	Gender	DOB	Age	No.
YZ678901 1076 TCKT1076	Kavita Gupta	567, Malviya Nagar, Allahabad	Female	28-NOV-91	30	
ZA789012 TCKT1077	Vikram Patel	890, Model Town, Kanpur	Male	17-SEP-80	41	1077
AB890123 1078 TCKT1078	Shikha Sharma	123, Tilak Nagar, Varanasi	Female	05-JUL-86	35	
BC901234 TCKT1079	Ajay Patel	345, MG Road, Jaipur	Male	15-DEC-82	39	1079
CD012345 1080 TCKT1080	Roshni Singh	678, Rajouri Garden, Pune	Female	10-MAY-88	33	
DE123456 1081 TCKT1081	Arjun Sharma	901, Laxmi Nagar, Chandigarh	Male	17-APR-86	38	
EF234567 1082 TCKT1082	Neha Gupta	234, Malviya Nagar, Lucknow	Female	22-NOV-90	34	
FG345678 1083 TCKT1083	Vishal Patel	567, Connaught Place, Ahmedabad	Male	15-JUL-85	38	
GH456789 1084 TCKT1084	Komal Sharma	890, Karol Bagh, Surat	Female	10-MAR-89	33	
HI567890 TCKT1085	Ravi Patel	123, Gandhi Nagar, Nagpur	Male	25-SEP-82	39	1085
IJ678901 1086 TCKT1086	Mamta Singh	456, Tilak Nagar, Visakhapatnam	Female	08-JUN-86	36	
JK789012 TCKT1087	Anil Gupta	789, Model Town, Ludhiana	Male	30-JAN-88	32	1087
KL890123 TCKT1088	Kirti Patel	123, Rajendra Nagar, Kochi	Female	18-MAY-83	37	1088
LM901234 1089 TCKT1089	Anita Sharma	456, Malviya Nagar, Varanasi	Male	10-OCT-87	35	
MN012345 TCKT1090	Rakesh Patel	789, Salt Lake City, Patna	Female	05-DEC-84	40	1090
NO123456 TCKT1091	Meera Gupta	123, Hauz Khas, Indore	Male	20-AUG-80	42	1091
OP234567 1092 TCKT1092	Suresh Sharma	456, Laxmi Nagar, Bhopal	Female	15-APR-78	45	
PQ345678 TCKT1093	Preeti Singh	789, Connaught Place, Jaipur	Male	20-FEB-90	29	1093
QR456789 1094 TCKT1094	Deepak Patel	123, Malviya Nagar, Visakhapatnam	Female	10-JUL-85	36	
RS567890 1095 TCKT1095	Neelam Gupta	456, Rajouri Garden, Ludhiana	Male	25-MAR-82	39	
ST678901 1096 TCKT1096	Alok Sharma	789, Hauz Khas, Bhubaneswar	Female	28-NOV-91	32	
TU789012 TCKT1097	Sapna Patel	123, Tilak Nagar, Guwahati	Male	17-SEP-80	41	1097

UV890123 1098 TCKT1098	Rakesh Gupta	456, Laxmi Nagar, Ranchi	Female	05-JUL-86	35
VW901234 1099 TCKT1099	Sneha Sharma	789, Connaught Place, Lucknow	Male	15-DEC-82	38
WX012345 1100 TCKT1100	Parul Patel	123, Rajouri Garden, Patna	Female	10-MAY-88	33

100 rows selected.

SQL> ALTER TABLE TICKET ADD CONSTRAINT FK_NAME FOREIGN KEY (PASSPORT_NO) REFERENCES PASSENGER(PASSPORT_NO);

Table altered.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('AB123456', '8959859859');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('BC234567', '8959859860');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('CD345678', '8959859861');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('DE456789', '8959859862');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('EF567890', '8959859863');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('FG678901', '8959859864');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('GH789012', '8959859865');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('HI890123', '8959859866');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('IJ901234', '8959859867');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('IJ901234', '8979580177');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('JK012345', '8959859868');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('KL123456', '8959859869');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('MN234567', '8959859870');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('NO345678', '8959859871');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('OP456789', '8959859872');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('OP456789', '8979589812');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('PQ567890', '8959859873');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('QR678901', '8959859874');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('RS789012', '8959859875');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('ST890123', '8959859876');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('TU901234', '8959859877');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('UV012345', '8959859878');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('VW123456', '8959859879');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('VW123456', '8912331409');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('WX234567', '8959859880');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('XY345678', '8959859881');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('YZ456789', '8959859882');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('ZA567890', '8959859883');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('AB678901', '8959859884');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('BC789012', '8959859885');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('CD890123', '8959859886');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('DE901234', '8959859887');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('EF012345', '8959859888');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('FG123456', '8959859889');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('GH234567', '8959859890');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('HI345678', '8959859891');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('IJ456789', '8959859892');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('JK567890', '8959859893');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('KL678901', '8959859894');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('KL678901', '8916736552');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('LM789012', '8959859895');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('MN890123', '8959859896');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('NO901234', '8959859897');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('OP012345', '8959859898');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('PQ123456', '8959859899');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('QR234567', '8959859900');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('RS345678', '8959859901');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('ST456789', '8959859902');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('TU567890', '8959859903');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('UV678901', '8959859904');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('VW789012', '8959859905');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('WX890123', '8959859906');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('XY901234', '8959859907');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('YZ012345', '8959859908');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('ZA123456', '8959859909');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('AB234567', '8959859910');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('BC345678', '8959859911');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('CD456789', '8959859912');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('DE567890', '8959859913');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('EF678901', '8959859914');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('FG789012', '8959859915');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('GH890123', '8959859916');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('HI901234', '8959859917');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('IJ012345', '8959859918');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('JK123456', '8959859919');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('KL234567', '8959859920');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('LM345678', '8959859921');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('MN456789', '8959859922');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('NO567890', '8959859923');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('OP678901', '8959859924');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('PQ789012', '8959859925');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('QR890123', '8959859926');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('RS901234', '8959859927');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('ST012345', '8959859928');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('TU123456', '8959859929');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('UV234567', '8959859930');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('VW345678', '8959859931');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('WX456789', '8959859932');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('XY567890', '8959859933');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('YZ678901', '8959859934');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('ZA789012', '8959859935');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('AB890123', '8959859936');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('BC901234', '8959859937');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('CD012345', '8959859938');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('DE123456', '8959859939');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('EF234567', '8959859940');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('FG345678', '8959859941');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('GH456789', '8959859942');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('HI567890', '8959859943');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('IJ678901', '8959859944');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('JK789012', '8959859945');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('KL890123', '8959859946');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('LM901234', '8959859947');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('MN012345', '8959859948');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('NO123456', '8959859949');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('OP234567', '8959859950');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('PQ345678', '8959859951');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('QR456789', '8959859952');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('RS567890', '8959859953');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('ST678901', '8959859954');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('TU789012', '8959859955');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('UV890123', '8959859956');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('VW901234', '8959859957');

1 row created.

SQL> INSERT INTO PASSENGER_PHONE_NO VALUES ('WX012345', '8959859958');

1 row created.

SQL> SELECT * FROM PASSENGER_PHONE_NO;

PASSPORT_NO   PHONE_NO
------------------ ------------

AB123456	8959859859
BC234567	8959859860
CD345678	8959859861
DE456789	8959859862
EF567890	8959859863
FG678901	8959859864
GH789012	8959859865
HI890123	8959859866
IJ901234	8959859867
IJ901234	8979580177
JK012345	8959859868
KL123456	8959859869
MN234567	8959859870
NO345678	8959859871
OP456789	8959859872
OP456789	8979589812
PQ567890	8959859873
QR678901	8959859874
RS789012	8959859875
ST890123	8959859876
TU901234	8959859877
UV012345	8959859878
VW123456	8959859879
VW123456	8912331409
WX234567	8959859880
XY345678	8959859881
YZ456789	8959859882
ZA567890	8959859883
AB678901	8959859884
BC789012	8959859885
CD890123	8959859886
DE901234	8959859887
EF012345	8959859888
FG123456	8959859889
GH234567	8959859890
HI345678	8959859891

IJ456789	8959859892
JK567890	8959859893
KL678901	8959859894
KL678901	8916736552
LM789012	8959859895
MN890123	8959859896
NO901234	8959859897
OP012345	8959859898
PQ123456	8959859899
QR234567	8959859900
RS345678	8959859901
ST456789	8959859902
TU567890	8959859903
UV678901	8959859904
VW789012	8959859905
WX890123	8959859906
XY901234	8959859907
YZ012345	8959859908
ZA123456	8959859909
AB234567	8959859910
BC345678	8959859911
CD456789	8959859912
DE567890	8959859913
EF678901	8959859914
FG789012	8959859915
GH890123	8959859916
HI901234	8959859917
IJ012345	8959859918
JK123456	8959859919
KL234567	8959859920
LM345678	8959859921
MN456789	8959859922
NO567890	8959859923
OP678901	8959859924
PQ789012	8959859925
QR890123	8959859926

RS901234	8959859927
ST012345	8959859928
TU123456	8959859929
UV234567	8959859930
VW345678	8959859931
WX456789	8959859932
XY567890	8959859933
YZ678901	8959859934
ZA789012	8959859935
AB890123	8959859936
BC901234	8959859937
CD012345	8959859938
DE123456	8959859939
EF234567	8959859940
FG345678	8959859941
GH456789	8959859942
HI567890	8959859943
IJ678901	8959859944
JK789012	8959859945
KL890123	8959859946
LM901234	8959859947
MN012345	8959859948
NO123456	8959859949
OP234567	8959859950
PQ345678	8959859951
QR456789	8959859952
RS567890	8959859953
ST678901	8959859954
TU789012	8959859955
UV890123	8959859956
VW901234	8959859957
WX012345	8959859958

104 rows selected.

SQL> INSERT INTO SERVES VALUES (100001, 'AB123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100002, 'BC234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100003, 'CD345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100004, 'DE456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100005, 'EF567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100006, 'FG678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100007, 'GH789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100008, 'HI890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100009, 'IJ901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100010, 'JK012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100011, 'KL123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100012, 'MN234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100013, 'NO345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100014, 'OP456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100015, 'PQ567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100016, 'QR678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100017, 'RS789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100018, 'ST890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100019, 'TU901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100020, 'UV012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100021, 'VW123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100022, 'WX234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100023, 'XY345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100024, 'YZ456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100025, 'ZA567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100026, 'AB678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100027, 'BC789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100028, 'CD890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100029, 'DE901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100030, 'EF012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100031, 'FG123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100032, 'GH234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100033, 'HI345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100034, 'IJ456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100035, 'JK567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100036, 'KL678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100037, 'LM789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100038, 'MN890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100039, 'NO901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100040, 'OP012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100041, 'PQ123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100042, 'QR234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100043, 'RS345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100044, 'ST456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100045, 'TU567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100046, 'UV678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100047, 'VW789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100048, 'WX890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100049, 'XY901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100050, 'YZ012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100051, 'ZA123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100052, 'AB234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100053, 'BC345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100054, 'CD456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100055, 'DE567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100056, 'EF678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100057, 'FG789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100058, 'GH890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100059, 'HI901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100060, 'IJ012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100061, 'JK123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100062, 'KL234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100063, 'LM345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100064, 'MN456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100065, 'NO567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100066, 'OP678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100067, 'PQ789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100068, 'QR890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100069, 'RS901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100070, 'ST012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100071, 'TU123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100072, 'UV234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100073, 'VW345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100074, 'WX456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100075, 'XY567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100076, 'YZ678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100077, 'ZA789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100078, 'AB890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100079, 'BC901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100080, 'CD012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100081, 'DE123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100082, 'EF234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100083, 'FG345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100084, 'GH456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100085, 'HI567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100086, 'IJ678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100087, 'JK789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100088, 'KL890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100089, 'LM901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100090, 'MN012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100091, 'NO123456');

1 row created.

SQL> INSERT INTO SERVES VALUES (100092, 'OP234567');

1 row created.

SQL> INSERT INTO SERVES VALUES (100093, 'PQ345678');

1 row created.

SQL> INSERT INTO SERVES VALUES (100094, 'QR456789');

1 row created.

SQL> INSERT INTO SERVES VALUES (100095, 'RS567890');

1 row created.

SQL> INSERT INTO SERVES VALUES (100096, 'ST678901');

1 row created.

SQL> INSERT INTO SERVES VALUES (100097, 'TU789012');

1 row created.

SQL> INSERT INTO SERVES VALUES (100098, 'UV890123');

1 row created.

SQL> INSERT INTO SERVES VALUES (100099, 'VW901234');

1 row created.

SQL> INSERT INTO SERVES VALUES (100100, 'WX012345');

1 row created.

SQL> INSERT INTO SERVES VALUES (100101, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100102, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100103, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100104, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100105, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100106, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100107, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100108, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100109, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100110, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100111, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100112, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100113, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100114, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100115, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100116, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100117, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100118, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100119, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100120, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100121, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100122, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100123, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100124, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100125, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100126, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100127, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100128, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100129, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100130, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100131, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100132, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100133, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100134, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100135, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100136, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100137, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100138, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100139, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100140, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100141, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100142, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100143, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100144, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100145, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100146, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100147, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100148, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100149, NULL);

1 row created.

SQL> INSERT INTO SERVES VALUES (100150, NULL);

1 row created.

SQL> SELECT * FROM SERVES;

```
      E_ID PASSPORT_NO
---------- --------------------
    100001 AB123456
    100002 BC234567
    100003 CD345678
    100004 DE456789
    100005 EF567890
    100006 FG678901
    100007 GH789012
    100008 HI890123
    100009 IJ901234
```

100010 JK012345

100011 KL123456

100012 MN234567

100013 NO345678

100014 OP456789

100015 PQ567890

100016 QR678901

100017 RS789012

100018 ST890123

100019 TU901234

100020 UV012345

100021 VW123456

100022 WX234567

100023 XY345678

100024 YZ456789

100025 ZA567890

100026 AB678901

100027 BC789012

100028 CD890123

100029 DE901234

100030 EF012345

100031 FG123456

100032 GH234567

100033 HI345678

100034 IJ456789

100035 JK567890

100036 KL678901

100037 LM789012

100038 MN890123

100039 NO901234

100040 OP012345

100041 PQ123456

100042 QR234567

100043 RS345678

100044 ST456789

100045 TU567890

100046 UV678901

100047 VW789012

100048 WX890123

100049 XY901234

100050 YZ012345

100051 ZA123456

100052 AB234567

100053 BC345678

100054 CD456789

100055 DE567890

100056 EF678901

100057 FG789012

100058 GH890123

100059 HI901234

100060 IJ012345

100061 JK123456

100062 KL234567

100063 LM345678

100064 MN456789

100065 NO567890

100066 OP678901

100067 PQ789012

100068 QR890123

100069 RS901234

100070 ST012345

100071 TU123456

100072 UV234567

100073 VW345678

100074 WX456789

100075 XY567890

100076 YZ678901

100077 ZA789012

100078 AB890123

100079 BC901234

100080 CD012345

100081 DE123456

100082 EF234567

100083 FG345678

100084 GH456789

100085 HI567890

100086 IJ678901

100087 JK789012

100088 KL890123

100089 LM901234

100090 MN012345

100091 NO123456

100092 OP234567

100093 PQ345678

100094 QR456789

100095 RS567890

100096 ST678901

100097 TU789012

100098 UV890123

100099 VW901234

100100 WX012345

100101

100102

100103

100104

100105

100106

100107

100108

100109

100110

100111

100112

100113

100114

100115

100116

100117

100118

100119

100120

100121

100122

100123

100124

100125

100126

100127

100128

100129

100130

100131

100132

100133

100134

100135

100136

100137

100138

100139

100140

100141

100142

100143

100144

100145

100146

100147

100148

100149

100150

150 rows selected.

* QUERY :

// 1. 1. List all airports in a Mumbai:

SQL> SELECT * FROM AIRPORT WHERE CITY = 'Mumbai';

AIRPORT_NAME   CITY   STATE
-- ------------------ ------------------
Chhatrapati Shivaji Maharaj International Airport Mumbai   Maharashtra

// 2.List all airlines operating in a Sardar Vallabhbhai Patel International Airport:

SQL> SELECT * FROM AIRLINE WHERE AIRPORT_NAME = 'Sardar Vallabhbhai Patel International Airport';

AIRLINE_ID AIRLINE_NAME   AIRPORT_NAME
---------- -- ---
        22 Air India   Sardar Vallabhbhai Patel International Airport
        23 IndiGo   Sardar Vallabhbhai Patel International Airport
        24 SpiceJet   Sardar Vallabhbhai Patel International Airport

// 3. List all flights departing from a Mumbai (Chhatrapati Shivaji Maharaj International Airport):

SQL> SELECT * FROM FLIGHT WHERE SOURCE = 'Mumbai';

```
 FLIGHT_NO SOURCE                         DESTINATION                    STATUS         CONNECTED   D_TIME
A_TIME

   DURATION AIRLINE_ID

---------- ---------------------------------------------- ---------------------------------------------- ------------------ ------------------ ----------------
--------------------------------------------------------- --------------------------------------------------------- --------- ---------

      1002 Mumbai                        New Delhi                       Scheduled      Yes
 17-APR-24 11.00.00.000000 AM                       17-APR-24 01.30.00.000000 PM
150        1

      1007 Mumbai                        Bengaluru                       Scheduled      Yes
 17-APR-24 10.00.00.000000 AM                       17-APR-24 11.30.00.000000 AM
90         2

      1026 Mumbai                        Ahmedabad                       Scheduled      Yes
 17-APR-24 12.00.00.000000 PM                       17-APR-24 01.30.00.000000 PM
90        22

      1037 Mumbai                        Chennai                         Scheduled      Yes
 17-APR-24 09.00.00.000000 AM                       17-APR-24 10.30.00.000000 AM
90         1

      1048 Mumbai                        Kolkata                         Scheduled      Yes
 17-APR-24 01.00.00.000000 PM                       17-APR-24 03.30.00.000000 PM
150       14

      1066 Mumbai                        Trivandrum                      Scheduled      Yes
 17-APR-24 12.30.00.000000 PM                       17-APR-24 03.00.00.000000 PM
150       34

      1075 Mumbai                        Jaipur                          Scheduled      Yes
 17-APR-24 09.30.00.000000 AM                       17-APR-24 11.45.00.000000 AM
120       33

      1093 Mumbai                        Trivandrum                      Scheduled      Yes
 17-APR-24 10.00.00.000000 AM                       17-APR-24 12.45.00.000000 PM
165       35
```

8 rows selected.

// 4. List all flights arriving at a Goa (Goa International Airport):

SQL> SELECT * FROM FLIGHT WHERE DESTINATION = 'Goa';

```
 FLIGHT_NO SOURCE                          DESTINATION                          STATUS         CONNECTED   D_TIME
 A_TIME
   DURATION AIRLINE_ID
---------- ---------------------------------------------------- ---------------------------------------- ----------------- ----------------- ----------------
---------------------------------------------------- ------------------------------------------------------------ --------- ---------
      1005 New Delhi                       Goa                                  Scheduled      Yes
 17-APR-24 09.00.00.000000 AM                          17-APR-24 11.30.00.000000 AM
150        1
      1009 Chennai                         Goa                                  Scheduled      Yes
 17-APR-24 10.30.00.000000 AM                          17-APR-24 12.00.00.000000 PM
 90        3
      1022 Pune                            Goa                                  Scheduled      Yes
 17-APR-24 11.30.00.000000 AM                          17-APR-24 12.45.00.000000 PM
 75        30
      1027 Kochi                           Goa                                  Scheduled      Yes
 17-APR-24 10.15.00.000000 AM                          17-APR-24 11.30.00.000000 AM
 75        19
      1078 Chennai                         Goa                                  Scheduled      Yes
 17-APR-24 12.30.00.000000 PM                          17-APR-24 01.45.00.000000 PM
105        30
      1085 Kolkata                         Goa                                  Scheduled      Yes
 17-APR-24 09.45.00.000000 AM                          17-APR-24 12.00.00.000000 PM
135        14
      1097 Jaipur                          Goa                                  Scheduled      Yes
 17-APR-24 09.45.00.000000 AM                          17-APR-24 12.00.00.000000 PM
135        33
```

7 rows selected.

// 5. List all passengers on a Flight Number - 1003:

SQL> SELECT * FROM PASSENGER WHERE FLIGHT_NO = 1003;

```
PASSPORT_NO      NAME                        ADDRESS                        SEX     DOB
   AGE  FLIGHT_NO TICKET_NO
------------------- ------------------------------------------- ---------------------------------------------- ---------- --------- ---------- ---------- ------
--------------

CD345678         Amit Kumar                  789, Ganga Nagar, Kolkata           Male    20-JUL-88  33    1003
TCKT1003
```

// 6. List all tickets booked for a Passport Number - HI890123 :

SQL> SELECT * FROM TICKET WHERE PASSPORT_NO = 'HI890123';

```
TICKET_NO        AIRLINE_NAME                    PRICE SEAT_NO        CLASS        D_TIME
A_TIME                           DURATION SOURCE                   DESTINATION   PASSPORT_NO
PASSENGER_NAME
------------------- ------------------------------------------- --------- ------------------ ------------------ -------------------------------------------
------------------------- ------------------------------------------------------------- --------- ---------------------------------------------- ----
--------------------------------------- ------------------ ----------------------------------------------

TCKT1008         IndiGo                        5400 FH08          Business       17-APR-24 12.00.00.000000 PM
17-APR-24 01.30.00.000000 PM                         90 Bengaluru  Mumbai                    HI890123
Meera Patel
```

// 7. List all employees working at Maharishi Valmiki International Airport:

SQL> SELECT * FROM EMPLOYEE WHERE AIRPORT_NAME = 'Maharishi Valmiki International Airport';

E_ID NAME AIRPORT_NAME	ADDRESS	SEX	SALARY AGE DOB DESIGNATION
100141 Anil Kumar 85 Manager	456 Ayodhya Nagar, Ayodhya Dham Maharishi Valmiki International Airport	Male	55000 36 25-AUG-
100142 Priya Nair JAN-90 Supervisor	789 Ram Janmabhoomi, Ayodhya Dham Maharishi Valmiki International Airport	Female	51000 32 19-
100143 Rahul Nair 84 Assistant Manager	101 Hanuman Garhi, Ayodhya Dham Maharishi Valmiki International Airport	Male	58000 37 12-MAR-
100144 Anjali Menon 86 HR Manager	234 Karsevakpuram, Ayodhya Dham Maharishi Valmiki International Airport	Female	65000 35 15-FEB-
100145 Suresh Nair Engineer	567 Ramkot, Ayodhya Dham Maharishi Valmiki International Airport	Male	59000 30 10-SEP-91
100146 Ananya Menon 93 Accountant	890 Naya Ghat, Ayodhya Dham Maharishi Valmiki International Airport	Female	47000 28 22-DEC-
100147 Rahul Nair Technician	12 Mani Parvat, Ayodhya Dham Maharishi Valmiki International Airport	Male	56000 34 08-JAN-88
100148 Swati Menon Marketing Manager	45 Ramvan, Ayodhya Dham Maharishi Valmiki International Airport	Female	52000 31 21-JUN-90
100149 Alok Nair Leader	78 Sita Rasoi, Ayodhya Dham Maharishi Valmiki International Airport	Male	59000 36 14-FEB-86 Team
100150 Sneha Nair Analyst	67 Ram Sagar, Ayodhya Dham Maharishi Valmiki International Airport	Female	48000 32 09-OCT-89

10 rows selected.

// 8. List all passengers served by an Employee(Employee ID - 100055) :

SQL> SELECT *

  2 FROM PASSENGER

  3 WHERE PASSPORT_NO IN

  4 (

```
 5   SELECT PASSPORT_NO

 6   FROM SERVES

 7   WHERE E_ID = 100055

 8  );
```

```
PASSPORT_NO      NAME                    ADDRESS                    SEX    DOB

   AGE  FLIGHT_NO TICKET_NO

-------------------- ------------------------------------------ -------------------------------------------------- ---------- --------- ---------- ---------- ------
-------------

DE567890         Aryan Gupta              567, Jayanagar, Gwalior        Male    25-MAR-85 36    1055
TCKT1055
```

// 9. SELECT NAME, ADDRESS, AGE, SEX WHERE CITY IS Mumbai or Delhi

```
SQL> SELECT E.NAME, E.ADDRESS, E.AGE, E.SEX

 2  FROM EMPLOYEE E

 3  WHERE E.AIRPORT_NAME IN

 4  (SELECT A.AIRPORT_NAME

 5  FROM AIRPORT A

 6  WHERE A.CITY IN ('Mumbai', 'New Delhi')

 7  );
```

```
NAME                    ADDRESS                    AGE SEX

-------------------------------------------- ------------------------------------------------- ---------- -------------------

Ajay Kumar              234 Bandra, Mumbai           31 Male

Shweta Gupta            567 Juhu, Mumbai             29 Female

Vikas Singh             890 Andheri, Mumbai          36 Male

Aarti Patel             12 Goregaon, Mumbai          33 Female

Rahul Verma             45 Malad, Mumbai             28 Male

Neha Sharma             78 Kandivali, Mumbai         26 Female

Rajesh Singh            56 Colaba, Mumbai            32 Male

Swati Gupta             34 Dadar, Mumbai             30 Female

Aakash Kumar            90 Versova, Mumbai           35 Male
```

Ananya Singh   67 Vile Parle, Mumbai   27 Female

10 rows selected.

// 10. Select Flight Number, Airline ID, Airline Name, Source, Destination whose Duration is greater than 1.5 hours, and Destination is Delhi or Mumbai.

SQL> select F.FLIGHT_NO, AL.AIRLINE_ID, F.SOURCE, F.DESTINATION

  2 from FLIGHT F, AIRLINE AL

  3 where (F.DURATION >= 90) AND F.DESTINATION in ('Mumbai','New Delhi') AND AL.AIRLINE_ID = F.AIRLINE_ID;

  FLIGHT_NO AIRLINE_ID SOURCE   DESTINATION

---------- ---------- --- ---

      1001   1 New Delhi   Mumbai

      1002   1 Mumbai   New Delhi

      1006   1 Goa   New Delhi

      1008   2 Bengaluru   Mumbai

      1025   22 Ahmedabad   Mumbai

      1038   1 Chennai   Mumbai

      1047   14 Kolkata   Mumbai

      1065   34 Trivandrum   Mumbai

      1076   33 Jaipur   Mumbai

      1094   35 Trivandrum   Mumbai

10 rows selected.

// 11. SELECT PASSENGER NAME HAVING MULTIPLE PHONE NUMBERS:

SQL> SELECT P.NAME

```
  2  FROM PASSENGER P

  3  WHERE P.PASSPORT_NO IN

  4  (SELECT PPN.PASSPORT_NO

  5  FROM PASSENGER_PHONE_NO PPN

  6  GROUP BY PPN.PASSPORT_NO

  7  HAVING COUNT(*)>1);
```

NAME

Vikram Singh

Aarti Sharma

Vikas Patel

Nisha Singh

// 12. List all employees along with their respective airport names and cities:

```
SQL> SELECT E.NAME, E.ADDRESS, E.AGE, E.SEX, A.AIRPORT_NAME, A.CITY

  2  FROM EMPLOYEE E

  3  JOIN AIRPORT A ON E.AIRPORT_NAME = A.AIRPORT_NAME;
```

NAME	ADDRESS	AGE SEX	AIRPORT_NAM CITY
Rahul Sharma	123 M G Road, Delhi	30 Male	Indira Gandhi International Airport Delhi
Priya Patel	456 Lal Chowk, Delhi	28 Female	Indira Gandhi International Airport Delhi
Amit Singh	789 Kalyan Nagar, Delhi	35 Male	Indira Gandhi International Airport Delhi
Sneha Reddy	1 Connaught Place, Delhi	32 Female	Indira Gandhi International Airport Delhi
Karan Verma	23 Rajouri Garden, Delhi	29 Male	Indira Gandhi International Airport Delhi
Anjali Gupta	78 Karol Bagh, Delhi	27 Female	Indira Gandhi International Airport Delhi

Name	Address	Age	Gender	Airport
Vivek Sharma Delhi	56 Dwarka, Delhi	33	Male	Indira Gandhi International Airport
Pooja Singh Airport Delhi	34 Mayur Vihar, Delhi	31	Female	Indira Gandhi International
Ankit Kumar Delhi	90 Saket, Delhi	34	Male	Indira Gandhi International Airport
Divya Sharma Airport Delhi	67 Paharganj, Delhi	26	Female	Indira Gandhi International
Ajay Kumar International Airport Mumbai	234 Bandra, Mumbai	31	Male	Chhatrapati Shivaji Maharaj
Shweta Gupta International Airport Mumbai	567 Juhu, Mumbai	29	Female	Chhatrapati Shivaji Maharaj
Vikas Singh International Airport Mumbai	890 Andheri, Mumbai	36	Male	Chhatrapati Shivaji Maharaj
Aarti Patel International Airport Mumbai	12 Goregaon, Mumbai	33	Female	Chhatrapati Shivaji Maharaj
Rahul Verma International Airport Mumbai	45 Malad, Mumbai	28	Male	Chhatrapati Shivaji Maharaj
Neha Sharma International Airport Mumbai	78 Kandivali, Mumbai	26	Female	Chhatrapati Shivaji Maharaj
Rajesh Singh International Airport Mumbai	56 Colaba, Mumbai	32	Male	Chhatrapati Shivaji Maharaj
Swati Gupta International Airport Mumbai	34 Dadar, Mumbai	30	Female	Chhatrapati Shivaji Maharaj
Aakash Kumar International Airport Mumbai	90 Versova, Mumbai	35	Male	Chhatrapati Shivaji Maharaj
Ananya Singh International Airport Mumbai	67 Vile Parle, Mumbai	27	Female	Chhatrapati Shivaji Maharaj
Prakash Reddy Airport Bangalore	345 MG Road, Bangalore	32	Male	Kempegowda International
Rashmi Rao Airport Bangalore	678 Indiranagar, Bangalore	30	Female	Kempegowda International
Sanjay Kumar Airport Bangalore	901 Koramangala, Bangalore	37	Male	Kempegowda International
Manisha Patel Airport Bangalore	123 Whitefield, Bangalore	34	Female	Kempegowda International
Vishal Reddy Airport Bangalore	45 BTM Layout, Bangalore	29	Male	Kempegowda International
Nisha Sharma Airport Bangalore	78 HSR Layout, Bangalore	27	Female	Kempegowda International
Ravi Kumar Airport Bangalore	56 Electronic City, Bangalore	33	Male	Kempegowda International
Priyanka Gupta Airport Bangalore	34 Marathahalli, Bangalore	31	Female	Kempegowda International

Name	Address	Age	Gender	Airport
Sandeep Singh	90 Yelahanka, Bangalore	36	Male	Kempegowda International Airport, Bangalore
Anjali Reddy	67 Jayanagar, Bangalore	28	Female	Kempegowda International Airport, Bangalore
Vijay Kumar	456 Mount Road, Chennai	29	Male	Chennai International Airport, Chennai
Deepa Raj	789 T Nagar, Chennai	27	Female	Chennai International Airport, Chennai
Praveen Kumar	101 Velachery, Chennai	34	Male	Chennai International Airport, Chennai
Shalini Gupta	234 Anna Nagar, Chennai	31	Female	Chennai International Airport, Chennai
Suresh Reddy	567 Guindy, Chennai	28	Male	Chennai International Airport, Chennai
Ananya Sharma	890 Nungambakkam, Chennai	26	Female	Chennai International Airport, Chennai
Rahul Raj	12 Egmore, Chennai	32	Male	Chennai International Airport, Chennai
Priya Singh	45 Mylapore, Chennai	30	Female	Chennai International Airport, Chennai
Manoj Kumar	78 Pallavaram, Chennai	35	Male	Chennai International Airport, Chennai
Divya Reddy	56 Tambaram, Chennai	27	Female	Chennai International Airport, Chennai
Rajesh Kumar	678 Park Street, Kolkata	31	Male	Netaji Subhas Chandra Bose International Airport, Kolkata
Sneha Das	901 Salt Lake, Kolkata	29	Female	Netaji Subhas Chandra Bose International Airport, Kolkata
Amit Sharma	123 Esplanade, Kolkata	37	Male	Netaji Subhas Chandra Bose International Airport, Kolkata
Pooja Das	456 Howrah, Kolkata	34	Female	Netaji Subhas Chandra Bose International Airport, Kolkata
Vikram Singh	789 Gariahat, Kolkata	28	Male	Netaji Subhas Chandra Bose International Airport, Kolkata
Anjali Das	890 Park Circus, Kolkata	27	Female	Netaji Subhas Chandra Bose International Airport, Kolkata
Ravi Sharma	12 Ballygunge, Kolkata	33	Male	Netaji Subhas Chandra Bose International Airport, Kolkata
Swati Das	45 Alipore, Kolkata	31	Female	Netaji Subhas Chandra Bose International Airport, Kolkata
Alok Kumar	78 Rajarhat, Kolkata	36	Male	Netaji Subhas Chandra Bose International Airport, Kolkata
Ananya Das	67 Behala, Kolkata	28	Female	Netaji Subhas Chandra Bose International Airport, Kolkata

Name	Address	Age	Gender	Airport	City
Suresh Kumar	345 Jubilee Hills, Hyderabad	33	Male	Rajiv Gandhi International Airport	Hyderabad
Sneha Reddy	678 Banjara Hills, Hyderabad	31	Female	Rajiv Gandhi International Airport	Hyderabad
Prakash Singh	901 Kukatpally, Hyderabad	36	Male	Rajiv Gandhi International Airport	Hyderabad
Divya Reddy	123 Gachibowli, Hyderabad	34	Female	Rajiv Gandhi International Airport	Hyderabad
Rajesh Verma	456 Hitech City, Hyderabad	29	Male	Rajiv Gandhi International Airport	Hyderabad
Anusha Sharma	789 Ameerpet, Hyderabad	27	Female	Rajiv Gandhi International Airport	Hyderabad
Kiran Kumar	12 Somajiguda, Hyderabad	32	Male	Rajiv Gandhi International Airport	Hyderabad
Anjali Reddy	45 Madhapur, Hyderabad	30	Female	Rajiv Gandhi International Airport	Hyderabad
Alok Singh	78 Secunderabad, Hyderabad	35	Male	Rajiv Gandhi International Airport	Hyderabad
Pooja Sharma	67 Miyapur, Hyderabad	28	Female	Rajiv Gandhi International Airport	Hyderabad
Arun Kumar	456 MG Road, Kochi	34	Male	Cochin International Airport	Kochi
Anjali Nair	789 Marine Drive, Kochi	31	Female	Cochin International Airport	Kochi
Rajesh Menon	101 Fort Kochi, Kochi	37	Male	Cochin International Airport	Kochi
Deepa Nair	234 Kakkanad, Kochi	35	Female	Cochin International Airport	Kochi
Prakash Pillai	567 Aluva, Kochi	30	Male	Cochin International Airport	Kochi
Ananya Menon	890 Tripunithura, Kochi	28	Female	Cochin International Airport	Kochi
Suresh Nair	12 Vyttila, Kochi	33	Male	Cochin International Airport	Kochi
Anjali Pillai	45 Edapally, Kochi	29	Female	Cochin International Airport	Kochi
Rahul Nair	78 Kaloor, Kochi	36	Male	Cochin International Airport	Kochi
Sneha Menon	67 Thrippunithura, Kochi	32	Female	Cochin International Airport	Kochi
Rajesh Patel	678 Ashram Road, Ahmedabad	35	Male	Sardar Vallabhbhai Patel International Airport	Ahmedabad
Pooja Shah	901 Manek Chowk, Ahmedabad	32	Female	Sardar Vallabhbhai Patel International Airport	Ahmedabad

Name	Address	Age	Gender	Airport
Ankit Patel	123 Vastrapur, Ahmedabad	36	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Shreya Shah	456 Gurukul, Ahmedabad	34	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Karan Patel	789 Chandkheda, Ahmedabad	29	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Anjali Shah	890 Satellite, Ahmedabad	27	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Vivek Patel	12 Prahlad Nagar, Ahmedabad	33	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Riya Shah	45 Naranpura, Ahmedabad	30	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Amit Shah	78 Bodakdev, Ahmedabad	37	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Kritika Patel	67 Naroda, Ahmedabad	31	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Vikram Sharma	456 Deccan, Pune	32	Male	Pune Airpor Pune
Anjali Deshmukh	789 Koregaon Park, Pune	29	Female	Pune Airpor Pune
Rahul Desai	101 Shivajinagar, Pune	35	Male	Pune Airpor Pune
Swati Patil	234 Kothrud, Pune	33	Female	Pune Airpor Pune
Amit Desai	567 Hinjewadi, Pune	30	Male	Pune Airpor Pune
Priya Patil	890 Pimpri, Pune	28	Female	Pune Airpor Pune
Rohan Sharma	12 Aundh, Pune	34	Male	Pune Airpor Pune
Neha Patil	45 Wakad, Pune	31	Female	Pune Airpor Pune
Rajesh Deshmukh	78 Chinchwad, Pune	36	Male	Pune Airpor Pune
Sneha Sharma	67 Hadapsar, Pune	32	Female	Pune Airpor Pune
Anil Kumar	678 Panaji, Goa	33	Male	Goa International Airport Goa
Priya Desai	901 Margao, Goa	31	Female	Goa International Airport Goa
Rajesh Naik	123 Vasco, Goa	37	Male	Goa International Airport Goa
Anjali Kamat	456 Calangute, Goa	35	Female	Goa International Airport Goa
Suresh Naik	789 Mapusa, Goa	30	Male	Goa International Airport Goa
Ananya Kamat	890 Anjuna, Goa	28	Female	Goa International Airport Goa
Rahul Naik	12 Baga, Goa	34	Male	Goa International Airport Goa
Swati Kamat	45 Porvorim, Goa	31	Female	Goa International Airport Goa

Name	Address	Age	Gender	Airport
Alok Naik	78 Saligao, Goa	36	Male	Goa International Airport
Priya Kamat	67 Cavelossim, Goa	32	Female	Goa International Airport
Rajesh Singh	456 Malviya Nagar, Jaipur	36	Male	Jaipur International Airport
Pooja Sharma	789 Vaishali Nagar, Jaipur	32	Female	Jaipur International Airport
Amit Singh	101 Mansarovar, Jaipur	37	Male	Jaipur International Airport
Swati Sharma	234 Shastri Nagar, Jaipur	35	Female	Jaipur International Airport
Ankit Singh	567 Tonk Road, Jaipur	30	Male	Jaipur International Airport
Anjali Gupta	890 Jhotwara, Jaipur	28	Female	Jaipur International Airport
Raj Kumar	12 Raja Park, Jaipur	34	Male	Jaipur International Airport
Swati Gupta	45 Lal Kothi, Jaipur	31	Female	Jaipur International Airport
Alok Sharma	78 Chandpole, Jaipur	36	Male	Jaipur International Airport
Kritika Singh	67 Pratap Nagar, Jaipur	32	Female	Jaipur International Airport
Anil Kumar	456 Kowdiar, Thiruvananthapuram Thiruvananthapuram	32	Male	Trivandrum International Airport
Priya Nair	789 Pattom, Thiruvananthapuram Thiruvananthapuram	29	Female	Trivandrum International Airport
Rahul Nair	101 Vellayambalam, Thiruvananthapuram Thiruvananthapuram	34	Male	Trivandrum International Airport
Anjali Menon	234 Poojapura, Thiruvananthapuram Thiruvananthapuram	36	Female	Trivandrum International Airport
Suresh Nair	567 Kazhakuttam, Thiruvananthapuram Thiruvananthapuram	31	Male	Trivandrum International Airport
Ananya Menon	890 Kovalam, Thiruvananthapuram Thiruvananthapuram	28	Female	Trivandrum International Airport
Rahul Nair	12 Neyyattinkara, Thiruvananthapuram Thiruvananthapuram	33	Male	Trivandrum International Airport
Swati Menon	45 Vizhinjam, Thiruvananthapuram Thiruvananthapuram	30	Female	Trivandrum International Airport
Alok Nair	78 Attingal, Thiruvananthapuram Thiruvananthapuram	35	Male	Trivandrum International Airport
Sneha Nair	67 Parassala, Thiruvananthapuram Thiruvananthapuram	32	Female	Trivandrum International Airport

Name	Address	Age	Gender	Airport
Arun Kumar	456 Kunnamangalam, Kozhikode	33	Male	Calicut International Airport Kozhikode
Anjali Nair Kozhikode	789 Malaparamba, Kozhikode	31	Female	Calicut International Airport
Rajesh Menon Kozhikode	101 West Hill, Kozhikode	37	Male	Calicut International Airport
Deepa Nair Kozhikode	234 Mavoor, Kozhikode	35	Female	Calicut International Airport
Prakash Pillai Kozhikode	567 Ramanattukara, Kozhikode	30	Male	Calicut International Airport
Ananya Menon Kozhikode	890 Feroke, Kozhikode	28	Female	Calicut International Airport
Suresh Nair Kozhikode	12 Beypore, Kozhikode	34	Male	Calicut International Airport
Anjali Pillai Kozhikode	45 Chalappuram, Kozhikode	30	Female	Calicut International Airport
Rahul Nair Kozhikode	78 Koyilandy, Kozhikode	36	Male	Calicut International Airport
Sneha Menon	67 Kunnamkulam, Kozhikode	32	Female	Calicut International Airport Kozhikode
Vikram Sharma	456 RS Puram, Coimbatore	35	Male	Coimbatore International Airport Coimbatore
Anjali Deshmukh	789 Peelamedu, Coimbatore	32	Female	Coimbatore International Airport Coimbatore
Rahul Desai	101 Gandhipuram, Coimbatore	36	Male	Coimbatore International Airport Coimbatore
Swati Patil	234 Ramanathapuram, Coimbatore	35	Female	Coimbatore International Airport Coimbatore
Amit Desai	567 Vadavalli, Coimbatore	30	Male	Coimbatore International Airport Coimbatore
Priya Patil	890 Saibaba Colony, Coimbatore	28	Female	Coimbatore International Airport Coimbatore
Rohan Sharma	12 Tatabad, Coimbatore	34	Male	Coimbatore International Airport Coimbatore
Neha Patil	45 Singanallur, Coimbatore	31	Female	Coimbatore International Airport Coimbatore
Rajesh Deshmukh	78 Saravanampatti, Coimbatore Coimbatore	36	Male	Coimbatore International Airport
Sneha Sharma	67 Ukkadam, Coimbatore	32	Female	Coimbatore International Airport Coimbatore
Anil Kumar	456 Ayodhya Nagar, Ayodhya Dham Ayodhya Dham	36	Male	Maharishi Valmiki International Airport
Priya Nair	789 Ram Janmabhoomi, Ayodhya Dham Ayodhya Dham	32	Female	Maharishi Valmiki International Airport

Rahul Nair	101 Hanuman Garhi, Ayodhya Dham	37 Male	Maharishi Valmiki
International Airport	Ayodhya Dham		
Anjali Menon	234 Karsevakpuram, Ayodhya Dham	35 Female	Maharishi Valmiki
International Airport	Ayodhya Dham		
Suresh Nair	567 Ramkot, Ayodhya Dham	30 Male	Maharishi Valmiki
International Airport	Ayodhya Dham		
Ananya Menon	890 Naya Ghat, Ayodhya Dham	28 Female	Maharishi Valmiki
International Airport	Ayodhya Dham		
Rahul Nair	12 Mani Parvat, Ayodhya Dham	34 Male	Maharishi Valmiki
International Airport	Ayodhya Dham		
Swati Menon	45 Ramvan, Ayodhya Dham	31 Female	Maharishi Valmiki
International Airport	Ayodhya Dham		
Alok Nair	78 Sita Rasoi, Ayodhya Dham	36 Male	Maharishi Valmiki International
Airport	Ayodhya Dham		
Sneha Nair	67 Ram Sagar, Ayodhya Dham	32 Female	Maharishi Valmiki
International Airport	Ayodhya Dham		

150 rows selected.

// 13.find the average salary of employees in each city where the airport is located

SQL> SELECT A.CITY, AVG(E.SALARY) AS AVERAGE_SALARY

   FROM AIRPORT A

   JOIN EMPLOYEE E

   ON A.AIRPORT_NAME = E.AIRPORT_NAME

   GROUP BY A.CITY;

CITY   AVERAGE_SALARY

------------------- --------------

Delhi   49400

Mumbai   50100

Bangalore   48700

Chennai   48600

Kolkata   49300

Hyderabad   50900

Kochi	52100
Ahmedabad	50900
Pune	53300
Goa	50600
Jaipur	55000
Thiruvananthapuram	49400
Kozhikode	51100
Coimbatore	54400
Ayodhya Dham	55000

15 rows selected.

// 14. SELECT NAME, PASSPORT NUMBER OF PASSENGERS WHERE CLASS IS Business :

```
SQL> SELECT P.NAME, P.PASSPORT_NO
  2  FROM PASSENGER P
  3  WHERE P.TICKET_NO IN
  4  (SELECT T.TICKET_NO
  5  FROM TICKET T
  6  WHERE T.CLASS = 'Business');
```

NAME	PASSPORT_NO
Priya Shah	BC234567
Rahul Singh	EF567890
Meera Patel	HI890123
Ankit Sharma	KL123456
Aarti Sharma	OP456789
Rajesh Kumar	RS789012
Meenakshi Sharma	UV012345
Anjali Sharma	XY345678
Aryan Sharma	AB678901

Neha Singh	DE901234
Vishal Patel	GH234567
Rajni Patel	JK567890
Rashmi Patel	MN890123
Rajeev Singh	PQ123456
Neetu Sharma	ST456789
Ajit Kumar	VW789012
Anita Singh	YZ012345
Suresh Patel	BC345678
Deepa Patel	EF678901
Karan Patel	HI901234
Rani Patel	KL234567
Sachin Sharma	NO567890
Priya Sharma	QR890123
Rahul Gupta	TU123456
Neha Patel	WX456789
Vikram Patel	ZA789012
Roshni Singh	CD012345
Vishal Patel	FG345678
Mamta Singh	IJ678901
Anita Sharma	LM901234
Suresh Sharma	OP234567
Neelam Gupta	RS567890
Rakesh Gupta	UV890123

33 rows selected.

// 15.SELECT PASSENGER NAME, SEX, TICKET NUMBER HAVING FLIGHT DESTINATION AS New Delhi :

SQL> SELECT P.NAME, P.SEX, P.TICKET_NO

  2 FROM PASSENGER P

  3 WHERE P.FLIGHT_NO IN

```
  4  (SELECT F.FLIGHT_NO
  5  FROM FLIGHT F
  6  WHERE F.DESTINATION = 'New Delhi');
```

```
NAME                           SEX       TICKET_NO
---------------------------------------- ---------- -------------------
Priya Shah                     Female    TCKT1002
Sneha Desai                    Female    TCKT1006
Deepika Patel                  Female    TCKT1012
```

// 16. List all employees along with their respective airport names and cities

```
SQL> SELECT E.NAME, E.ADDRESS, E.AGE, E.SEX, A.AIRPORT_NAME, A.CITY
  2  FROM EMPLOYEE E
  3  JOIN AIRPORT A
  4  ON E.AIRPORT_NAME = A.AIRPORT_NAME;
```

```
NAME                         ADDRESS                           AGE SEX          AIRPORT_NAM CITY
---------------------------------------- ---------------------------------------- ---------- ------------------ ----------------------------------
------------ -------------------
Rahul Sharma                 123 M G Road, Delhi                 30 Male         Indira Gandhi International
Airport        Delhi
Priya Patel                  456 Lal Chowk, Delhi                28 Female       Indira Gandhi International Airport
Delhi
Amit Singh                   789 Kalyan Nagar, Delhi             35 Male         Indira Gandhi International
Airport        Delhi
Sneha Reddy                  1 Connaught Place, Delhi            32 Female       Indira Gandhi International
Airport        Delhi
Karan Verma                  23 Rajouri Garden, Delhi            29 Male         Indira Gandhi International
Airport        Delhi
Anjali Gupta                 78 Karol Bagh, Delhi                27 Female       Indira Gandhi International
Airport        Delhi
Vivek Sharma                 56 Dwarka, Delhi                    33 Male         Indira Gandhi International Airport
Delhi
Pooja Singh                  34 Mayur Vihar, Delhi               31 Female       Indira Gandhi International
Airport        Delhi
```

Name	Address	Age	Gender	Airport
Ankit Kumar	90 Saket, Delhi	34	Male	Indira Gandhi International Airport Delhi
Divya Sharma	67 Paharganj, Delhi	26	Female	Indira Gandhi International Airport Delhi
Ajay Kumar	234 Bandra, Mumbai	31	Male	Chhatrapati Shivaji Maharaj International Airport Mumbai
Shweta Gupta	567 Juhu, Mumbai	29	Female	Chhatrapati Shivaji Maharaj International Airport Mumbai
Vikas Singh	890 Andheri, Mumbai	36	Male	Chhatrapati Shivaji Maharaj International Airport Mumbai
Aarti Patel	12 Goregaon, Mumbai	33	Female	Chhatrapati Shivaji Maharaj International Airport Mumbai
Rahul Verma	45 Malad, Mumbai	28	Male	Chhatrapati Shivaji Maharaj International Airport Mumbai
Neha Sharma	78 Kandivali, Mumbai	26	Female	Chhatrapati Shivaji Maharaj International Airport Mumbai
Rajesh Singh	56 Colaba, Mumbai	32	Male	Chhatrapati Shivaji Maharaj International Airport Mumbai
Swati Gupta	34 Dadar, Mumbai	30	Female	Chhatrapati Shivaji Maharaj International Airport Mumbai
Aakash Kumar	90 Versova, Mumbai	35	Male	Chhatrapati Shivaji Maharaj International Airport Mumbai
Ananya Singh	67 Vile Parle, Mumbai	27	Female	Chhatrapati Shivaji Maharaj International Airport Mumbai
Prakash Reddy	345 MG Road, Bangalore	32	Male	Kempegowda International Airport Bangalore
Rashmi Rao	678 Indiranagar, Bangalore	30	Female	Kempegowda International Airport Bangalore
Sanjay Kumar	901 Koramangala, Bangalore	37	Male	Kempegowda International Airport Bangalore
Manisha Patel	123 Whitefield, Bangalore	34	Female	Kempegowda International Airport Bangalore
Vishal Reddy	45 BTM Layout, Bangalore	29	Male	Kempegowda International Airport Bangalore
Nisha Sharma	78 HSR Layout, Bangalore	27	Female	Kempegowda International Airport Bangalore
Ravi Kumar	56 Electronic City, Bangalore	33	Male	Kempegowda International Airport Bangalore
Priyanka Gupta	34 Marathahalli, Bangalore	31	Female	Kempegowda International Airport Bangalore
Sandeep Singh	90 Yelahanka, Bangalore	36	Male	Kempegowda International Airport Bangalore
Anjali Reddy	67 Jayanagar, Bangalore	28	Female	Kempegowda International Airport Bangalore

Name	Address	Age	Gender	Airport
Vijay Kumar Chennai	456 Mount Road, Chennai	29	Male	Chennai International Airport
Deepa Raj Chennai	789 T Nagar, Chennai	27	Female	Chennai International Airport
Praveen Kumar Chennai	101 Velachery, Chennai	34	Male	Chennai International Airport
Shalini Gupta Chennai	234 Anna Nagar, Chennai	31	Female	Chennai International Airport
Suresh Reddy Chennai	567 Guindy, Chennai	28	Male	Chennai International Airport
Ananya Sharma Airport Chennai	890 Nungambakkam, Chennai	26	Female	Chennai International
Rahul Raj Chennai	12 Egmore, Chennai	32	Male	Chennai International Airport
Priya Singh Chennai	45 Mylapore, Chennai	30	Female	Chennai International Airport
Manoj Kumar Chennai	78 Pallavaram, Chennai	35	Male	Chennai International Airport
Divya Reddy Chennai	56 Tambaram, Chennai	27	Female	Chennai International Airport
Rajesh Kumar International Airport Kolkata	678 Park Street, Kolkata	31	Male	Netaji Subhas Chandra Bose
Sneha Das International Airport Kolkata	901 Salt Lake, Kolkata	29	Female	Netaji Subhas Chandra Bose
Amit Sharma International Airport Kolkata	123 Esplanade, Kolkata	37	Male	Netaji Subhas Chandra Bose
Pooja Das International Airport Kolkata	456 Howrah, Kolkata	34	Female	Netaji Subhas Chandra Bose
Vikram Singh International Airport Kolkata	789 Gariahat, Kolkata	28	Male	Netaji Subhas Chandra Bose
Anjali Das International Airport Kolkata	890 Park Circus, Kolkata	27	Female	Netaji Subhas Chandra Bose
Ravi Sharma International Airport Kolkata	12 Ballygunge, Kolkata	33	Male	Netaji Subhas Chandra Bose
Swati Das International Airport Kolkata	45 Alipore, Kolkata	31	Female	Netaji Subhas Chandra Bose
Alok Kumar International Airport Kolkata	78 Rajarhat, Kolkata	36	Male	Netaji Subhas Chandra Bose
Ananya Das International Airport Kolkata	67 Behala, Kolkata	28	Female	Netaji Subhas Chandra Bose
Suresh Kumar Airport Hyderabad	345 Jubilee Hills, Hyderabad	33	Male	Rajiv Gandhi International
Sneha Reddy Airport Hyderabad	678 Banjara Hills, Hyderabad	31	Female	Rajiv Gandhi International

Name	Address	Age	Gender	Airport
Prakash Singh	901 Kukatpally, Hyderabad	36	Male	Rajiv Gandhi International Airport Hyderabad
Divya Reddy	123 Gachibowli, Hyderabad	34	Female	Rajiv Gandhi International Airport Hyderabad
Rajesh Verma	456 Hitech City, Hyderabad	29	Male	Rajiv Gandhi International Airport Hyderabad
Anusha Sharma	789 Ameerpet, Hyderabad	27	Female	Rajiv Gandhi International Airport Hyderabad
Kiran Kumar	12 Somajiguda, Hyderabad	32	Male	Rajiv Gandhi International Airport Hyderabad
Anjali Reddy	45 Madhapur, Hyderabad	30	Female	Rajiv Gandhi International Airport Hyderabad
Alok Singh	78 Secunderabad, Hyderabad	35	Male	Rajiv Gandhi International Airport Hyderabad
Pooja Sharma	67 Miyapur, Hyderabad	28	Female	Rajiv Gandhi International Airport Hyderabad
Arun Kumar	456 MG Road, Kochi	34	Male	Cochin International Airport Kochi
Anjali Nair	789 Marine Drive, Kochi	31	Female	Cochin International Airport Kochi
Rajesh Menon	101 Fort Kochi, Kochi	37	Male	Cochin International Airport Kochi
Deepa Nair	234 Kakkanad, Kochi	35	Female	Cochin International Airport Kochi
Prakash Pillai	567 Aluva, Kochi	30	Male	Cochin International Airport Kochi
Ananya Menon	890 Tripunithura, Kochi	28	Female	Cochin International Airport Kochi
Suresh Nair	12 Vyttila, Kochi	33	Male	Cochin International Airport Kochi
Anjali Pillai	45 Edapally, Kochi	29	Female	Cochin International Airport Kochi
Rahul Nair	78 Kaloor, Kochi	36	Male	Cochin International Airport Kochi
Sneha Menon	67 Thrippunithura, Kochi	32	Female	Cochin International Airport Kochi
Rajesh Patel	678 Ashram Road, Ahmedabad	35	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Pooja Shah	901 Manek Chowk, Ahmedabad	32	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Ankit Patel	123 Vastrapur, Ahmedabad	36	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Shreya Shah	456 Gurukul, Ahmedabad	34	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad

Name	Address	Age	Gender	Airport
Karan Patel	789 Chandkheda, Ahmedabad	29	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Anjali Shah	890 Satellite, Ahmedabad	27	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Vivek Patel	12 Prahlad Nagar, Ahmedabad	33	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Riya Shah	45 Naranpura, Ahmedabad	30	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Amit Shah	78 Bodakdev, Ahmedabad	37	Male	Sardar Vallabhbhai Patel International Airport Ahmedabad
Kritika Patel	67 Naroda, Ahmedabad	31	Female	Sardar Vallabhbhai Patel International Airport Ahmedabad
Vikram Sharma	456 Deccan, Pune	32	Male	Pune Airpor Pune
Anjali Deshmukh	789 Koregaon Park, Pune	29	Female	Pune Airpor Pune
Rahul Desai	101 Shivajinagar, Pune	35	Male	Pune Airpor Pune
Swati Patil	234 Kothrud, Pune	33	Female	Pune Airpor Pune
Amit Desai	567 Hinjewadi, Pune	30	Male	Pune Airpor Pune
Priya Patil	890 Pimpri, Pune	28	Female	Pune Airpor Pune
Rohan Sharma	12 Aundh, Pune	34	Male	Pune Airpor Pune
Neha Patil	45 Wakad, Pune	31	Female	Pune Airpor Pune
Rajesh Deshmukh	78 Chinchwad, Pune	36	Male	Pune Airpor Pune
Sneha Sharma	67 Hadapsar, Pune	32	Female	Pune Airpor Pune
Anil Kumar	678 Panaji, Goa	33	Male	Goa International Airport Goa
Priya Desai	901 Margao, Goa	31	Female	Goa International Airport Goa
Rajesh Naik	123 Vasco, Goa	37	Male	Goa International Airport Goa
Anjali Kamat	456 Calangute, Goa	35	Female	Goa International Airport Goa
Suresh Naik	789 Mapusa, Goa	30	Male	Goa International Airport Goa
Ananya Kamat	890 Anjuna, Goa	28	Female	Goa International Airport Goa
Rahul Naik	12 Baga, Goa	34	Male	Goa International Airport Goa
Swati Kamat	45 Porvorim, Goa	31	Female	Goa International Airport Goa
Alok Naik	78 Saligao, Goa	36	Male	Goa International Airport Goa
Priya Kamat	67 Cavelossim, Goa	32	Female	Goa International Airport Goa

Name	Address	Age	Gender	Airport
Rajesh Singh Jaipur	456 Malviya Nagar, Jaipur	36	Male	Jaipur International Airport
Pooja Sharma Jaipur	789 Vaishali Nagar, Jaipur	32	Female	Jaipur International Airport
Amit Singh Jaipur	101 Mansarovar, Jaipur	37	Male	Jaipur International Airport
Swati Sharma Jaipur	234 Shastri Nagar, Jaipur	35	Female	Jaipur International Airport
Ankit Singh Jaipur	567 Tonk Road, Jaipur	30	Male	Jaipur International Airport
Anjali Gupta Jaipur	890 Jhotwara, Jaipur	28	Female	Jaipur International Airport
Raj Kumar Jaipur	12 Raja Park, Jaipur	34	Male	Jaipur International Airport
Swati Gupta Jaipur	45 Lal Kothi, Jaipur	31	Female	Jaipur International Airport
Alok Sharma Jaipur	78 Chandpole, Jaipur	36	Male	Jaipur International Airport
Kritika Singh Jaipur	67 Pratap Nagar, Jaipur	32	Female	Jaipur International Airport
Anil Kumar Thiruvananthapuram	456 Kowdiar, Thiruvananthapuram	32	Male	Trivandrum International Airport
Priya Nair Thiruvananthapuram	789 Pattom, Thiruvananthapuram	29	Female	Trivandrum International Airport
Rahul Nair Thiruvananthapuram	101 Vellayambalam, Thiruvananthapuram	34	Male	Trivandrum International Airport
Anjali Menon Thiruvananthapuram	234 Poojapura, Thiruvananthapuram	36	Female	Trivandrum International Airport
Suresh Nair Thiruvananthapuram	567 Kazhakuttam, Thiruvananthapuram	31	Male	Trivandrum International Airport
Ananya Menon Thiruvananthapuram	890 Kovalam, Thiruvananthapuram	28	Female	Trivandrum International Airport
Rahul Nair Thiruvananthapuram	12 Neyyattinkara, Thiruvananthapuram	33	Male	Trivandrum International Airport
Swati Menon Thiruvananthapuram	45 Vizhinjam, Thiruvananthapuram	30	Female	Trivandrum International Airport
Alok Nair Thiruvananthapuram	78 Attingal, Thiruvananthapuram	35	Male	Trivandrum International Airport
Sneha Nair Thiruvananthapuram	67 Parassala, Thiruvananthapuram	32	Female	Trivandrum International Airport
Arun Kumar Kozhikode	456 Kunnamangalam, Kozhikode	33	Male	Calicut International Airport
Anjali Nair Kozhikode	789 Malaparamba, Kozhikode	31	Female	Calicut International Airport

Name	Address	Age	Gender	Airport
Rajesh Menon	101 West Hill, Kozhikode	37	Male	Calicut International Airport Kozhikode
Deepa Nair	234 Mavoor, Kozhikode	35	Female	Calicut International Airport Kozhikode
Prakash Pillai	567 Ramanattukara, Kozhikode	30	Male	Calicut International Airport Kozhikode
Ananya Menon	890 Feroke, Kozhikode	28	Female	Calicut International Airport Kozhikode
Suresh Nair	12 Beypore, Kozhikode	34	Male	Calicut International Airport Kozhikode
Anjali Pillai	45 Chalappuram, Kozhikode	30	Female	Calicut International Airport Kozhikode
Rahul Nair	78 Koyilandy, Kozhikode	36	Male	Calicut International Airport Kozhikode
Sneha Menon	67 Kunnamkulam, Kozhikode	32	Female	Calicut International Airport Kozhikode
Vikram Sharma	456 RS Puram, Coimbatore	35	Male	Coimbatore International Airport Coimbatore
Anjali Deshmukh	789 Peelamedu, Coimbatore	32	Female	Coimbatore International Airport Coimbatore
Rahul Desai	101 Gandhipuram, Coimbatore	36	Male	Coimbatore International Airport Coimbatore
Swati Patil	234 Ramanathapuram, Coimbatore	35	Female	Coimbatore International Airport Coimbatore
Amit Desai	567 Vadavalli, Coimbatore	30	Male	Coimbatore International Airport Coimbatore
Priya Patil	890 Saibaba Colony, Coimbatore	28	Female	Coimbatore International Airport Coimbatore
Rohan Sharma	12 Tatabad, Coimbatore	34	Male	Coimbatore International Airport Coimbatore
Neha Patil	45 Singanallur, Coimbatore	31	Female	Coimbatore International Airport Coimbatore
Rajesh Deshmukh	78 Saravanampatti, Coimbatore	36	Male	Coimbatore International Airport Coimbatore
Sneha Sharma	67 Ukkadam, Coimbatore	32	Female	Coimbatore International Airport Coimbatore
Anil Kumar	456 Ayodhya Nagar, Ayodhya Dham	36	Male	Maharishi Valmiki International Airport Ayodhya Dham
Priya Nair	789 Ram Janmabhoomi, Ayodhya Dham	32	Female	Maharishi Valmiki International Airport Ayodhya Dham
Rahul Nair	101 Hanuman Garhi, Ayodhya Dham	37	Male	Maharishi Valmiki International Airport Ayodhya Dham
Anjali Menon	234 Karsevakpuram, Ayodhya Dham	35	Female	Maharishi Valmiki International Airport Ayodhya Dham

Suresh Nair	567 Ramkot, Ayodhya Dham	30 Male	Maharishi Valmiki
International Airport	Ayodhya Dham		
Ananya Menon	890 Naya Ghat, Ayodhya Dham	28 Female	Maharishi Valmiki
International Airport	Ayodhya Dham		
Rahul Nair	12 Mani Parvat, Ayodhya Dham	34 Male	Maharishi Valmiki
International Airport	Ayodhya Dham		
Swati Menon	45 Ramvan, Ayodhya Dham	31 Female	Maharishi Valmiki
International Airport	Ayodhya Dham		
Alok Nair	78 Sita Rasoi, Ayodhya Dham	36 Male	Maharishi Valmiki International
Airport	Ayodhya Dham		
Sneha Nair	67 Ram Sagar, Ayodhya Dham	32 Female	Maharishi Valmiki
International Airport	Ayodhya Dham		

150 rows selected.

* SUBQUERY :

// 1. Subquery to find all flights operated by Air India:

SQL> SELECT *

```
2  FROM FLIGHT

3  WHERE AIRLINE_ID IN

4  (

5    SELECT AIRLINE_ID

6    FROM AIRLINE

7    WHERE AIRLINE_NAME = 'Air India'

8  );
```

FLIGHT_NO	SOURCE	DESTINATION	STATUS	CONNECTED	D_TIME	A_TIME	DURATION	AIRLINE_ID
1001	New Delhi	Mumbai	Scheduled	Yes	17-APR-24 08.00.00.000000 AM	17-APR-24 10.30.00.000000 AM	150	1
1002	Mumbai	New Delhi	Scheduled	Yes	17-APR-24 11.00.00.000000 AM	17-APR-24 01.30.00.000000 PM	150	1
1005	New Delhi	Goa	Scheduled	Yes	17-APR-24 09.00.00.000000 AM	17-APR-24 11.30.00.000000 AM	150	1
1006	Goa	New Delhi	Scheduled	Yes	17-APR-24 12.00.00.000000 PM	17-APR-24 02.30.00.000000 PM	150	1
1011	New Delhi	Jaipur	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 10.45.00.000000 AM	75	1
1012	Jaipur	New Delhi	Scheduled	Yes	17-APR-24 11.15.00.000000 AM	17-APR-24 12.30.00.000000 PM	75	1
1013	Kochi	Trivandrum	Scheduled	Yes	17-APR-24 10.00.00.000000 AM	17-APR-24 11.15.00.000000 AM	75	19
1014	Trivandrum	Kochi	Scheduled	Yes	17-APR-24 11.45.00.000000 AM	17-APR-24 01.00.00.000000 PM	75	19

1017	Chennai	Coimbatore	Scheduled	Yes
17-APR-24 10.45.00.000000 AM		17-APR-24 11.45.00.000000 AM		
60	10			
1018	Coimbatore	Chennai	Scheduled	Yes
17-APR-24 12.15.00.000000 PM		17-APR-24 01.15.00.000000 PM		
60	10			
1023	Chennai	Kolkata	Scheduled	Yes
17-APR-24 09.30.00.000000 AM		17-APR-24 12.00.00.000000 PM		
150	10			
1024	Kolkata	Chennai	Scheduled	Yes
17-APR-24 12.30.00.000000 PM		17-APR-24 03.00.00.000000 PM		
150	10			
1025	Ahmedabad	Mumbai	Scheduled	Yes
17-APR-24 10.00.00.000000 AM		17-APR-24 11.30.00.000000 AM		
90	22			
1026	Mumbai	Ahmedabad	Scheduled	Yes
17-APR-24 12.00.00.000000 PM		17-APR-24 01.30.00.000000 PM		
90	22			
1027	Kochi	Goa	Scheduled	Yes
17-APR-24 10.15.00.000000 AM		17-APR-24 11.30.00.000000 AM		
75	19			
1028	Goa	Kochi	Scheduled	Yes
17-APR-24 12.00.00.000000 PM		17-APR-24 01.15.00.000000 PM		
75	19			
1031	Trivandrum	Kozhikode	Scheduled	Yes
17-APR-24 09.45.00.000000 AM		17-APR-24 11.00.00.000000 AM		
75	34			
1032	Kozhikode	Trivandrum	Scheduled	Yes
17-APR-24 11.30.00.000000 AM		17-APR-24 12.45.00.000000 PM		
75	34			
1033	Hyderabad	Chennai	Scheduled	Yes
17-APR-24 09.30.00.000000 AM		17-APR-24 10.45.00.000000 AM		
75	16			
1034	Chennai	Hyderabad	Scheduled	Yes
17-APR-24 11.15.00.000000 AM		17-APR-24 12.30.00.000000 PM		
75	16			

Flight	Source	Destination	Status		Departure	Arrival		
1037	Mumbai	Chennai	Scheduled	Yes	17-APR-24 09.00.00.000000 AM	17-APR-24 10.30.00.000000 AM	90	1
1038	Chennai	Mumbai	Scheduled	Yes	17-APR-24 11.00.00.000000 AM	17-APR-24 12.30.00.000000 PM	90	1
1041	Pune	Kolkata	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 12.15.00.000000 PM	150	25
1042	Kolkata	Pune	Scheduled	Yes	17-APR-24 12.45.00.000000 PM	17-APR-24 03.15.00.000000 PM	150	25
1043	Ahmedabad	Jaipur	Scheduled	Yes	17-APR-24 10.30.00.000000 AM	17-APR-24 11.45.00.000000 AM	75	22
1044	Jaipur	Ahmedabad	Scheduled	Yes	17-APR-24 12.15.00.000000 PM	17-APR-24 01.30.00.000000 PM	75	22
1045	Trivandrum	Chennai	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 10.45.00.000000 AM	75	34
1046	Chennai	Trivandrum	Scheduled	Yes	17-APR-24 11.15.00.000000 AM	17-APR-24 12.30.00.000000 PM	75	34
1049	Ahmedabad	Chennai	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 11.15.00.000000 AM	90	22
1050	Chennai	Ahmedabad	Scheduled	Yes	17-APR-24 11.45.00.000000 AM	17-APR-24 01.15.00.000000 PM	90	22
1051	Kochi	Kozhikode	Scheduled	Yes	17-APR-24 10.00.00.000000 AM	17-APR-24 11.15.00.000000 AM	75	19
1052	Kozhikode	Kochi	Scheduled	Yes	17-APR-24 11.45.00.000000 AM	17-APR-24 01.00.00.000000 PM	75	19

Flight	Origin	Destination	Status	Active	Departure	Arrival	Col1	Col2
1057	Trivandrum	Kochi	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 11.00.00.000000 AM	75	34
1058	Kochi	Trivandrum	Scheduled	Yes	17-APR-24 11.30.00.000000 AM	17-APR-24 12.45.00.000000 PM	75	34
1061	Pune	Bengaluru	Scheduled	Yes	17-APR-24 09.15.00.000000 AM	17-APR-24 10.30.00.000000 AM	75	25
1062	Bengaluru	Pune	Scheduled	Yes	17-APR-24 11.00.00.000000 AM	17-APR-24 12.15.00.000000 PM	75	25
1063	Chennai	Kochi	Scheduled	Yes	17-APR-24 10.45.00.000000 AM	17-APR-24 12.00.00.000000 PM	75	10
1064	Kochi	Chennai	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 01.45.00.000000 PM	75	10
1065	Trivandrum	Mumbai	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 12.00.00.000000 PM	150	34
1066	Mumbai	Trivandrum	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	150	34
1069	Chennai	Bengaluru	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 10.45.00.000000 AM	75	10
1070	Bengaluru	Chennai	Scheduled	Yes	17-APR-24 11.15.00.000000 AM	17-APR-24 12.30.00.000000 PM	75	10
1081	Ahmedabad	Jaipur	Scheduled	Yes	17-APR-24 10.30.00.000000 AM	17-APR-24 12.00.00.000000 PM	90	22
1082	Jaipur	Ahmedabad	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 02.00.00.000000 PM	90	22

1083 Trivandrum	Coimbatore	Scheduled	Yes
17-APR-24 10.00.00.000000 AM	17-APR-24 11.15.00.000000 AM		
75	34		
1084 Coimbatore	Trivandrum	Scheduled	Yes
17-APR-24 11.45.00.000000 AM	17-APR-24 01.00.00.000000 PM		
75	34		

46 rows selected.

// 2. Subquery to find all passengers who booked tickets for flights departing from New Delhi :

```
SQL> SELECT *
  2  FROM PASSENGER
  3  WHERE FLIGHT_NO IN
  4  (
  5    SELECT FLIGHT_NO
  6    FROM FLIGHT
  7    WHERE SOURCE = 'New Delhi'
  8  );
```

PASSPORT_NO	NAME	ADDRESS	SEX	DOB	AGE	FLIGHT_NO	TICKET_NO
AB123456	Rajesh Patel	123, Krishna Nagar, Mumbai	Male	01-JAN-90	31	1001	TCKT1001
EF567890	Rahul Singh	567, Laxmi Nagar, Bengaluru	Male	30-NOV-80	41	1005	TCKT1005
KL123456	Ankit Sharma	567, Model Town, Chandigarh	Male	14-FEB-83	38	1011	TCKT1011

// 3. Subquery to find all flights with a duration longer than the average flight duration :

SQL> SELECT *

2 FROM FLIGHT

3 WHERE DURATION >

4 (

5   SELECT AVG(DURATION)

6   FROM FLIGHT

7);

 FLIGHT_NO SOURCE   DESTINATION   STATUS   CONNECTED   D_TIME
A_TIME

    DURATION AIRLINE_ID

---------- --- --- ------------------ ----------------- ----------------
--- --- --------- ---------

    1001 New Delhi   Mumbai   Scheduled   Yes

 17-APR-24 08.00.00.000000 AM   17-APR-24 10.30.00.000000 AM

 150   1

    1002 Mumbai   New Delhi   Scheduled   Yes

 17-APR-24 11.00.00.000000 AM   17-APR-24 01.30.00.000000 PM

 150   1

    1005 New Delhi   Goa   Scheduled   Yes

 17-APR-24 09.00.00.000000 AM   17-APR-24 11.30.00.000000 AM

 150   1

    1006 Goa   New Delhi   Scheduled   Yes

 17-APR-24 12.00.00.000000 PM   17-APR-24 02.30.00.000000 PM

 150   1

    1023 Chennai   Kolkata   Scheduled   Yes

 17-APR-24 09.30.00.000000 AM   17-APR-24 12.00.00.000000 PM

 150   10

    1024 Kolkata   Chennai   Scheduled   Yes

 17-APR-24 12.30.00.000000 PM   17-APR-24 03.00.00.000000 PM

 150   10

    1029 Jaipur   Chennai   Scheduled   Yes

 17-APR-24 09.15.00.000000 AM   17-APR-24 11.45.00.000000 AM

 150   33

ID	From	To	Status		Departure	Arrival		
1030	Chennai	Jaipur	Scheduled	Yes	17-APR-24 12.15.00.000000 PM	17-APR-24 02.45.00.000000 PM	150	33
1041	Pune	Kolkata	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 12.15.00.000000 PM	150	25
1042	Kolkata	Pune	Scheduled	Yes	17-APR-24 12.45.00.000000 PM	17-APR-24 03.15.00.000000 PM	150	25
1047	Kolkata	Mumbai	Scheduled	Yes	17-APR-24 10.00.00.000000 AM	17-APR-24 12.30.00.000000 PM	150	14
1048	Mumbai	Kolkata	Scheduled	Yes	17-APR-24 01.00.00.000000 PM	17-APR-24 03.30.00.000000 PM	150	14
1065	Trivandrum	Mumbai	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 12.00.00.000000 PM	150	34
1066	Mumbai	Trivandrum	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	150	34
1067	Jaipur	Pune	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 11.45.00.000000 AM	120	33
1068	Pune	Jaipur	Scheduled	Yes	17-APR-24 12.15.00.000000 PM	17-APR-24 02.15.00.000000 PM	120	33
1071	Kolkata	Chennai	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 11.45.00.000000 AM	120	14
1072	Chennai	Kolkata	Scheduled	Yes	17-APR-24 12.15.00.000000 PM	17-APR-24 02.15.00.000000 PM	120	14
1075	Mumbai	Jaipur	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 11.45.00.000000 AM	120	33

Flight	Origin	Destination	Status		Departure	Arrival		
1076	Jaipur	Mumbai	Scheduled	Yes	17-APR-24 12.15.00.000000 PM	17-APR-24 02.30.00.000000 PM	120	33
1079	Bengaluru	Kolkata	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 12.00.00.000000 PM	150	8
1080	Kolkata	Bengaluru	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	150	8
1085	Kolkata	Goa	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 12.00.00.000000 PM	135	14
1086	Goa	Kolkata	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	135	14
1087	Chennai	Jaipur	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 12.00.00.000000 PM	150	12
1088	Jaipur	Chennai	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	150	12
1089	Pune	Kolkata	Scheduled	Yes	17-APR-24 10.15.00.000000 AM	17-APR-24 01.00.00.000000 PM	165	26
1090	Kolkata	Pune	Scheduled	Yes	17-APR-24 01.30.00.000000 PM	17-APR-24 04.15.00.000000 PM	165	26
1091	Jaipur	Coimbatore	Scheduled	Yes	17-APR-24 10.30.00.000000 AM	17-APR-24 12.45.00.000000 PM	135	33
1092	Coimbatore	Jaipur	Scheduled	Yes	17-APR-24 01.15.00.000000 PM	17-APR-24 03.30.00.000000 PM	135	33
1093	Mumbai	Trivandrum	Scheduled	Yes	17-APR-24 10.00.00.000000 AM	17-APR-24 12.45.00.000000 PM	165	35

1094 Trivandrum	Mumbai	Scheduled	Yes
17-APR-24 01.15.00.000000 PM		17-APR-24 04.00.00.000000 PM	
165	35		
1095 Bengaluru	Ahmedabad	Scheduled	Yes
17-APR-24 10.30.00.000000 AM		17-APR-24 12.30.00.000000 PM	
120	8		
1096 Ahmedabad	Bengaluru	Scheduled	Yes
17-APR-24 01.00.00.000000 PM		17-APR-24 03.00.00.000000 PM	
120	8		
1097 Jaipur	Goa	Scheduled	Yes
17-APR-24 09.45.00.000000 AM		17-APR-24 12.00.00.000000 PM	
135	33		
1098 Goa	Jaipur	Scheduled	Yes
17-APR-24 12.30.00.000000 PM		17-APR-24 02.45.00.000000 PM	
135	33		
1099 Trivandrum	Jaipur	Scheduled	Yes
17-APR-24 10.00.00.000000 AM		17-APR-24 12.45.00.000000 PM	
165	35		
1100 Jaipur	Trivandrum	Scheduled	Yes
17-APR-24 01.15.00.000000 PM		17-APR-24 04.00.00.000000 PM	
165	35		

38 rows selected.

// 4. Subquery to find all employees working at airports located in Gujarat :

SQL> SELECT *
  2 FROM EMPLOYEE
  3 WHERE AIRPORT_NAME IN
  4 (
  5   SELECT AIRPORT_NAME
  6   FROM AIRPORT

```
  7   WHERE STATE = 'Gujarat'

  8  );
```

E_ID NAME AIRPORT_NAME	ADDRESS	SEX	SALARY AGE DOB	DESIGNATION
100071 Rajesh Patel Manager	678 Ashram Road, Ahmedabad Sardar Vallabhbhai Patel International Airport	Male	51000 35 25-NOV-86	
100072 Pooja Shah 89 Supervisor	901 Manek Chowk, Ahmedabad Sardar Vallabhbhai Patel International Airport	Female	46000 32 19-MAY-	
100073 Ankit Patel Assistant Manager	123 Vastrapur, Ahmedabad Sardar Vallabhbhai Patel International Airport	Male	54000 36 12-MAR-85	
100074 Shreya Shah Manager	456 Gurukul, Ahmedabad Sardar Vallabhbhai Patel International Airport	Female	61000 34 15-FEB-88 HR	
100075 Karan Patel Engineer	789 Chandkheda, Ahmedabad Sardar Vallabhbhai Patel International Airport	Male	52000 29 30-JUN-92	
100076 Anjali Shah Accountant	890 Satellite, Ahmedabad Sardar Vallabhbhai Patel International Airport	Female	44000 27 22-DEC-94	
100077 Vivek Patel Technician	12 Prahlad Nagar, Ahmedabad Sardar Vallabhbhai Patel International Airport	Male	53000 33 04-AUG-88	
100078 Riya Shah Marketing Manager	45 Naranpura, Ahmedabad Sardar Vallabhbhai Patel International Airport	Female	48000 30 21-JAN-92	
100079 Amit Shah Team Leader	78 Bodakdev, Ahmedabad Sardar Vallabhbhai Patel International Airport	Male	55000 37 14-APR-84	
100080 Kritika Patel Analyst	67 Naroda, Ahmedabad Sardar Vallabhbhai Patel International Airport	Female	45000 31 09-SEP-90	

10 rows selected.

// 5. Subquery to find all passengers who booked tickets for flights operated by Indigo:

```
SQL> SELECT *

  2  FROM PASSENGER

  3  WHERE TICKET_NO IN

  4  (

  5       SELECT TICKET_NO
```

```
  6      FROM TICKET

  7      WHERE FLIGHT_NO IN

  8    (

  9      SELECT FLIGHT_NO

 10      FROM FLIGHT

 11      WHERE AIRLINE_ID IN

 12      (

 13           SELECT AIRLINE_ID

 14           FROM AIRLINE

 15           WHERE AIRLINE_NAME = 'IndiGo'

 16      )

 17      )

 18  );
```

PASSPORT_NO	NAME	ADDRESS	SEX	DOB	AGE	FLIGHT_NO	TICKET_NO
GH789012	Arun Sharma	123, Rajendra Nagar, Hyderabad	Male	05-APR-82	39	1007	TCKT1007
HI890123	Meera Patel	456, Gandhi Nagar, Ahmedabad	Female	12-DEC-78	43	1008	TCKT1008
PQ567890	Amita Singh	789, Raj Bhavan Road, Nagpur	Female	25-DEC-86	35	1015	TCKT1015
QR678901	Neha Verma	234, Pragati Maidan, Patna	Female	19-APR-94	27	1016	TCKT1016
JK567890	Rajni Patel	567, Marathahalli, Vijayawada	Female	15-JUN-84	37	1035	TCKT1035
KL678901	Nisha Singh	890, Alipore, Jodhpur	Female	28-NOV-92	29	1036	TCKT1036
NO901234	Vijay Kumar	123, Malviya Nagar, Kolkata	Male	10-MAY-86	35	1039	TCKT1039
OP012345	Neha Verma	456, MG Road, Chennai	Female	15-OCT-90	31	1040	TCKT1040
VW789012	Ajit Kumar	789, Hauz Khas, Bhopal	Male	30-JAN-88	34	1047	TCKT1047
WX890123	Pooja Sharma	234, Greater Kailash, Kanpur	Female	18-MAY-83	38	1048	TCKT1048
DE567890	Aryan Gupta	567, Jayanagar, Gwalior	Male	25-MAR-85	36	1055	TCKT1055

EF678901 TCKT1056	Deepa Patel	890, Sector 17, Vijayawada	Female	28-NOV-91	30	1056
TU123456 TCKT1071	Rahul Gupta	890, Model Town, Kanpur	Male	20-AUG-80	40	1071
UV234567 TCKT1072	Pooja Patel	123, Tilak Nagar, Varanasi	Female	15-APR-78	43	1072
VW345678 TCKT1073	Ankit Sharma	456, Laxmi Nagar, Allahabad	Male	20-FEB-90	31	1073
WX456789 TCKT1074	Neha Patel	789, Greater Kailash, Kanpur	Female	10-JUL-85	33	1074
BC901234 TCKT1079	Ajay Patel	345, MG Road, Jaipur	Male	15-DEC-82	39	1079
CD012345 TCKT1080	Roshni Singh	678, Rajouri Garden, Pune	Female	10-MAY-88	33	1080
HI567890 TCKT1085	Ravi Patel	123, Gandhi Nagar, Nagpur	Male	25-SEP-82	39	1085
IJ678901 TCKT1086	Mamta Singh	456, Tilak Nagar, Visakhapatnam	Female	08-JUN-86	36	1086
LM901234 TCKT1089	Anita Sharma	456, Malviya Nagar, Varanasi	Male	10-OCT-87	35	1089
MN012345 TCKT1090	Rakesh Patel	789, Salt Lake City, Patna	Female	05-DEC-84	40	1090
PQ345678 TCKT1093	Preeti Singh	789, Connaught Place, Jaipur	Male	20-FEB-90	29	1093
QR456789 1094 TCKT1094	Deepak Patel	123, Malviya Nagar, Visakhapatnam	Female	10-JUL-85	36	
RS567890 1095 TCKT1095	Neelam Gupta	456, Rajouri Garden, Ludhiana	Male	25-MAR-82	39	
ST678901 1096 TCKT1096	Alok Sharma	789, Hauz Khas, Bhubaneswar	Female	28-NOV-91	32	
VW901234 1099 TCKT1099	Sneha Sharma	789, Connaught Place, Lucknow	Male	15-DEC-82	38	
WX012345 TCKT1100	Parul Patel	123, Rajouri Garden, Patna	Female	10-MAY-88	33	1100

28 rows selected.

// 6. Subquery to find all flights with a duration longer than the average flight duration for SpiceJet:

```
SQL> SELECT *
  2  FROM FLIGHT
  3  WHERE DURATION >
  4  (
  5       SELECT AVG(DURATION)
  6       FROM FLIGHT
  7       WHERE AIRLINE_ID IN
  8    (
  9       SELECT AIRLINE_ID
 10        FROM AIRLINE
 11        WHERE AIRLINE_NAME = 'SpiceJet'
 12        )
 13  );
```

FLIGHT_NO SOURCE	DESTINATION	STATUS	CONNECTED	D_TIME
A_TIME				
DURATION AIRLINE_ID				

```
---------- ------------------------------------------------ ------------------------------------------------ ------------------ ------------------ ----------------
------------------------------------------------ ------------------------------------------------ --------- ---------
```

1001 New Delhi	Mumbai	Scheduled	Yes

17-APR-24 08.00.00.000000 AM   17-APR-24 10.30.00.000000 AM

150   1

1002 Mumbai	New Delhi	Scheduled	Yes

17-APR-24 11.00.00.000000 AM   17-APR-24 01.30.00.000000 PM

150   1

1005 New Delhi	Goa	Scheduled	Yes

17-APR-24 09.00.00.000000 AM   17-APR-24 11.30.00.000000 AM

150   1

1006 Goa	New Delhi	Scheduled	Yes

17-APR-24 12.00.00.000000 PM   17-APR-24 02.30.00.000000 PM

150   1

1023 Chennai	Kolkata	Scheduled	Yes

17-APR-24 09.30.00.000000 AM   17-APR-24 12.00.00.000000 PM

150   10

1024 Kolkata	Chennai	Scheduled	Yes

17-APR-24 12.30.00.000000 PM   17-APR-24 03.00.00.000000 PM

150   10

1029 Jaipur	Chennai	Scheduled	Yes
17-APR-24 09.15.00.000000 AM		17-APR-24 11.45.00.000000 AM	
150	33		
1030 Chennai	Jaipur	Scheduled	Yes
17-APR-24 12.15.00.000000 PM		17-APR-24 02.45.00.000000 PM	
150	33		
1041 Pune	Kolkata	Scheduled	Yes
17-APR-24 09.45.00.000000 AM		17-APR-24 12.15.00.000000 PM	
150	25		
1042 Kolkata	Pune	Scheduled	Yes
17-APR-24 12.45.00.000000 PM		17-APR-24 03.15.00.000000 PM	
150	25		
1047 Kolkata	Mumbai	Scheduled	Yes
17-APR-24 10.00.00.000000 AM		17-APR-24 12.30.00.000000 PM	
150	14		
1048 Mumbai	Kolkata	Scheduled	Yes
17-APR-24 01.00.00.000000 PM		17-APR-24 03.30.00.000000 PM	
150	14		
1065 Trivandrum	Mumbai	Scheduled	Yes
17-APR-24 09.30.00.000000 AM		17-APR-24 12.00.00.000000 PM	
150	34		
1066 Mumbai	Trivandrum	Scheduled	Yes
17-APR-24 12.30.00.000000 PM		17-APR-24 03.00.00.000000 PM	
150	34		
1067 Jaipur	Pune	Scheduled	Yes
17-APR-24 09.45.00.000000 AM		17-APR-24 11.45.00.000000 AM	
120	33		
1068 Pune	Jaipur	Scheduled	Yes
17-APR-24 12.15.00.000000 PM		17-APR-24 02.15.00.000000 PM	
120	33		
1071 Kolkata	Chennai	Scheduled	Yes
17-APR-24 09.45.00.000000 AM		17-APR-24 11.45.00.000000 AM	
120	14		
1072 Chennai	Kolkata	Scheduled	Yes
17-APR-24 12.15.00.000000 PM		17-APR-24 02.15.00.000000 PM	
120	14		

Flight	Source	Destination	Status		Departure	Arrival		
1075	Mumbai	Jaipur	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 11.45.00.000000 AM	120	33
1076	Jaipur	Mumbai	Scheduled	Yes	17-APR-24 12.15.00.000000 PM	17-APR-24 02.30.00.000000 PM	120	33
1079	Bengaluru	Kolkata	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 12.00.00.000000 PM	150	8
1080	Kolkata	Bengaluru	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	150	8
1085	Kolkata	Goa	Scheduled	Yes	17-APR-24 09.45.00.000000 AM	17-APR-24 12.00.00.000000 PM	135	14
1086	Goa	Kolkata	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	135	14
1087	Chennai	Jaipur	Scheduled	Yes	17-APR-24 09.30.00.000000 AM	17-APR-24 12.00.00.000000 PM	150	12
1088	Jaipur	Chennai	Scheduled	Yes	17-APR-24 12.30.00.000000 PM	17-APR-24 03.00.00.000000 PM	150	12
1089	Pune	Kolkata	Scheduled	Yes	17-APR-24 10.15.00.000000 AM	17-APR-24 01.00.00.000000 PM	165	26
1090	Kolkata	Pune	Scheduled	Yes	17-APR-24 01.30.00.000000 PM	17-APR-24 04.15.00.000000 PM	165	26
1091	Jaipur	Coimbatore	Scheduled	Yes	17-APR-24 10.30.00.000000 AM	17-APR-24 12.45.00.000000 PM	135	33
1092	Coimbatore	Jaipur	Scheduled	Yes	17-APR-24 01.15.00.000000 PM	17-APR-24 03.30.00.000000 PM	135	33

1093 Mumbai	Trivandrum	Scheduled	Yes
17-APR-24 10.00.00.000000 AM	17-APR-24 12.45.00.000000 PM		
165	35		
1094 Trivandrum	Mumbai	Scheduled	Yes
17-APR-24 01.15.00.000000 PM	17-APR-24 04.00.00.000000 PM		
165	35		
1095 Bengaluru	Ahmedabad	Scheduled	Yes
17-APR-24 10.30.00.000000 AM	17-APR-24 12.30.00.000000 PM		
120	8		
1096 Ahmedabad	Bengaluru	Scheduled	Yes
17-APR-24 01.00.00.000000 PM	17-APR-24 03.00.00.000000 PM		
120	8		
1097 Jaipur	Goa	Scheduled	Yes
17-APR-24 09.45.00.000000 AM	17-APR-24 12.00.00.000000 PM		
135	33		
1098 Goa	Jaipur	Scheduled	Yes
17-APR-24 12.30.00.000000 PM	17-APR-24 02.45.00.000000 PM		
135	33		
1099 Trivandrum	Jaipur	Scheduled	Yes
17-APR-24 10.00.00.000000 AM	17-APR-24 12.45.00.000000 PM		
165	35		
1100 Jaipur	Trivandrum	Scheduled	Yes
17-APR-24 01.15.00.000000 PM	17-APR-24 04.00.00.000000 PM		
165	35		

38 rows selected.

* Advanced concept :

// 1. Query Optimization:

//-- EXPLAIN PLAN

SQL> EXPLAIN PLAN FOR

  2 SELECT * FROM FLIGHT WHERE SOURCE = 'Mumbai' AND DESTINATION = 'New Delhi';

Explained.

-- PLAN_TABLE

SQL> SELECT * FROM TABLE(DBMS_XPLAN.DISPLAY);

PLAN_TABLE_OUTPUT

Plan hash value: 3534105104

| Id | Operation | Name | Rows | Bytes | Cost (%CPU)| Time |

| 0 | SELECT STATEMENT | | 1 | 143 | 2 (0)| 00:00:01 |

|* 1 | TABLE ACCESS FULL| FLIGHT | 1 | 143 | 2 (0)| 00:00:01 |

Predicate Information (identified by operation id):

----

   1 - filter("SOURCE"='Mumbai' AND "DESTINATION"='New Delhi')

Note

   - dynamic statistics used: dynamic sampling (level=2)

17 rows selected.

// 2. Role-Based Access Control (RBAC):

SQL> CREATE ROLE C##Admin;

Role created.

SQL> GRANT SELECT, INSERT, UPDATE, DELETE ON FLIGHT TO C##Admin;

Grant succeeded.

SQL>