



TABLETIME STAFF

Project summary and remaining work

A concise record of what was built, what the app can do, the technology and services behind it, what has been verified, and the exact path to store launch.

98% OVERALL	100% DESIGN / MVP	100% DATABASE
100% LIVE BACKEND	90% ADVANCED	84% STORE RELEASE

CURRENT OUTCOME	RELEASE STATE
A working cross-platform restaurant workforce system is live on the web, connected to a secured Supabase backend, and built as signed Android preview and production artifacts.	Web is deployed. Android APK and Play Store AAB are built. iOS signing, final store accounts, screenshots, selected real-user E2E tests, and production Auth settings remain.

Prepared August 22, 2026 | Version 1.0.0 | Repository checkpoint e76c387

PROJECT OVERVIEW

What we built together

TableTime began as a restaurant clock-in, clock-out and scheduling concept. It is now a multi-role workforce platform with a live backend, secure tenant isolation, native release artifacts and a production web deployment.

PHASE	DELIVERED	RESULT
1. Product foundation	Responsive manager and employee experiences, demo persistence, dashboard, time clock, weekly schedule and team directory.	VERIFIED
2. Secure backend	Supabase Auth and PostgreSQL, 10 RLS-protected tables, tenant-scoped policies, secure RPCs, indexes and generated TypeScript types.	VERIFIED
3. Live workflows	Live team, shifts, schedule publishing, clock in/out, breaks, time-off requests, manager review, invitations and password recovery.	BUILT
4. Reliability	Realtime Postgres Changes, retry/backoff, foreground refresh, visible sync health and a production error boundary with incident IDs.	VERIFIED
5. Security and legal	Audited privileged functions, account deletion, legal routes, privacy/data-safety drafts and hardened Vercel response headers.	VERIFIED
6. Release engineering	EAS project and environments, branded icon/splash, Android preview APK, production AAB, CI quality gate and store submission profiles.	ANDROID DONE

Key milestones

Live production

The web application is available over HTTPS on Vercel and loads real restaurant workspaces from Supabase.

Native Android

A signed preview APK and Play Store AAB were created and their artifact downloads returned HTTP 200.

Quality gate

TypeScript, Expo Doctor, web export, dependency severity checks, GitHub Actions and Vercel deployment checks pass.

Important scope boundary

The app is highly complete, but 100% cannot be claimed until the remaining hosted Auth settings, real-user E2E workflows, native device tests, monitoring destination, iOS signing/build and store submissions are verified.

PRODUCT CAPABILITIES

What the app can do

The interface adapts by authenticated database role. Owners and managers operate the restaurant; employees see only the workforce information and actions they are authorized to use.

CAPABILITY	OWNER / MANAGER	EMPLOYEE	STATE
Accounts and roles	Create a restaurant, manage staff and use manager navigation.	Invitation-based sign-in with employee-only navigation.	BUILT
Dashboard	See active workers, labor hours, shifts and restaurant status.	See personal status, next shifts and quick actions.	LIVE
Team management	Add/edit staff, location, job title, hourly rate and status; send secure invites.	Read only the employee's own protected workforce row.	BUILT
Scheduling	Create timezone-aware draft shifts and publish schedules.	View only personal published shifts.	LIVE
Time clock	See team attendance and recorded hours.	Clock in/out, start/end breaks and review personal punch history.	LIVE
Requests	Review and approve/decline time-off requests with audit attribution.	Submit date-ranged time-off requests and follow status.	BUILT
Account recovery	Invite employees securely and manage activation.	Complete invite password setup or request password recovery.	BUILT
Account deletion	Sole-owner safeguard and history-preserving de-identification.	Password reauthentication and explicit DELETE confirmation.	BUILT
Live synchronization	Automatic RLS-scoped workspace refresh and visible sync state.	Automatic personal data refresh with retry/recovery UI.	VERIFIED


Cross-platform behavior

Android Signed preview APK plus production AAB. Native package: com.kushalsrirangam.tabletime.	iOS Expo configuration and bundle ID are ready. Apple signing and the production IPA remain.	Web Responsive production SPA on Vercel with direct legal routes and security headers.
--	--	--

ARCHITECTURE

How the system works

One Expo codebase delivers the web and native applications. Supabase owns authentication and server-authoritative workforce data; Vercel and EAS provide the production delivery paths.



Security and operations layer



LAYER	IMPLEMENTATION	WHY IT MATTERS
Client	Expo SDK 57, React Native 0.86, React 19, TypeScript and React Native Web.	One product codebase for phone, tablet and browser.
Identity	Supabase Auth sessions, invitation links, recovery links and database-derived roles.	Users cannot grant themselves manager access through editable client metadata.
Data	PostgreSQL with 10 application tables, composite tenant keys, covering indexes and RLS on every table.	Restaurant data remains isolated even if a client is modified.
Writes	Narrow RPCs for clock, breaks, owner bootstrap, invitations, requests and account deletion.	Critical timestamps and authorization decisions are enforced on the server.
Realtime	RLS-protected Postgres Changes with debounce, silent refresh and foreground resync.	Workers receive updated schedules and status without exposing unrelated rows.
Delivery	GitHub main branch, Actions release gate, Vercel web deploys and EAS APK/AAB/iOS profiles.	Every release has reproducible checks and platform-specific artifacts.

Database model

Organizations, profiles, memberships, locations, employees, shifts, time entries, break entries, staff requests and audit events. Fourteen ordered migrations capture the complete schema and hardening history.

TECHNOLOGY INVENTORY

Websites, services and libraries used

Only technologies evidenced in the repository or verified deployment history are listed below. Private credentials and test passwords are intentionally excluded.

SERVICE / WEBSITE	USE IN TABLETIME	CURRENT STATE
GitHub	Source repository, commit history and Actions quality checks.	main branch live; release workflow passing
Vercel	Production web hosting, HTTPS, SPA routing and security headers.	Production site deployed and HTTP verified
Supabase	Auth, PostgreSQL, RLS, RPCs, Realtime and Edge Functions.	Live backend connected; final Auth settings pending
Expo / EAS	Cross-platform framework, project configuration, environments, signing and cloud native builds.	Project linked; Android builds finished
Apple Developer / App Store Connect	Required for iOS signing, TestFlight and App Store submission.	Not connected; owner action required
Google Play Console	Required for internal testing, data safety and Play Store release.	AAB ready; account/app record pending

LIBRARY	VERSION	ROLE
expo	~57.0.15	Application runtime and cross-platform toolchain
react / react-dom	19.2.3	Component model and browser rendering
react-native	0.86.2	Native Android/iOS interface runtime
react-native-web	^0.21.2	Responsive web rendering from React Native components
@supabase/supabase-js	2.112.2	Auth, typed database access, RPCs, functions and Realtime
AsyncStorage	2.2.0	Versioned local demo persistence and client storage
expo-linking	~57.0.7	Invitation and password-recovery deep links
expo-splash-screen	~57.0.7	Branded native launch screen
expo-font / vector-icons	57 / 15	Typography and application iconography
TypeScript	~6.0.3	Static types and generated database contracts

Build/runtime policy: Node 22.13.0 is pinned for CI and EAS. Metro 0.84.5 is forced through the React Native community CLI plugin override to remove the previously reported high-severity duplicate.

SECURITY AND VERIFICATION

What has been tested and hardened

TableTime uses defense in depth: database isolation, narrow server-side workflows, controlled credentials, reproducible checks and visible runtime recovery.

Tenant and role isolation

RLS is enabled on all 10 application tables. Manager, employee and owner access was verified with real authenticated identities.

Credential safety

Only the client-safe Supabase URL and publishable key are in Expo/Vercel environments. Service-role, Apple, Google and signing secrets stay outside Git.

Deletion and privacy

Self-service deletion requires reauthentication and explicit confirmation, preserves legal history through de-identification, and protects sole owners.

Authoritative attendance

Clock, break and request RPCs verify auth.uid(), use server timestamps, prevent duplicate/open-state conflicts and emit audit events.

Production web hardening

CSP, HSTS, frame denial, MIME-sniff prevention, referrer policy and unused-permission restrictions are configured and verified.

Reliability

Realtime refresh, bounded retry/backoff, foreground recovery, sync status, safe render fallback and incident IDs keep failures understandable.

VERIFICATION	EVIDENCE
Release code gate	Strict TypeScript, Expo Doctor 18/18, production web export, and zero high/critical npm findings passed.
Hosted database	Migrations, policies, functions, grants, constraints and rollback-safe workflow tests were checked against the cloud project.
Live role access	Manager and employee production logins loaded different RLS-scoped workspaces and navigation.
Attendance	Real employee clock-in and clock-out persisted through Supabase and a full production reload.
Realtime	A second-client published shift appeared in the employee session without a page reload; the test row was removed.
Delivery	GitHub Actions and Vercel commit checks passed; Android APK and AAB downloads returned HTTP 200.

Known dependency note

npm reports 11 moderate transitive Expo/Xcode build-tool advisories and zero high/critical findings. The proposed forced fix would break SDK 57 by downgrading Expo, so it is intentionally not applied.

DELIVERY STATUS

What is done and what remains

The remaining items are mostly production configuration, real-user verification and store-account work. Built-but-unverified workflows remain marked incomplete until evidence exists.

DONE AND VERIFIED

- Production web application and legal routes deployed
- Live Supabase schema, RLS, secure RPCs and Edge Functions
- Manager and employee role access verified
- Real clock-in and clock-out persistence verified
- Realtime cross-client refresh verified
- Employee management, invitations, requests, breaks and recovery implemented
- Account deletion and owner safeguards implemented
- Android preview APK and production AAB built
- Store copy, privacy/data-safety and review notes drafted
- CI, release gate, branded icon and splash configuration

REMAINING

- Apply Supabase Site URL/redirect allowlist and enable leaked-password protection
- Complete real invitation and password-reset email/link flows
- Verify owner onboarding, employee management, breaks and request review in production
- Run disposable-account deletion E2E
- Install and smoke-test native Android artifact; capture screenshots
- Connect Apple credentials and build/test the iOS IPA
- Choose always-on Supabase plan or documented uptime process
- Configure an external error-monitoring destination and test alerts
- Supply public support email and legal company details
- Create Play/App Store records, submit test builds and obtain approvals

BLOCKER	IMPACT / RESOLUTION
Apple signing credentials	Blocks iOS production build. Owner must privately complete one interactive Apple Developer credential session.
Google Play account	AAB exists, but internal/closed track upload and production access cannot begin until the account and app record exist.
Supabase dashboard access	Blocks hosted redirect allowlist, leaked-password protection and real email-link E2E verification.
Owner legal/support data	Blocks truthful store metadata and final legal publication. These values cannot be invented.
Free-tier database sleeping	Can interrupt review logins. Select a paid always-on plan or enforce a documented wake-and-health-check process.

COMPLETION ROADMAP

Fastest path from 98% to verified launch

Technical completion can move quickly once the account-bound steps are available. Store approval time is controlled by Apple and Google and should not be counted as engineering time.

ORDER	ACTION	OWNER	ESTIMATE
1	Sign into Supabase; apply Auth URLs, enable leaked-password protection, and run invite/recovery E2E.	Owner + Codex	1-3 hours
2	Run remaining production workflow E2E with manager, employee, owner and disposable identities.	Codex	3-6 hours
3	Install Android preview, run native smoke tests, inspect icon/splash, and capture release screenshots.	Codex / device	1-3 hours
4	Create Play record, upload AAB to internal/closed testing, complete declarations and tester setup.	Owner + Codex	2-4 hours
5	Privately connect Apple credentials, build IPA, submit to TestFlight and capture iOS screenshots.	Owner + Codex	2-5 hours
6	Connect external monitoring, test alerting, publish owner details, and run the final release audit.	Owner + Codex	2-4 hours

Estimated completion

Approximately 1-3 focused working days to submission-ready after required account access and truthful owner details are available. Store review commonly adds separate waiting time, and a new personal Google Play account may require a mandatory closed-test period.

Key project links

RESOURCE	LINK / IDENTIFIER
Production web app	tabletime-3qn4.vercel.app
GitHub repository	github.com/kushalsrirangam/tabletime
Privacy policy	tabletime-3qn4.vercel.app/privacy
Account deletion	tabletime-3qn4.vercel.app/delete-account
Android preview build	Expo build 4a21820a-cc01-4be2-ac6e-44111187852e
Android production build	Expo build 727e0ac9-4375-4664-9541-b87448dbe1a6
Native identifiers	Android/iOS: com.kushalsrirangam.tabletime EAS: @kushalkings-team/clockin

Security note

This report contains no passwords, private keys, service-role tokens, Apple credentials, Google service-account keys or reviewer test passwords. Those must remain private and outside Git.