

Personal Details

Firstname

Middlename:

Lastname:

Course :

Gender :

- ☐ Male
☐ Female
☐ Others

```
<form>
<fieldset>
  <legend>Personal Details</legend>
  <label>Firstname</label>
  <input type="text" size="15">
  <br>
  <br>
  <label>Middlename:</label>
  <input type="text" size="15">
  <br>
  <br>
  <label>Lastname:</label>
  <input type="text" size="15">
  <br>
  <br>
  <label>Course :</label>
  <select>
    <option value="Course">Course</option>
    <option value="BCA">BCA</option>
    <option value="BSC.IT">Bsc.It</option>
    <option value="BBA">BBA</option>
    <option value="B.Tech">B.Tech</option>
    <option value="MBA">MBA</option>
    <option value="MCA">MCA</option>
    <option value="M.Tech">M.Tech</option>
    <option value="MSC">Msc.It</option>
  </select>
```

```
<label>Gender :</label>
<br>
<input type="radio" name="gender">
Male
<br>
<input type="radio" name="gender">
Female
<br>
<input type="radio" name="gender">
Others
<br>
```

In this form page at first we are taking name as input by input type text, then we are taking input of course with the help of select tag and a gender input using radio buttons.

DOB

Phone :

Address

Email :

Password :

Re-type password :

```
</label>
<label>DOB</label>
<input type="datetime-local">
<br>
<label>Phone :</label>
<input type="text" value="+91" size="2" disabled>
<input type="tel" size="10" maxlength="10">
<br>
<br>
<label>Address</label>
<br>
<textarea cols="80" rows="5"></textarea>
<br>
<br>
<label>Email :</label>
<input type="email">
<br>
<br>
<br>
<label>Password :</label>
<input type="password">
<br>
<br>
<br>
<label>Re-type password :</label>
<input type="password" name="re-password">
```

Here we have used DOB label with datetime-local input type, then in phone label tel input type is being used. After that for address text area input type is used and then for email and password email input type and password input type is being used respectively.

☐ Agree to terms and conditions

Choose File No file chosen

Choose Color

```
<input type="checkbox" id="Agree">
<label for="Agree"> Agree to terms and conditions</label>
<br>
<br>
<label for="file">Choose File</label>
<input type="file" id="file">
<br>
<br>
<label for="colour">Choose Color</label>
<input type="color" id="colour">
<br>
<br>
<input type="reset" value="Reset">
<input type="button" value="Submit">
</form>
```

Here we have used checkbox input type for terms and conditions label, then file input type for uploading required files, then colour input and at last reset input and submit button input is being used for submission of the form.