

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="StyleSheet" href="styles.css">
</head>
<body>
  <div class="container">
    <div id="navbar">
      <div id="image">
        
      </div>
      <div id="button">
        <button id="sign1">Sign In</button>
        <button id="sign">Register</button>
      </div>
    </div>
    <div id="all">
      <h1>Unlimited movies, TV shows and more.</h1>
      <p id="p1">Watch anywhere. Cancel anytime.</p>
      <p id="p2">Ready to watch? Enter your email to create or restart your membership.</p>
    </div>
  </div>
</body>

```

```

body{
  background-image:url(newnetflix.jpg);
  background-color: white;
  margin:0;
}

.container{
  background: rgba(0, 0, 0, 0.7);
  height: 100vh;
  margin:0px;
}

#navbar{
  height: 20%;
  display: flex;
}

#image{
  width: 40%;
  display: flex;
  justify-content: center;
  padding:30px;
}

div{
  display: block;
}

#button{
  padding:30px;
  width: 60%;
  text-align: right;
}

```

```

#sign1,#sign{
  background-color: red;
  color: white;
  font-size: 15px;
  padding: 8px 14px;
  border:0px;
  border-radius: 5px;
  font-weight: bold;
}
#sign1{
  margin-right: 12px;
}

#all{
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  color: white;
  height: 80%;
}
h1{
  font-size: 55px;
  margin:0px;
  display: block;
  font-weight: bold;
}
#p1{
  font-size: 28px;
}
#p2{
  font-size: 23px;
}

```

in 'head' tag i have used

'link' tag to link html and css stylesheet

'div' is a container tag used to contain other tag

and 2nd 'div' tag for sepperate the navbar, 3rd for netflix icon(image),

'img' is used to tag a image.

again 'div' tag for boths button sign in or register,

'div' tag in this div i have used

'h1'tag for first heading

'p' tag for paragraph as well,

note:

where css is used to give style for given netflix webpage.