```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Shoe page</title>
   <link rel="stylesheet" href="style.css">
   <div class="container">
       <div class="shoe">
           <div class="content">
               <h1>Shoe-1</h1>
               Lorem, ipsum dolor sit amet consectetur adipisicing elit. Iste accusantium magnam
               necessitatibus veritatis corporis accusamus aperiam eveniet culpa quidem! Nam velit
               deserunt incidunt culpa a voluptas sed ipsum eligendi assumenda.
               Lorem ipsum dolor sit amet consectetur adipisicing elit. Tenetur, praesentium?
           <img src="https://priyanshu-240499.github.io/Assignments-CSS/position/assets/shoe-1.png"</pre>
           alt="shoe image">
```

```
margin: 0%;
   padding: 0%;
   box-sizing: border-box;
body{
   background-color: ■lightgray;
.container{
   width: 100%;
   height: 713px;
   position: relative;
   overflow: hidden;
.container::after{
    position: absolute;
   inset: 0;
   content: "";
   transform: skew(65deg);
   z-index: -1;
   background: linear-gradient(to right, ■#b92b27, ■#1565c0);
   box-shadow: 0 0 10px □black;
.shoe{
   width: 85%;
   height: 75%;
   margin: auto;
   margin-top: 5%;
```

```
margin: auto;
    margin-top: 5%;
    background: linear-gradient(to right, ■#8a2387, ■#e94057, ■#f27121);
    box-shadow: 0 0 10px □black;
    padding: 2%;
.content{
    width: 40%;
}
.content > h1{
    font-size: xx-large;
    margin-bottom: 30px;
}
p{
    font-size: large;
    line-height: 20px;
    margin-bottom: 50px;
img{
    position: absolute;
    top: 10%;
    right: 0%;
    height: 300px;
   width: 600px;
}
img:hover{
    position: absolute;
    top: 10%;
    right: 0%;
    height: 600px;
    width: 1000px;
```

Here we have created shoe page using 3 div tags in body tag in the html file. For each div we have created a class named container, shoe and content respectively. Container for the background, shoe div used for shoe image and some texts inside p tags and h1 tags which is inside the content class.

Then in the css part we have use universal margin and padding to 0 and used border box. Then for each div we have given position ,height ,width, margin, padding and for shoe image we have used hover to enlarge the image.