

AIDA: Autonomous and Intelligent Decision Architecture for Next-Generation AI Copilot Systems

PhD Thesis Proposal

-

Draft

Table of Contents

Introduction & Motivation	2
Literature Review and Background	3
1. Collision Avoidance for Multi-UAV Operations.....	3
2. Large Language Models (LLMs) for Voice-Enabled Flight Control	3
3. Speech Recognition and Voice Technology	4
4. AI-Augmented Flight Controller.....	4
Research Objectives.....	5
1. Formulation of AIDA	5
2. Human–AI Interaction.....	5
3. Flight Decision-Making	5
AIDA : High-Level conceptual Structure	6
5. Research Methodology	7
6. Expected Contributions	7
7. References.....	8

Introduction & Motivation

Can an AI-driven decision engine for flight control consistently make safe and effective decisions requiring minimal pilot intervention in nominal conditions, handling off-nominal/emergency scenarios robustly, while complying with Aviation Standards.

or

Can we augment a Co-Pilot in the cockpit ?

Aerospace and aviation have continually sought innovative solutions to improve safety, operational efficiency, and pilot workload management. Over the decades, aircraft automation has progressed from basic autopilots to complex flight management systems capable of handling significant portions of flight under standard conditions. Despite these advances, pilots still assume a substantial cognitive burden—particularly when confronted with dynamic flight scenarios, such as severe weather, engine failures, or urgent rerouting.

Recent progress in AI has begun to transform various industries, from advanced robotics to autonomous vehicles. In the aerospace sector, AI is being studied in multiple fronts in the following domains.

- 1. High-Level Decision Support**

- Assisting with inflight re-planning, emergency procedures, and optimizing flight paths based on real-time data (e.g., weather, traffic, performance constraints).

- 2. Adaptive Control Systems**

- Adjusting control laws on the fly in response to unanticipated events, such as sensor degradation or changing aerodynamic conditions.

- 3. Predictive Maintenance and Prognostics**

- Analyzing large data streams to anticipate component failures, reduce downtime, and enhance aircraft reliability.

- 4. Enhanced Human–Machine Teaming**

- Providing natural interaction with pilots to ensure decisions remain transparent, improve situational awareness, and reduce fatigue.

In this research, we propose an **Autonomous Intelligent Decision Architecture (AIDA)** for next-generation AI copilot systems. AIDA aims to augment pilot capabilities during different phases of flight including unforeseen circumstances by offloading high-cognitive tasks and offering transparent, data-driven suggestions or autonomous actions. While various machine learning and deep learning techniques are relevant to our framework, a cornerstone of AIDA is integrating advanced AI reasoning with rigorous rule-based safety checks.

Literature Review and Background

In recent years, unmanned aerial vehicles (UAVs) and advanced AI-driven flight systems have spurred significant research in collision avoidance, trajectory planning, and voice-based cockpit assistance. Several promising areas stand out:

1. Collision Avoidance for Multi-UAV Operations

Much literature addresses the complexity of collision avoidance among multiple UAVs sharing the same airspace. Approaches range from geometric guidance and potential field functions to model predictive control (MPC) and multi-agent motion planning. These methods have proven effective for static obstacle fields or well-defined flight corridors but face challenges in:

- **Dynamic or uncertain environments**, where moving obstacles or real-time sensor inaccuracies complicate path planning.
- **High computational loads**, particularly for MPC-based or multi-agent optimization solutions.
- **Communication and coordination overhead**, as large UAV teams require precise data sharing to avoid conflict.

As summarized by Huang et al. (2019)[1], multi-UAV collision avoidance must address model uncertainty, hardware limitations (compute power, sensor fidelity), and lack of standardized validation datasets. While these techniques are pivotal for UAVs, the underlying frameworks (e.g., real-time decision-making under constraints, sensor fusion) also inform the design of advanced cockpit automation for manned aircraft.

2. Large Language Models (LLMs) for Voice-Enabled Flight Control

Concurrently, LLMs have demonstrated rapid improvements in natural language understanding and contextual reasoning. Although most current aviation research on LLMs focuses on non-flight-critical tasks (e.g., ground operations, scheduling, speech recognition for air traffic control [ATC]), there is growing interest in harnessing LLMs for cockpit assistance. Notable examples include:

- **VOICI Project[2]**: Aims to integrate voice interactions toward a “Natural Crew Assistant,” primarily reducing crew workload. The project is not fully AI-driven, focusing instead on structured voice commands and system responses.
- **Flight Arrival Scheduling via LLM[3]**: Demonstrates using fine-tuned LLMs on historical flight scheduling data to improve arrival sequences, potentially reducing runway congestion and improving traffic flow management.
- **AviationGPT[4]**: Proposes taking a baseline open-source LLM and fine-tuning it on aviation-specific corpora for tasks such as airport operations, traffic flow management, and other operational (but non-critical) functions.

Although these examples show that LLMs can handle real-time textual or spoken queries, adoption in flight-critical control remains minimal. Research gaps include stringent reliability requirements (DO-178C certification), integration with flight envelope protections, and safety-critical fallback mechanisms to handle LLM misinterpretations.

3. Speech Recognition and Voice Technology

Historically, efforts by the FAA and industry in the 1990s (e.g., Voice Technology Study Report[5]) tested early speech-to-text systems for cockpit tasks. Modern neural network–based automatic speech recognition (ASR) has significantly improved accuracy under noisy conditions, facilitating potential real-time transcription of pilot–ATC communications. Recent work by Badrinath and Balakrishnan (2022)[6] and Kopad (2021)[7] demonstrates:

- Character-level transcription of ATC voice communications using deep neural networks.
- Possibility of reducing pilot workload in busy airspace by automatically parsing ATC instructions, though flight crews remain responsible for final decision-making.
- Interest from international agencies (e.g., FAA, EUROCONTROL) to continue refining ASR for improved safety and efficiency during taxi, takeoff, and approach phases.

Nevertheless, these systems have so far been advisory or data-entry aids. Flight-critical usage (e.g., commanding flight controls via voice) would require robust error-handling, standardized phraseology, and fallback interfaces to ensure no single misrecognition jeopardizes safety.

4. AI-Augmented Flight Controller

The overarching trend is a gradual shift from isolated automated tools (collision avoidance, path planning, or scheduling) toward integrated AI systems that can:

- Sense and Predict: Fuse sensor data (e.g., radar, ADS-B, inertial measurements) for real-time situational awareness.
- Decide and Plan: Use advanced methods—ranging from rule-based logic and multi-agent collision avoidance to LLM-driven “high-level” reasoning—for flight path adjustments and emergency procedures.
- Interact Naturally with Crew: Leverage speech recognition and LLM-based conversation for clear, context-sensitive communication.

Thus far, implementations like AviationGPT or LLM-based flight scheduling illustrate the proof-of-concept for using large-scale language models in aviation contexts, albeit predominantly outside the flight deck’s safety-critical environment. The potential next step is combining collision-avoidance-style real-time decision algorithms (as developed for multi-UAV operations) with LLM-based command and control interfaces that incorporate strict safety checks (e.g., a “safety layer” or fallback autopilot). Such a closed-loop integration could enable partial autonomy in manned aircraft, bridging the gap between purely advisory AI and robust, real-time autonomous flight controllers.

Research Objectives

1. Formulation of AIDA

- Define an architecture that integrates AI driven communication and context retrieval with a safety-critical decision engine.
- Develop a knowledge base of Standard Operating Procedures (SOPs), regulatory rules, and aerodynamic constraints to guide high-level decision logic.

2. Human–AI Interaction


- Pilot Query Handling: Use LLMs to interpret and respond to pilot inquiries in natural language.
- Contextual Summaries: Dynamically summarize flight status, weather, and ATC communications, reducing pilot cognitive load.

3. Flight Decision-Making

- Autonomous Reasoning: Incorporate real-time sensor data, flight constraints, and LLM outputs into a robust decision module that can propose or execute flight actions.
- Fail-Safe Mechanisms: Enforce a rule-based “safety layer” that maintains regulatory compliance and reverts to stable flight modes if anomalies are detected.

AIDA : High-Level conceptual Structure

A simplified representation of AIDA could include these components:



1. **AI Interface:** Audio and Textual input interface. Pilots and ATC interaction point.
2. **Local AI :** An integrated AI(LLM) system trained on flight and aviation related data.
3. **Retrieval & Validation:** Guards against hallucinated or out-of-scope LLM suggestions by referencing authoritative flight manuals, regulatory documents, and validated SOPs.
4. **Decision Engine:** Blends rule-based logic with advanced AI (such as reinforcement learning or advanced planning algorithms) to evaluate feasible actions.
5. **Flight Control/Autopilot Interface:** Issues final commands or advisories. A fail-safe mechanism ensures that incorrect or high-risk commands are overridden.

5. Research Methodology

- **System Design**
 - Develop AIDA as a modular framework with well-defined interfaces and sub-systems. Define the hardware and the software layer and any known integrations.
 - Integrate a LLM (fine-tuned on aviation data) and build the domain knowledge base (SOPs, regulations, performance data).
- **Training & Pilot Studies**
 - Use a high-fidelity flight simulator (e.g., X-Plane) for iterative training and testing.
 - Conduct pilot-in-the-loop* experiments to measure workload, trust, and effectiveness of AIDA's decision support.
- **Safety & Reliability Analysis**
 - Implement real-time performance metrics (reaction time, error rates) under normal and emergency scenarios (engine-out, weather diversions).
 - Emergency procedure analysis.
- **Data Analysis & Refinement**
 - Use feedback loops from pilot testing to refine AI prompts, domain knowledge, and decision logic.
 - Iteratively update the system to improve performance, reduce false alarms, and enhance user acceptance

6. Expected Contributions

- **AIDA Framework**
 - An end-to-end architecture that merges LLM-based human–AI collaboration with a robust decision framework for aviation.
- **Technical Methodologies**
 - New strategies for retrieval-augmented **LLM** usage in safety-critical domains.
 - Hybrid AI approaches that combine rule-based safety layers with reinforcement learning or advanced planning methods.
- **Empirical Results**
 - Measurable impacts on **pilot workload** reduction, **decision accuracy**, and **reaction time** in simulated flight tests.

7. References

- [1] S. Huang, R. S. H. Teo, and K. K. Tan, “Collision avoidance of multi unmanned aerial vehicles: A review,” *Annu. Rev. Control*, vol. 48, pp. 147–164, Jan. 2019, doi: 10.1016/j.arcontrol.2019.10.001.
- [2] “Solutions for voice interaction towards natural crew assistant | VOICI Project | Fact Sheet | H2020,” CORDIS | European Commission. Accessed: Oct. 17, 2024. [Online]. Available: <https://cordis.europa.eu/project/id/785401>
- [3] W. Zhou, J. Wang, L. Zhu, Y. Wang, and Y. Ji, “Flight Arrival Scheduling via Large Language Model,” *Aerospace*, vol. 11, no. 10, Art. no. 10, Oct. 2024, doi: 10.3390/aerospace11100813.
- [4] L. Wang, J. Chou, X. Zhou, A. Tien, and D. M. Baumgartner, “AviationGPT: A Large Language Model for the Aviation Domain”.
- [5] R. Mogford, A. Rosiles, D. Wagner, and K. Allendoerfer, “Voice Technology Study Report,” p. 29, Dec. 1997, doi: https://hf.tc.faa.gov/publications/1997-voice-technology-study-report/full_text.pdf.
- [6] S. Badrinath and H. Balakrishnan, “Automatic Speech Recognition for Air Traffic Control Communications,” *Transp. Res. Rec. J. Transp. Res. Board*, vol. 2676, no. 1, pp. 798–810, Jan. 2022, doi: 10.1177/03611981211036359.
- [7] H. Kopad, “Automatic Speech Recognition and Understanding of ATC Voice Communications,” presented at the ATIEC 2021, ATIEC 2021, Sep. 16, 2021. [Online]. Available: https://www.faa.gov/air_traffic/flight_info/aeronav/atiec/media/Presentations/2021/ATIEC_2021_ATC_Speech_Rec-MITRE-2021-09-16.pdf
- [8] “TLX(Task Load Index) @ NASA Ames - Home.” Accessed: Jan. 14, 2025. [Online]. Available: <https://humansystems.arc.nasa.gov/groups/tlx/>