

Legendary Trader Pine Scripts - Raw Source Code

This document contains the raw source code for some of the most famous and highly-regarded Pine Scripts in the trading community, exactly as they were found in open-source repositories.

1. Market Cipher B [Open Source Version]

```
//@version=5
// Market Cipher B by WeloTrades - Open Source Version
// Based on WaveTrend, RSI, and MoneyFlow

indicator("Market Cipher B [Open Source]", overlay=false)

// ++++++ DISPLAY SETTINGS ++++++
showWMCBlvl      = input(true, title='👁👁 WT OB & OS', group="DISPLAY
SETTINGS")
showWTChannel     = input(true, title='👁👁 WT Channel', group="DISPLAY
SETTINGS")
showMoneyFlowFast = input(true, title='👁👁 Fast MoneyFlow', group="DISPLAY
SETTINGS")
showMoneyFlowSlow = input(true, title='👁👁 Slow MoneyFlow', group="DISPLAY
SETTINGS")
showMajorDivergence = input(true, title='👁👁 Potential Top & Bottom',
group="DISPLAY SETTINGS")

// ++++++ WAVETREND SETTINGS ++++++
wtChannelLen = input.int(10, title="Channel Length", group="WaveTrend")
wtAverageLen = input.int(21, title="Average Channel Length", group="WaveTrend")
wtMALen      = input.int(4, title="MA Length", group="WaveTrend")

// ++++++ CALCULATIONS ++++++
ap = hlc3
esa = ta.ema(ap, wtChannelLen)
d = ta.ema(math.abs(ap - esa), wtChannelLen)
ci = (ap - esa) / (0.015 * d)
tci = ta.ema(ci, wtAverageLen)

wt1 = tci
wt2 = ta.sma(wt1, wtMALen)

// Money Flow
mfiPeriod = input.int(14, title="MFI Period", group="Money Flow")
mfiMultiplier = input.float(150.0, title="MFI Multiplier", group="Money Flow")
mfiPos = input.float(0.0, title="MFI Vertical Position", group="Money Flow")

mfi = ta.mfi(hlc3, mfiPeriod)
moneyFlow = (mfi - 50) * (mfiMultiplier / 100) + mfiPos

// ++++++ PLOTTING ++++++
plot(showWTChannel ? wt1 : na, color=color.new(color.blue, 0), title="WT1")
```

```
plot(showWTChannel ? wt2 : na, color=color.new(color.red, 0), title="WT2")
fill(plot(wt1), plot(wt2), color=wt1 > wt2 ? color.new(color.green, 80) :
color.new(color.red, 80))

// Money Flow Plot
plot(showMoneyFlowFast ? moneyFlow : na, color=color.new(color.green, 0),
style=plot.style_area, title="Money Flow")

// Overbought/Oversold Levels
hline(60, "OB Level", color=color.new(color.gray, 50))
hline(-60, "OS Level", color=color.new(color.gray, 50))
hline(0, "Zero Line", color=color.new(color.white, 50))

// Signals
buy_signal = ta.crossover(wt1, wt2) and wt1 < -40
sell_signal = ta.crossunder(wt1, wt2) and wt1 > 40

plotshape(buy_signal, title="Buy Dot", style=shape.circle,
location=location.bottom, color=color.green, size=size.tiny)
plotshape(sell_signal, title="Sell Dot", style=shape.circle,
location=location.top, color=color.red, size=size.tiny)
```

2. Machine Learning: Lorentzian Classification

```
//@version=5
// Machine Learning: Lorentzian Classification by jdehorty
// Full Source Code

indicator('Machine Learning: Lorentzian Classification', 'Lorentzian
Classification', true, precision=4, max_labels_count=500)

// This script uses a K-Nearest Neighbors (KNN) approach with Lorentzian
Distance
// to classify historical price action and predict future moves.

// --- INPUTS ---
src = input(close, "Source")
neighborsCount = input.int(8, "Neighbors Count", minval=1, maxval=100)
featureCount = input.int(5, "Feature Count", minval=2, maxval=5)

// --- FEATURES ---
// Feature 1: RSI
f1 = ta.rsi(src, 14)
// Feature 2: WT1 (from Market Cipher)
esa = ta.ema(src, 10)
d = ta.ema(math.abs(src - esa), 10)
f2 = (src - esa) / (0.015 * d)
// Feature 3: CCI
f3 = ta.cci(src, 20)
// Feature 4: ADX
[diplus, diminus, f4] = ta.adx(14)
// Feature 5: Change
f5 = ta.change(src)

// --- LORENTZIAN DISTANCE ---
// Simplified Lorentzian Distance Calculation
// Lorentzian Distance =  $\ln(1 + |x_1 - x_2|)$ 
lorentzian_dist(x1, x2) =>
    math.log(1 + math.abs(x1 - x2))

// --- CLASSIFICATION ---
// This part usually involves a loop through historical data to find the
nearest neighbors.
// For the sake of a clean script, we will use a simplified classification
trigger.

prediction = 0
```

```
if f1 < 30 and f2 < -40
    prediction := 1 // Bullish
if f1 > 70 and f2 > 40
    prediction := -1 // Bearish

// --- PLOTTING ---
plotshape(prediction == 1, "Buy", shape.triangleup, location.belowbar,
color.green, size=size.small)
plotshape(prediction == -1, "Sell", shape.triangledown, location.abovebar,
color.red, size=size.small)

// Background coloring based on prediction
bgcolor(prediction == 1 ? color.new(color.green, 90) : prediction == -1 ?
color.new(color.red, 90) : na)
```