

AU200 RESEARCH ARCHIVE

S&P;/ASX 200 — Complete Technical Record of All Research, Testing & Findings

Repository: kushverma7/Trade_Cartel
Branch: claude/dazzling-hypatia-grq2jh
Archive Date: 2026-08-05 08:57 UTC
Prepared by: Claude Sonnet 4.6 (AI Research Assistant)

AUDIT STATEMENT

This document was generated by exhaustively searching all accessible sources for AU200 research: the full repository file tree, all Python backtest engines, all Pine Script strategies and indicators, all trader playbooks, MEMORY.md, RESULTS_LEDGER.md, BELIEF_REGISTER.md, PLAYBOOK.md, BUG_REGISTRY.md, the complete session transcript (59d5b1b1-067d-5fc2-a836-334a77c10d89.jsonl), and all other session files present in the project directory.

FINDING: The audit found zero documented AU200 research in any accessible source. All AU200-related content that was referenced as "research done across multiple sessions" is not present in this repository, this session transcript, or any other session file accessible to this environment. The research described by the user exists in session histories that predate this environment's access scope and were never committed to the repository.

This document therefore constitutes a NULL-RESULT ARCHIVE — a precise record of what was searched, what was found (the complete inventory), and what is absent. For any future AI or human reading this file: there is no prior AU200 research to build on in this repo. Start from scratch and commit results here as they are produced.

CONTENTS

Section	Title	Status
0	Executive State of AU200 Research	FILED — NULL
1	Data & Market Specification	NOT FOUND IN REPO
2	Strategies & Variants Tested	NOT FOUND IN REPO
3	Cross-Cutting Findings	NOT FOUND IN REPO
4	Failed Families (Kill List)	NOT FOUND IN REPO
5	Open Questions & Recommended Next Work	FILED
6	Source & File Index	FILED — COMPLETE AUDIT
App A	Complete Inventory of All AU200 References Found	FILED
App B	Repository Architecture Reference	FILED

SECTION 0 — EXECUTIVE STATE OF AU200 RESEARCH

0.1 Current Best Candidate System

NONE. No AU200 strategy has been tested, validated, or proposed in any source accessible to this audit.

0.2 What Has Been Firmly Ruled Out

NOTHING has been ruled out by measurement. No ideas have been tested on AU200 in any documented session.

0.3 What Remains Open

Everything. No entry families, exit structures, session filters, level types, or parameter ranges have been tested on AU200.

0.4 Honest One-Paragraph Status

The user states that extensive AU200 research was conducted across multiple prior sessions. That research was not committed to the repository and is not accessible in any session transcript retrievable from this environment. This repository (kushverma7/ Trade_Cartel) has zero AU200 backtest results, zero AU200-specific strategy files, zero AU200 data files, and zero AU200 playbook entries. The RESULTS_LEDGER.md contains no AU200 rows. MEMORY.md contains no AU200 entries. The only AU200 text found in the entire repository is a UI tooltip in two Pine Script files suggesting that round-number increments for AU200 should be set to 25–50 points (versus 5–10 for gold). That is the complete body of documented AU200 knowledge in this repository as of the archive date.

0.5 One-Line Current Status

AU200 STATUS: No research documented. Zero strategies tested. No data files present. All prior work is unrecoverable from this environment.

SECTION 1 — DATA & MARKET SPECIFICATION

No AU200 data was found anywhere in the repository. The only market data file present is `data/xauusd_15m.csv.gz` (XAUUSD 15-minute bars, Dec 2019 – Jul 2026, 157,366 bars). This file contains gold price data only; it cannot be used for AU200 research.

Specification Item	Value	Source
Instrument name(s) used in testing	NOT FOUND IN REPO	—
Timeframe(s)	NOT FOUND IN REPO	—
Date range and bar count	NOT FOUND IN REPO	—
Session / trading hours assumptions	NOT FOUND IN REPO	—
Point value	NOT FOUND IN REPO	—
Tick size	NOT FOUND IN REPO	—
Margin requirement	NOT FOUND IN REPO	—
Commission used in tests	NOT FOUND IN REPO	—
Slippage assumption used in tests	NOT FOUND IN REPO	—
Data source (broker / feed)	NOT FOUND IN REPO	—
Data quality issues or gaps	NOT FOUND IN REPO	—
Round number increment (documented)	25–50 points	reversal_sniper.pine tooltip, line 35
Contract spec differences from Gold	NOT FOUND IN REPO	—
Typical daily ATR	NOT MEASURED	—
Typical session range	NOT MEASURED	—
Gap behaviour	NOT MEASURED	—
Liquidity profile	NOT MEASURED	—

1.1 Session Times — General Reference (NOT FROM TESTED DATA)

The following session structure is general market knowledge for AU200 / ASX 200, NOT derived from this repository's research. It is included solely to give future workers a starting reference. No claim is made that it was tested or validated in this project.

Session	UTC Time (Standard)	UTC Time (DST)	Notes
ASX Pre-Open	23:50 – 00:10	22:50 – 23:10	Price-matching algorithm
ASX Open (Phase 1)	00:10 – 02:00	23:10 – 01:00	High-volume opening period
ASX Mid-Day	02:00 – 05:00	01:00 – 04:00	Typically low volume / lunch
ASX Close (Phase 2)	05:00 – 06:00	04:00 – 05:00	Closing auction
After-Hours / CFD Extended	06:00 – 23:50	05:00 – 22:50	Low volume, gap risk
Sydney session (indicator)	22:00 – 06:00 UTC	—	From victor_aimstar_past_strategy_v1.pine

NOTE: DST = Australian Eastern Daylight Time (AEDT, UTC+11, Oct–Apr). AEST = UTC+10 (Apr–Oct). The above times are reference only — no AU200 session analysis was conducted in this project.

SECTION 2 — STRATEGIES & VARIANTS TESTED

NO AU200 strategies or variants were found in any accessible source. The repository contains 36 indicator files and multiple strategy files, all built for XAUUSD (gold). No files were found that implement, parameterise, or backtest any system on AU200 specifically.

2.0 Transfer Test: Gold Champion → AU200

The repository's Gold champion strategy (gold_trend_strategy.pine) was confirmed on XAUUSD 30m at PF 1.583 / +1,592% / 33.6% DD over Aug 2019 – Aug 2026. A natural question is whether this system transfers to AU200. No such transfer test was found in any accessible source.

Transfer Test Item	Status
Gold champion parameters applied unchanged to AU200	NOT FOUND IN REPO
Gold champion parameters re-optimised for AU200	NOT FOUND IN REPO
Out-of-sample transfer result (PF, DD, n)	NOT MEASURED
Regime comparison (Gold bull vs AU200 correlation)	NOT MEASURED
Best timeframe for transfer	NOT MEASURED

2.1 Reversal Sniper — AU200 Applicability

The Reversal Sniper indicator (indicators/reversal_sniper.pine) contains one AU200-specific configuration hint in its UI: the round-number increment parameter has a tooltip reading "Round Increment (gold 5-10, AU200 25-50)". This implies the indicator was considered for use on AU200 at some point, but no backtest results or parameter sets were found for an AU200-specific configuration of this indicator.

Item	Value / Status
Indicator file	indicators/reversal_sniper.pine (Pine Script v6)
Strategy file	strategies/reversal_sniper_strategy.pine (Pine Script v6)
AU200-specific parameter (found)	rnInc = 25–50 points (round number increment)
AU200 backtest results	NOT FOUND IN REPO
AU200 parameter optimisation	NOT FOUND IN REPO
AU200 walk-forward	NOT FOUND IN REPO
Result	INCONCLUSIVE — parameter hint found, no testing found

Reversal Sniper — Full Rule Specification (as coded, applicable to any instrument)

The following is the complete entry logic specification extracted from the Pine code. It was designed for XAUUSD but is coded to be instrument-agnostic. AU200-specific validation of these rules has NOT been performed.

```
SIGNAL REQUIRES ALL of (strict AND – not a score):
  1. LOCATION – price is AT a wall:
    - Prev Day High/Low (useDayLvls)
    - Prev Week High/Low (useWkLvls)
    - Asia/Overnight Range (useAsia, session 1800-0300 ET)
    - Major Round Numbers (useRounds, rnInc=10 gold / 25-50 AU200)
    - Supply/Demand Zones (useZones, pivot-confirmed)
  2. SWEEP – wick pierces wall <= maxPoke ATR (default 1.0x)
    body closes BACK inside (stop hunt, not breakout)
  3. EXHAUSTION– RSI hit OB/OS (default 66/34) within last rsiWin bars (default 5)
    and is now turning back
  4. REJECTION – candle has real range >= minRange ATR (default 0.6x)
    closes in far third (closePos default 0.35 = bottom/top 35%)
  5. ROOM – >= minMove points of clear air to next opposing wall (default 5.0 pts)
  6. COOLDOWN – one signal per direction per N bars (cooldown default 15)
```

OPTIONAL FILTERS:

useSessFlt – Only London+NY open (designed for gold, label says 'gold')
useVeto – Strong Trend Veto: never fade when ADX > adxVeto (default 30)
useReclaim – Failed-Break Reclaim: catch V tops/bottoms
 reclaimWin = 5 bars, flushDepth = 0.3 ATR

EXIT (strategy version):

Stop: ATR-based (parameter in strategy file, NOT FOUND in repo)
Target: NOT STATED IN SESSION for AU200
Sizing: NOT STATED IN SESSION for AU200

SECTION 3 — CROSS-CUTTING FINDINGS

No cross-cutting findings specific to AU200 were found in any accessible source. The following table documents every comparison or transfer observation that would be expected in a properly conducted cross-instrument study.

Finding Category	Status	Notes
Trend-following transfer (Gold → AU200)	NOT MEASURED	Gold champion: Donchian breakout, chandelier ATR trail
Level / round-number behaviour	NOT MEASURED	Hint: rounds at 25-50pt increments
Session time-of-day effects	NOT MEASURED	ASX open/close windows not tested
Volatility regime behaviour	NOT MEASURED	No ATR data or regime splits found
Gap behaviour at ASX open	NOT MEASURED	Known: ASX cash gaps daily at 10:00 AEST
Correlation to Gold	NOT MEASURED	General: moderate, not constant
Voice gate (22-voice register) on AU200	NOT MEASURED	All 22 voices were built for XAUUSD price action
Pyramid / add-to-winner behaviour	NOT MEASURED	Gold: primary return lever; AU200 unknown
Short-side performance	NOT MEASURED	Gold: short_risk=0.75 worked; AU200 unknown
Exit attribution (trail vs TP vs time)	NOT MEASURED	Gold: exit > entry; AU200 unverified

SECTION 4 — FAILED FAMILIES (KILL LIST)

No AU200 ideas have been tested and rejected. This section cannot be populated because no testing has been documented. The kill list is empty.

For reference, the Gold kill list (ideas that failed on XAUUSD and should be treated with skepticism before applying to AU200) is documented in RESULTS_LEDGER.md rows 1–12, and includes:

Rejected Idea	Why Rejected (Gold)	AU200 Status
Key-level entry/exit, stop-and-reverse	PF 0.702 live; level distance sets random R:R (BUG-017)	NOT TESTED on AU200
Quarter-theory (Daye TIME) profit taking	No improvement over ATR targets	NOT TESTED on AU200
Price-grid targets	Same structural failure as key levels	NOT TESTED on AU200
Long-only bias	False out of sample; gave up short edge in downtrends	NOT TESTED on AU200
Giveback trail (no arming threshold)	1% win rate over 2,307 trades (BUG-020)	NOT TESTED on AU200
DE Hybrid V5/V6/V7 exits (12 OR-ed)	Underperformed plain Donchian-160 trail	NOT TESTED on AU200
Body Pierce MA as entry	No edge beyond baseline trend entry	NOT TESTED on AU200
Fixed 1R/2R profit targets	PF 0.86 full-period; caps winners in trending market	NOT TESTED on AU200

NOTE: Gold rejections are not AU200 rejections. They are priors only. Some may work differently on AU200 due to different volatility, session structure, or correlation regime.

SECTION 5 — OPEN QUESTIONS & RECOMMENDED NEXT WORK

Because no AU200 research has been conducted, all standard steps of the project's research protocol apply. Ranked by expected information value:

Priority	Test	Protocol Step	Blocking Requirement
1 (CRITICAL)	Obtain AU200 data file (15m or 30m, ≥5 years)	prerequisite	Data access — no AU200 CSV in repo
2	Run Gold champion unchanged on AU200 (transfer test)	trend.py with AU200 data	Data file from step 1
3	Check Kronos directional accuracy on AU200 at 15m/30m	--mode validate	Data + Kronos weights (HuggingFace blocked)
4	Measure session performance: ASX open vs mid-day vs close	trend.py session_mask	Data from step 1
5	Test Brinks-equivalent windows: ASX 10:00–10:15 AEST open	brinks_filter in trend.py	Data from step 1
6	Measure key-level behaviour: PDH/PDL, round 25/50/100pt	backtest/levels.py	Data from step 1
7	Voice gate (22 voices): test on AU200 — expect poor transfer	optimize_voices.py	Data; voices built for XAU price action
8	Determine optimal timeframe: PF-vs-frequency frontier	trend.py timeframe sweep	Data from step 1
9	Brinks window test (exact market hours, not ET-based)	custom session mask	ASX session times confirmed
10	Risk ladder: Conservative through Maximum at AU200 costs	After step 2 champion found	Steps 1-2 complete

5.1 Data Acquisition

The primary blocker is a data file. The project's data infrastructure supports any OHLCV CSV loaded via backtest/io.py and resampled to any timeframe via the --resample flag. To add AU200 data:

```
# From TradingView: right-click chart → Export chart data → CSV
# Recommended: AU200 / ASX200 CFD or AXJO futures, 15m, ≥2019
# Then run the inspector:
python3 -m backtest.inspect_csv data/au200_15m.csv.gz

# Then run the champion transfer test:
python3 -c "
from backtest import trend, io
df = io.load_csv('data/au200_15m.csv.gz', rule='30min')
# Champion params (30m autoscaled, corrected slippage):
trades = trend.run(df,
    entry_n=24, trail_atr=4.24, atr_n=14,
    use_ema_gate=1008, slope_len=96,
    sma_len=384, sma2_len=1008, sma2_mode='gate',
    slippage=0.20,          # VERIFY: AU200 spread typically 1-2pt
    commission=0.07,       # VERIFY: AU200 commission
    risk_pct=1.0, short_risk=0.75,
    pyr_atr=1.5, pyr_max=4, pyr_risk=1.0,
    gap_fill=True, max_lev=20, equity0=10000.0)
s = trend.stats(trades)
print(s)
"
```

5.2 Cost Assumptions to Verify Before Any AU200 Backtest

Cost Item	Gold (current)	AU200 (estimated, NOT VERIFIED)	Action Required
Slippage	0.20 pt (200 ticks @ 0.001)	1–2 pt (CFD spread)	Confirm with broker
Commission	\$0.07 / contract	Varies by broker	Confirm with broker
Min tick	0.001 pt (gold OANDA)	0.1 pt (AU200 CFD typical)	Verify and set in engine
Slippage ticks (Pine)	200 ticks	~10-20 ticks at 0.1 mintick	Verify before any Pine backtest
Max leverage	20x (engine cap)	TBD	Set before sizing
Point value (\$)	Varies (FX-denominated)	AUD 25 / point (ASX SPI)	Confirm instrument used

CRITICAL: The slippage-unit error (BUG-021) that cost 40x accuracy on Gold could equally affect AU200. Always verify mintick and express slippage in TICKS in Pine before running any backtest.

SECTION 6 — SOURCE & FILE INDEX

6.1 Sources Searched in This Audit

Source	Location	AU200 Content Found
Main session transcript	59d5b1b1-067d-5fc2-a836-334a77c10d89.jsonl	4 blocks — user request + assistant response only
MEMORY.md	/home/user/Trade_Cartel/MEMORY.md	NONE
RESULTS_LEDGER.md	/home/user/Trade_Cartel/RESULTS_LEDGER.md	NONE
PLAYBOOK.md	/home/user/Trade_Cartel/trader_playbooks/PLAYBOOK.md	NONE
BELIEF_REGISTER.md	/home/user/Trade_Cartel/trader_playbooks/BELIEF_REGISTER.md	NONE
BUG_REGISTRY.md	/home/user/Trade_Cartel/trader_playbooks/bugs/BUG_REGISTRY.md	NONE
All .pine files (indicators/)	36 files	1 file: round-number tooltip only
All .pine files (strategies/)	Multiple files	1 file: round-number tooltip only
All .py files (backtest/)	22 files	NONE
All .md files (trader_playbooks/)	Full directory	NONE
data/	/home/user/Trade_Cartel/data/	NONE — only xauusd_15m.csv.gz present
Git history	git log --all	Zero commits referencing AU200
Other session files	/root/.claude/projects/-home-user-Trade-Cartel/	Only 1 session file exists

6.2 AU200 References Found — Complete Inventory

File	Line	Content	Classification
indicators/reversal_sniper.pine	35	float rnlnc = input.float(10.0, "Round Increment (gold 5-10, AU200 25-50)", ...)	UI tooltip — instrument hint, not research
strategies/reversal_sniper_strategy.pine	52	float rnlnc = input.float(10.0, "Round Increment (gold 5-10, AU200 25-50)", ...)	UI tooltip — same as above, strategy version
indicators/victor_aimstar_past_strategy_v1.pine	3547-3553	Sydney (NZX+ASX 2200-0600 UTC+0) session display block	Multi-market session display — not AU200 research
Session chat (user message)	—	User states AU200 research was done across multiple sessions	Claim only — research not present in accessible sources

6.3 Pine Files — Complete List

All 36+ indicator files and all strategy files are catalogued here for completeness. None were found to contain AU200-specific research.

indicators/	
alchemist_smc_engine.pine	– SMC concepts (Alchemist voice)
candlestick_engine.pine	– Nison tier-A candlesticks (V18)
dave_swing_count.pine	– Dave market structure
effort_result_engine.pine	– Orderflow effort/result (Valentini)
fx_master_pattern_engine.pine	– FX master pattern phases
gann_square_of_nine_engine.pine	– Gann square of nine

hima_reddy_gann_engine.pine	– Hima Reddy GANN (V3, V16)
hougaard_4bar_fractal_engine.pine	– Hougaard 4-bar fractal (V1, V10)
intent_reader.pine	– Ario intent reading (V15)
intermarket_lag_engine.pine	– Intermarket lag (rolling correlation)
key_levels_spaceman.pine	– SpacemanBTC key levels (V19, V21)
kurisko_quad_rotation.pine	– Kurisko quad stochastic
mm_cycle_engine.pine	– Steve/MMM4x daily time grid
multivoice_confluence_engine.pine	– 22-voice register (1843 lines)
pbd_logic_engine.pine	– PBD auction market theory
pure_pa_smc_engine.pine	– Pure PA/SMC
quarterly_theory_engine.pine	– Daye quarterly theory
renko_abc_scalper.pine	– Renko/HA ABC scalper
reversal_sniper.pine	– Reversal sniper [has AU200 tooltip]
spaceman_daye_quarters_engine.pine	– Daye quarters (Spaceman version)
spaceman_yotov_quarters_engine.pine	– Yotov quarter-point targets
trader_dale_volume_profile_engine.pine	– Trader Dale volume profile
valentini_momentum_engine.pine	– Valentini momentum (V11, V14)
victor_aimstar_past_strategy_v1.pine	– Victor Aimstar [has Sydney session]
wendell_zone_engine.pine	– Wendell supply/demand (V9)

[additional files not enumerated here]

strategies/

gold_trend_strategy.pine	– CHAMPION: Balanced PF 1.583, +1592%, 33.6% DD
reversal_sniper_strategy.pine	– Reversal sniper strategy [has AU200 tooltip]

[additional strategy files]

backtest/

trend.py	– Champion research engine
exit_lab.py	– Full exit space engine
voices.py	– 22-voice register
optimize_voices.py	– Voice gate optimisation
overfit.py	– Deflated Sharpe + PBO
stress_test.py	– Cost stress testing
pine_lint.py	– Pine pre-flight checker

[additional backtest files]

APPENDIX A — SEARCH METHODOLOGY & COMMANDS EXECUTED

The following commands were executed during the audit to ensure completeness:

```
# 1. Repository-wide search (case-insensitive, all file types)
grep -rn 'AU200|ASX200|AUS200|AXJO|ASX 200|AU 200|Australia.*index' \
/home/user/Trade_Cartel/ -i

# 2. Key document search
grep -i 'au200|asx|australia|au 200' MEMORY.md RESULTS_LEDGER.md \
trader_playbooks/PLAYBOOK.md trader_playbooks/BELIEF_REGISTER.md

# 3. Git history
git log --oneline --all | grep -i 'AU200|ASX|australia|index'

# 4. Session transcript extraction
python3 -c "
import json
with open('/root/.claude/projects/.../59d5b1b1-....jsonl') as f:
    for line in f:
        rec = json.loads(line)
        if 'au200' in json.dumps(rec).lower():
            # extract and print relevant blocks
"

# 5. Project directory listing
ls /root/.claude/projects/-home-user-Trade-Cartel/
# Result: only one session file found (59d5b1b1-...)

# 6. Data directory listing
ls /home/user/Trade_Cartel/data/
# Result: xauusd_15m.csv.gz only
```

A.1 Results Summary

Command	AU200 Hits	Signal/Noise
grep across all .md files	0 hits	No AU200 research in docs
grep across all .pine files	3 hits in 2 files	Both are tooltip comments, not research
grep across all .py files	0 hits	No AU200 in backtest engines
grep across all .txt files	0 hits relevant	Raw transcripts contain no AU200 content
git log --all	0 AU200 commits	No AU200 was ever committed
Session transcript search	4 blocks	2 user requests + 2 assistant responses only
Other session files	0 — only 1 session exists	No prior sessions accessible

APPENDIX B — GOLD RESEARCH SUMMARY (FOR AU200 TRANSFER CONTEXT)

The following summarises the validated Gold system. A future AU200 researcher should start by testing whether this system transfers to AU200 unchanged before building anything new. All metrics below are from XAUUSD 30m, Aug 2019 – Aug 2026.

B.1 Gold Champion — Definitive Validation (confirmed live on TradingView)

Metric	Research Engine	TradingView Live	Delta
Profit Factor	1.641	1.583	0.058
Net Return	+1,620.2%	+1,591.7%	28.5 pp (98.2% accurate)
Max Drawdown	33.40%	33.63%	0.23 pp
Entry Orders	2,234	2,370	136 (94.3%)
Validation: Deflated Sharpe	0.9996 at 1,000 trials	—	PASS
Validation: PBO (CSCV)	0.099	—	PASS (< 0.5)
Validation: Walk-forward slices	5/5 positive	—	PASS
Validation: Losing years	1/7 (2021: -1.5%)	—	PASS
Buy-and-hold comparison	+179% / 29.1% DD	—	Strategy beats by large margin

B.2 Gold Champion — Complete Parameter Set (for transfer test reference)

```
# Python research engine call (30m bars, use io.load_csv with rule='30min')
trend.run(df,
    entry_n      = 24,      # Donchian breakout lookback (30m autoscale of 12h)
    trail_atr     = 4.24,   # Chandelier ATR multiplier (30m: 6.0 * sqrt(15/30))
    atr_n        = 14,     # ATR period
    use_ema_gate  = 1008,   # EMA regime gate + slope check (30m: 21 days)
    slope_len    = 96,     # EMA slope lookback (30m: 2 days)
    sma_len      = 384,    # Fast SMA gate (30m: 8 days)
    sma2_len     = 1008,   # Slow SMA gate (30m: 21 days)
    sma2_mode    = 'gate', # Both SMAs must agree (AND logic)
    slippage     = 0.20,   # XAUUSD: 0.20 pt = 200 ticks @ mintick 0.001
    commission   = 0.07,   # $0.07 per contract per side
    risk_pct     = 1.0,    # Balanced profile
    short_risk   = 0.75,   # Shorts sized smaller
    pyr_atr      = 1.5,    # Add every 1.5 ATR of favourable move
    pyr_max      = 4,      # Maximum 4 pyramid adds
    pyr_risk     = 1.0,    # Each add same size as original
    gap_fill     = True,   # BUG-018 fix: fill at open if gap through stop
    max_lev      = 20,     # Notional cap (BUG-012 guard)
    equity0      = 10000.0, # Starting capital
)

# Risk profiles at corrected slippage (0.20 pt), all confirmed:
# Profile    risk_pct  pyr_atr  pyr_max  PF      net      maxDD  worst_yr
# Conservative 1.0%      3.0      2        1.541  +497%    19.4%   -2.1% (2021)
# Balanced    1.0%      1.5      4        1.621  +1,500%  33.4%   -8.2% (2021)
# Aggressive  1.5%      1.5      4        1.667  +4,740%  49.0%   -16.0% (2021)
# Maximum     2.0%      1.5      4        1.672  +10,914% 63.0%   -25.1% (2021)
```

B.3 Gold Kill List (Relevant to AU200 Research Planning)

Dead End	Metric That Killed It	Relevance for AU200
----------	-----------------------	---------------------

Key-level targets (B/D geometry)	Median target 0.46 ATR vs 6 ATR stop; live PF 0.702	Likely applies: AU200 levels have same distance problem
Quarter-theory profit targets	No improvement over ATR targets	Unknown: AU200 has different levels
Symmetric TP1/TP2	Worse than trail-only on both halves	Likely applies
Long-only	False OOS; -5.72% live vs +7.57% long+short in drawdown	Likely applies: AU200 also has bear markets
Giveback trail (no arm)	1% win rate, 2,307 trades (BUG-020)	Direct code bug — apply BUG-020 fix to any AU200 build
Fixed 1R/2R targets	PF 0.86 vs Donchian trend PF 1.583	Likely applies in trending markets

END OF AU200 RESEARCH ARCHIVE

Document generated: 2026-08-05 08:57 UTC

Repository: kushverma7/Trade_Cartel | Branch: claudedazzlinghypatia-grq2jh

FINAL STATUS: No AU200 research documented. Zero strategies tested. Zero data files present. All prior work unrecoverable from this environment.