
Name:- Nikhil kushwaha


Topic:- Task_3 (SQL for Data Analysis)





Query 1



Query 2









Query 3






Query 4



Query 5



Query 6

```
SELECT SUM(quantity) AS total_quantity_sold FROM orders;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

total_quantity_sold
9

Result Grid | Form Editor | Field Types

Query 7

```
SELECT c.name, c.city, o.order_id, o.order_date
FROM
INNER JOIN orders o ON c.customer_id = o.customer_id;
```

Execute the selected portion of the script or everything, if there is no selection

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	city	order_id	order_date
Rahul	Lucknow	1	2026-10-01
Rahul	Lucknow	3	2026-10-05
Priya	Delhi	2	2026-10-03
Priya	Delhi	6	2026-10-12
Amit	Mumbai	4	2026-10-07
Sneha	Lucknow	5	2026-10-09

Result Grid | Form Editor | Field Types

Query 8

```
Limit to 1000 rows
1  SELECT c.name, o.order_id, o.order_date
2  FROM customers c
3  LEFT JOIN orders o ON c.customer_id = o.customer_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	order_id	order_date
Rahul	1	2026-10-01
Rahul	3	2026-10-05
Priya	2	2026-10-03
Priya	6	2026-10-12
Amit	4	2026-10-07
Sneha	5	2026-10-09
Karan	NULL	NULL

Result Grid | Form Editor | Field Types

Query 9

```
Limit to 1000 rows
1  SELECT p.product_name, o.order_id, o.quantity
2  FROM orders o
3  RIGHT JOIN products p ON o.product_id = p.product_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

product_name	order_id	quantity
Laptop	1	1
Headphones	3	1
Headphones	6	3
T-Shirt	2	2
Shoes	4	1
Mixer	5	1

Result Grid | Form Editor | Field Types

Query 10

```
1  SELECT c.name, p.product_name, o.quantity, (p.price * o.quantity
2  FROM orders o
3  JOIN customers c ON o.customer_id = c.customer_id
4  JOIN products p ON o.product_id = p.product_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	product_name	quantity	total_amount
Rahul	Laptop	1	55000.00
Rahul	Headphones	1	2000.00
Priya	T-Shirt	2	1600.00
Priya	Headphones	3	6000.00
Amit	Shoes	1	3000.00
Sneha	Mixer	1	2500.00

Result Grid | Form Editor | Field Types

Query 11

```
1  SELECT product_name, price
2  Open a script file in this editor
3  WHERE price > (SELECT AVG(price) FROM products);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

product_name	price
Laptop	55000.00

Result Grid | Form Editor | Field Types

Query 12

```sql
SELECT name, city
FROM customers
WHERE customer_id IN (SELECT customer_id FROM orders);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	city
Rahul	Lucknow
Priya	Delhi
Amit	Mumbai
Sneha	Lucknow

Result Grid | Form Editor | Field Types

Query 13

```sql
CREATE VIEW customer_order_summary AS
SELECT c.name, p.product_name, o.quantity, (p.price * o.quantity
FROM orders o
JOIN customers c ON o.customer_id = c.customer_id
JOIN products p ON o.product_id = p.product_id;
```

Query 14

```sql
SELECT * FROM customer_order_summary;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	product_name	quantity	total_amount
Rahul	Laptop	1	55000.00
Rahul	Headphones	1	2000.00
Priya	T-Shirt	2	1600.00
Priya	Headphones	3	6000.00
Amit	Shoes	1	3000.00
Sneha	Mixer	1	2500.00

Result Grid | Form Editor | Field Types

14 Query Result

Limit to 1000 rows

```sql
SELECT name, SUM(total_amount) AS total_spent
FROM customer_order_summary
GROUP BY name
ORDER BY total_spent DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	total_spent
Rahul	57000.00
Priya	7600.00
Amit	3000.00
Sneha	2500.00

Result Grid | Form Editor | Field Types

Query 15

```
CREATE INDEX idx_orders_customer ON orders(customer_id);
```

Query 16


```
SHOW INDEX FROM orders;
```

16 Query Result

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Table	Non_unique	Key_name	Seq_in_index	Column_name	Colla
orders	0	PRIMARY	1	order_id	A
orders	1	product_id	1	product_id	A
orders	1	idx_orders_customer	1	customer_id	A

Result Grid | Form Editor | Field Types


Limit to 1000 rows
1 EXPLAIN SELECT * FROM orders WHERE customer_id = 1;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
id
select_type
table
partitions
type
possible_keys
key
1
SIMPLE
orders
NULL
ref
idx_orders_customer
idx_orders
Result Grid
Form Editor
Field Types

Query 17