

```
<html>
<head>
<title>Ordered Lists</title>
</head>
<body>
<p>To shampoo, follow these steps:</p>
<ol type="a" start="3">
<li>Apply to wet hair</li>
<li value="e">Massage gently into hair and scalp</li>
<li>Rinse thoroughly</li>
</ol>
<p>Then, to condition proceed by:</p>
<ol start=7>
<li>Wringing excess water from hair</li>
<li>Apply conditioner and massage gently into hair from
roots to ends</li>
<li>Rinse thoroughly with warm water</li>
</ol>

</body>
</html>
```

```
<html>
<head>
<title>Nested Lists</title>
</head>
<body>
<ol type=I>
<li>Main Idea</li>
<ul>
<li>Subordinate Idea</li>
<ul type=square>
<li>Supporting Detail</li>
<ul type=disc>
<li>Example</li>
<li>Example</li>
</ul>
<li>Supporting Detail</li>
</ul>
</ul>
</ol>
<ul>
<li>Type defaults to disc</li>
<ol>
<li>First nest defaults to circle</li>
<ol>
<li>Third nest defaults to square...</li>
<ol>
<li>and continues as square until you
set a
<tt>type</tt> attribute</li>
</ol>
</ol>
</ol>
</ul>
</body>
</html>
```

```
<html>
<head><title>Definition Lists</title></head>
<body>
<h1>Lists in HTML</h1>
<dl>
<dt>The Ordered List</dt>
<dd>Created using the OL element. This list should
contain information where order should be
emphasized.</dd>
<dt>The Unordered List</dt>
<dd>Created using the UL element. This list should be
used to express a series of significant points
</dd>
<dt>The Definition List</dt>
<dd>Create using the DL element. This list should be
used to define a list of terms.</dd>
...
</dl>
</body>
</html>
```

```
<html>
<body>
<table align=center border="0"
bgcolor="yellow" bordercolor="red"
width="50%" cellspacing="20" cellpadding="20">
  <tr bgcolor="#aabbcc">
    <th>ISBN</th>
    <th>Title</th>
    <th>Price</th>
  </tr>
  <tr>
    <td>3476896</td>
    <td>My first HTML</td>
    <td bgcolor="aqua">$53</td>
  </tr>
  <tr>
    <td>5869207</td>
    <td>My first CSS</td>
    <td >$49</td>
  </tr>
  <tr>
    <td>58692123</th>
    <td align="center">My first JS</th>
    <td>$60</td>
  </tr>
<caption>Monthly savings</caption>
</table>

</body>
</html>
```

```
<html>
<body>
<p>Table without cellpadding:</p>
<table align=left border="2">
  <tr>
    <th>Month</th>
    <th>Savings</th>
  </tr>
  <tr>
    <td>January</td>
    <td>$100</td>
  </tr>
</table>
```

```
<p align=center>Table with cellpadding:</p>
<table align=center border="5" cellpadding="10">
  <tr>
    <th>Month</th>
    <th>Savings</th>
  </tr>
  <tr>
    <td>January</td>
    <td>$100</td>
  </tr>
</table>
```

```
<p align=right>Table without cellspacing:</p>
<table align=right border="2">
  <tr>
    <th>Month</th>
    <th>Savings</th>
  </tr>
  <tr>
    <td>January</td>
    <td>$100</td>
  </tr>
</table>
```

```
<p>Table with cellspacing:</p>
<table border="10" cellspacing="10">
  <tr>
    <th>Month</th>
    <th>Savings</th>
  </tr>
  <tr>
    <td>January</td>
    <td>$100</td>
  </tr>
</table>
</body>
</html>
```

```

<html>
<body>
<table align=center border="1" bgcolor="yellow" bordercolor="red" width=25%>
<caption>Monthly savings</caption>
  <tr bgcolor="green">
    <th>Front page</th>
    <th>ISBN</th>
    <th>Title</th>
    <th>Price</th>
    <th>link</th>
  </tr>
  <tr>
    <td ></td>
    <td bgcolor="blue">3476896</td>
    <td>HTML in 10 Simple Steps or Less</td>
    <td>$53</td>
    <td><a href="https://www.vit.ac.in">vit link</td>
  </tr>
  <tr>
    <td></td>
    <td>5869207</td>
    <td>Programming Active Server Pages</td>
    <td>$49</td>
    <td><a href="https://www.vit.ac.in">vit link</td>
  </tr>
</table>

</body>
</html>

```

```
<html>
<body>
<table border="1">
  <tr>
    <th>Month</th>
    <th>Savings</th>
    <th>Savings for holiday!</th>
  </tr>
  <tr>
    <td>January</td>
    <td>$100</td>
    <td rowspan="2">$50</td>
  </tr>
  <tr>
    <td>February</td>
    <td>$80</td>
  </tr>
  <tr>
    <td colspan="3">Sum: $180</td>
  </tr>
</table>

</body>
</html>
```

```
<html>
<head>
<style type="text/css">
thead {color:green;}
tbody {color:blue;}
tfoot {color:red;}
</style>
</head>
<body>
```

```
<table border="1">
  <thead>
    <tr>
      <th>Month</th>
      <th>Savings</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td>Sum</td>
      <td>$180</td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <td>January</td>
      <td>$100</td>
    </tr>
    <tr>
      <td>February</td>
      <td>$80</td>
    </tr>
  </tbody>
</table>
```

<p>Tip: The `thead`, `tbody`, and `tfoot` elements will not affect the layout of the table by default. However, you can use CSS to style these elements.</p>

```
</body>
</html>
```



```
<html>
<body>

<table border="1">
  <colgroup>
    <col span="2" style="background-color:red">
    <col style="background-color:yellow">
  </colgroup>
  <tr>
    <th>ISBN</th>
    <th>Title</th>
    <th>Price</th>
  </tr>
  <tr>
    <td>3476896</td>
    <td>My first HTML</td>
    <td>$53</td>
  </tr>
  <tr>
    <td>5869207</td>
    <td>My first CSS</td>
    <td>$49</td>
  </tr>
</table>

</body>
</html>
```