


SECOND FLOOR FRAMING PLAN
T.O.STEEL ELEVATION: (12'-13 1/4") (U.N.O)
THUS(+/-) INDICATES T.O.STEEL
ELEVATION FROM THE REFERENCED EL: (12'-13 1/4")



NOTES

- ALL UNSIZED BEAMS SHALL BE W12x16
- REFER TO E02 FOR THIRD FLOOR FRAMING PLAN E03 FOR ROOF FRAMING PLAN E04 FOR PENTHOUSE ROOF FRAMING PLAN AND E05&E06 FOR ROOF SCREEN DETAIL
- REFER TO E07 THRU E10 FOR TYPICAL SECTIONS AND DETAILS.
- REFER TO E11 FOR CURTAIN WALL SUPPORT FRAME ELEVATION DETAIL
- REFER TO E12 FOR ELEVATOR AREA PLAN AND SECTION DETAILS



LEGENDS

- INDICATES SPAN DIRECTION OF FLOOR DECK
- INDICATES BEAM BOTTOM FLANGE BRACING, DOUBLE ARROW INDICATES BOTTOM FLANGE CONNECTION SEE DETAIL (2/E09)
- INDICATES FULL HEIGHT STIFFENER CONNECTION SEE DETAIL (1B/E07)
- INDICATES DRAG COLLECTOR BEAM CONNECTION AT COLUMN SEE DETAIL (5B/E07)
- INDICATES BEAM TO COLUMN MOMENT CONNECTION SEE DETAIL (3A/E07) (UNLESS NOTED FRAME)
- INDICATES BEAM TO BEAM MOMENT CONNECTION SEE DETAIL (3B/E07)
- INDICATES MOMENT RESISTING FRAMES, SEE DETAIL (6/E07)
- INDICATES HSS BEAM TO COLUMN CONNECTION SEE DETAIL (2/E08)
- C=X" - INDICATES THE AMOUNT OF UPWARD CAMBER AT BEAM MID-SPAN
- [XX] - INDICATES NUMBER OF HEADED STUDS ON THE BEAM, (SEE DETAIL 1/E13 FOR STUD WELDS)

HOLES: XX Dia. U.N.O.		ISSUED TO SHOP
PAINT: NO PAINT U.N.O.		
05-20-20		FOR FABRICATION
04-12-20		FOR APPROVAL ONLY NOT FOR FAB.
DATE:	REV.	
DRAWN BY: BRC	PROJECT NAME: PORT OF LONG BEACH	JOB NO. ~
DATE: 04-16-20	ARCH: FBY	SHEET NO. E01
CHECKED BY: MC	ENG: D.B.E	REV.
DATE: 04-28-20	DESCRPTION: 2ND FLOOR FRAMING PLAN	