

AZ-304.exam questions

AZ-304

Microsoft Azure Architect Design

Version 20.0

Determine Workload Requirements

Testlet 1

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Contoso, Ltd. is a US-based financial services company that has a main office in New York and a branch office in San Francisco.

Existing Environment

Payment Processing System

Contoso hosts a business-critical payment processing system in its New York data center. The system has three tiers: a front-end web app, a middle-tier web API, and a back-end data store implemented as a Microsoft SQL Server 2014 database. All servers run Windows Server 2012 R2.

The front-end and middle-tier components are hosted by using Microsoft Internet Information Services (IIS). The application code is written in C# and ASP.NET. The middle-tier API uses the Entity Framework to communicate to the SQL Server database. Maintenance of the database is performed by using SQL Server Agent jobs.

The database is currently 2 TB and is not expected to grow beyond 3 TB.

The payment processing system has the following compliance-related requirements:

- Encrypt data in transit and at rest. Only the front-end and middle-tier components must be able to access the encryption keys that protect the data store.
- Keep backups of the data in two separate physical locations that are at least 200 miles apart and can be restored for up to seven years.
- Support blocking inbound and outbound traffic based on the source IP address, the destination IP address, and the port number.
- Collect Windows security logs from all the middle-tier servers and retain the logs for a period of seven years.
- Inspect inbound and outbound traffic from the front-end tier by using highly available network appliances.
- Only allow all access to all the tiers from the internal network of Contoso.

Tape backups are configured by using an on-premises deployment of Microsoft System Center Data Protection Manager (DPM), and then shipped offsite for long term storage.

Historical Transaction Query System

Contoso recently migrated a business-critical workload to Azure. The workload contains a .NET web service for querying the historical transaction data residing in Azure Table Storage. The .NET web service is accessible from a client app that was developed in-house and runs on the client computers in the New York office. The data in the table storage is 50 GB and is not expected to increase.

Current Issues

The Contoso IT team discovers poor performance of the historical transaction query system, at the queries frequently cause table scans.

Requirements

Planned Changes

Contoso plans to implement the following changes:

- Migrate the payment processing system to Azure.
- Migrate the historical transaction data to Azure Cosmos DB to address the performance issues.

Migration Requirements

Contoso identifies the following general migration requirements:

- Infrastructure services must remain available if a region or a data center fails. Failover must occur without any administrative intervention.
- Whenever possible, Azure managed services must be used to minimize management overhead.
- Whenever possible, costs must be minimized.

Contoso identifies the following requirements for the payment processing system:

- If a data center fails, ensure that the payment processing system remains available without any administrative intervention. The middle-tier and the web front end must continue to operate without any additional configurations.
- Ensure that the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.
- Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability.
- Minimize the effort required to modify the middle-tier API and the back-end tier of the payment processing system.
- Payment processing system must be able to use grouping and joining tables on encrypted columns.
- Generate alerts when unauthorized login attempts occur on the middle-tier virtual machines.
- Ensure that the payment processing system preserves its current compliance status.
- Host the middle tier of the payment processing system on a virtual machine.

Contoso identifies the following requirements for the historical transaction query system:

- Minimize the use of on-premises infrastructure services.
- Minimize the effort required to modify the .NET web service querying Azure Cosmos DB.
- Minimize the frequency of table scans.
- If a region fails, ensure that the historical transaction query system remains available without any administrative intervention.


Information Security Requirements

The IT security team wants to ensure that identity management is performed by using Active Directory. Password hashes must be stored on-premises only.

Access to all business-critical systems must rely on Active Directory credentials. Any suspicious authentication attempts must trigger a multi-factor authentication prompt automatically. Legitimate users must be able to authenticate successfully by using multi-factor authentication.

QUESTION 1

You need to recommend a solution for the collection of security logs for the middle tier of the payment



processing system.

What should you include in the recommendation?

- A. Azure Event Hubs
- B. Azure Notification Hubs
- C. the Azure Diagnostics agent
- D. the Microsoft Monitoring agent

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Scenario: Collect Windows security logs from all the middle-tier servers and retain the logs for a period of seven years.

The Azure Diagnostics agent should be used when you want to archive logs and metrics to Azure storage.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agents-overview>

Determine Workload Requirements

Question Set 2

QUESTION 1

HOTSPOT

You deploy several Azure SQL Database instances.

You plan to configure the Diagnostics settings on the databases as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

The amount of time that SQLInsights data will be stored in blob storage is [answer choice].

	▼
30 days	
90 days	
730 days	
indefinite	

The maximum amount of time that SQLInsights data can be stored in Azure Log Analytics is [answer choice].

	▼
30 days	
90 days	
730 days	
indefinite	

Correct Answer:

- 90 days
- 730 days

Section: (none)

Explanation

Explanation/Reference:

Explanation:

In the exhibit, the SQLInsights data is configured to be stored in Azure Log Analytics for 90 days. However, the question is asking for the “maximum” amount of time that the data can be stored which is 730 days.

QUESTION 3

Your company uses Microsoft System Center Service Manager on its on-premises network.

You plan to deploy several services to Azure.

You need to recommend a solution to push Azure service health alerts to Service Manager.

What should you include in the recommendation?

- A. Azure Notification Hubs
- B. Azure Event Hubs
- C. IT Service Management Connector (ITSM)
- D. Application Insights Connector

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/itsmc-overview>

QUESTION 4

You have an on-premises Hyper-V cluster. The cluster contains Hyper-V hosts that run Windows Server 2016 Datacenter. The hosts are licensed under a Microsoft Enterprise Agreement that has Software Assurance.

The Hyper-V cluster contains 30 virtual machines that run Windows Server 2012 R2. Each virtual machine runs a different workload. The workloads have predictable consumption patterns.

You plan to replace the virtual machines with Azure virtual machines that run Windows Server 2016. The virtual machines will be sized according to the consumption pattern of each workload.

You need to recommend a solution to minimize the compute costs of the Azure virtual machines.

Which two recommendations should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Purchase Azure Reserved Virtual Machine Instances for the Azure virtual machines
- B. Create a virtual machine scale set that uses autoscaling
- C. Configure a spending limit in the Azure account center
- D. Create a lab in Azure DevTest Labs and place the Azure virtual machines in the lab
- E. Activate Azure Hybrid Benefit for the Azure virtual machines

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: With Azure Reserved VM Instances (RIs) you reserve virtual machines in advance and save up to 80 percent.

E: For customers with Software Assurance, Azure Hybrid Benefit for Windows Server allows you to use your on-premises Windows Server licenses and run Windows virtual machines in the cloud. You can use Azure Hybrid Benefit for Windows Server to deploy new virtual machines.

Suresh.Palani

2020-08-03 16:38:16

Reference:

<https://azure.microsoft.com/en-us/pricing/reserved-vm-instances/>

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/hybrid-use/>

What is Application Insights?

Application Insights, a feature of Azure Monitor, is an extensible Application Performance Management (APM) service for developers and DevOps professionals. Use it to monitor your live applications. It will automatically collect metrics, logs, and dependencies from your application and send them to the Azure Monitor log analytics workspace.

QUESTION 5

You have an on-premises Active Directory forest and an Azure Active Directory forest. All users are assigned an Azure AD Premium P1 license.

You deploy Azure AD Connect.

Which two features are available in this environment that can reduce operational overhead for your company's help desk? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure AD Privileged Identity Management policies
- B. access reviews
- C. self-service password reset
- D. Microsoft Cloud App Security Conditional Access App Control
- E. password writeback

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

You are planning the implementation of an order processing web service that will contain microservices hosted in an Azure Service Fabric cluster.

You need to recommend a solution to provide developers with the ability to proactively identify and fix performance issues. The developers must be able to simulate user connections to the order processing web service from the Internet, as well as simulate user transactions. The developers must be notified if the goals for the transaction response times are not met.

What should you include in the recommendation?

- A. container health
- B. Azure Network Watcher
- C. Application Insights

D. Service Fabric Analytics

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

You need to recommend a solution to generate a monthly report of all the new Azure Resource Manager resource deployments in your subscription.

What should you include in the recommendation?

- A. Azure Analysis Services
- B. Azure Activity Log
- C. the Change Tracking management solution
- D. Azure Monitor metrics

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Activity logs are kept for 90 days. You can query for any range of dates, as long as the starting date isn't more than 90 days in the past.

Through activity logs, you can determine:

- what operations were taken on the resources in your subscription
- who started the operation
- when the operation occurred
- the status of the operation
- the values of other properties that might help you research the operation

The Azure Activity Log provides insight into subscription-level events that have occurred in Azure. This includes a range of data, from Azure Resource Manager operational data to updates on Service Health events.

Activity logs are kept for 90 days. You can query for any range of dates, as long as the starting date isn't more than 90 days in the past.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/view-activity-logs>

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-audit>

QUESTION 8

HOTSPOT

You have an Azure App Service Web App that includes Azure Blob storage and an Azure SQL Database instance. The application is instrumented by using the Application Insights SDK.

You need to design a monitoring solution for the web app.

Which Azure monitoring services should you use? To answer, select the appropriate Azure monitoring services in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Scenario

Correlate Azure resource usage and performance data with application configuration and performance data.

Visualize the relationships between application components.

Track requests and exceptions to a specific line of code within the application.

Analyze how many users return to the application and how often they select a particular dropdown value.

Azure monitoring service

Azure Application Insights
Azure Service Map
Azure Monitor Logs
Azure Activity Log

Azure Application Insights
Azure Service Map
Azure Monitor Logs
Azure Activity Log

Azure Application Insights
Azure Service Map
Azure Monitor Logs
Azure Activity Log

Azure Application Insights
Azure Service Map
Azure Monitor Logs
Azure Activity Log

Correct Answer:

Azure Monitor Logs
Azure Service Map
Azure Application Insights
Azure Application Insights

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Note: You can select Logs from either the Azure Monitor menu or the Log Analytics workspaces menu.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/log-query-overview>

QUESTION 9

DRAG DROP

You have an Azure Active Directory (Azure AD) tenant. All user accounts are synchronized from an on-premises Active Directory domain and are configured for federated authentication. Active Directory Federation Services (AD FS) servers are published for external connections by using a farm of Web Application Proxy servers.

You need to recommend a solution to monitor the servers that integrate with Azure AD. The solution must meet the following requirements:

- Identify any AD FS issues and their potential resolutions.
- Identify any directory synchronization configuration issues and their potential resolutions
- Notify administrators when there are any issues affecting directory synchronization or AD FS operations.

Which monitoring solution should you recommend for each server type? To answer, drag the appropriate

monitoring solutions to the correct server types. Each monitoring solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Monitoring Solutions

A Microsoft Office 365 management solution in Azure Monitor

Active Directory Replication Status Tool

An Active Directory Health Check solution in Azure Monitor

An Active Directory Replication Status solution in Azure Monitor

Azure AD Connect Health

Azure Security Center

Answer Area

Monitoring Solution

AD FS servers:

Azure AD Connect servers:

Web Application Proxy servers:

Correct Answer:

Monitoring Solutions

A Microsoft Office 365 management solution in Azure Monitor

Active Directory Replication Status Tool

An Active Directory Health Check solution in Azure Monitor

An Active Directory Replication Status solution in Azure Monitor

Azure AD Connect Health

Azure Security Center

Answer Area

Monitoring Solution

AD FS servers:

 Azure AD Connect Health

Azure AD Connect servers:

 Azure AD Connect Health

Web Application Proxy servers:

 Azure AD Connect Health

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

You plan to deploy 200 Microsoft SQL Server databases to Azure by using Azure SQL Database and Azure SQL Database Managed Instance.

You need to recommend a monitoring solution that provides a consistent monitoring approach for all deployments. The solution must meet the following requirements:

- Support current-state analysis based on metrics collected near real-time, multiple times per minute, and maintained for up to one hour
- Support longer term analysis based on metrics collected multiple times per hour and maintained for up

- to two weeks.
- Support monitoring of the number of concurrent logins and concurrent sessions.

What should you include in the recommendation?

- A. dynamic management views
- B. trace flags
- C. Azure Monitor
- D. SQL Server Profiler

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

DRAG DROP

You plan to move several apps that handle critical line-of-business (LOB) services to Azure.

Appropriate personnel must be notified if any critical resources become degraded or unavailable.

You need to design a monitoring and notification strategy that can handle up to 100 notifications per hour.

Which three actions should you recommend be performed in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Select and Place:

Actions

Answer Area

Create a resource group containing the critical resources.



Monitor Azure status for warnings and errors.



Create an activity log alert for service health.



Create an action group for alerts to email addresses.



Create an action group for alerts to SMS phone numbers.

Monitor service health for incidents and action required notifications.

Correct Answer:

Actions

Monitor Azure status for warnings and errors.

Create an activity log alert for service health.


Create an action group for alerts to SMS phone numbers.

Answer Area

Create a resource group containing the critical resources.

Create an action group for alerts to email addresses.

Monitor service health for incidents and action required notifications.



Section: (none)

Explanation

Explanation/Reference:

Explanation:

Step 1: Create a resource group containing the critical resources.

In step 2 the action group should be created within this Resource Group.

Step 2: Create an action group for alerts to email addresses.

You configure an action to notify a person by email or SMS, they receive a confirmation indicating they have been added to the action group.

The rate limit thresholds are:

SMS: No more than 1 SMS every 5 minutes.

Voice: No more than 1 Voice call every 5 minutes.

Email: No more than 100 emails in an hour.

Step 3: Monitor service health for incidents and action required notifications

An action group is a collection of notification preferences defined by the owner of an Azure subscription. Azure Monitor and Service Health alerts use action groups to notify users that an alert has been triggered.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-rate-limiting>

QUESTION 12

DRAG DROP

You manage a solution in Azure.

The solution is performing poorly.

You need to recommend tools to determine causes for the performance issues.

What should you recommend? To answer, drag the appropriate monitoring solutions to the correct scenarios. Each monitoring solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Monitoring solutions

Azure Log Analytics

Azure Monitor

Answer Area

Scenario

Monitoring solution

Metrics on Azure infrastructure

Functionality of Azure infrastructure

Security of Azure infrastructure

Correct Answer:

Monitoring solutions

Azure Log Analytics

Azure Monitor

Answer Area

Scenario

Monitoring solution

Metrics on Azure infrastructure

Azure Monitor

Functionality of Azure infrastructure

Azure Log Analytics

Security of Azure infrastructure

Azure Log Analytics

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Azure Monitor

Metrics in Azure Monitor are stored in a time-series database which is optimized for analyzing time-stamped data. This makes metrics particularly suited for alerting and fast detection of issues.

Box 2: Azure Log Analytics

Log data collected by Azure Monitor is stored in a Log Analytics workspace, which is based on Azure Data Explorer. Logs in Azure Monitor are especially useful for performing complex analysis across data from a variety of sources.

Box 3: Azure Log Analytics

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-platform>

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-platform-logs>

QUESTION 13

DRAG DROP

You have standard Load balancer configured to support three virtual machines on the same subnet.

You need to recommend a solution to notify administrators when the load balancer fails.

Which metrics should you recommend using to test the load balancer? To answer, drag the appropriate metrics to the correct conditions. Each metric may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Metrics

Byte Count	Data Path Availability
Health Probe Status	Packet Count
SNAT Connection Count	SYN Count

Answer Area

Backend instance health:	<input type="text"/>
Outbound port exhaustion:	<input type="text"/>

Correct Answer:

Metrics

Byte Count	Data Path Availability
	Packet Count
	SYN Count

Answer Area

Backend instance health:	<input type="text"/> Health Probe Status
Outbound port exhaustion:	<input type="text"/> SNAT Connection Count

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Backend instance health: Health Probe Status

Health Probe Status (DIP Availability): Standard Load Balancer uses a distributed health-probing service that monitors your application endpoint's health according to your configuration settings. This metric provides an aggregate or per-endpoint filtered view of each instance endpoint in the load balancer pool. You can see how Load Balancer views the health of your application, as indicated by your health probe configuration.

Outbound port exhaustion: SNAT connection Count

SNAT connections: Standard Load Balancer reports the number of outbound flows that are masqueraded to the Public IP address front end. Source network address translation (SNAT) ports are an exhaustible resource. This metric can give an indication of how heavily your application is relying on SNAT for outbound originated flows. Counters for successful and failed outbound SNAT flows are reported and can be used to troubleshoot and understand the health of your outbound flows.

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-standard-diagnostics>

QUESTION 14

You are designing an Azure web app.

You need to ensure that users who have impaired vision can use the app.

Which reference material should you use when designing the app?

- A. Accessibility in Windows Dev Center
- B. Azure Application Architecture Guide
- C. Web Content Accessibility Guidelines
- D. Cloud Application Architecture Guide

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

How Microsoft integrates accessibility

Microsoft's obligation to accessibility is guided by three main principles: transparency, inclusivity and accountability. In developing our products and services, we take into account leading global accessibility standards, including:

EN 301 549

U.S. Section 508

Web Content Accessibility Guidelines (WCAG)

References:

<https://www.microsoft.com/en-us/trust-center/compliance/accessibility>

QUESTION 15

HOTSPOT

You have an Azure subscription that contains the Microsoft SQL servers shown in the following table.

Name	Resource group	Location
SQLsvr1	RG1	East US
SQLsvr2	RG2	West US

The subscription contains the storage accounts shown in the following table.

Name	Resource group	Location	Account kind
Storage1	RG1	East US	StorageV2 (general purpose v2)
Storage2	RG2	Central US	BlobStorage

You create the Azure SQL databases shown in the following table.

Name	Resource group	Server	Pricing tier
SQLdb1	RG1	SQLsvr1	Standard
SQLdb2	RG1	SQLsvr1	Standard
SQLdb3	RG2	SQLsvr2	Premium

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:**Answer Area**

Statements	Yes	No
When you enable auditing for SQLdb1, you can store the audit information to Storage1.	<input type="radio"/>	<input type="radio"/>
When you enable auditing for SQLdb2, you can store the audit information to Storage2.	<input type="radio"/>	<input type="radio"/>
When you enable auditing for SQLdb3, you can store the audit information to Storage2.	<input type="radio"/>	<input type="radio"/>

Correct Answer:**Answer Area**

Statements	Yes	No
When you enable auditing for SQLdb1, you can store the audit information to Storage1.	<input checked="" type="radio"/>	<input type="radio"/>
When you enable auditing for SQLdb2, you can store the audit information to Storage2.	<input type="radio"/>	<input checked="" type="radio"/>
When you enable auditing for SQLdb3, you can store the audit information to Storage2.	<input type="radio"/>	<input checked="" type="radio"/>

Section: (none)**Explanation****Explanation/Reference:**

Explanation:

Box 1: Yes

Be sure that the destination is in the same region as your database and server.

Box 2: No

Box 3: No

References:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-auditing>**QUESTION 16****HOTSPOT**

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Kind	Location
storage1	Azure Storage account	Storage	East US
storage2	Azure Storage account	StorageV2	East US
Workspace1	Azure Log Analytics workspace	<i>Not applicable</i>	East US
Workspace2	Azure Log Analytics workspace	<i>Not applicable</i>	East US
Hub1	Azure event hub	<i>Not applicable</i>	East US

You create an Azure SQL database named DB1 that is hosted in the East US region.

To DB1, you add a diagnostic setting named Settings1. Settings1 archives SQLInsights to storage1 and sends SQLInsights to Workspace1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
You can add a new diagnostic setting that archives SQLInsights logs to storage2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Workspace2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Hub1.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
You can add a new diagnostic setting that archives SQLInsights logs to storage2.	<input type="radio"/>	<input checked="" type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Workspace2.	<input checked="" type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Hub1.	<input type="radio"/>	<input type="radio"/>

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: No

You archive logs only to Azure Storage accounts.

Box 2: Yes

Box 3: Yes

Sending logs to Event Hubs allows you to stream data to external systems such as third-party SIEMs and other log analytics solutions.

Note: A single diagnostic setting can define no more than one of each of the destinations. If you want to send data to more than one of a particular destination type (for example, two different Log Analytics workspaces), then create multiple settings. Each resource can have up to 5 diagnostic settings.

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/diagnostic-settings>

QUESTION 17

You have an Azure SQL database named DB1 that contains multiple tables.

You need to improve the performance of DB1. The solution must minimize administrative effort.

What should you use?

- A. Azure Monitor
- B. Azure Advisor

C. Query Performance Insight

D. automatic tuning

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure SQL Database and Azure SQL Managed Instance automatic tuning provides peak performance and stable workloads through continuous performance tuning based on AI and machine learning.

Automatic tuning is a fully managed intelligent performance service that uses built-in intelligence to continuously monitor queries executed on a database, and it automatically improves their performance.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/automatic-tuning-overview>

QUESTION 18

A company has a hybrid ASP.NET Web API application that is based on a software as a service (SaaS) offering.

Users report general issues with the data. You advise the company to implement live monitoring and use ad hoc queries on stored JSON data. You also advise the company to set up smart alerting to detect anomalies in the data.

You need to recommend a solution to set up smart alerting.

What should you recommend?

A. Azure Security Center and Azure Data Lake Store

B. Azure Data Lake Analytics and Azure Monitor Logs

C. Azure Application Insights and Azure Monitor Logs

D. Azure Site Recovery and Azure Monitor Logs

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Application Insights, a feature of Azure Monitor, is an extensible Application Performance Management (APM) service for developers and DevOps professionals. Use it to monitor your live applications. It will automatically detect performance anomalies, and includes powerful analytics tools to help you diagnose issues and to understand what users actually do with your app.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/app/app-insights-overview>

Design for Identity and Security

Testlet 1

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Contoso, Ltd. is a US-based financial services company that has a main office in New York and a branch office in San Francisco.

Existing Environment

Payment Processing System

Contoso hosts a business-critical payment processing system in its New York data center. The system has three tiers: a front-end web app, a middle-tier web API, and a back-end data store implemented as a Microsoft SQL Server 2014 database. All servers run Windows Server 2012 R2.

The front-end and middle-tier components are hosted by using Microsoft Internet Information Services (IIS). The application code is written in C# and ASP.NET. The middle-tier API uses the Entity Framework to communicate to the SQL Server database. Maintenance of the database is performed by using SQL Server Agent jobs.

The database is currently 2 TB and is not expected to grow beyond 3 TB.

The payment processing system has the following compliance-related requirements:

- Encrypt data in transit and at rest. Only the front-end and middle-tier components must be able to access the encryption keys that protect the data store.
- Keep backups of the data in two separate physical locations that are at least 200 miles apart and can be restored for up to seven years.
- Support blocking inbound and outbound traffic based on the source IP address, the destination IP address, and the port number.
- Collect Windows security logs from all the middle-tier servers and retain the logs for a period of seven years.
- Inspect inbound and outbound traffic from the front-end tier by using highly available network appliances.
- Only allow all access to all the tiers from the internal network of Contoso.

Tape backups are configured by using an on-premises deployment of Microsoft System Center Data Protection Manager (DPM), and then shipped offsite for long term storage.

Historical Transaction Query System

Contoso recently migrated a business-critical workload to Azure. The workload contains a .NET web service for querying the historical transaction data residing in Azure Table Storage. The .NET web service is accessible from a client app that was developed in-house and runs on the client computers in the New York office. The data in the table storage is 50 GB and is not expected to increase.

Current Issues

The Contoso IT team discovers poor performance of the historical transaction query system, at the queries frequently cause table scans.

Requirements

Planned Changes

Contoso plans to implement the following changes:

- Migrate the payment processing system to Azure.
- Migrate the historical transaction data to Azure Cosmos DB to address the performance issues.

Migration Requirements

Contoso identifies the following general migration requirements:

- Infrastructure services must remain available if a region or a data center fails. Failover must occur without any administrative intervention.
- Whenever possible, Azure managed services must be used to minimize management overhead.
- Whenever possible, costs must be minimized.

Contoso identifies the following requirements for the payment processing system:

- If a data center fails, ensure that the payment processing system remains available without any administrative intervention. The middle-tier and the web front end must continue to operate without any additional configurations.
- Ensure that the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.
- Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability.
- Minimize the effort required to modify the middle-tier API and the back-end tier of the payment processing system.
- Payment processing system must be able to use grouping and joining tables on encrypted columns.
- Generate alerts when unauthorized login attempts occur on the middle-tier virtual machines.
- Ensure that the payment processing system preserves its current compliance status.
- Host the middle tier of the payment processing system on a virtual machine.

Contoso identifies the following requirements for the historical transaction query system:

- Minimize the use of on-premises infrastructure services.
- Minimize the effort required to modify the .NET web service querying Azure Cosmos DB.
- Minimize the frequency of table scans.
- If a region fails, ensure that the historical transaction query system remains available without any administrative intervention.

Information Security Requirements

The IT security team wants to ensure that identity management is performed by using Active Directory. Password hashes must be stored on-premises only.

Access to all business-critical systems must rely on Active Directory credentials. Any suspicious authentication attempts must trigger a multi-factor authentication prompt automatically. Legitimate users must be able to authenticate successfully by using multi-factor authentication.

QUESTION 1 **HOTSPOT**

You need to recommend a solution for configuring the Azure Multi-Factor Authentication (MFA) settings.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Azure AD license:

Free
Basic
Premium P1
Premium P2

Access control for the sign-in risk policy:

Allow access and require multi-factor authentication
Allow access and require multi-factor authentication registration
Block access

Access control for the multi-factor authentication registration policy:

Allow access and require multi-factor authentication
Allow access and require multi-factor authentication registration
Block access

Correct Answer:

Answer Area

Azure AD license:

Free
Basic
Premium P1
Premium P2

Access control for the sign-in risk policy:

Allow access and require multi-factor authentication
Allow access and require multi-factor authentication registration
Block access

Access control for the multi-factor authentication registration policy:

Allow access and require multi-factor authentication
Allow access and require multi-factor authentication registration
Block access

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Premium 1

Azure AD Premium P1 - is an enterprise level edition which provides identity management for on-premise users, remote users and hybrid users accessing applications both locally and over the cloud.

Incorrect:

Not Premium 2: PIM not required. Azure AD Premium P2 - is an edition includes all of the features of Azure AD Premium P1 with the addition of Identity Protection and Privileged Identity Management (PIM).

Box 2: Allow access and require multi-factor authentication

Azure Multi-Factor Authentication provides a means to verify who you are using more than just a username and password. It provides a second layer of security to user sign-ins.

Box 3: Allow access and require authentication registration

In order for users to be able to respond to MFA prompts, they must first register for Azure Multi-Factor Authentication.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-sign-in-risk-policy>

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-mfa-policy>

QUESTION 2

HOTSPOT

You need to design a solution for securing access to the historical transaction data.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

The Azure Cosmos DB account
will be used to:

▼
Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

The .NET web service
will be used to:

▼
Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

Correct Answer:

Answer Area

The Azure Cosmos DB account will be used to:

Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

The .NET web service will be used to:

Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

Section: (none) Explanation

Explanation/Reference:

QUESTION 3 HOTSPOT

You need to recommend a solution for the users at Contoso to authenticate to the cloud-based services and the Azure AD-integrated applications.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Install Azure AD Connect and set the user sign-in option to:

Federation with AD FS
Pass-through Authentication
Password Synchronization

Implement load balancing for the components of the authentication solution by using:

Azure Application Gateway and a Basic Load Balancer
Azure Application Gateway and a Standard Load Balancer
Traffic Manager and a Basic Load Balancer
Traffic Manager and a Standard Load Balancer

Correct Answer:

Answer Area

Install Azure AD Connect and set the user sign-in option to:

Federation with AD FS
Pass-through Authentication
Password Synchronization

Implement load balancing for the components of the authentication solution by using:

Azure Application Gateway and a Basic Load Balancer
Azure Application Gateway and a Standard Load Balancer
Traffic Manager and a Basic Load Balancer
Traffic Manager and a Standard Load Balancer

Section: (none)

Explanation

Explanation/Reference:

Design for Identity and Security

Testlet 2

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Fabrikam, Inc. is an engineering company that has offices throughout Europe. The company has a main office in London and three branch offices in Amsterdam, Berlin, and Rome.

Existing Environment

Active Directory Environment

The network contains two Active Directory forests named corp.fabrikam.com and rd.fabrikam.com. There are no trust relationships between the forests.

Corp.fabrikam.com is a production forest that contains identities used for internal user and computer authentication.

Rd.fabrikam.com is used by the research and development (R&D) department only.

Network Infrastructure

Each office contains at least one domain controller from the corp.fabrikam.com domain. The main office contains all the domain controllers for the rd.fabrikam.com forest.

All the offices have a high-speed connection to the Internet.

An existing application named WebApp1 is hosted in the data center of the London office. WebApp1 is used by customers to place and track orders.

WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

The IT department currently uses a separate Hyper-V environment to test updates to WebApp1.

Fabrikam purchases all Microsoft licenses through a Microsoft Enterprise Agreement that includes Software Assurance.

Problem Statements

The use of Web App1 is unpredictable. At peak times, users often report delays. At other times, many resources for WebApp1 are underutilized.

Requirements

Planned Changes

Fabrikam plans to move most of its production workloads to Azure during the next few years.

As one of its first projects, the company plans to establish a hybrid identity model, facilitating an upcoming Microsoft Office 365 deployment.

All R&D operations will remain on-premises.

Fabrikam plans to migrate the production and test instances of WebApp1 to Azure.

Technical Requirements

Fabrikam identifies the following technical requirements:

- Web site content must be easily updated from a single point.
- User input must be minimized when provisioning new app instances.
- Whenever possible, existing on-premises licenses must be used to reduce cost.
- Users must always authenticate by using their corp.fabrikam.com UPN identity.
- Any new deployments to Azure must be redundant in case an Azure region fails.
- Whenever possible, solutions must be deployed to Azure by using platform as a service (PaaS).
- An email distribution group named IT Support must be notified of any issues relating to the directory synchronization services.
- Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network.

Database Requirements

Fabrikam identifies the following database requirements:

- Database metrics for the production instance of WebApp1 must be available for analysis so that database administrators can optimize the performance settings.
- To avoid disrupting customer access, database downtime must be minimized when databases are migrated.
- Database backups must be retained for a minimum of seven years to meet compliance requirements.

Security Requirements

Fabrikam identifies the following security requirements:

- Company information including policies, templates, and data must be inaccessible to anyone outside the

company.

- Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails.
- Administrators must be able authenticate to the Azure portal by using their corp.fabrikam.com credentials.
- All administrative access to the Azure portal must be secured by using multi-factor authentication.
- The testing of WebApp1 updates must not be visible to anyone outside the company.

QUESTION 1

What should you include in the identity management strategy to support the planned changes?

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
- B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
- C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
- D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

QUESTION 2

HOTSPOT

To meet the authentication requirements of Fabrikam, what should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area

Answer Area

Minimum number of Azure AD tenants:

0	▼
1	
2	
3	
4	

Minimum number of custom domains to add:

0	▼
1	
2	
3	
4	

Minimum number of conditional access policies to create:

0	▼
1	
2	
3	
4	

Correct Answer:

Answer is 1,0

Section: (none)**Explanation****Explanation/Reference:**

Design for Identity and Security

Question Set 3**QUESTION 1**

You have an Azure subscription.

You need to recommend a solution to provide developers with the ability to provision Azure virtual machines. The solution must meet the following requirements:

- Only allow the creation of the virtual machines in specific regions.
- Only allow the creation of specific sizes of virtual machines.

What should include in the recommendation?

- A. conditional access policies
- B. Azure Policy
- C. Azure Resource Manager templates
- D. role-based access control (RBAC)

Correct Answer: B**Section: (none)****Explanation****Explanation/Reference:****QUESTION 2****HOTSPOT**

Your company has 20 web APIs that were developed in-house.

The company is developing 10 web apps that will use the web APIs. The web apps and the APIs are registered in the company's Azure Active Directory (Azure AD) tenant. The web APIs are published by using Azure API Management.

You need to recommend a solution to block unauthorized requests originating from the web apps from reaching the web APIs. The solution must meet the following requirements:

- Use Azure AD-generated claims.
- Minimize configuration and management effort.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Grant permissions to allow the web apps to access the web APIs by using:

Azure AD
Azure API Management
The web APIs

Configure a JSON Web Token (JWT) validation policy by using:

Azure AD
Azure API Management
The web APIs

Correct Answer:

Ans : Azure AD & Azure API Management

*Suresh.Palani
2020-08-03 19:59:51*

Q2: Answer

Box1: see p.3 below. It refers to Azure AD, so answer is Azure AD

Box2: See p.5 and it talks about configuring API Management, so the answer is API Management. Here is how you protect API

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

HOTSPOT

You are designing an access policy for the sales department at your company.

Occasionally, the developers at the company must stop, start, and restart Azure virtual machines. The development team changes often.

You need to recommend a solution to provide the developers with the required access to the virtual machines. The solution must meet the following requirements:

- Provide permissions only when needed.
- Use the principle of least privilege.
- Minimize costs.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Azure Active Directory (Azure AD) license:

Free
Basic
Premium P1
Premium P2

Security feature:

Just in time VM access
A conditional access policy
Privileged Identity Management for the Azure resources

Correct Answer:

Answer Area

Azure Active Directory (Azure AD) license:

Free
Basic
Premium P1
Premium P2

Security feature:

Just in time VM access
A conditional access policy
Privileged Identity Management for the Azure resources

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

Your network contains an on-premises Active Directory forest.

You discover that when users change jobs within your company, the membership of the user groups are not being updated. As a result, the users can access resources that are no longer relevant to their job.

You plan to integrate Active Directory and Azure Active Directory (Azure AD) by using Azure AD Connect.

You need to recommend a solution to ensure that group owners are emailed monthly about the group memberships they manage.

What should you include in the recommendation?

- A. Azure AD access reviews
- B. Tenant Restrictions
- C. Azure AD Identity Protection

D. conditional access policies

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

QUESTION 5

HOTSPOT

You are designing a software as a service (SaaS) application that will enable Azure Active Directory (Azure AD) users to create and publish surveys. The SaaS application will have a front-end web app and a back-end web API. The web app will rely on the web API to handle updates to customer surveys.

You need to design an authorization flow for the SaaS application. The solution must meet the following requirements:

- To access the back-end web API, the web app must authenticate by using OAuth 2 bearer tokens.
- The web app must authenticate by using the identities of individual users.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area:

The access tokens will be generated by:

Azure AD
A web app
A web API

Authorization decisions will be performed by:

Azure AD
A web app
A web API

Correct Answer:

Answer Area:

The access tokens will be generated by:

Azure AD
A web app
A web API

Authorization decisions will be performed by:

Azure AD
A web app
A web API

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/lb-lu/azure/architecture/multitenant-identity/web-api>

<https://docs.microsoft.com/en-us/azure/active-directory/develop/quickstart-v1-dotnet-webapi>

QUESTION 6

HOTSPOT

You have five .NET Core applications that run on 10 Azure virtual machines in the same subscription.

You need to recommend a solution to ensure that the applications can authenticate by using the same Azure Active Directory (Azure AD) identity. The solution must meet the following requirements:

- Ensure that the applications can authenticate only when running on the 10 virtual machines.
- Minimize administrative effort.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To provision the Azure AD identity:

Create a system-assigned Managed Identities for Azure resources
Create a user-assigned Managed Identities for Azure resources
Register each application in Azure AD

To authenticate request a token by using:

An Azure AD v1.0 endpoint
An Azure AD v2.0 endpoint
An Azure Instance Metadata Service Identity
OAuth2 endpoint

Correct Answer:

Answer-

- 1) User-assigned Managed Identity
- 2) An Azure Instance Metadata Service Identity

QUESTION 7

A company named Contoso, Ltd. has an Azure Active Directory (Azure AD) tenant that is integrated with Microsoft Office 365 and an Azure subscription.

Contoso has an on-premises identity infrastructure. The infrastructure includes servers that run Active Directory Domain Services (AD DS), Active Directory Federation Services (AD FS), Azure AD Connect, and Microsoft Identity Manager (MIM).

Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Active Directory forest and an Office 365 tenant. Fabrikam has the same on-premises identity infrastructure as Contoso.

A team of 10 developers from Fabrikam will work on an Azure solution that will be hosted in the Azure subscription of Contoso. The developers must be added to the Contributor role for a resource group in the Contoso subscription.

You need to recommend a solution to ensure that Contoso can assign the role to the 10 Fabrikam developers. The solution must ensure that the Fabrikam developers use their existing credentials to access resources.

What should you recommend?

- A. Configure an AD FS claims provider trust between the AD FS infrastructures of Fabrikam and Contoso.
- B. In the Azure AD tenant of Contoso, enable Azure Active Directory Domain Services (Azure AD DS). Create a one-way forest trust that uses selective authentication between the Active Directory forests of Contoso and Fabrikam.
- C. In the Azure AD tenant of Contoso, create guest accounts for the Fabrikam developers.
- D. In the Azure AD tenant of Contoso, create cloud-only user accounts for the Fabrikam developers.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Trust configurations - Configure trust from managed forest(s) or domain(s) to the administrative forest

- A one-way trust is required from production environment to the admin forest.
- Selective authentication should be used to restrict accounts in the admin forest to only logging on to the appropriate production hosts.

Reference:

<https://docs.microsoft.com/en-us/windows-server/identity/securing-privileged-access/securing-privileged-access-reference-material>

QUESTION 8

You have a hybrid deployment of Azure Active Directory (Azure AD).

You need to recommend a solution to ensure that the Azure AD tenant can be managed only from the computers on your on-premises network.

What should you include in the recommendation?

- A. Azure AD roles and administrators
- B. a conditional access policy
- C. Azure AD Application Proxy
- D. Azure AD Privileged Identity Management

Correct Answer: B

Section: (none)**Explanation****Explanation/Reference:****QUESTION 9**

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains two administrative user accounts named Admin1 and Admin2.

You create two Azure virtual machines named VM1 and VM2.

You need to ensure that Admin1 and Admin2 are notified when more than five events are added to the security log of VM1 or VM2 during a period of 120 seconds. The solution must minimize administrative tasks.

What should you create?

- A. two action groups and one alert rule
- B. one action group and one alert rule
- C. five action groups and one alert rule
- D. two action groups and two alert rules

Correct Answer: B**Section: (none)****Explanation****Explanation/Reference:****QUESTION 10**

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains several administrative user accounts.

You need to recommend a solution to identify which administrative user accounts have **NOT** signed in during the previous 30 days.

Which service should you include in the recommendation?

- A. Azure AD Identity Protection
- B. Azure Activity Log
- C. Azure Advisor
- D. Azure AD Privileged Identity Management (PIM)

Correct Answer: D**Section: (none)****Explanation****Explanation/Reference:****QUESTION 11****HOTSPOT**

Your organization has developed and deployed several Azure App Service Web and API applications. The applications use Azure Key Vault to store several authentication, storage account, and data encryption keys. Several departments have the following requests to support the applications:

Department	Request
Security	<ul style="list-style-type: none"> Review membership of administrative roles and require users to provide a justification for continued membership. Get alerts about changes in administrator assignments. See a history of administrator activation, including which changes administrators made to Azure resources.
Development	<ul style="list-style-type: none"> Enable the applications to access Azure Key Vault and retrieve keys for use in code.
Quality Assurance	<ul style="list-style-type: none"> Receive temporary administrator access to create and configure additional Web and API applications in the test environment.

You need to recommend the appropriate Azure service for each department request.

What should you recommend? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Department	Azure Service
Security	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Azure AD Privileged Identity Management <input type="checkbox"/> Azure AD Managed Service Identity <input type="checkbox"/> Azure AD Connect <input type="checkbox"/> Azure AD Identity Protection </div>
Development	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Azure AD Privileged Identity Management <input type="checkbox"/> Azure AD Managed Service Identity <input type="checkbox"/> Azure AD Connect <input type="checkbox"/> Azure AD Identity Protection </div>
Quality Assurance	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Azure AD Privileged Identity Management <input type="checkbox"/> Azure AD Managed Service Identity <input type="checkbox"/> Azure AD Connect <input type="checkbox"/> Azure AD Identity Protection </div>

Correct Answer:

Answer Area

Department	Azure Service
Security	Azure AD Privileged Identity Management Azure AD Managed Service Identity Azure AD Connect Azure AD Identity Protection
Development	Azure AD Privileged Identity Management Azure AD Managed Service Identity Azure AD Connect Azure AD Identity Protection
Quality Assurance	Azure AD Privileged Identity Management Azure AD Managed Service Identity Azure AD Connect Azure AD Identity Protection

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

You manage a single-domain, on-premises Active Directory forest named contoso.com. The forest functional level is Windows Server 2016.

You have several on-premises applications that depend on Active Directory.

You plan to migrate the applications to Azure.

You need to recommend an identity solution for the applications. The solution must meet the following requirements:

- Eliminate the need for hybrid network connectivity.
- Minimize management overhead for Active Directory.

What should you recommend?

- A. In Azure, deploy an additional child domain to the contoso.com forest.
- B. In Azure, deploy additional domain controllers for the contoso.com domain.
- C. Implement a new Active Directory forest in Azure.
- D. Implement Azure Active Directory Domain Services (Azure AD DS).

Correct Answer: D

Section: (none)**Explanation****Explanation/Reference:****QUESTION 13**

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Project1. Only a group named Project1admins is assigned roles in the Project1 subscription. The Project1 subscription contains all the resources for an application named Application1.

Your company is developing a new application named Application2. The members of the Application2 development team belong to an Azure Active Directory (Azure AD) group named App2Dev.

You identify the following requirements for Application2:

- The members of App2Dev must be prevented from changing the role assignments in Azure.
- The members of App2Dev must be able to create new Azure resources required by Application2.
- All the required role assignments for Application2 will be performed by the members of Project1admins.

You need to recommend a solution for the role assignments of Application2.

Solution: In Project1, create a network security group (NSG) named NSG1. Assign Project1admins the Owner role for NSG1. Assign App2Dev the Contributor role for NSG1.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B**Section: (none)****Explanation****Explanation/Reference:****Explanation:**

You should use a separate subscription for Project2.

QUESTION 14**HOTSPOT**

You manage a network that includes an on-premises Active Directory Domain Services domain and an Azure Active Directory (Azure AD).

Employees are required to use different accounts when using on-premises or cloud resources. You must recommend a solution that lets employees sign in to all company resources by using a single account. The solution must implement an identity provider.

You need to provide guidance on the different identity providers.

How should you describe each identity provider? To answer, select the appropriate description from each list in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Identity provider	Description
synchronized identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
federated identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>

Correct Answer:

Answer Area

Identity provider	Description
synchronized identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
federated identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box1: User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.

Azure AD Domain Services for hybrid organizations

Organizations with a hybrid IT infrastructure consume a mix of cloud resources and on-premises resources. Such organizations synchronize identity information from their on-premises directory to their Azure AD tenant. As hybrid organizations look to migrate more of their on-premises applications to the cloud, especially legacy directory-aware applications, Azure AD Domain Services can be useful to them.


Example: Litware Corporation has deployed Azure AD Connect, to synchronize identity information from their on-premises directory to their Azure AD tenant. The identity information that is synchronized includes user accounts, their credential hashes for authentication (password hash sync) and group memberships.



User accounts, group memberships, and credentials from Litware's on-premises directory are synchronized to Azure AD via Azure AD Connect. These user accounts, group memberships, and credentials are automatically available within the managed domain.

Box 2: User management occurs on-premises. The on-premises domain controller authenticates employee credentials.

You can federate your on-premises environment with Azure AD and use this federation for authentication and authorization. This sign-in method ensures that all user authentication occurs on-premises.



Reference:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/active-directory-ds-overview>

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/whatis-fed>

QUESTION 15

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains a resource group named RG1.

You create an Azure Active Directory (Azure AD) group named ResearchUsers that contains the user accounts of all researchers.

You need to recommend a solution that meets the following requirements:

- The researchers must be allowed to create Azure virtual machines.
- The researchers must only be able to create Azure virtual machines by using specific Azure Resource Manager templates.

Solution: On RG1, assign a custom role-based access control (RBAC) role to the ResearchUsers group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead: On RG1, assign the Contributor role to the ResearchUsers group. Create a custom Azure Policy definition and assign the policy to RG1.

QUESTION 16

A company deploys Azure Active Directory (Azure AD) Connect to synchronize identity information from their on-premises Active Directory Domain Services (AD DS) directory to their Azure AD tenant. The identity information that is synchronized includes user accounts, credential hashes for authentication (password sync), and group memberships. The company plans to deploy several Windows and Linux virtual machines (VMs) to support their applications.

The VMs have the following requirements:

- Support domain join, LDAP read, LDAP bind, NTLM and Kerberos authentication, and Group Policy.
- Allow users to sign in to the domain using their corporate credentials and connect remotely to the VM by using Remote Desktop.

You need to support the VM deployment.

Which service should you use?

- A. Azure AD Domain Services
- B. Azure AD Privileged Identity Management
- C. Azure Managed Identity
- D. Active Directory Federation Services (AD FS)

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure AD Domain Services provides managed domain services such as domain join, group policy, LDAP, Kerberos/NTLM authentication that are fully compatible with Windows Server Active Directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/active-directory-ds-overview>

QUESTION 17

DRAG DROP

A company has an existing web application that runs on virtual machines (VMs) in Azure.

You need to ensure that the application is protected from SQL injection attempts and uses a layer-7 load balancer. The solution must minimize disruption to the code for the existing web application.

What should you recommend? To answer, drag the appropriate values to the correct items. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values	Answer Area
Web Application Firewall (WAF)	
Azure Application Gateway	Azure service
Azure Load Balancer	
Azure Traffic Manager	Feature
SSL offloading	
URL-based content routing	

Correct Answer:

Values	Answer Area	
	Item	Value
	Azure service	Azure Application Gateway
Azure Load Balancer	Feature	Web Application Firewall (WAF)
Azure Traffic Manager		
SSL offloading		
URL-based content routing		

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Azure Application Gateway

Azure Application Gateway provides an application delivery controller (ADC) as a service. It offers various layer 7 load-balancing capabilities for your applications.

Box 2: Web Application Firewall (WAF)

Application Gateway web application firewall (WAF) protects web applications from common vulnerabilities and exploits.

This is done through rules that are defined based on the OWASP core rule sets 3.0 or 2.2.9.

There are rules that detect SQL injection attacks.

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq>

<https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview>

QUESTION 18

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs.

Solution: Use the Azure traffic analytics solution in Azure Log Analytics to analyze the network traffic.

Does the solution meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview>

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

QUESTION 20

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs.

Solution: Install and configure the Log Analytics and Dependency Agents on all VMs. Use the Wire Data solution in Azure Log Analytics to analyze the network traffic.

Does the solution meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview>

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

QUESTION 21

HOTSPOT

A company plans to implement an HTTP-based API to support a web app. The web app allows customers to check the status of their orders.

The API must meet the following requirements:

- Implement Azure Functions
- Provide public read-only operations
- Do not allow write operations

You need to recommend configuration options.

What should you recommend? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Topic	Value
Allowed authentication methods	All methods GET only GET and POST only GET, POST, and OPTIONS only
Authorization level	Function Anonymous Admin

Correct Answer:

Answer Area

Topic	Value
Allowed authentication methods	All methods GET only GET and POST only GET, POST, and OPTIONS only
Authorization level	Function Anonymous Admin

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Allowed authentication methods: GET only

Authorization level: Anonymous

The option is Allow Anonymous requests. This option turns on authentication and authorization in App Service, but defers authorization decisions to your application code. For authenticated requests, App Service also passes along authentication information in the HTTP headers.

This option provides more flexibility in handling anonymous requests.

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/overview-authentication-authorization>

QUESTION 22

Your network contains an on-premises Active Directory forest named contoso.com. The forest is synced to an Azure Active Directory (Azure AD) tenant named contoso.com and an Azure AD Domain Services (Azure AD DS) domain named contoso-aad.com.

You have an Azure Storage account named Storage1 that contains a file share named Share1.

You configure NTFS permissions on Share1. You plan to deploy a virtual machine that will be used by several users to access Share1.

You need to ensure that the users can access Share1.

Which type virtual machine should you deploy?

- A. a virtual machine that runs Windows Server 2016 and is joined to the contoso.com domain
- B. a virtual machine that runs Windows 10 and is joined to the contoso-aad.com domain
- C. a virtual machine that runs Windows 10 and is hybrid Azure AD joined to the contoso.com domain
- D. an Azure virtual machine that runs Windows Server 2016 and is joined to the contoso-aad.com domain

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You join the Windows Server virtual machine to the Azure AD DS-managed domain, here named contoso-aad.com.

Note: Azure Files supports identity-based authentication over SMB (Server Message Block) (preview) through Azure Active Directory (Azure AD) Domain Services. Your domain-joined Windows virtual machines (VMs) can access Azure file shares using Azure AD credentials.

Incorrect Answers:

B, C: Azure AD authentication over SMB is not supported for Linux VMs for the preview release. Only Windows Server VMs are supported.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-active-directory-enable#mount-a-file-share-from-a-domain-joined-vm>

QUESTION 23

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises data center and an Azure subscription. The on-premises data center contains a Hardware Security Module (HSM).

Your network contains an Active Directory domain that is synchronized to an Azure Active Directory (Azure AD) tenant.

The company is developing an application named Application1. Application1 will be hosted in Azure by using 10 virtual machines that run Windows Server 2016. Five virtual machines will be in the West Europe Azure region and five virtual machines will be in the East US Azure region. The virtual machines will store sensitive company information. All the virtual machines will use managed disks.

You need to recommend a solution to encrypt the virtual machine disks by using BitLocker Drive Encryption (BitLocker).

Solution: Deploy one Azure Key Vault to each region. Create two Azure AD service principals. Configure the virtual machines to use Azure Disk Encryption and specify a different service principal for the virtual

machines in each region.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You would also have to import Import the security keys from the HSM into each Azure key vault.

Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-security-disk-encryption-prerequisites-aad>

QUESTION 24

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises data center and an Azure subscription. The on-premises data center contains a Hardware Security Module (HSM).

Your network contains an Active Directory domain that is synchronized to an Azure Active Directory (Azure AD) tenant.

The company is developing an application named Application1. Application1 will be hosted in Azure by using 10 virtual machines that run Windows Server 2016. Five virtual machines will be in the West Europe Azure region and five virtual machines will be in the East US Azure region. The virtual machines will store sensitive company information. All the virtual machines will use managed disks.

You need to recommend a solution to encrypt the virtual machine disks by using BitLocker Drive Encryption (BitLocker).

Solution: Export a security key from the on-premises HSM. Create one Azure AD service principal. Configure the virtual machines to use Azure Storage Service Encryption.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

We use the Azure Premium Key Vault with Hardware Security Modules (HSM) backed keys. The Key Vault has to be in the same region as the VM that will be encrypted.

Reference:

<https://www.ciraltos.com/azure-disk-encryption-v2/>

QUESTION 25

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might

have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises data center and an Azure subscription. The on-premises data center contains a Hardware Security Module (HSM).

Your network contains an Active Directory domain that is synchronized to an Azure Active Directory (Azure AD) tenant.

The company is developing an application named Application1. Application1 will be hosted in Azure by using 10 virtual machines that run Windows Server 2016. Five virtual machines will be in the West Europe Azure region and five virtual machines will be in the East US Azure region. The virtual machines will store sensitive company information. All the virtual machines will use managed disks.

You need to recommend a solution to encrypt the virtual machine disks by using BitLocker Drive Encryption (BitLocker).

Solution:

- Deploy one Azure Key Vault to each region
- Export two security keys from the on-premises HSM
- Import the security keys from the HSM into each Azure Key Vault
- Create two Azure AD service principals
- Configure the virtual machines to use Azure Disk Encryption
- Specify a different service principal for the virtual machines in each region

Does this meet the goal?

- A. Yes
B. No

Correct Answer: A --

Section: (none)

Explanation

Checked this in exam topic

Explanation/Reference:

Explanation:

Instead of specifying a different service principal for the virtual machines in each region, use a different Key Vault for encrypting virtual machine disks in each region.

Note:

We use the Azure Premium Key Vault with Hardware Security Modules (HSM) backed keys.

The Key Vault has to be in the same region as the VM that will be encrypted.

Note: If you want to use a key encryption key (KEK) for an additional layer of security for encryption keys, add a KEK to your key vault. Use the Add-AzKeyVaultKey cmdlet to create a key encryption key in the key vault. You can also import a KEK from your on-premises key management HSM.

Reference:

<https://www.ciraltos.com/azure-disk-encryption-v2/>

<https://docs.microsoft.com/en-us/azure/security/azure-security-disk-encryption-prerequisites-aad>

QUESTION 26

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs.

Solution: Use the Azure Advisor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Note: Advisor is a personalized cloud consultant that helps you follow best practices to optimize your Azure deployments. It analyzes your resource configuration and usage telemetry and then recommends solutions that can help you improve the cost effectiveness, performance, high availability, and security of your Azure resources.

With Advisor, you can:

Get proactive, actionable, and personalized best practices recommendations.

Improve the performance, security, and high availability of your resources, as you identify opportunities to reduce your overall Azure spend.

Get recommendations with proposed actions inline.

Reference:

<https://docs.microsoft.com/en-us/azure/advisor/advisor-overview>

QUESTION 27

Your network contains an Active Directory domain named contoso.com that is federated to an Azure Active Directory (Azure AD) tenant. The on-premises domain contains a VPN server named Server1 that runs Windows Server 2016.

You have a single on-premises location that uses an address space of 172.16.0.0/16.

You need to implement two-factor authentication for users who establish VPN connections to Server1.

What should you include in the implementation?

- A. In Azure AD, create a conditional access policy and a trusted named location
- B. Install and configure Azure MFA Server on-premises
- C. Configure an Active Directory Federation Services (AD FS) server on-premises
- D. In Azure AD, configure the authentication methods. From the multi-factor authentication (MFA) service settings, create a trusted IP range

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Answer is A as per the exam topic

Reference:

<https://www.examtopics.com/discussions/microsoft/view/9832-exam-az-301-topic-2-question-35-discussion/>
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfaserver-deploy>

QUESTION 28**HOTSPOT**

You configure the Diagnostics settings for an Azure SQL database as shown in the following exhibit.

Diagnostics settings

Save Discard Delete

Name
Diagnostics

Archive to a storage account

Stream to an event hub

Send to Log Analytics

Subscription
Microsoft AZ-101 4

Log Analytics Workspace
FabrikamProductionWorkspace (westeurope)

LOG

SQLInsights

AutomaticTuning

QueryStoreRuntimeStatistics

QueryStoreWaitStatistics

Errors

DatabaseWaitStatistics

Timeouts

Blocks

Deadlocks

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To perform real-time reporting by using Microsoft Power BI, you must first [answer choice].

▼
clear Send to Log Analytics
clear SQLInsights
select Archive to a storage account
select Stream to an event hub

Diagnostics data can be reviewed in [answer choice].

▼
Azure Analysis Services
Azure Application Insights
Azure SQL Analytics
Microsoft SQL Server Analysis Services (SSAS)
SQL Health Check

Correct Answer:

Answer Area

To perform real-time reporting by using Microsoft Power BI, you must first [answer choice].

▼
clear Send to Log Analytics
clear SQLInsights
select Archive to a storage account
select Stream to an event hub

Diagnostics data can be reviewed in [answer choice].

▼
Azure Analysis Services
Azure Application Insights
Azure SQL Analytics
Microsoft SQL Server Analysis Services (SSAS)
SQL Health Check

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises Active Directory Domain Services (AD DS) domain and an established Azure Active Directory (Azure AD) environment.

Your company would like users to be automatically signed in to cloud apps when they are on their corporate desktops that are connected to the corporate network.

You need to enable single sign-on (SSO) for company users.

Solution: Install and configure an Azure AD Connect server to use password hash synchronization and

select the **Enable single sign-on** option.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

You have an Azure subscription that contains a custom application named Application1. Application1 was developed by an external company named Fabrikam, Ltd. Developers at Fabrikam were assigned role-based access control (RBAC) permissions to the Application1 components. All users are licensed for the Microsoft 365 E5 plan.

You need to recommend a solution to verify whether the Fabrikam developers still require permissions to Application1. The solution must meet the following requirements:

- To the manager of the developers, send a monthly email message that lists the access permissions to Application1.
- If the manager does not verify an access permission, automatically revoke that permission.
- Minimize development effort.

What should you recommend?

- A. In Azure Active Directory (AD) Privileged Identity Management, create a custom role assignment for the Application1 resources
- B. Create an Azure Automation runbook that runs the `Get-AzureADUserAppRoleAssignment` cmdlet
- C. Create an Azure Automation runbook that runs the `Get-AzureRmRoleAssignment` cmdlet
- D. In Azure Active Directory (Azure AD), create an access review of Application1

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises Active Directory Domain Services (AD DS) domain and an established Azure Active Directory (Azure AD) environment.

Your company would like users to be automatically signed in to cloud apps when they are on their corporate desktops that are connected to the corporate network.

You need to enable single sign-on (SSO) for company users.

Solution: Install and configure an Azure AD Connect server to use pass-through authentication and select the **Enable single sign-on** option.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises Active Directory Domain Services (AD DS) domain and an established Azure Active Directory (Azure AD) environment.

Your company would like users to be automatically signed in to cloud apps when they are on their corporate desktops that are connected to the corporate network.

You need to enable single sign-on (SSO) for company users.

Solution: Configure an AD DS server in an Azure virtual machine (VM). Configure bidirectional replication.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 33

HOTSPOT

You are building an application that will run in a virtual machine (VM). The application will use Azure Managed Identity.

The application uses Azure Key Vault, Azure SQL Database, and Azure Cosmos DB.

You need to ensure the application can use secure credentials to access these services.

Which authorization methods should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Functionality	Authorization method
Azure Key Vault	Hash-based message authentication code (HMAC) Azure Managed Identity Role-Based Access Controls (RBAC) HTTPS encryption
Azure SQL	Hash-based message authentication code (HMAC) Azure Managed Identity Role-Based Access Controls (RBAC) HTTPS encryption
Cosmos DB	Hash-based message authentication code (HMAC) Azure Managed Identity Role-Based Access Controls (RBAC) HTTPS encryption

Correct Answer:

RBAC, RBAC and HMAC is the answer

Section: (none)

Explanation

Explanation/Reference:

Explanation: checked in exam topic as well

Note: Managed identities for Azure resources is the new name for the service formerly known as Managed Service Identity (MSI).

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

QUESTION 34

You are designing a security solution for a company's Azure Active Directory (Azure AD). The company currently uses Azure AD Premium for all employees. Contractors will periodically access the corporate network based on demand.

You must ensure that all employees and contractors are required to log on by using two-factor authentication. The solution must minimize costs.

You need to recommend a solution.

What should you recommend?

- A. Purchase Azure Multi-Factor Authentication licenses for the employees and the contractors
- B. Use the Multi-Factor Authentication provider in Azure and configure the usage model for each authentication type
- C. Use the Multi-Factor Authentication provider in Azure and configure the usage model for each enabled user
- D. Purchase Azure Multi-Factor Authentication licenses for the contractors only

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains a group named Group1. Group1 contains all the administrative user accounts.

You discover several login attempts to the Azure portal from countries where administrative users do **NOT** work.

You need to ensure that all login attempts to the Azure portal from those countries require Azure Multi-Factor Authentication (MFA).

Solution: Create an Access Review for Group1.

Does this solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains a group named Group1. Group1 contains all the administrative user accounts.

You discover several login attempts to the Azure portal from countries where administrative users do **NOT** work.

You need to ensure that all login attempts to the Azure portal from those countries require Azure Multi-Factor Authentication (MFA).

Solution: You implement an access package.

Does this solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains a group named Group1. Group1 contains all the administrative user accounts.

You discover several login attempts to the Azure portal from countries where administrative users do **NOT** work.

You need to ensure that all login attempts to the Azure portal from those countries require Azure Multi-Factor Authentication (MFA).

Solution: Implement Azure AD Privileged Identity Management.

Does this solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

**Explanation answer
is No as per the exam
topic**

Explanation/Reference:

QUESTION 38

Your company has several Azure subscriptions that are part of a Microsoft Enterprise Agreement.

The company's compliance team creates automatic alerts by using Azure Monitor.

You need to recommend a solution to apply automatically recreate the alerts in the new Azure subscriptions that are added to the Enterprise Agreement.

What should you include in the recommendation?

- A. Azure Automation runbooks
- B. Azure Log Analytics alerts
- C. Azure Monitor action groups

- D. Azure Resource Manager templates
- E. Azure Policy

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

You store web access logs data in Azure Blob storage.

You plan to generate monthly reports from the access logs.

You need to recommend an automated process to upload the data to Azure SQL Database every month.

What should you include in the recommendation?

- A. Microsoft SQL Server Migration Assistant (SSMA)
- B. Azure Data Factory
- C. Data Migration Assistant
- D. AzCopy

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

Your company has the offices shown in the following table.

Location	IP address space	Public NAT segment
Montreal	10.10.0.0/16	190.15.1.0/24
Seattle	172.16.0.0/16	194.25.2.0/24

The network contains an Active Directory domain named contoso.com that is synced to Azure Active Directory (Azure AD).

All users connect to an application hosted in Microsoft 365.

You need to recommend a solution to ensure that all the users use Azure Multi-Factor Authentication (MFA) to connect to the application from one of the offices.

What should you include in the recommendation?

- A. a named location and two Microsoft Cloud App Security policies
- B. a conditional access policy and two virtual networks
- C. a virtual network and two Microsoft Cloud App Security policies
- D. a conditional access policy and two named locations

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Conditional Access policies are at their most basic an if-then statement combining signals, to make decisions, and enforce organization policies. One of those signals that can be incorporated into the decision-making process is network location.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition#named-locations>

QUESTION 41

HOTSPOT

You have an Azure subscription that contains 300 Azure virtual machines that run Windows Server 2016.

You need to centrally monitor all warning events in the System logs of the virtual machines.

What should you include in the solutions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Resource to create in Azure:

- An event hub
- A Log Analytics workspace
- A search service
- A storage account

Configuration to perform on the virtual machines:

- Create event subscriptions
- Configure Continuous delivery
- Install the Microsoft Monitoring Agent
- Modify the membership of the Event Log Readers group

Correct Answer:

Answer Area

Resource to create in Azure:

- An event hub
- A Log Analytics workspace**
- A search service
- A storage account

Configuration to perform on the virtual machines:

- Create event subscriptions
- Configure Continuous delivery
- Install the Microsoft Monitoring Agent**
- Modify the membership of the Event Log Readers group

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-sources-windows-events>

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agent-windows>

QUESTION 42

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises Active Directory Domain Services (AD DS) domain and an established Azure Active Directory (Azure AD) environment.

Your company would like users to be automatically signed in to cloud apps when they are on their corporate desktops that are connected to the corporate network.

You need to enable single sign-on (SSO) for company users.

Solution: Install and configure an on-premises Active Directory Federation Services (AD FS) server with a trust established between the AD FS server and Azure AD.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Seamless SSO is not applicable to Active Directory Federation Services (ADFS).

Instead install and configure an Azure AD Connect server.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso>

QUESTION 43

You have an Azure subscription that contains several resource groups, including a resource group named RG1. RG1 contains several business-critical resources.

A user named admin1 is assigned the Owner role to the subscription.

You need to prevent admin1 from modifying the resources in RG1. The solution must ensure that admin1 can manage the resources in the other resource groups.

What should you use?

- A. a management group
- B. an Azure policy
- C. a custom role
- D. an Azure blueprint

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Correct as per the exam topic

QUESTION 44

HOTSPOT

You deploy Azure service by using Azure Resources Manager templates. The template reference secrets are stored in Azure key Vault.

You need to recommend a solution for accessing the secrets during deployments.

The solution must prevent the users who are performing the deployments from accessing the secrets in the key vault directly.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Enable the key vaults for template deployment by using:

An access policy for the key vault
An advanced access policy for the key vault
Role-based access control (RBAC)

Restrict access to the secrets in the key vaults by using:

An access policy for the key vault
An advanced access policy for the key vault
Role-based access control (RBAC)

Correct Answer:

Answer Area

Enable the key vaults for template deployment by using:

An access policy for the key vault
An advanced access policy for the key vault
Role-based access control (RBAC)

Restrict access to the secrets in the key vaults by using:

An access policy for the key vault
An advanced access policy for the key vault
Role-based access control (RBAC)

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: An advanced access policy for the key vaults

Enable template deployment

1. In the portal, select your Key Vault.
2. Select Access policies.
3. Select access policies
4. Select Click to show advanced access policies.
5. Show advanced access policies
6. Select Enable access to Azure Resource Manager for template deployment. Then, select Save.

Box 2: Role-based access control (RBAC)

In large teams you may have multiple people deploying resources but don't want to give them access to the

actual secrets inside the vault. You can achieve this by creating a custom role that only gives access to the KeyVault for deployment purposes. The deployment user cannot read the secrets within.

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure/managed-applications/key-vault-access>

<https://azurecto.com/azure-key-vault-custom-role-for-deployment/>

QUESTION 45

DRAG DROP

A company named Contoso, Ltd. has an Azure Active Directory (Azure AD) tenant that uses the Basic license.

You plan to deploy two applications to Azure. The applications have the requirements shown in the following table.

Application name	Requirement
Customer	Users must authenticate by using a personal Microsoft account and multi-factor authentication.
Reporting	Users must authenticate by using either Contoso credentials or a personal Microsoft account. You must be able to manage the accounts from Azure AD.

Which authentication strategy should you recommend for each application? To answer, drag the appropriate authentication strategies to the correct applications. Each authentication strategy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Authentication Strategies

An Azure AD B2C tenant

An Azure AD v2.0 endpoint

An Azure AD v1.0 endpoint

Answer Area

Customer:

Reporting:

Correct Answer:

Authentication Strategies

An Azure AD v1.0 endpoint

Answer Area

Customer: An Azure AD v2.0 endpoint

Reporting: An Azure AD B2C tenant

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Azure AD V2.0 endpoint

Microsoft identity platform is an evolution of the Azure Active Directory (Azure AD) developer platform. It allows developers to build applications that sign in all Microsoft identities and get tokens to call Microsoft APIs, such as Microsoft Graph, or APIs that developers have built. The Microsoft identity platform consists of:

OAuth 2.0 and OpenID Connect standard-compliant authentication service that enables developers to authenticate any Microsoft identity, including:

Work or school accounts (provisioned through Azure AD)

Personal Microsoft accounts (such as Skype, Xbox, and Outlook.com)
Social or local accounts (via Azure AD B2C)

Box 2: Azure AD B2C tenant

Azure Active Directory B2C provides business-to-customer identity as a service. Your customers use their preferred social, enterprise, or local account identities to get single sign-on access to your applications and APIs.

Azure Active Directory B2C (Azure AD B2C) integrates directly with Azure Multi-Factor Authentication so that you can add a second layer of security to sign-up and sign-in experiences in your applications.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory-b2c/active-directory-b2c-reference-mfa>

<https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-overview>

QUESTION 46

HOTSPOT

You configure OAuth2 authorization in API Management as shown in the exhibit.

Add OAuth2 service

API Management service

* Display name
Unique name used to reference this authorization server of the p... ✓

* Id ⓘ

Description
Authorization server description

* Client registration page URL
https://contoso.com/register ✓

Authorization grant types

Authorization code

Implicit

Resource owner password

Client credentials

* Authorization endpoint URL
https://login.microsoftonline.com/contoso.onmicrosoft.com/o... ✓

Support state parameter

Authorization Request method

GET

POST

* Token endpoint URL
Token endpoint is used by clients to obtain access tokens in excha...

Additional body parameters using application/x-www-form-urlencoded format

Create

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

The selected authorization grant type is for

Background services
Headless device authentication
Single page applications
Web applications

To enable custom data in the grant flow, select

Client credentials
Implicit
Resource owner password
Support state parameter

Correct Answer:

Answer Area

The selected authorization grant type is for

Background services
Headless device authentication
Single page applications
Web applications

To enable custom data in the grant flow, select

Client credentials
Implicit
Resource owner password
Support state parameter

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Web applications

The Authorization Code Grant Type is used by both web apps and native apps to get an access token after a user authorizes an app.

Note: The Authorization Code grant type is used by confidential and public clients to exchange an authorization code for an access token.

After the user returns to the client via the redirect URL, the application will get the authorization code from the URL and use it to request an access token.

Answers:

Not Headless device authentication:

A headless system is a computer that operates without a monitor, graphical user interface (GUI) or peripheral devices, such as keyboard and mouse.

Headless computers are usually embedded systems in various devices or servers in multi-server data center environments. Industrial machines, automobiles, medical equipment, cameras, household appliances, airplanes, vending machines and toys are among the myriad possible hosts of embedded systems.

Box 2: Client Credentials

How to include additional client data

In case you need to store additional details about a client that don't fit into the standard parameter set the custom data parameter comes to help:

```
POST /c2id/clients HTTP/1.1
Host: demo.c2id.com
Content-Type: application/json
Authorization: Bearer ztucZS1ZyFKgh0tUEruUtiSTXhnexmd6
```

```
{
  "redirect_uris" : [ "https://myapp.example.com/callback" ],
  "data" : { "reg_type" : "3rd-party",
             "approved" : true,
             "author_id" : 792440 }
}
```

The data parameter permits arbitrary content packaged in a JSON object. To set it you will need the master registration token or a one-time access token with a client-reg:data scope.

Incorrect Answers:

Authorization protocols provide a state parameter that allows you to restore the previous state of your application. The state parameter preserves some state object set by the client in the Authorization request and makes it available to the client in the response.

Reference:

<https://developer.okta.com/blog/2018/04/10/oauth-authorization-code-grant-type>

<https://connect2id.com/products/server/docs/guides/client-registration>

QUESTION 47

A company has deployed several applications across Windows and Linux Virtual machines in Azure. Log Analytics are being used to send the required data for alerting purposes for the Virtual Machines.

You need to recommend which tables need to be queried for security related queries.

Which of the following would you query for events from Windows Event Logs?

- A. Azure Activity
- B. Azure Diagnostics
- C. Event
- D. Syslog

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

This is also given in the Microsoft documentation, wherein you would use the Event Table for the queries on events from Windows Virtual machines

Log queries with Windows Events

The following table provides different examples of log queries that retrieve Windows Event records.

Query	Description
Event	All Windows events.
Event where EventLevelName == "error"	All Windows events with severity of error.
Event summarize count() by Source	Count of Windows events by source.
Event where EventLevelName == "error" summarize count() by Source	Count of Windows error events by source.

Since this is clearly mentioned, all other options are incorrect

For more information on collecting event data from windows virtual machines, please go ahead and visit the below URL.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-sources-windows-events>

QUESTION 48

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains a group named Group1. Group1 contains all the administrative user accounts.

You discover several login attempts to the Azure portal from countries where administrative users do **NOT** work.

You need to ensure that all login attempts to the Azure portal from those countries require Azure Multi-Factor Authentication (MFA).

Solution: Implement Azure AD Identity Protection for Group1.

Does this solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead implement Azure AD Privileged Identity Management.

Note: Azure Active Directory (Azure AD) Privileged Identity Management (PIM) is a service that enables you to manage, control, and monitor access to important resources in your organization.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

QUESTION 49

You are designing a solution that will host 20 different web applications.

You need to recommend a solution to secure the web applications with a firewall that protects against common web-based attacks including SQL injection, cross-site scripting attacks, and session hijacks. The solution must minimize costs.

Which three Azure features should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. VPN Gateway
- B. URL-based content routing
- C. Multi-site routing
- D. Web Application Firewall (WAF)
- E. Azure ExpressRoute
- F. Azure Application Gateway

Correct Answer:

Answer is C, D, F

B. Multi-site routing

C. Web Application Firewall (WAF)

F. Azure Application Gateway

QUESTION 50

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs.

Solution: Install and configure the Microsoft Monitoring Agent and the Dependency Agent on all VMs. Use the Wire Data solution in Azure Monitor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Note: Wire Data looks at network data at the application level, not down at the TCP transport layer. The solution doesn't look at individual ACKs and SYNs.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview>

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

QUESTION 51

A company has deployed several applications across Windows and Linux Virtual machines in Azure. Log Analytics are being used to send the required data for alerting purposes for the Virtual Machines.

You need to recommend which tables need to be queried for security related queries.

Which of the following would you query for events from Linux system logging?

- A. Azure Activity
- B. Azure Diagnostics
- C. Event
- D. Syslog

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

This is also given in the Microsoft documentation, wherein you would use the Syslog Table for the queries on events from Linux Virtual machines

Note: Syslog is an event logging protocol that is common to Linux. Applications will send messages that may be stored on the local machine or delivered to a Syslog collector. When the Log Analytics agent for Linux is installed, it configures the local Syslog daemon to forward messages to the agent. The agent then sends the message to Azure Monitor where a corresponding record is created.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-sources-syslog>

QUESTION 53

You have an Azure Active Directory (Azure AD) tenant named contoso.com that has a security group named Group1. Group1 is configured for assigned membership. Group1 has 50 members, including 20 guest users.

You need to recommend a solution for evaluating the membership of Group1. The solution must meet the following requirements:

- The evaluation must be repeated automatically every three months.
- Every member must be able to report whether they need to be in Group1.
- Users who report that they do not need to be in Group1 must be removed from Group1 automatically
- Users who do not report whether they need to be in Group1 must be removed from Group1 automatically.

What should you include in the recommendation?

- A. Implement Azure AD Identity Protection.
- B. Change the Membership type of Group1 to **Dynamic User**.
- C. Create an access review.
- D. Implement Azure AD Privileged Identity Management.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

In Azure Active Directory (Azure AD), you can create complex attribute-based rules to enable dynamic memberships for groups. Dynamic group membership reduces the administrative overhead of adding and removing users.

When any attributes of a user or device change, the system evaluates all dynamic group rules in a directory to see if the change would trigger any group adds or removes. If a user or device satisfies a rule on a group, they are added as a member of that group. If they no longer satisfy the rule, they are removed.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership>

QUESTION 54

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Project1. Only a group named Project1admins is assigned roles in the Project1 subscription. The Project1 subscription contains all the resources for an application named Application1.

Your company is developing a new application named Application2. The members of the Application2 development team belong to an Azure Active Directory (Azure AD) group named App2Dev.

You identify the following requirements for Application2:

- The members of App2Dev must be prevented from changing the role assignments in Azure.
- The members of App2Dev must be able to create new Azure resources required by Application2.
- All the required role assignments for Application2 will be performed by the members of Project1admins.

You need to recommend a solution for the role assignments of Application2.

Solution: Create a new Azure subscription named Project2. Assign Project1admins the Owner role for the Project2 subscription. Assign App2Dev the Contributor role for the Project2 subscription.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Project1. Only a group named Project1admins is assigned roles in the Project1 subscription. The Project1 subscription contains all the resources for an application named Application1.

Your company is developing a new application named Application2. The members of the Application2 development team belong to an Azure Active Directory (Azure AD) group named App2Dev.

You identify the following requirements for Application2:

- The members of App2Dev must be prevented from changing the role assignments in Azure.
- The members of App2Dev must be able to create new Azure resources required by Application2.
- All the required role assignments for Application2 will be performed by the members of Project1admins.

You need to recommend a solution for the role assignments of Application2.

Solution: Create a new Azure subscription named Project2. Assign Project1admins the User Access Administrator role for the Project2 subscription. Assign App2Dev the Owner role for the Project2 subscription.

Does this meet the goal?

- Yes
- No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead, assign Project1admins the Owner role for the Project2 subscription. Assign App2Dev the Contributor role for the Project2 subscription.

QUESTION 56

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Project1. Only a group named Project1admins is assigned roles in the Project1 subscription. The Project1 subscription contains all the resources for an application named Application1.

Your company is developing a new application named Application2. The members of the Application2 development team belong to an Azure Active Directory (Azure AD) group named App2Dev.

You identify the following requirements for Application2:

- The members of App2Dev must be prevented from changing the role assignments in Azure.
- The members of App2Dev must be able to create new Azure resources required by Application2.
- All the required role assignments for Application2 will be performed by the members of Project1admins.

You need to recommend a solution for the role assignments of Application2.

Solution: In Project1, create a resource group named Application2RG. Assign Project1admins the Owner role for Application2RG. Assign App2Dev the Contributor role for Application2RG.

Does this meet the goal?

- Yes
- No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Yes seems correct as per the exam topic

QUESTION 57

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains a resource group named RG1.

You create an Azure Active Directory (Azure AD) group named ResearchUsers that contains the user accounts of all researchers.

You need to recommend a solution that meets the following requirements:

- The researchers must be allowed to create Azure virtual machines.
- The researchers must only be able to create Azure virtual machines by using specific Azure Resource Manager templates.

Solution: Create a lab in Azure DevTest Lab. Configure the DevTest Labs settings. Assign the DevTest Labs User role to the ResearchUsers group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead: On RG1, assign the Contributor role to the ResearchUsers group. Create a custom Azure Policy definition and assign the policy to RG1.

QUESTION 58

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains a resource group named RG1.

You create an Azure Active Directory (Azure AD) group named ResearchUsers that contains the user accounts of all researchers.

You need to recommend a solution that meets the following requirements:

- The researchers must be allowed to create Azure virtual machines.
- The researchers must only be able to create Azure virtual machines by using specific Azure Resource Manager templates.

Solution: Create an Azure DevOps Project. Configure the DevOps Project settings.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead: On RG1, assign the Contributor role to the ResearchUsers group. Create a custom Azure Policy definition and assign the policy to RG1.

QUESTION 60

You manage an Azure environment for a company. The environment has over 25,000 licensed users and 100 mission-critical applications.

You need to recommend a solution that provides advanced endpoint threat detection and remediation strategies.

What should you recommend?

- A. Azure Active Directory (Azure AD) authentication
- B. Microsoft Identity Manager
- C. Azure Active Directory Federation Services (AD FS)
- D. Azure Active Directory (AZ AD) Connect
- E. Azure Active Directory (Azure AD) Identity Protection

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Identity Protection uses adaptive machine learning algorithms and heuristics to detect anomalies and risk detections that might indicate that an identity has been compromised. Using this data, Identity Protection generates reports and alerts so that you can investigate these risk detections and take appropriate remediation or mitigation action.

References:

<https://docs.microsoft.com/en-us/azure/security/fundamentals/threat-detection>

QUESTION 61

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains a resource group named RG1.

You create an Azure Active Directory (Azure AD) group named ResearchUsers that contains the user accounts of all researchers.

You need to recommend a solution that meets the following requirements:

- The researchers must be allowed to create Azure virtual machines.
- The researchers must only be able to create Azure virtual machines by using specific Azure Resource Manager templates.

Solution: On RG1, assign the Contributor role to the ResearchUsers group. Create a custom Azure Policy definition and assign the policy to RG1.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

A company named Contoso Ltd., has a single-domain Active Directory forest named contoso.com.

Contoso is preparing to migrate all workloads to Azure. Contoso wants users to use single sign-on (SSO) when they access cloud-based services that integrate with Azure Active Directory (Azure AD).

You need to identify any objects in Active Directory that will fail to synchronize to Azure AD due to formatting issues. The solution must minimize costs.

What should you include in the solution?

- A. Azure Advisor
- B. Microsoft Office 365 IdFix
- C. Azure AD Connect Health
- D. Password Export Server version 3.1 (PES v3.1) in Active Directory Migration Tool (ADMT)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63

HOTSPOT

Your company has an API that returns XML data to internal applications.

You plan to migrate the applications to Azure. You also plan to allow the company's partners to access the API.

You need to recommend an API management solution that meets the following requirements:

- Internal applications must receive data in the JSON format once the applications migrate to Azure.
- Partner applications must have their header information stripped before the applications receive the data.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Minimum number of APIs to add to Azure API Management:

	▼
1	
2	
3	

Minimum number of products to publish in Azure API Management:

	▼
1	
2	
3	

Minimum number of policy elements to add:

	▼
1	
2	
3	

Correct Answer:

Answer Box1 - 1 Box2 - 2 Box3 – 2

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-add-products>

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-policies>

<https://docs.microsoft.com/en-us/azure/api-management/transform-api>

QUESTION 64

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises data center and an Azure subscription. The on-premises data center contains a Hardware Security Module (HSM).

Your network contains an Active Directory domain that is synchronized to an Azure Active Directory (Azure AD) tenant.

The company is developing an application named Application1. Application1 will be hosted in Azure by using 10 virtual machines that run Windows Server 2016. Five virtual machines will be in the West Europe Azure region and five virtual machines will be in the East US Azure region. The virtual machines will store sensitive company information. All the virtual machines will use managed disks.

You need to recommend a solution to encrypt the virtual machine disks by using BitLocker Drive Encryption

(BitLocker).

Solution: Deploy one Azure Key Vault to each region. Configure virtual machines to use Azure Disk Encryption. Use a different Key Vault for encrypting virtual machine disks in each region.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The security key from the on-premises HSM need to be exported.

Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-security-disk-encryption-prerequisites-aad>

QUESTION 66

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises data center and an Azure subscription. The on-premises data center contains a Hardware Security Module (HSM).

Your network contains an Active Directory domain that is synchronized to an Azure Active Directory (Azure AD) tenant.

The company is developing an application named Application1. Application1 will be hosted in Azure by using 10 virtual machines that run Windows Server 2016. Five virtual machines will be in the West Europe Azure region and five virtual machines will be in the East US Azure region. The virtual machines will store sensitive company information. All the virtual machines will use managed disks.

You need to recommend a solution to encrypt the virtual machine disks by using BitLocker Drive Encryption (BitLocker).

Solution:

- Deploy one Azure Key Vault to each region
- Export two security keys from the on-premises HSM
- Import the security keys from the HSM into each Azure Key Vault
- Configure the virtual machines to use Azure Disk Encryption
- Use a different Key Vault for encrypting virtual machine disks in each region

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

We use the Azure Premium Key Vault with Hardware Security Modules (HSM) backed keys. The Key Vault has to be in the same region as the VM that will be encrypted.

Note: If you want to use a key encryption key (KEK) for an additional layer of security for encryption keys, add a KEK to your key vault. Use the Add-AzKeyVaultKey cmdlet to create a key encryption key in the key vault. You can also import a KEK from your on-premises key management HSM.

Reference:

<https://www.ciraltos.com/azure-disk-encryption-v2/>

<https://docs.microsoft.com/en-us/azure/security/azure-security-disk-encryption-prerequisites-aad>

QUESTION 68

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an on-premises Active Directory Domain Services (AD DS) domain and an established Azure Active Directory (Azure AD) environment.

Your company would like users to be automatically signed in to cloud apps when they are on their corporate desktops that are connected to the corporate network.

You need to enable single sign-on (SSO) for company users.

Solution: Install and configure an on-premises Active Directory Federation Services (AD FS) server and establish federation with Azure AD.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Seamless SSO is not applicable to Active Directory Federation Services (ADFS). Instead install and configure an Azure AD Connect server.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso>

QUESTION 70

You have an Azure Active Directory (Azure AD) tenant.

You plan to deploy Azure Cosmos DB databases that will use the SQL API.

You need to recommend a solution to provide specific Azure AD user accounts with read access to the Cosmos DB databases.

What should you include in the recommendation?

- A. a resource token and an Access control (IAM) role assignment
- B. shared access signatures (SAS) and conditional access policies
- C. master keys and Azure Information Protection policies
- D. certificates and Azure Key Vault

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The Access control (IAM) pane in the Azure portal is used to configure role-based access control on Azure Cosmos resources. The roles are applied to users, groups, service principals, and managed identities in Active Directory. You can use built-in roles or custom roles for individuals and groups. The following screenshot shows Active Directory integration (RBAC) using access control (IAM) in the Azure portal:

The screenshot shows the Azure portal interface for managing access control (IAM) for an Azure Cosmos DB account named 'contosoacct'. The left sidebar has a 'Tags' section and several troubleshooting links: 'Diagnose and solve problems', 'Quick start', 'Data Explorer', and 'Notifications'. Below these are 'Settings' sections for 'Replicate data globally', 'Default consistency', 'Firewall and virtual networks', and 'Keys'. The main content area is titled 'contosoacct - Access control (IAM)' and shows the 'Role assignments' tab selected. It includes a search bar, filter options for 'Name', 'Type', 'Role', and 'Scope', and a table listing three items: two users ('jvashni@contoso.com' and 'miovx@contoso.com') and one group ('Subscription admins'). Each entry shows the assigned role (e.g., 'DocumentDB Account Contributor', 'Reader', 'Owner') and the scope (e.g., 'Assigned', 'Inherited (Subscription)').

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/role-based-access-control>

Design a Data Platform Solution

Testlet 1

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Contoso, Ltd. is a US-based financial services company that has a main office in New York and a branch office in San Francisco.

Existing Environment

Payment Processing System

Contoso hosts a business-critical payment processing system in its New York data center. The system has three tiers: a front-end web app, a middle-tier web API, and a back-end data store implemented as a Microsoft SQL Server 2014 database. All servers run Windows Server 2012 R2.

The front-end and middle-tier components are hosted by using Microsoft Internet Information Services (IIS). The application code is written in C# and ASP.NET. The middle-tier API uses the Entity Framework to communicate to the SQL Server database. Maintenance of the database is performed by using SQL Server Agent jobs.

The database is currently 2 TB and is not expected to grow beyond 3 TB.

The payment processing system has the following compliance-related requirements:

- Encrypt data in transit and at rest. Only the front-end and middle-tier components must be able to access the encryption keys that protect the data store.
- Keep backups of the data in two separate physical locations that are at least 200 miles apart and can be restored for up to seven years.
- Support blocking inbound and outbound traffic based on the source IP address, the destination IP address, and the port number.
- Collect Windows security logs from all the middle-tier servers and retain the logs for a period of seven years.
- Inspect inbound and outbound traffic from the front-end tier by using highly available network appliances.
- Only allow all access to all the tiers from the internal network of Contoso.

Tape backups are configured by using an on-premises deployment of Microsoft System Center Data Protection Manager (DPM), and then shipped offsite for long term storage.

Historical Transaction Query System

Contoso recently migrated a business-critical workload to Azure. The workload contains a .NET web service for querying the historical transaction data residing in Azure Table Storage. The .NET web service is accessible from a client app that was developed in-house and runs on the client computers in the New York office. The data in the table storage is 50 GB and is not expected to increase.

Current Issues

The Contoso IT team discovers poor performance of the historical transaction query system, at the queries frequently cause table scans.

Requirements

Planned Changes

Contoso plans to implement the following changes:

- Migrate the payment processing system to Azure.
- Migrate the historical transaction data to Azure Cosmos DB to address the performance issues.

Migration Requirements

Contoso identifies the following general migration requirements:

- Infrastructure services must remain available if a region or a data center fails. Failover must occur without any administrative intervention.
- Whenever possible, Azure managed services must be used to minimize management overhead.
- Whenever possible, costs must be minimized.

Contoso identifies the following requirements for the payment processing system:

- If a data center fails, ensure that the payment processing system remains available without any administrative intervention. The middle-tier and the web front end must continue to operate without any additional configurations.
- Ensure that the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.
- Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability.
- Minimize the effort required to modify the middle-tier API and the back-end tier of the payment processing system.
- Payment processing system must be able to use grouping and joining tables on encrypted columns.
- Generate alerts when unauthorized login attempts occur on the middle-tier virtual machines.
- Ensure that the payment processing system preserves its current compliance status.
- Host the middle tier of the payment processing system on a virtual machine.

Contoso identifies the following requirements for the historical transaction query system:

- Minimize the use of on-premises infrastructure services.
- Minimize the effort required to modify the .NET web service querying Azure Cosmos DB.
- Minimize the frequency of table scans.
- If a region fails, ensure that the historical transaction query system remains available without any administrative intervention.

Information Security Requirements

The IT security team wants to ensure that identity management is performed by using Active Directory. Password hashes must be stored on-premises only.

Access to all business-critical systems must rely on Active Directory credentials. Any suspicious authentication attempts must trigger a multi-factor authentication prompt automatically. Legitimate users must be able to authenticate successfully by using multi-factor authentication.

QUESTION 1

You need to recommend a solution for implementing the back-end tier of the payment processing system in

Azure.

What should you include in the recommendation?

- A. an Azure SQL Database managed instance
- B. a SQL Server database on an Azure virtual machine
- C. an Azure SQL Database single database
- D. an Azure SQL Database elastic pool

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

You need to recommend a solution for protecting the content of the payment processing system.

What should you include in the recommendation?

- A. Transparent Data Encryption (TDE)
- B. Azure Storage Service Encryption
- C. Always Encrypted with randomized encryption
- D. Always Encrypted with deterministic encryption

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

HOTSPOT

You need to recommend a solution for the data store of the historical transaction query system.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Sizing requirements:

A table that has unlimited capacity
A table that has a fixed capacity
Multiple tables that have unlimited capacity
Multiple tables that have fixed capacity

Resiliency:

An additional read region
An availability set
An availability zone

Correct Answer:

Answer Area

Sizing requirements:

A table that has unlimited capacity
A table that has a fixed capacity
Multiple tables that have unlimited capacity
Multiple tables that have fixed capacity

Resiliency:

An additional read region
An availability set
An availability zone

Section: (none)

Explanation

Explanation/Reference:

Design a Data Platform Solution

Testlet 2

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Fabrikam, Inc. is an engineering company that has offices throughout Europe. The company has a main office in London and three branch offices in Amsterdam, Berlin, and Rome.

Existing Environment

Active Directory Environment

The network contains two Active Directory forests named corp.fabrikam.com and rd.fabrikam.com. There are no trust relationships between the forests.

Corp.fabrikam.com is a production forest that contains identities used for internal user and computer authentication.

Rd.fabrikam.com is used by their research and development (R&D) department only.

Network Infrastructure

Each office contains at least one domain controller from the corp.fabrikam.com domain. The main office contains all the domain controllers for the rd.fabrikam.com forest.

All the offices have a high-speed connection to the Internet.

An existing application named WebApp1 is hosted in the data center of the London office. WebApp1 is used by customers to place and track orders. WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

The IT department currently uses a separate Hyper-V environment to test updates to WebApp1.

Fabrikam purchases all Microsoft licenses through a Microsoft Enterprise Agreement that includes Software Assurance.

Problem Statements

The use of WebApp1 is unpredictable. At peak times, users often report delays. At other times, many

resources for WebApp1 are underutilized.

Requirements

Planned Changes

Fabrikam plans to move most of its production workloads to Azure during the next few years.

As one of its first projects, the company plans to establish a hybrid identity model, facilitating an upcoming Microsoft Office 365 deployment.

All R&D operations will remain on-premises.

Fabrikam plans to migrate the production and test instances of WebApp1 to Azure.

Technical Requirements

Fabrikam identifies the following technical requirements:

- Web site content must be easily updated from a single point.
- User input must be minimized when provisioning new web app instances.
- Whenever possible, existing on-premises licenses must be used to reduce cost.
- Users must always authenticate by using their corp.fabrikam.com UPN identity.
- Any new deployments to Azure must be redundant in case an Azure region fails.
- Whenever possible, solutions must be deployed to Azure by using platform as a service (PaaS).
- An email distribution group named IT Support must be notified of any issues relating to the directory synchronization services.
- Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network.

Database Requirements

Fabrikam identifies the following database requirements:

- Database metrics for the production instance of WebApp1 must be available for analysis so that database administrators can optimize the performance settings.
- To avoid disrupting customer access, database downtime must be minimized when databases are migrated.
- Database backups must be retained for a minimum of seven years to meet compliance requirements.

Security Requirements

Fabrikam identifies the following security requirements:

- Company information including policies, templates, and data must be inaccessible to anyone outside the company.
- Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails.
- Administrators must be able authenticate to the Azure portal by using their corp.fabrikam.com credentials.
- All administrative access to the Azure portal must be secured by using multi-factor authentication.
- The testing of WebApp1 updates must not be visible to anyone outside the company.

QUESTION 1

You need to recommend a data storage strategy for WebApp1.

What should you include in the recommendation?

- A. a fixed-size DTU Azure SQL database
- B. an Azure virtual machine that runs SQL Server
- C. an Azure SQL Database elasticpool
- D. a vCore-based Azure SQL database

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Design a Data Platform Solution

Question Set 3

QUESTION 1

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that has four departments. Each department will deploy several Azure app services and Azure SQL databases.

You need to recommend a solution to report the costs for each department to deploy the app services and the databases. The solution must provide a consolidated view for cost reporting.

Solution: Create a resources group for each resource type. Assign tags to each resource group.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference: corrected as per that exam topic

Explanation:

Tags enable you to retrieve related resources from different resource groups. This approach is helpful when you need to organize resources for billing or management.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-using-tags>

QUESTION 2

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that has four departments. Each department will deploy several Azure app services and Azure SQL databases.

You need to recommend a solution to report the costs for each department to deploy the app services and the databases. The solution must provide a consolidated view for cost reporting.

Solution: Place all resources in the same resource group. Assign tags to each resource.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Answer is yes as per the exam topicExplanation:

Instead, create a resources group for each resource type. Assign tags to each resource

Note: Tags enable you to retrieve related resources from different resource groups. This approach is helpful when you need to organize resources for billing or management.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-using-tags>

QUESTION 3

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that has four departments. Each department will deploy several Azure app services and Azure SQL databases.

You need to recommend a solution to report the costs for each department to deploy the app services and the databases. The solution must provide a consolidated view for cost reporting.

Solution: Create a new subscription for each department.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead, create a resources group for each resource type. Assign tags to each resource

Note: Tags enable you to retrieve related resources from different resource groups. This approach is helpful when you need to organize resources for billing or management.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-using-tags>

QUESTION 4

HOTSPOT

You plan to deploy logical Azure SQL Database servers to the East US Azure region and the West US Azure region. Each server will contain 20 databases. Each database will be accessed by a different user who resides in a different on-premises location. The databases will be configured to use active geo-replication.

You need to recommend a solution that meets the following requirements:

- Restricts user access to each database
- Restricts network access to each database based on each user's respective location
- Ensures that the databases remain accessible from client applications if the local Azure region fails

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Configure user access by using:

Azure PowerShell
The REST API
Transact-SQL

Configure database-level firewall rules by using:

Azure PowerShell
The REST API
Transact-SQL

Correct Answer:

Answer-

Box 1 –

Transact-

SQL

Box 2 –

Transact-

SQL

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

You have an Azure subscription that contains 100 virtual machines.

You plan to design a data protection strategy to encrypt the virtual disks.

You need to recommend a solution to encrypt the disks by using Azure Disk Encryption. The solution must provide the ability to encrypt operating system disks and data disks.

What should you include in the recommendation?

- A. a passphrase
- B. a certificate
- C. a key
- D. a secret

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

For enhanced virtual machine (VM) security and compliance, virtual disks in Azure can be encrypted. Disks are encrypted by using cryptographic keys that are secured in an Azure Key Vault. You control these cryptographic keys and can audit their use.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/encrypt-disks>

QUESTION 6

You deploy Azure App Service Web Apps that connect to on-premises Microsoft SQL Server instances by using Azure ExpressRoute. You plan to migrate the SQL Server instances to Azure.

Migration of the SQL Server instances to Azure must:

- Support automatic patching and version updates to SQL Server.
- Provide automatic backup services.
- Allow for high-availability of the instances.
- Provide a native VNET with private IP addressing.
- Encrypt all data in transit.
- Be in a single-tenant environment with dedicated underlying infrastructure (compute, storage)

You need to migrate the SQL Server instances to Azure.

Which Azure service should you use?

- A. Azure SQL Database with elastic pools
- B. SQL Server in Docker containers running on Azure Kubernetes Service (AKS)
- C. SQL Server Infrastructure-as-a-Service (IaaS) virtual machine (VM)
- D. SQL Server in a Docker container running on Azure Container Instances (ACI)
- E. Azure SQL Database Managed Instance

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure SQL Database Managed Instance configured for Hybrid workloads. Use this topology if your Azure SQL Database Managed Instance is connected to your on-premises network. This approach provides the most simplified network routing and yields maximum data throughput during the migration.

Reference:

<https://docs.microsoft.com/en-us/azure/dms/resource-network-topologies>

QUESTION 7

You are designing an Azure Web App that includes many static content files.

The application is accessed from locations all over the world by using a custom domain name.

You need to recommend an approach for providing access to the static content with the least amount of latency.

Which two actions should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Configure a custom domain name that is an alias for the Azure Storage domain.
- B. Configure a CNAME DNS record for the Azure Content Delivery Network (CDN) domain.
- C. Place the static content in Azure Table storage.
- D. Place the static content in Azure Blob storage and enable Content Delivery Network (CDN) on the account.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

D: Add Azure Content Delivery Network (CDN) to a web app in Azure App Service.

B: When you use a CDN endpoint to deliver content, a custom domain is necessary if you would like your own domain name to be visible in your CDN URL. Having a visible domain name can be convenient for your customers and useful for branding purposes.

Create a CNAME DNS record, and associate the custom domain with your CDN endpoint.

Reference:

<https://docs.microsoft.com/en-us/azure/cdn/cdn-map-content-to-custom-domain>

<https://docs.microsoft.com/en-us/azure/cdn/cdn-add-to-web-app>

QUESTION 8

You are developing a sales application that will contain several Azure cloud services and will handle different components of a transaction. Different cloud services will process customer orders, billing, payment, inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using REST messages.

What would you include in the recommendation?

- A. Azure Traffic Manager
- B. Azure Data Lake
- C. Azure Blob storage
- D. Azure Service Bus
- E. Azure Application Gateway

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Asynchronous messaging can be implemented in a variety of different ways. With queues, topics, and subscriptions, Azure Service Bus supports asynchronism via a store and forward mechanism.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-async-messaging>

QUESTION 9

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that has four departments. Each department will deploy several Azure app services and Azure SQL databases.

You need to recommend a solution to report the costs for each department to deploy the app services and the databases. The solution must provide a consolidated view for cost reporting.

Solution: Create a separate resource group for each department. Place the resources for each department in its respective resource group.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead create a resources group for each resource type. Assign tags to each resource group.

Note: Tags enable you to retrieve related resources from different resource groups. This approach is helpful when you need to organize resources for billing or management.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-using-tags>

QUESTION 10

You are developing a sales application that will contain several Azure cloud services and will handle different components of a transaction. Different cloud services will process customer orders, billing, payment, inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using REST messages.

What would you include in the recommendation?

- A. Azure Traffic Manager
- B. Azure Notification Hubs
- C. Azure Blob storage
- D. Azure Queue storage

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Asynchronous messaging can be implemented in a variety of different ways. With queues, topics, and subscriptions.

The queue service REST API: The Queue service stores messages that may be read by any client who has access to the storage account.

Incorrect Answers:

B: Azure Notification Hubs provide an easy-to-use and scaled-out push engine that allows you to send notifications to any platform. This communication is not asynchronous, however.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-async-messaging>

<https://docs.microsoft.com/en-us/rest/api/storageservices/queue-service-rest-api>

QUESTION 11

You have an Azure subscription that contains an Azure Cosmos DB account.

You need to recommend a solution to generate an alert from Azure Log Analytics when a request charge for a query exceeds 50 request units more than 20 times within a 15-minute window.

What should you recommend?

- A. Create a search query to identify when requestCharge_s exceeds 50. Configure an alert threshold of 20 and a period of 15.
- B. Create a search query to identify when duration_s exceeds 20 and requestCharge_s exceeds 50. Configure a period of 15.
- C. Create a search query to identify when requestCharge_s exceeds 20. Configure a period of 15 and a frequency of 20.
- D. Create a search query to identify when duration_s exceeds 20. Configure a period of 15.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

You have 70 TB of files on your on-premises file server.

You need to recommend solution for importing data to Azure. The solution must minimize cost.

What Azure service should you recommend?

- A. Azure StorSimple
- B. Azure Stack
- C. Azure Data Box
- D. Azure Batch

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Microsoft has engineered an extremely powerful solution that helps customers get their data to the Azure public cloud in a cost-effective, secure, and efficient manner with powerful Azure and machine learning at play. The solution is called Data Box.

Data Box and is in general availability status. It is a rugged device that allows organizations to have 100 TB of capacity on which to copy their data and then send it to be transferred to Azure.

Incorrect Answers:

A: StoreSimple would not be able to handle 70 TB of data.

References:

<https://www.vembu.com/blog/what-is-microsoft-azure-data-box-disk-edge-heavy-gateway-overview/>

QUESTION 13

You have an Azure subscription.

Your on-premises network contains a file server named Server1. Server1 stores 5 TB of company files that are accessed rarely.

You plan to copy the files to Azure Storage.

You need to implement a storage solution for the files that meets the following requirements:

- The files must be available within 24 hours of being requested.
- Storage costs must be minimized.

Which two possible storage solutions achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create a general-purpose v2 storage account that is set to the Cool access tier. Create a file share in the storage account and copy the files to the file share.
- B. Create a general-purpose v2 storage account that is set to the Hot access tier. Create a blob container, copy the files to the blob container, and set each file to the **Archive** access tier.
- C. Create a general-purpose v1 storage account. Create a file share in the storage account and copy the files to the file share.
- D. Create an Azure Blob storage account that is set to the Cool access tier. Create a blob container, copy the files to the blob container, and set each file to the **Archive** access tier.
- E. Create a general-purpose v1 storage account. Create a blob container and copy the files to the blob container.

Correct Answer: B&D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: Azure storage offers different access tiers, which allow you to store blob object data in the most cost-effective manner.

The Cool access tier is optimized for storing data that is infrequently accessed and stored for at least 30 days.

E: Using a file share is cheaper than using a blob container.

Incorrect Answers:

B, D: The Archive tier is optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements (on the order of hours).

C: Using a Blob container would be cheaper than using a file share.

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

QUESTION 14

You are designing a data protection strategy for Azure virtual machines. All the virtual machines are in the Standard tier and use managed disks.

You need to recommend a solution that meets the following requirements:

- The use of encryption keys is audited.
- All the data is encrypted at rest always.
- You manage the encryption keys, not Microsoft.

What should you include in the recommendation?

- A. BitLocker Drive Encryption (BitLocker)
- B. Azure Storage Service Encryption
- C. client-side encryption
- D. Azure Disk Encryption

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-security-disk-encryption-overview>

QUESTION 15

You have 100 servers that run Windows Server 2012 R2 and host Microsoft SQL Server. The instances host databases that have the following characteristics:

Suresh.Palani

2020-08-04 21:29:33

Q15 - Hint

Key to the solution is mentioning of CLR (common runtime). CLR is not supported for Single Database or Elastic pool. Which makes Managed Instance (and instance pools) the only correct answer

- The largest database is currently 3 TB. None of the databases will ever exceed 4 TB.
- Stored procedures are implemented by using CLR.

You plan to move all the data from SQL Server to Azure.

You need to recommend an Azure service to host the databases. The solution must meet the following requirements:

- Whenever possible, minimize management overhead for the migrated databases.
- Minimize the number of database changes required to facilitate the migration.
- Ensure that users can authenticate by using their Active Directory credentials.

What should you include in the recommendation?

- A. Azure SQL Database single databases
- B. Azure SQL Database Managed Instance
- C. Azure SQL Database elastic pools
- D. SQL Server 2016 on Azure virtual machines

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-managed-instance>

QUESTION 16

DRAG DROP

You are designing a virtual machine that will run Microsoft SQL Server and will contain two data disks. The first data disk will store log files, and the second data disk will store data. Both disks are P40 managed disks.

You need to recommend a caching policy for each disk. The policy must provide the best overall performance for the virtual machine.

Which caching policy should you recommend for each disk? To answer, drag the appropriate policies to the correct disks. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Policies	Answer Area
None	Log: <input type="text"/>
ReadOnly	Data: <input type="text"/>
ReadWrite	

The form consists of two columns. The left column, labeled "Policies", contains three options: "None", "ReadOnly", and "ReadWrite". The right column, labeled "Answer Area", has two rows. The top row is for the "Log" disk, with a "Policy" placeholder in the input field. The bottom row is for the "Data" disk, also with a "Policy" placeholder in the input field. Between the two columns is a vertical line with circular arrows pointing in opposite directions, indicating a drag-and-drop interaction.

Correct Answer:

Policies



Answer Area



Log: None

Data: ReadOnly

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sql/virtual-machines-windows-sql-performance>

QUESTION 17

You plan to create an Azure Cosmos DB account that uses the SQL API. The account will contain data added by a web application. The web application will send data daily.

You need to recommend a notification solution that meets the following requirements:

- Sends email notifications when data is received from IoT devices.
- Minimizes compute cost.

What should you include in the recommendation?

- A. Deploy a function app that is configured to use the Consumption plan and a SendGrid binding.
- B. Deploy an Azure logic app that has a SendGrid connector configured to use an Azure Cosmos DB action.
- C. Deploy a function app that is configured to use the Consumption plan and an Azure Event Hubs binding.
- D. Deploy an Azure logic app that has a webhook configured to use a SendGrid action.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You can send email by using SendGrid bindings in Azure Functions. Azure Functions supports an output binding for SendGrid.

Note: When you're using the Consumption plan, instances of the Azure Functions host are dynamically added and removed based on the number of incoming events.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-sendgrid>

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale#consumption-plan>

QUESTION 18

You have Azure virtual machines that run a custom line-of-business web application.

You plan to use a third-party solution to parse event logs from the virtual machines stored in an Azure storage account.

You need to recommend a solution to save the event logs from the virtual machines to the Azure Storage

account. The solution must minimize costs and complexity.

What should you include in the recommendation?

- A. Azure VM Diagnostics Extension
- B. Azure Monitor Metrics
- C. event log subscriptions
- D. Azure Monitor Logs

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The Azure Diagnostics VM extension enables you to collect monitoring data, such as performance counters and event logs, from your Windows VM. You can granularly specify what data you want to collect and where you want the data to go, such as an Azure Storage account or an Azure Event Hub.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/extensions-diagnostics>

QUESTION 19

DRAG DROP

You are planning an Azure solution that will host production databases for a high-performance application. The solution will include the following components:

- Two virtual machines that will run Microsoft SQL Server 2016, will be deployed to different data centers in the same Azure region, and will be part of an Always On availability group.
- SQL Server data that will be backed up by using the Automated Backup feature of the SQL Server IaaS Agent Extension (SQLIaaSExtension)

You identify the storage priorities for various data types as shown in the following table.

Data type	Storage priority
Operating system	Speed and availability
Databases and logs	Speed and availability
Backups	Lowest cost

Which storage type should you recommend for each data type? To answer, drag the appropriate storage types to the correct data types. Each storage type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Storage Types

Answer Area

A geo-redundant storage (GRS) account

Operating system:

A locally-redundant storage (LRS) account

Databases and logs:

A premium managed disk

Backups:

A standard managed disk

Correct Answer:

Storage Types	Answer Area
A geo-redundant storage (GRS) account	Operating system: A premium managed disk
A locally-redundant storage (LRS) account	Databases and logs: A premium managed disk
A premium managed disk	Backups: A locally-redundant storage (LRS) account
A standard managed disk	

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

HOTSPOT

Your company deploys several Linux and Windows virtual machines (VMs) to Azure. The VMs are deployed with the Microsoft Dependency Agent and the Log Analytics Agent installed by using Azure VM extensions. On-premises connectivity has been enabled by using Azure ExpressRoute.

You need to design a solution to monitor the VMs.

Which Azure monitoring services should you use? To answer, select the appropriate Azure monitoring services in the answer area.

NOTE: Each correct selection is worth one point.


Hot Area:

Answer Area

Scenario	Azure Monitoring Service
Analyze Network Security Group (NSG) flow logs for VMs attempting Internet access.	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Azure Traffic Analytics <input type="checkbox"/> Azure ExpressRoute Monitor <input type="checkbox"/> Azure Service Endpoint Monitor <input type="checkbox"/> Azure DNS Analytics </div>
Visualize the VMs with their different processes and dependencies on other computers and external processes.	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> Azure Service Map <input type="checkbox"/> Azure Activity Log <input type="checkbox"/> Azure Service Health <input type="checkbox"/> Azure Advisor </div>

Correct Answer:

Answer Area

Scenario	Azure Monitoring Service
Analyze Network Security Group (NSG) flow logs for VMs attempting Internet access.	 <p>Azure Traffic Analytics Azure ExpressRoute Monitor Azure Service Endpoint Monitor Azure DNS Analytics</p>
Visualize the VMs with their different processes and dependencies on other computers and external processes.	 <p>Azure Service Map Azure Activity Log Azure Service Health Azure Advisor</p>

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Azure Traffic Analytics

Traffic Analytics is a cloud-based solution that provides visibility into user and application activity in cloud networks. Traffic analytics analyzes Network Watcher network security group (NSG) flow logs to provide insights into traffic flow in your Azure cloud. With traffic analytics, you can:

- Identify security threats to, and secure your network, with information such as open-ports, applications attempting internet access, and virtual machines (VM) connecting to rogue networks.
- Visualize network activity across your Azure subscriptions and identify hot spots.
- Understand traffic flow patterns across Azure regions and the internet to optimize your network deployment for performance and capacity.
- Pinpoint network misconfigurations leading to failed connections in your network.

Box 2: Azure Service Map

Service Map automatically discovers application components on Windows and Linux systems and maps the communication between services. With Service Map, you can view your servers in the way that you think of them: as interconnected systems that deliver critical services. Service Map shows connections between servers, processes, inbound and outbound connection latency, and ports across any TCP-connected architecture, with no configuration required other than the installation of an agent.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics>

<https://docs.microsoft.com/en-us/azure/azure-monitor/insights/service-map>

QUESTION 23**HOTSPOT**

You have an on-premises file server that stores 2 TB of data files.

You plan to move the data files to Azure Blob storage in the Central Europe region.

You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

- Be available if a single Azure datacenter fails.
- Support storage tiers.
- Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Account type:

Blob storage
Storage (general purpose v1)
StorageV2 (general purpose v2)

Replication solution:

Geo-redundant storage (GRS)
Zone-redundant storage (ZRS)
Locally-redundant storage (LRS)
Read-access geo-redundant storage (RA-GRS)

Correct Answer:

Answer Area

Account type:	<table border="1"><tr><td>Blob storage</td></tr><tr><td>Storage (general purpose v1)</td></tr><tr><td>StorageV2 (general purpose v2)</td></tr></table>	Blob storage	Storage (general purpose v1)	StorageV2 (general purpose v2)	
Blob storage					
Storage (general purpose v1)					
StorageV2 (general purpose v2)					
Replication solution:	<table border="1"><tr><td>Geo-redundant storage (GRS)</td></tr><tr><td>Zone-redundant storage (ZRS)</td></tr><tr><td>Locally-redundant storage (LRS)</td></tr><tr><td>Read-access geo-redundant storage (RA-GRS)</td></tr></table>	Geo-redundant storage (GRS)	Zone-redundant storage (ZRS)	Locally-redundant storage (LRS)	Read-access geo-redundant storage (RA-GRS)
Geo-redundant storage (GRS)					
Zone-redundant storage (ZRS)					
Locally-redundant storage (LRS)					
Read-access geo-redundant storage (RA-GRS)					

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Blob storage

Blob storage supports storage tiers

Note: Azure offers three storage tiers to store data in blob storage: Hot Access tier, Cool Access tier, and Archive tier. These tiers target data at different stages of its lifecycle and offer cost-effective storage options for different use cases.

Box 2: Zone-redundant storage (ZRS)

Data in an Azure Storage account is always replicated three times in the primary region. Azure Storage offers two options for how your data is replicated in the primary region:

- Zone-redundant storage (ZRS) copies your data synchronously across three Azure availability zones in the primary region.
- Locally redundant storage (LRS) copies your data synchronously three times within a single physical location in the primary region. LRS is the least expensive replication option, but is not recommended for applications requiring high availability.

References:

<https://cloud.netapp.com/blog/storage-tiers-in-azure-blob-storage-find-the-best-for-your-data>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

QUESTION 24

HOTSPOT

Your on-premises network contains a file server named Server1 that stores 500 GB of data.

You need to use Azure Data Factory to copy the data from Server1 to Azure Storage.

You add a new data factory.

What should you do next? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

From Server1:

Install an Azure File Sync agent
Install a self-hosted integration runtime
Install the File Server Resource Manager role service

From the data factory:

Create a pipeline
Create an import/export job
Provision an Azure-SQL Server Integration Services (SSIS) integration runtime

Correct Answer:

Answer Area

From Server1:

Install an Azure File Sync agent
Install a self-hosted integration runtime
Install the File Server Resource Manager role service

From the data factory:

Create a pipeline
Create an import/export job
Provision an Azure-SQL Server Integration Services (SSIS) integration runtime

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Install a self-hosted integration runtime

The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.

Box 2: Create a pipeline

With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf>

QUESTION 25

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage account that contains two 1-GB data files named File1 and File2. The data files are set to use the archive access tier.

You need to ensure that File1 is accessible immediately when a retrieval request is initiated.

Solution: For File1, you set Access tier to **Cool**.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use the hot access tier.

The hot access tier has higher storage costs than cool and archive tiers, but the lowest access costs.

Example usage scenarios for the hot access tier include:

- Data that's in active use or expected to be accessed (read from and written to) frequently.
- Data that's staged for processing and eventual migration to the cool access tier.

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

QUESTION 26

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage account that contains two 1-GB data files named File1 and File2. The data files are set to use the archive access tier.

You need to ensure that File1 is accessible immediately when a retrieval request is initiated.

Solution: You move File1 to a new storage account. For File1, you set Access tier to **Archive**.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use the hot access tier.

The hot access tier has higher storage costs than cool and archive tiers, but the lowest access costs.

Example usage scenarios for the hot access tier include:

- Data that's in active use or expected to be accessed (read from and written to) frequently.
- Data that's staged for processing and eventual migration to the cool access tier.

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

QUESTION 27

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage account that contains two 1-GB data files named File1 and File2. The data files are set to use the archive access tier.

You need to ensure that File1 is accessible immediately when a retrieval request is initiated.

Solution: For File1, you set Access tier to **Hot**.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The hot access tier has higher storage costs than cool and archive tiers, but the lowest access costs.

Example usage scenarios for the hot access tier include:

- Data that's in active use or expected to be accessed (read from and written to) frequently.
- Data that's staged for processing and eventual migration to the cool access tier.

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

QUESTION 28

You have an application named App1. App1 generates log files that must be archived for five years. The log files must be readable by App1 but must not be modified.

Which storage solution should you recommend for archiving?

- A. Use an Azure Blob storage account and a time-based retention policy
- B. Ingest the log files into an Azure Log Analytics workspace
- C. Use an Azure Blob Storage account configured to use the Archive access tier
- D. Use an Azure file share that has access control enabled

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state.

Immutable storage supports:

Time-based retention policy support: Users can set policies to store data for a specified interval. When a time-based retention policy is set, blobs can be created and read, but not modified or deleted. After the retention period has expired, blobs can be deleted but not overwritten.

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

QUESTION 29

You use Azure Application Insights.

You plan to use continuous export.

You need to store Application Insights data for five years.

Which Azure service should you use?

- A. Azure SQL Database
- B. Azure Storage
- C. Azure Monitor Logs
- D. Azure Backup

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Create a Continuous Export.

1. In the Application Insights resource for your app under configure on the left, open Continuous Export and choose Add:
2. Choose the telemetry data types you want to export.
3. Create or select an Azure storage account where you want to store the data.
Click Add, Export Destination, Storage account, and then either create a new store or choose an existing store.
4. Create or select a container in the storage.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/app/export-telemetry#continuous-export-advanced-storage-configuration>

QUESTION 30

HOTSPOT

You have two on-premises file servers named Server1 and Server2. The servers contain data files in the folders shown in the following table.

Name	Server	Path
Folder1	Server1	D:\Data\Folder1
Folder2	Server1	D:\Data\Sub\Folder2
Folder3	Server2	D:\Documents\Folder3

You have resources in an Azure Storage account named storage1 as shown in the following table.

Name	Type
container1	Blob container
container2	Blob container
share1	File share

You plan to use Azure Data Factory to copy the data files to the folders shown in the following table.

Folder	Azure resource
Folder1	container1
Folder2	container2
Folder3	share1

You need to identify the minimum number of connections and datasets that you must create in Data Factory. The solution must prevent other data files in the subfolders of D:\Data from being copied to Azure.

How many connections and datasets should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Connections

2
3
4
6

Datasets

2
3
4
6

Correct Answer:

Answer Area

Connections

	▼
2	
3	
4	
6	

Datasets

	▼
2	
3	
4	
6	

Section: (none)

Explanation:

Explanation/Reference:

Explanation:

Box 1: 2

The Azure Storage and Azure SQL Database linked services contain connection strings that Data Factory uses at runtime to connect to your Azure Storage and Azure SQL Database, respectively.

Box 2: 3

A dataset is a named view of data that simply points or references the data you want to use in your activities as inputs and outputs.

Datasets identify data within different data stores, such as tables, files, folders, and documents. For example, an Azure Blob dataset specifies the blob container and folder in Blob storage from which the activity should read the data.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/concepts-datasets-linked-services>

QUESTION 31

You have data files in Azure Blob storage.

You plan to transform the files and move them to Azure Data Lake Storage.

You need to transform the data by using mapping data flow.

Which Azure service should you use?

- A. Azure Storage Sync
- B. Azure Databricks
- C. Azure Data Box Gateway
- D. Azure Data Factory

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You can use Copy Activity in Azure Data Factory to copy data from and to Azure Data Lake Storage Gen2, and use Data Flow to transform data in Azure Data Lake Storage Gen2.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/connector-azure-data-lake-storage>

QUESTION 32

You need to recommend a solution to generate a monthly report of all the resource deployments in your subscription.

What should you include in the recommendation?

- A. Azure Log Analytics
- B. Application Insights
- C. the Change Tracking management solution
- D. Azure Monitor metrics

Suresh.Palani

2020-08-04 23:41:42

Q32 -

The Azure Activity Log provides insight into events that have occurred in Azure. This includes a range of data, from Azure Resource Manager operational data to updates on Service Health events. Activity

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure Automation now supports update management, inventory, and change tracking.

Update management delivers visibility of update compliance across Azure, on-premises, and other clouds for both Windows and Linux. Create scheduled deployments to orchestrate the installation of updates within a defined maintenance window. Exclude specific updates and get detailed troubleshooting logs to identify any issues during the deployment.

Incorrect Answers:

D: Azure Monitor metrics include:

- Model Deploy Started: Number of model deployments started in this workspace
- Model Deploy Succeeded: Number of model deployments that succeeded in this workspace
- Model Deploy Failed: Number of model deployments that failed in this workspace

Reference:

<https://azure.microsoft.com/en-us/blog/update-management-inventory-and-automation-now-generally-available/>

Suresh.Palani

2020-07-28 16:31:55

Question Set 3

Ends Q1 -Q32

Design a Business Continuity Strategy

Testlet 1

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Contoso, Ltd. is a US-based financial services company that has a main office in New York and a branch office in San Francisco.

Existing Environment

Payment Processing System

Contoso hosts a business-critical payment processing system in its New York data center. The system has three tiers: a front-end web app, a middle-tier web API, and a back-end data store implemented as a Microsoft SQL Server 2014 database. All servers run Windows Server 2012 R2.

The front-end and middle-tier components are hosted by using Microsoft Internet Information Services (IIS). The application code is written in C# and ASP.NET. The middle-tier API uses the Entity Framework to communicate to the SQL Server database. Maintenance of the database is performed by using SQL Server Agent jobs.

The database is currently 2 TB and is not expected to grow beyond 3 TB.

The payment processing system has the following compliance-related requirements:

- Encrypt data in transit and at rest. Only the front-end and middle-tier components must be able to access the encryption keys that protect the data store.
- Keep backups of the data in two separate physical locations that are at least 200 miles apart and can be restored for up to seven years.
- Support blocking inbound and outbound traffic based on the source IP address, the destination IP address, and the port number.
- Collect Windows security logs from all the middle-tier servers and retain the logs for a period of seven years.
- Inspect inbound and outbound traffic from the front-end tier by using highly available network appliances.
- Only allow all access to all the tiers from the internal network of Contoso.

Tape backups are configured by using an on-premises deployment of Microsoft System Center Data Protection Manager (DPM), and then shipped offsite for long term storage.

Historical Transaction Query System

Contoso recently migrated a business-critical workload to Azure. The workload contains a .NET web service for querying the historical transaction data residing in Azure Table Storage. The .NET web service is accessible from a client app that was developed in-house and runs on the client computers in the New York office. The data in the table storage is 50 GB and is not expected to increase.

Current Issues

The Contoso IT team discovers poor performance of the historical transaction query system, at the queries frequently cause table scans.

Requirements

Planned Changes

Contoso plans to implement the following changes:

- Migrate the payment processing system to Azure.
- Migrate the historical transaction data to Azure Cosmos DB to address the performance issues.

Migration Requirements

Contoso identifies the following general migration requirements:

- Infrastructure services must remain available if a region or a data center fails. Failover must occur without any administrative intervention.
- Whenever possible, Azure managed services must be used to minimize management overhead.
- Whenever possible, costs must be minimized.

Contoso identifies the following requirements for the payment processing system:

- If a data center fails, ensure that the payment processing system remains available without any administrative intervention. The middle-tier and the web front end must continue to operate without any additional configurations.
- Ensure that the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.
- Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability.
- Minimize the effort required to modify the middle-tier API and the back-end tier of the payment processing system.
- Payment processing system must be able to use grouping and joining tables on encrypted columns.
- Generate alerts when unauthorized login attempts occur on the middle-tier virtual machines.
- Ensure that the payment processing system preserves its current compliance status.
- Host the middle tier of the payment processing system on a virtual machine.

Contoso identifies the following requirements for the historical transaction query system:

- Minimize the use of on-premises infrastructure services.
- Minimize the effort required to modify the .NET web service querying Azure Cosmos DB.
- Minimize the frequency of table scans.
- If a region fails, ensure that the historical transaction query system remains available without any administrative intervention.

Information Security Requirements

The IT security team wants to ensure that identity management is performed by using Active Directory. Password hashes must be stored on-premises only.

Access to all business-critical systems must rely on Active Directory credentials. Any suspicious authentication attempts must trigger a multi-factor authentication prompt automatically. Legitimate users must be able to authenticate successfully by using multi-factor authentication.

QUESTION 1

You need to recommend a backup solution for the data store of the payment processing system.

What should you include in the recommendation?

- A. Microsoft System Center Data Protection Manager (DPM)
- B. Azure SQL long-term backup retention
- C. Azure Backup Server
- D. a Recovery Services vault
- E. Azure Managed Disks

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-long-term-backup-retention-configure>

QUESTION 2

You need to recommend a disaster recovery solution for the back-end tier of the payment processing system.

What should you include in the recommendation?

- A. Always On Failover Cluster Instances
- B. Azure Site Recovery
- C. an auto-failover group
- D. geo-redundant database backups

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Scenario:

- The back-end data store is implemented as a Microsoft SQL Server 2014 database.
- If a data center fails, ensure that the payment processing system remains available without any administrative intervention.

Note: Auto-failover groups is a SQL Database feature that allows you to manage replication and failover of a group of databases on a SQL Database server or all databases in a managed instance to another region. It is a declarative abstraction on top of the existing active geo-replication feature, designed to simplify deployment and management of geo-replicated databases at scale.

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-auto-failover-group>

QUESTION 3

You need to recommend a high-availability solution for the middle tier of the payment processing system.

What should you include in the recommendation?

- A. the Isolated App service plan
- B. availability zones
- C. an availability set
- D. the Premium App Service plan

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:
Design a Business Continuity Strategy

Testlet 2

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Fabrikam, Inc. is an engineering company that has offices throughout Europe. The company has a main office in London and three branch offices in Amsterdam, Berlin, and Rome.

Existing Environment

Active Directory Environment

The network contains two Active Directory forests named corp.fabrikam.com and rd.fabrikam.com. There are no trust relationships between the forests.

Corp.fabrikam.com is a production forest that contains identities used for internal user and computer authentication.

Rd.fabrikam.com is used by the research and development (R&D) department only.

Network Infrastructure

Each office contains at least one domain controller from the corp.fabrikam.com domain. The main office contains all the domain controllers for the rd.fabrikam.com forest.

All the offices have a high-speed connection to the Internet.

An existing application named WebApp1 is hosted in the data center of the London office. WebApp1 is used by customers to place and track orders.

WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

The IT department currently uses a separate Hyper-V environment to test updates to WebApp1.

Fabrikam purchases all Microsoft licenses through a Microsoft Enterprise Agreement that includes Software Assurance.

Problem Statements

The use of Web App1 is unpredictable. At peak times, users often report delays. At other times, many resources for WebApp1 are underutilized.

Requirements

Planned Changes

Fabrikam plans to move most of its production workloads to Azure during the next few years.

As one of its first projects, the company plans to establish a hybrid identity model, facilitating an upcoming Microsoft Office 365 deployment.

All R&D operations will remain on-premises.

Fabrikam plans to migrate the production and test instances of WebApp1 to Azure.

Technical Requirements

Fabrikam identifies the following technical requirements:

- Web site content must be easily updated from a single point.
- User input must be minimized when provisioning new app instances.
- Whenever possible, existing on-premises licenses must be used to reduce cost.
- Users must always authenticate by using their corp.fabrikam.com UPN identity.
- Any new deployments to Azure must be redundant in case an Azure region fails.
- Whenever possible, solutions must be deployed to Azure by using platform as a service (PaaS).
- An email distribution group named IT Support must be notified of any issues relating to the directory synchronization services.
- Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network.

Database Requirements

Fabrikam identifies the following database requirements:

- Database metrics for the production instance of WebApp1 must be available for analysis so that database administrators can optimize the performance settings.
- To avoid disrupting customer access, database downtime must be minimized when databases are migrated.
- Database backups must be retained for a minimum of seven years to meet compliance requirements.

Security Requirements

Fabrikam identifies the following security requirements:

- Company information including policies, templates, and data must be inaccessible to anyone outside the company.
- Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails.
- Administrators must be able authenticate to the Azure portal by using their corp.fabrikam.com credentials.
- All administrative access to the Azure portal must be secured by using multi-factor authentication.
- The testing of WebApp1 updates must not be visible to anyone outside the company.

QUESTION 1

You need to recommend a solution to meet the database retention requirement.

What should you recommend?

- A. Configure geo-replication of the database
- B. Configure Azure Site Recovery
- C. Configure a long-term retention policy for the database

D. Use automatic Azure SQL Database backups

Correct Answer: C

Section: (none)


Explanation

Explanation/Reference:

QUESTION 2

HOTSPOT

You design a solution for the web tier of WebApp1 as shown in the exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The design supports the technical requirements for redundancy.	<input type="radio"/>	<input type="radio"/>
The design supports autoscaling.	<input type="radio"/>	<input type="radio"/>
The design requires a manual configuration if an Azure region fails.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
The design supports the technical requirements for redundancy.	<input checked="" type="radio"/>	<input type="radio"/>
The design supports autoscaling.	<input checked="" type="radio"/>	<input type="radio"/>
The design requires a manual configuration if an Azure region fails.	<input type="radio"/>	<input checked="" type="radio"/>

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Yes

Any new deployments to Azure must be redundant in case an Azure region fails.

Traffic Manager uses DNS to direct client requests to the most appropriate service endpoint based on a traffic-routing method and the health of the endpoints. An endpoint is any Internet-facing service hosted inside or outside of Azure. Traffic Manager provides a range of traffic-routing methods and endpoint monitoring options to suit different application needs and automatic failover models. Traffic Manager is resilient to failure, including the failure of an entire Azure region.

Box 2: Yes

Recent changes in Azure brought some significant changes in autoscaling options for Azure Web Apps (i.e. Azure App Service to be precise as scaling happens on App Service plan level and has effect on all Web Apps running in that App Service plan).

Box 3: No

Traffic Manager provides a range of traffic-routing methods and endpoint monitoring options to suit different application needs and automatic failover models. Traffic Manager is resilient to failure, including the failure of an entire Azure region.

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-overview>

<https://blogs.msdn.microsoft.com/hsirtl/2017/07/03/autoscaling-azure-web-apps/>

Design a Business Continuity Strategy

Question Set 3

QUESTION 1

You plan to deploy a payroll system to Azure. The payroll system will use Azure virtual machines that run SUSE Linux Enterprise Server and Windows.

You need to recommend a business continuity solution for the payroll system. The solution must meet the following requirements:

- Minimize costs.
- Provide business continuity if an Azure region fails.
- Provide a recovery time objective (RTO) of 120 minutes.
- Provide a recovery point objective (RPO) of five minutes.

What should you include in the recommendation?

- A. Microsoft System Center Data Protection Manager (DPM)
- B. Azure Site Recovery
- C. unmanaged disks that use geo-redundant storage (GRS)
- D. Azure Backup

Correct Answer: B

Section: (none)

Explanation –
corrected as per the
exam topics

Explanation/Reference:

Explanation:

If your storage account has GRS enabled, then your data is durable even in the case of a complete regional outage or a disaster in which the primary region isn't recoverable.

Note: The recovery time objective (RTO) is the targeted duration of time and a service level within which a business process must be restored after a disaster (or disruption) in order to avoid unacceptable consequences associated with a break in business continuity.

Incorrect Answers:

B: Azure Site Recovery would not protect against an Azure region failure.

Azure Site Recovery guarantees a two-hour Recovery Time Objective.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-grs>

https://azure.microsoft.com/en-us/support/legal/sla/site-recovery/v1_0/

QUESTION 2

The accounting department at your company migrates to a new financial accounting software. The accounting department must keep file-based database backups for seven years for compliance purposes. It is unlikely that the backups will be used to recover data.

You need to move the backups to Azure. The solution must minimize costs.

Where should you store the backups?

- A. Azure SQL Database
- B. Azure Blob storage that uses the Archive tier
- C. a Recovery Services vault
- D. Azure Blob storage that uses the Cool tier

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3 HOTSPOT

Your company has two on-premises sites in New York and Los Angeles and Azure virtual networks in the East US Azure region and the West US Azure region. Each on-premises site has Azure ExpressRoute Global Reach circuits to both regions.

You need to recommend a solution that meets the following requirements:

- Outbound traffic to the Internet from workloads hosted on the virtual networks must be routed through the closest available on-premises site.
- If an on-premises site fails, traffic from the workloads on the virtual networks to the Internet must reroute automatically to the other site.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Routing from the virtual networks to the on-premises locations must be configured by using:

Azure default routes
Border Gateway Protocol (BGP)
User-defined routes

The automatic routing configuration following a failover must be handled by using:

Border Gateway Protocol (BGP)
Hot Standby Routing Protocol (HSRP)
Virtual Router Redundancy Protocol (VRRP)

Correct Answer:

Answer Area

Routing from the virtual networks to the on-premises locations must be configured by using:

Azure default routes
Border Gateway Protocol (BGP)
User-defined routes

The automatic routing configuration following a failover must be handled by using:

Border Gateway Protocol (BGP)
Hot Standby Routing Protocol (HSRP)
Virtual Router Redundancy Protocol (VRRP)

Section: (none)**Explanation****Explanation/Reference:****QUESTION 4**

You plan to store data in Azure Blob storage for many years. The stored data will be accessed rarely.

You need to ensure that the data in Blob storage is always available for immediate access. The solution must minimize storage costs.

Which storage tier should you use?

- A. Cool
- B. Archive
- C. Hot

Correct Answer: A

Section: (none)**Explanation****Explanation/Reference:****Explanation:**

Azure cool tier is equivalent to the Amazon S3 Infrequent Access (S3-IA) storage in AWS that provides a low cost high performance storage for infrequently accessed data.

Note: Azure's cool storage tier, also known as Azure cool Blob storage, is for infrequently-accessed data that needs to be stored for a minimum of 30 days. Typical use cases include backing up data before tiering to archival systems, legal data, media files, system audit information, datasets used for big data analysis and more.

The storage cost for this Azure cold storage tier is lower than that of hot storage tier. Since it is expected that the data stored in this tier will be accessed less frequently, the data access charges are high when compared to hot tier. There are no additional changes required in your applications as these tiers can be accessed using APIs in the same manner that you access Azure storage.

Incorrect Answers:

B: Even though Azure archive storage offers the lowest cost in terms of data storage, its data retrieval charges are higher than that of hot and cool tiers. In fact, the data in the archive tier remains offline until the tier of the data is changed using a process called hydration. The process of hydrating data in the archive storage tier and moving it to either hot or cool tier could take up to 15 hours and, hence, it is only intended for data that can afford that kind of access delay.

C: The storage cost for this Azure cold storage tier is lower than that of hot storage tier.

Reference:

<https://cloud.netapp.com/blog/low-cost-storage-options-on-azure>

QUESTION 5**HOTSPOT**

You have a virtual machine scale set named SS1.

You configure autoscaling as shown in the following exhibit.

Default Profile1

Delete warning The very last or default recurrence rule cannot be deleted. Instead, you can disable autoscale to turn off autoscale.

Scale mode Scale based on a metric Scale to a specific instance count

Rules

Scale out			
When	SS1	(Average) Percentage CPU > 75	Increase instance count by 3

Scale in			
When	SS1	(Average) Percentage CPU < 25	Decrease instance count by 2

[+ Add a rule](#)

Instance limits

Minimum	3	Maximum	15	Default	6
---------	---	---------	----	---------	---

Schedule This scale condition is executed when none of the other scale condition(s) match

You configure the scale out and scale in rules to have a duration of 10 minutes and a cool down time of 10 minutes.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

If SS1 scales to nine virtual machines, what is the minimum amount of time before SS1 will scale up?

▼
10 minutes
20 minutes
30 minutes
60 minutes

If SS1 scales to nine virtual machines, and then the average processor utilization is 30 percent for one hour, how many virtual machines will be in SS1?

▼
1
3
6
9
12
15

Correct Answer:

Answer-

B1: 10 minutes

B2 : 9 Vms

Corrected using the exam topics answers.

QUESTION 6

HOTSPOT

You have 20 Azure virtual machines that run Windows Server 2016 based on a custom virtual machine image. Each virtual machine hosts an instance of a VSS-capable web app that was developed in-house. Each instance is accessed by using a public endpoint. Each instance uses a separate database. The average database size is 200 GB.

You need to design a disaster recovery solution for individual instances. The solution must meet the following requirements:

- Provide a recovery time objective (RTO) of six hours
- Provide a recovery point objective (RPO) of eight hours
- Support recovery to a different Azure region
- Support VSS-based backups
- Minimize costs

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Disaster recovery solution:

Azure Site Recovery
Scheduled backups by using an Azure Backup agent
Scheduled backups by using Windows Server Backup
Scheduled virtual machine-level backups

Storage type:

A Recovery Services vault
Premium managed disks
Unmanaged disks in an storage account that uses RA-GRS

Correct Answer:

Answer Area

Disaster recovery solution:

Azure Site Recovery
Scheduled backups by using an Azure Backup agent
Scheduled backups by using Windows Server Backup
Scheduled virtual machine-level backups

Storage type:

A Recovery Services vault
Premium managed disks
Unmanaged disks in an storage account that uses RA-GRS

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

HOTSPOT

You plan to deploy the backup policy shown in the following exhibit.

Policy1

Associated items

Backup frequency schedule

* Frequency * Time * Timezone
Daily 6:00 AM (UTC) Coordinated Universal Time

Instant Restore

Retain instant recovery snapshot(s) for
3 Day(s)

Retention range

Retention of daily backup point.

* At For
6:00 AM 90 Day(s)

Retention of weekly backup point.

* On * At For
Sunday 6:00 AM 26 Week(s)

Retention of monthly backup point.

Week based Day based

* On * Day * At For
First Sunday 6:00 AM 36 Month(s)

Retention of yearly backup point.
Not configured

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Virtual machines that are backed up using the policy can be recovered for up to a maximum of [answer choice].

▼
90 days
26 weeks
36 months
45 months

The minimum recovery point objective (RPO) for virtual machines that are backed up by using the policy is [answer choice].

▼
1 hour
1 day
1 week
1 month
1 year

Correct Answer:

Answer Area

Virtual machines that are backed up using the policy can be recovered for up to a maximum of [answer choice].

▼
90 days
26 weeks
36 months
45 months

The minimum recovery point objective (RPO) for virtual machines that are backed up by using the policy is [answer choice].

▼
1 hour
1 day
1 week
1 month
1 year

Section: (none)
Explanation

Explanation/Reference:

QUESTION 8 HOTSPOT

You have databases in Azure as shown in the following table.

Name	Type	Pricing tier
SQLdb1	Azure SQL Database	Basic
SQLdb2	Azure SQL Database	Standard
SQLdb3	Azure SQL Database	Premium
DW1	Azure Synapse Analytics	<i>Not available</i>

You are designing a data retention policy.

You need to identify which databases can retain a daily backup for up to 35 days and which databases can retain monthly backups for up to 120 months.

Which databases should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Databases that can retain a daily backup for up to 35 days:

DW1 only
SQLdb2 and SQLdb3 only
SQLdb1, SQLdb2 and SQLdb3 only
SQLdb1, SQLdb2, SQLdb3 and DW1

Databases that can retain monthly backups for up to 120 months:

DW1 only
SQLdb2 and SQLdb3 only
SQLdb1, SQLdb2 and SQLdb3 only
SQLdb1, SQLdb2, SQLdb3 and DW1

Correct Answer:

Answer-

Box 1- SQLDB2 and SQLDB3 only

Box 2 - SQLDB1, SQLDB2 and SQLDB3 only

DB that can retain daily backup for upto 35 days - SQLDB2 and SQLDB3 only

DB that can retain monthly backups for upto 120 months - SQLDB1, SQLDB2 and SQLDB3 only

QUESTION 9

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices.

A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices.

You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible.

What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync
- D. a Recovery Services vault and Windows Server Backup

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share.

You need an Azure file share in the same region that you want to deploy Azure File Sync.

Incorrect Answers:

A: Backups would be a slower solution.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

QUESTION 10

You have an Azure subscription for used for testing and development purposes only. The subscription contains Azure virtual machines that unmanaged, standard hard disk drives (HDD).

You need to recommend a recovery strategy for the virtual machines if an Azure region fails for a sustained period. The recovery time objective (RTO) can be up to seven days. The solution must minimize costs.

What should you include in the recommendation?

- A. Store the disks in a Standard_LRS storage account. Configure Azure site Recovery. If a failure occurs, initiate a manual failover.
- B. Store the disks in a Standard_GRS storage account. Configure Azure Recovery. If a failure occurs, initiate a manual failover.
- C. Store the disks in a Standard_LRS storage account. If a disaster occurs, manually create the virtual machines by used Azure Resources Manager templates.
- D. Store the disks in a Standard_GRS storage account. If a disaster occurs, manually create the virtual machines by used Azure Resources Manager templates.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Geo-redundant storage (GRS) is designed to provide at least 99.999999999999% (16 9's) durability of objects over a given year by replicating your data to a secondary region that is hundreds of miles away from the primary region. If your storage account has GRS enabled, then your data is durable even in the case of a complete regional outage or a disaster in which the primary region isn't recoverable.

GRS replicates your data to another data center in a secondary region, but that data is available to be read only if Microsoft initiates a failover from the primary to secondary region.

Incorrect Answers:

A, C: If a datacenter-level disaster (for example, fire or flooding) occurs, all replicas in a storage account using LRS may be lost or unrecoverable. To mitigate this risk, Microsoft recommends using zone-redundant storage (ZRS), geo-redundant storage (GRS), or geo-zone-redundant storage (GZRS).

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-grs>

QUESTION 12

You have an Azure Storage account that contains the data shown in the following exhibit.



Authentication method: Access key [Switch to Azure AD User Account](#)

Location: container1

Search blobs by prefix (case-sensitive) Show deleted blobs

NAME	MODIFIED	ACCESS TIER	BLOB TYPE	SIZE	LEASE STATE	...
File1.bin	5/4/2019, 5:57:06 PM	Cool (Inferred)	Block blob	1.25 GiB	Available	...
File2.bin	5/4/2019, 6:09:57 PM	Hot	Block blob	2.5 GiB	Available	...
File3.bin	5/4/2019, 6:26:26 PM	Archive	Block blob	197 GiB	Available	...

You need to identify which files can be accessed immediately from the storage account.

Which files should you identify?

- A. File1.bin only
- B. File2.bin only
- C. File3.bin only
- D. File1.bin and File2.bin only
- E. File1.bin, File2.bin, and File3.bin

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Hot - Optimized for storing data that is accessed frequently.

Cool - Optimized for storing data that is infrequently accessed and stored for at least 30 days.

Archive - Optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements (on the order of hours).

Note: Lease state of the blob. Possible values: available|leased|expired|breaking|broken

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

QUESTION 13

HOTSPOT

You plan to create a storage account and to save the files as shown in the following exhibit.

Home > Storage accounts > videotorageacc - Blobs > uneditedmedia
uneditedmedia
Container

Search (Ctrl+J) << Upload Refresh Delete Acquire lease Break lease View snapshots Create snapshot

Location: uneditedmedia

Search blobs by prefix (case-sensitive) Show deleted blobs

NAME	MODIFIED	ACCESS TIER	BLOB TYPE	SIZE	LEASE STATE
rawfootage.avi	8/24/2018, 12:48:41 PM	Archive	Block blob	24.75 MB	Available

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To access the files, you must [answer choice].

generate a snapshot
modify the access tier
modify the blob type

The files will be stored [answer choice].

at the highest storage cost
at the lowest data retrieval cost
at the lowest storage cost

Correct Answer:

Answer Area

To access the files, you must [answer choice].

generate a snapshot
modify the access tier
modify the blob type

The files will be stored [answer choice].

at the highest storage cost
at the lowest data retrieval cost
at the lowest storage cost

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers#archive-access-tier-preview>

QUESTION 14

You plan to use Azure Site Recovery to protect several on-premises physical server workloads. Each server workload is independent of the other. The workloads are stateless.

You need to recommend a failover strategy to ensure that if the on-premises data center fails, the workloads are available in Azure as quickly as possible.

Which failover strategy should you include in the recommendation?

- A. Latest
- B. Latest app-consistent
- C. Latest multi-VM processed

D. Latest processed

Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-failover>

Suresh.Palani
2020-08-05 21:14:24

Latest processed: Use this option to fail over to the latest recovery point already processed by Site Recovery. You can see the latest processed recovery point in the VM Latest Recovery Points. This option provides a low RTO as no time is spent to unprocess the unprocessed data.

QUESTION 15

DRAG DROP

Your company identifies the following business continuity and disaster recovery objectives for virtual machines that host sales, finance, and reporting applications in the company's on-premises data center:

- The finance application requires that data be retained for seven years. In the event of a disaster, the application must be able to run from Azure. The recovery time objective (RTO) is 10 minutes.
- The reporting application must be able to recover point-in-time data at a daily granularity. The RTO is eight hours.
- The sales application must be able to fail over to a second on-premises data center.

You need to recommend which Azure services meet the business continuity and disaster recovery objectives. The solution must minimize costs.

What should you recommend for each application? To answer, drag the appropriate services to the correct applications. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Services

Azure Backup only
Azure Site Recovery only
Azure Site Recovery and Azure Backup

Answer Area



Sales:	Service or Services
Finance:	Service or Services
Reporting:	Service or Services

Correct Answer:

Services

Answer Area



Sales:	Azure Site Recovery and Azure Backup
Finance:	Azure Backup only
Reporting:	Azure Site Recovery only

Section: (none)
Explanation

Explanation/Reference:

QUESTION 16

You plan to move a web application named App1 from an on-premises data center to Azure.

App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- App1 must be available to users if an Azure data center becomes unavailable.
- Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a Traffic Manager profile and a web app.
- B. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- C. Deploy a load balancer and a virtual machine scale set across two availability zones.
- D. In two Azure regions, deploy a load balancer and a web app.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing an Azure Storage account that has a file service and a blob service, and then using the Data Migration Assistant.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Data Migration Assistant is used to migrate SQL databases.
Instead use Azure Site Recovery.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

QUESTION 18

Note: This question is part of a series of questions that present the same scenario. Each question

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing an Azure Storage account, and then running AzCopy.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

AzCopy only copy files, not the disks.
Instead use Azure Site Recovery.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

QUESTION 19

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing a Recovery Services vault, and then using Azure Site Recovery.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Site Recovery can replicate on-premises VMware VMs, Hyper-V VMs, physical servers (Windows and

Linux), Azure Stack VMs to Azure.

Note: Site Recovery helps ensure business continuity by keeping business apps and workloads running during outages. Site Recovery replicates workloads running on physical and virtual machines (VMs) from a primary site to a secondary location. When an outage occurs at your primary site, you fail over to secondary location, and access apps from there. After the primary location is running again, you can fail back to it.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

QUESTION 21

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1.

You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create a file share, and you configure an access policy.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead of a file share, an immutable Blob storage is required.

Time-based retention policy support: Users can set policies to store data for a specified interval. When a time-based retention policy is set, blobs can be created and read, but not modified or deleted. After the retention period has expired, blobs can be deleted but not overwritten.

Note: Set retention policies and legal holds

1. Create a new container or select an existing container to store the blobs that need to be kept in the

immutable state. The container must be in a general-purpose v2 or Blob storage account.

2. Select Access policy in the container settings. Then select Add policy under Immutable blob storage.
3. To enable time-based retention, select Time-based retention from the drop-down menu.
4. Enter the retention interval in days (acceptable values are 1 to 146000 days).

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutability-policies-manage>

QUESTION 22

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1.

You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create an Azure Blob storage container, and you configure a legal hold access policy.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state. This state makes the data non-erasable and non-modifiable for a user-specified interval. For the duration of the retention interval, blobs can be created and read, but cannot be modified or deleted. Immutable storage is available for general-purpose v2 and Blob storage accounts in all Azure regions.

Note: Set retention policies and legal holds

1. Create a new container or select an existing container to store the blobs that need to be kept in the immutable state. The container must be in a general-purpose v2 or Blob storage account.
2. Select Access policy in the container settings. Then select Add policy under Immutable blob storage.

Either

- 3a. To enable legal holds, select Add Policy. Select Legal hold from the drop-down menu.

Or

- 3b. To enable time-based retention, select Time-based retention from the drop-down menu.

4. Enter the retention interval in days (acceptable values are 1 to 146000 days).

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutability-policies-manage>

QUESTION 23

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1.

You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create a file share and snapshots.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead you could create an Azure Blob storage container, and you configure a legal hold access policy.

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

QUESTION 24

You plan to archive 10 TB of on-premises data files to Azure.

You need to recommend a data archival solution. The solution must minimize the cost of storing the data files.

Which Azure Storage account type should you include in the recommendation?

- A. Premium Storage (general purpose v1)
- B. Standard StorageV2 (general purpose v2)
- C. Standard Storage (general purpose v1)
- D. Premium StorageV2 (general purpose v2)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Standard StorageV2 supports the Archive access tier, which would be the cheapest solution.

Incorrect Answers:

A, D: Each Premium storage account offers 35 TB of disk and 10 TB of snapshot capacity

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-introduction>

QUESTION 25

You are planning to deploy an application named App1 that will run in containers on Azure Kubernetes Service (AKS) clusters. The AKS clusters will be distributed across four Azure regions.

You need to recommend a storage solution for App1. Updated container images must be replicated automatically to all the AKS clusters.

Which storage solution should you recommend?

- A. Azure Content Delivery Network (CDN)
- B. Premium SKU Azure Container Registry
- C. Azure Cache for Redis
- D. geo-redundant storage (GRS) accounts

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Enable geo-replication for container images.

Best practice: Store your container images in Azure Container Registry and geo-replicate the registry to each AKS region.

To deploy and run your applications in AKS, you need a way to store and pull the container images. Container Registry integrates with AKS, so it can securely store your container images or Helm charts. Container Registry supports multimaster geo-replication to automatically replicate your images to Azure regions around the world.

Geo-replication is a feature of Premium SKU container registries.

Note:

When you use Container Registry geo-replication to pull images from the same region, the results are:

Faster: You pull images from high-speed, low-latency network connections within the same Azure region.

More reliable: If a region is unavailable, your AKS cluster pulls the images from an available container registry.

Cheaper: There's no network egress charge between datacenters.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/operator-best-practices-multi-region>

QUESTION 27

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1.

You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create an Azure Blob storage container, you configure a time-based retention policy, and you lock the policy.

Does this meet the goal?

- A. Yes

B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Time-based retention policy support: Users can set policies to store data for a specified interval. When a time-based retention policy is set, blobs can be created and read, but not modified or deleted. After the retention period has expired, blobs can be deleted but not overwritten.

Note:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state. This state makes the data non-erasable and non-modifiable for a user-specified interval. For the duration of the retention interval, blobs can be created and read, but cannot be modified or deleted. Immutable storage is available for general-purpose v2 and Blob storage accounts in all Azure regions.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

QUESTION 28

Your company purchases an app named App1.

You plan to run App1 on seven Azure virtual machines in an Availability Set. The number of fault domains is set to 3. The number of update domains is set to 20.

You need to identify how many App1 instances will remain available during a period of planned maintenance.

How many App1 instances should you identify?

- A. 1
- B. 2
- C. 6
- D. 7

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Only one update domain is rebooted at a time. Here there are 7 update domain with one VM each (and 13 update domain with no VM).

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

QUESTION 29

You plan to deploy 10 applications to Azure. The applications will be deployed to two Azure Kubernetes Service (AKS) clusters. Each cluster will be deployed to a separate Azure region.

The application deployment must meet the following requirements:

- Ensure that the applications remain available if a single AKS cluster fails.
- Ensure that the connection traffic over the internet is encrypted by using SSL without having to configure SSL on each container instance.

Which Azure service should you include in the recommendation?

- A. Azure Front Door
- B. Azure Traffic Manager
- C. Azure Load Balancer
- D. AKS ingress controller

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure Front Door enables you to define, manage, and monitor the global routing for your web traffic by optimizing for best performance and instant global failover for high availability. With Front Door, you can transform your global (multi-region) consumer and enterprise applications into robust, high-performance personalized modern applications, APIs, and content that reaches a global audience with Azure.

Front Door works at Layer 7 or HTTP/HTTPS layer and uses anycast protocol with split TCP and Microsoft's global network for improving global connectivity.

Incorrect Answers:

B: Azure Traffic Manager uses DNS (layer 3) to shape traffic. SSL works at Layer 6.

Azure Traffic Manager can direct customers to their closest AKS cluster and application instance. For the best performance and redundancy, direct all application traffic through Traffic Manager before it goes to your AKS cluster.

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-overview>

Design for Deployment, Migration and Integration

Testlet 1

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Fabrikam, Inc. is an engineering company that has offices throughout Europe. The company has a main office in London and three branch offices in Amsterdam, Berlin, and Rome.

Existing Environment

The network contains two Active Directory forests named corp.fabrikam.com and rd.fabrikam.com. There are no trust relationships between the forests.

Corp.fabrikam.com is a production forest that contains identities used for internal user and computer authentication.

Rd.fabrikam.com is used by the research and development (R&D) department only.

Network Infrastructure

Each office contains at least one domain controller from the corp.fabrikam.com domain. The main office contains all the domain controllers for the rd.fabrikam.com forest.

All the offices have a high-speed connection to the Internet.

An existing application named WebApp1 is hosted in the data center of the London office. WebApp1 is used by customers to place and track orders.

WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

The IT department currently uses a separate Hyper-V environment to test updates to WebApp1.

Fabrikam purchases all Microsoft licenses through a Microsoft Enterprise Agreement that includes Software Assurance.

Problem Statements

The use of Web App1 is unpredictable. At peak times, users often report delays. At other times, many resources for WebApp1 are underutilized.

Requirements

Planned Changes

Fabrikam plans to move most of its production workloads to Azure during the next few years.

As one of its first projects, the company plans to establish a hybrid identity model, facilitating an upcoming Microsoft Office 365 deployment.

All R&D operations will remain on-premises.

Fabrikam plans to migrate the production and test instances of WebApp1 to Azure.

Technical Requirements

Fabrikam identifies the following technical requirements:

- Web site content must be easily updated from a single point.
- User input must be minimized when provisioning new app instances.
- Whenever possible, existing on-premises licenses must be used to reduce cost.
- Users must always authenticate by using their corp.fabrikam.com UPN identity.
- Any new deployments to Azure must be redundant in case an Azure region fails.
- Whenever possible, solutions must be deployed to Azure by using platform as a service (PaaS).
- An email distribution group named IT Support must be notified of any issues relating to the directory synchronization services.
- Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network.

Database Requirements

Fabrikam identifies the following database requirements:

- Database metrics for the production instance of WebApp1 must be available for analysis so that database administrators can optimize the performance settings.
- To avoid disrupting customer access, database downtime must be minimized when databases are migrated.
- Database backups must be retained for a minimum of seven years to meet compliance requirements.

Security Requirements

Fabrikam identifies the following security requirements:

- Company information including policies, templates, and data must be inaccessible to anyone outside the company.
- Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails.
- Administrators must be able authenticate to the Azure portal by using their corp.fabrikam.com credentials.
- All administrative access to the Azure portal must be secured by using multi-factor authentication.
- The testing of WebApp1 updates must not be visible to anyone outside the company.

QUESTION 1

HOTSPOT

You are evaluating the components of the migration to Azure that require you to provision an Azure Storage account.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
You must provision an Azure Storage account for the SQL Server database migration.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Web site content storage.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Database metric monitoring.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
You must provision an Azure Storage account for the SQL Server database migration.	<input checked="" type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Web site content storage.	<input type="radio"/>	<input checked="" type="radio"/>
You must provision an Azure Storage account for the Database metric monitoring.	<input checked="" type="radio"/>	<input type="radio"/>

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

You need to recommend a strategy for migrating the database content of WebApp1 to Azure.

What should you include in the recommendation?

- A. Use Azure Site Recovery to replicate the SQL servers to Azure
- B. Use SQL Server transactional replication
- C. Copy the VHD that contains the Azure SQL database files to Azure Blob storage
- D. Copy the BACPAC file that contains the Azure SQL database files to Azure Blob storage

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Before you upload a Windows virtual machine (VM) from on-premises to Azure, you must prepare the virtual hard disk (VHD or VHDX).

Scenario: WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image>

QUESTION 3

You need to recommend a strategy for the web tier of WebApp1. The solution must minimize costs.

What should you recommend?

- A. Configure the Scale Up settings for a web app
- B. Create a runbook that resizes virtual machines automatically to a smaller size outside of business hours
- C. Deploy a virtual machine scale set that scales out on a 75 percent CPU threshold
- D. Configure the Scale Out settings for a web app

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Design for Deployment, Migration and Integration

Question Set 2

QUESTION 1

DRAG DROP

You plan to import data from your on-premises environment into Azure. The data is shown in the following table.

Suresh.Palani
2020-07-28 16:37:46

Question Set 5 Starts
Q1 - Q15

On-premises source	Azure target
A Microsoft SQL Server 2012 database	An Azure SQL database
A table in a Microsoft SQL Server 2014 database	An Azure Cosmos DB account that uses the SQL API

What should you recommend using to migrate the data? To answer, drag the appropriate tools to the correct data sources. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Tools

- AzCopy
- Azure Cosmos DB Data Migration Tool
- Data Management Gateway
- Data Migration Assistant

Answer Area

From the SQL Server 2012 database:



Tool

From the table in the SQL Server 2014 database:



Tool

Correct Answer:

Tools

- AzCopy
- Data Management Gateway

Answer Area

From the SQL Server 2012 database:



Data Migration Assistant

From the table in the SQL Server 2014 database:



Azure Cosmos DB Data Migration Tool

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/dms/tutorial-sql-server-to-azure-sql>

<https://docs.microsoft.com/en-us/azure/cosmos-db/import-data>

QUESTION 2

You have an on-premises deployment of MongoDB.

You plan to migrate MongoDB to an Azure Cosmos DB account that uses the MongoDB API.

You need to recommend a solution for migrating MongoDB to Azure Cosmos DB.

What should you include in the recommendation?

- A. mongorestore
- B. Data Migration Assistant
- C. Azure Storage Explorer
- D. Azure Cosmos DB Data Migration Tool

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/mongodb-migrate>

QUESTION 3

Your company plans to publish APIs for its services by using Azure API Management.

You discover that service responses include the AspNet-Version header.

You need to recommend a solution to remove AspNet-Version from the response of the published APIs.

What should you include in the recommendation?

- A. a new product
- B. a modification to the URL scheme
- C. a new policy
- D. a new revision

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Set a new transformation policy to transform an API to strip response headers.

References:

<https://docs.microsoft.com/en-us/azure/api-management/transform-api>

QUESTION 4

Your company has 300 virtual machines hosted in a Vmware environment. The virtual machines vary in size and have various utilization levels.

You plan to move all the virtual machines to Azure.

You need to recommend how many and what size Azure virtual machines will be required to move the current workloads to Azure. The solution must minimize administrative effort.

What should you use to make the recommendation?

- A. Azure Advisor
- B. Azure Migrate
- C. Azure Pricing calculator
- D. Azure Cost Management

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure.

A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution:

Deploy the web application to a web app hosted in a Standard App Service plan. Create and configure an Azure App Service Hybrid Connections endpoint.

On the on-premises network, deploy the Hybrid Connection Manager. Configure the Hybrid Connection Manager to access both the Hybrid Connection endpoint and the SQL Server instance.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead, use VNet Integration.

Note: VNet Integration gives your web app access to resources in your virtual network. VNet Integration is often used to enable access from apps to databases and web services running in your VNet.

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet>

QUESTION 6

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run on old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: You create an Azure virtual network, a public IP address, and load balancer. Then add virtual machines (VMs) to the solution and deploy individual containers on them.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead you should deploy each application to an Azure Container instance.

Note: Docker Containers are the global standard and are natively supported in Azure, offering enterprises an interesting and flexible way to migrate legacy apps for both future proofing and cost benefits.

Reference:

<https://docs.microsoft.com/en-us/dotnet/standard/modernize-with-azure-and-containers/modernize-existing-apps-to-cloud-optimized/deploy-existing-net-apps-as-windows-containers>

QUESTION 7

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: Deploy a Kubernetes cluster that has the desired number of instances of the applications.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead you should deploy each application to an Azure Container instance.

Note: Docker Containers are the global standard and are natively supported in Azure, offering enterprises an interesting and flexible way to migrate legacy apps for both future proofing and cost benefits.

Reference:

<https://docs.microsoft.com/en-us/dotnet/standard/modernize-with-azure-and-containers/modernize-existing-apps-to-cloud-optimized/deploy-existing-net-apps-as-windows-containers>

QUESTION 8

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: You deploy each application to an Azure Container instance.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Docker Containers are the global standard and are natively supported in Azure, offering enterprises an interesting and flexible way to migrate legacy apps for both future proofing and cost benefits.

Containers are modular and portable. Docker containers are supported on any server operating system (Linux and Windows), in any major public cloud (Microsoft Azure, Amazon AWS, Google, IBM), and in on-premises and private or hybrid cloud environments.

Reference:

<https://docs.microsoft.com/en-us/dotnet/standard/modernize-with-azure-and-containers/modernize-existing-apps-to-cloud-optimized/deploy-existing-net-apps-as-windows-containers>

QUESTION 9

HOTSPOT

You have a web application that uses a MongoDB database. You plan to migrate the web application to Azure.

You must migrate to Cosmos DB while minimizing code and configuration changes.

You need to design the Cosmos DB configuration.

What should you recommend? To answer, select the appropriate values in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Option	Value					
MongoDB compatibility	<table border="1"><tr><td>Database</td></tr><tr><td>API</td></tr><tr><td>Collection</td></tr><tr><td>Account</td></tr></table>	Database	API	Collection	Account	
Database						
API						
Collection						
Account						
API	<table border="1"><tr><td>Cassandra API</td></tr><tr><td>DocumentDB API</td></tr><tr><td>Graph API</td></tr><tr><td>MongoDB API</td></tr><tr><td>Table API</td></tr></table>	Cassandra API	DocumentDB API	Graph API	MongoDB API	Table API
Cassandra API						
DocumentDB API						
Graph API						
MongoDB API						
Table API						

Correct Answer:

Answer Area

Option	Value					
MongoDB compatibility	<table border="1"><tr><td>Database</td></tr><tr><td>API</td></tr><tr><td>Collection</td></tr><tr><td>Account</td></tr></table>	Database	API	Collection	Account	
Database						
API						
Collection						
Account						
API	<table border="1"><tr><td>Cassandra API</td></tr><tr><td>DocumentDB API</td></tr><tr><td>Graph API</td></tr><tr><td>MongoDB API</td></tr><tr><td>Table API</td></tr></table>	Cassandra API	DocumentDB API	Graph API	MongoDB API	Table API
Cassandra API						
DocumentDB API						
Graph API						
MongoDB API						
Table API						

Section: (none)

Explanation

Explanation/Reference:

Explanation:

MongoDB compatibility: API

API: MongoDB API

Azure Cosmos DB comes with multiple APIs:

- SQL API, a JSON document database service that supports SQL queries. This is compatible with the former Azure DocumentDB.
- MongoDB API, compatible with existing Mongo DB libraries, drivers, tools and applications.
- Cassandra API, compatible with existing Apache Cassandra libraries, drivers, tools, and applications.
- Azure Table API, a key-value database service compatible with existing Azure Table Storage.
- Gremlin (graph) API, a graph database service supporting Apache Tinkerpop's graph traversal language, Gremlin.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/create-mongodb-dotnet>

QUESTION 10

You manage an application instance. The application consumes data from code references database tables using a combination of the server, database

You need to migrate the application instance to Azure.

What are two possible ways to achieve this goal? Each correct answer pre

NOTE: Each correct selection is worth one point.

Suresh.Palani
2020-08-10 09:13:07

Q10 - Answer
A. Azure Database for MySQL
B. SQL Server in an Azure virtual machine
C. PostgreSQL in an Azure virtual machine
D. SQL Managed Instance

- A. SQL Server Stretch Database
- B. SQL Server in an Azure virtual machine
- C. Azure SQL Database
- D. SQL Managed Instance

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: Access your SQL Server data seamlessly regardless of whether it's on-premises or stretched to the cloud. You set the policy that determines where data is stored, and SQL Server handles the data movement in the background. The entire table is always online and queryable. And, Stretch Database doesn't require any changes to existing queries or applications - the location of the data is completely transparent to the application.

D: The managed instance deployment model is designed for customers looking to migrate a large number of apps from on-premises or IaaS, self-built, or ISV provided environment to fully managed PaaS cloud environment, with as low migration effort as possible. Using the fully automated Data Migration Service (DMS) in Azure, customers can lift and shift their on-premises SQL Server to a managed instance that offers compatibility with SQL Server on-premises and complete isolation of customer instances with native VNet support.

Reference:

<https://docs.microsoft.com/en-us/sql/sql-server/stretch-database/stretch-database>

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-managed-instance>

QUESTION 11

You have 100 Microsoft SQL Server Integration Services (SSIS) packages that target on-premises SQL Server databases as their destinations.

You plan to migrate the 10 on-premises databases to Azure SQL Database.

You need to recommend a solution to host the SSIS packages in Azure. The solution must ensure that the packages can target the SQL Database instances as their destinations.

What should you include in the recommendation?

- A. SQL Server Migration Assistant (SSMA)
- B. Azure Data Factory
- C. Data Migration Assistant
- D. Azure Data Catalog

Suresh.Palani

2020-08-10 09:15:37

Q11 - Answer B

Azure Data Factory

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run on old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: You deploy each application to an Azure Web App that has container support.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation


Explanation/Reference:

QUESTION 13

HOTSPOT

Your company develops a web service that is deployed to an Azure virtual machine named VM1. The web service allows an API to access real-time data from VM1.

The current virtual machine deployment is shown in the Deployment exhibit.



The chief technology officer (CTO) sends you the following email message: “Our developers have deployed the web service to a virtual machine named VM1. Testing has shown that the APIs are accessible from VM1 and VM2. Our partners must be able to connect to the API over the Internet. Partners will use this data in applications that they develop”.

You deploy an Azure API Management (APIM) service. The relevant API Management configuration is shown in the API exhibit.

Virtual network	Off	External	Internal
North Europe	VNet1	ProdSubnet	

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The API is available to partners over the Internet	<input type="radio"/>	<input type="radio"/>
The APIM instance can access real-time data from VM1	<input type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
The API is available to partners over the Internet	<input checked="" type="radio"/>	<input type="radio"/>
The APIM instance can access real-time data from VM1	<input checked="" type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access	<input type="radio"/>	<input checked="" type="radio"/>

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-using-with-vnet>

QUESTION 15

You have 100 devices that write performance data to Azure Blob storage.

You plan to store and analyze the performance data in an Azure SQL database.

You need to recommend a solution to move the performance data to the SQL database.

What should you include in the recommendation?

- A. Azure Data Box
- B. Azure Data Factory
- C. Azure Database Migration Service
- D. Data Migration Assistant

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You can copy data from Azure Blob to Azure SQL Database using Azure Data Factory.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/tutorial-copy-data-dot-net>

Design an Infrastructure Strategy

Testlet 1

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Contoso, Ltd. is a US-based financial services company that has a main office in New York and a branch office in San Francisco.

Existing Environment

Payment Processing System

Contoso hosts a business-critical payment processing system in its New York data center. The system has three tiers: a front-end web app, a middle-tier web API, and a back-end data store implemented as a Microsoft SQL Server 2014 database. All servers run Windows Server 2012 R2.

The front-end and middle-tier components are hosted by using Microsoft Internet Information Services (IIS). The application code is written in C# and ASP.NET. The middle-tier API uses the Entity Framework to communicate to the SQL Server database. Maintenance of the database is performed by using SQL Server Agent jobs.

The database is currently 2 TB and is not expected to grow beyond 3 TB.

The payment processing system has the following compliance-related requirements:

- Encrypt data in transit and at rest. Only the front-end and middle-tier components must be able to access the encryption keys that protect the data store.
- Keep backups of the data in two separate physical locations that are at least 200 miles apart and can be restored for up to seven years.
- Support blocking inbound and outbound traffic based on the source IP address, the destination IP address, and the port number.
- Collect Windows security logs from all the middle-tier servers and retain the logs for a period of seven years.
- Inspect inbound and outbound traffic from the front-end tier by using highly available network appliances.
- Only allow all access to all the tiers from the internal network of Contoso.

Tape backups are configured by using an on-premises deployment of Microsoft System Center Data Protection Manager (DPM), and then shipped offsite for long term storage.

Historical Transaction Query System

Contoso recently migrated a business-critical workload to Azure. The workload contains a .NET web service for querying the historical transaction data residing in Azure Table Storage. The .NET web service is accessible from a client app that was developed in-house and runs on the client computers in the New York office. The data in the table storage is 50 GB and is not expected to increase.

Current Issues

The Contoso IT team discovers poor performance of the historical transaction query system, at the queries frequently cause table scans.

Requirements

Planned Changes

Contoso plans to implement the following changes:

- Migrate the payment processing system to Azure.
- Migrate the historical transaction data to Azure Cosmos DB to address the performance issues.

Migration Requirements

Contoso identifies the following general migration requirements:

- Infrastructure services must remain available if a region or a data center fails. Failover must occur without any administrative intervention.
- Whenever possible, Azure managed services must be used to minimize management overhead.
- Whenever possible, costs must be minimized.

Contoso identifies the following requirements for the payment processing system:

- If a data center fails, ensure that the payment processing system remains available without any administrative intervention. The middle-tier and the web front end must continue to operate without any additional configurations.
- Ensure that the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.
- Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability.
- Minimize the effort required to modify the middle-tier API and the back-end tier of the payment processing system.
- Payment processing system must be able to use grouping and joining tables on encrypted columns.
- Generate alerts when unauthorized login attempts occur on the middle-tier virtual machines.
- Ensure that the payment processing system preserves its current compliance status.
- Host the middle tier of the payment processing system on a virtual machine.

Contoso identifies the following requirements for the historical transaction query system:

- Minimize the use of on-premises infrastructure services.
- Minimize the effort required to modify the .NET web service querying Azure Cosmos DB.
- Minimize the frequency of table scans.
- If a region fails, ensure that the historical transaction query system remains available without any administrative intervention.

Information Security Requirements

The IT security team wants to ensure that identity management is performed by using Active Directory. Password hashes must be stored on-premises only.

Access to all business-critical systems must rely on Active Directory credentials. Any suspicious authentication attempts must trigger a multi-factor authentication prompt automatically. Legitimate users must be able to authenticate successfully by using multi-factor authentication.

QUESTION 1

You need to recommend a compute solution for the middle tier of the payment processing system.

What should you include in the recommendation?

- A. Azure Kubernetes Service (AKS)
- B. virtual machine scale sets
- C. availability sets
- D. Function App

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

You need to recommend a solution for the network configuration of the front-end tier of the payment processing.

What should you include in the recommendation?

- A. Azure Application Gateway
- B. Traffic Manager
- C. a Standard Load Balancer
- D. a Basic load Balancer

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Scenario:

- Ensure that the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.
- Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability.

With Azure Load Balancer, you can scale your applications and create high availability for your services. Load Balancer supports inbound and outbound scenarios, provides low latency and high throughput, and scales up to millions of flows for all TCP and UDP applications.

Azure Load Balancer is available in two SKUs: Basic and Standard. There are differences in scale, features, and pricing. Standard SLA guarantees a 99.99% for data path with two healthy virtual machines. Basic SLA does not exist.

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-overview>

Design an Infrastructure Strategy

Testlet 2

Case study

This is a case study. **Case studies are not timed separately. You can use as much exam time as you would like to complete each case.** However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the **Next** button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements. If the case study has an **All Information** tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the **Question** button to return to the question.

Overview

Fabrikam, Inc. is an engineering company that has offices throughout Europe. The company has a main office in London and three branch offices in Amsterdam, Berlin, and Rome.

Existing Environment

Active Directory Environment

The network contains two Active Directory forests named corp.fabrikam.com and rd.fabrikam.com. There are no trust relationships between the forests.

Corp.fabrikam.com is a production forest that contains identities used for internal user and computer authentication.

Rd.fabrikam.com is used by the research and development (R&D) department only.

Network Infrastructure

Each office contains at least one domain controller from the corp.fabrikam.com domain. The main office contains all the domain controllers for the rd.fabrikam.com forest.

All the offices have a high-speed connection to the Internet.

An existing application named WebApp1 is hosted in the data center of the London office. WebApp1 is used by customers to place and track orders.

WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

The IT department currently uses a separate Hyper-V environment to test updates to WebApp1.

Fabrikam purchases all Microsoft licenses through a Microsoft Enterprise Agreement that includes Software Assurance.

Problem Statements

The use of Web App1 is unpredictable. At peak times, users often report delays. At other times, many resources for WebApp1 are underutilized.

Requirements

Planned Changes

Fabrikam plans to move most of its production workloads to Azure during the next few years.

As one of its first projects, the company plans to establish a hybrid identity model, facilitating an upcoming Microsoft Office 365 deployment.

All R&D operations will remain on-premises.

Fabrikam plans to migrate the production and test instances of WebApp1 to Azure.

Technical Requirements

Fabrikam identifies the following technical requirements:

- Web site content must be easily updated from a single point.
- User input must be minimized when provisioning new app instances.
- Whenever possible, existing on-premises licenses must be used to reduce cost.
- Users must always authenticate by using their corp.fabrikam.com UPN identity.
- Any new deployments to Azure must be redundant in case an Azure region fails.
- Whenever possible, solutions must be deployed to Azure by using platform as a service (PaaS).
- An email distribution group named IT Support must be notified of any issues relating to the directory synchronization services.
- Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network.

Database Requirements

Fabrikam identifies the following database requirements:

- Database metrics for the production instance of WebApp1 must be available for analysis so that database administrators can optimize the performance settings.
- To avoid disrupting customer access, database downtime must be minimized when databases are migrated.
- Database backups must be retained for a minimum of seven years to meet compliance requirements.

Security Requirements

Fabrikam identifies the following security requirements:

- Company information including policies, templates, and data must be inaccessible to anyone outside the company.
- Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails.
- Administrators must be able authenticate to the Azure portal by using their corp.fabrikam.com credentials.
- All administrative access to the Azure portal must be secured by using multi-factor authentication.
- The testing of WebApp1 updates must not be visible to anyone outside the company.

QUESTION 1

You need to recommend a notification solution for the IT Support distribution group.

What should you include in the recommendation?

- A. Azure Network Watcher
- B. an action group

- C. a SendGrid account with advanced reporting
- D. Azure AD Connect Health

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-operations>

Design an Infrastructure Strategy

Question Set 3

QUESTION 1

Note: This question is a part of series of questions that present the same goal. Each question in the series contains a unique solution that might meet the stated goal. Some question sets might have more than one correct solution, while others might not have a correct solution.

Suresh.Palani
2020-07-28 22:25:10

Question Set 6 Starts
Q1 - Q62

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy a web app in an Isolated App Service plan.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead, you should deploy an Azure virtual machine to two Azure regions, and you create a Traffic Manager profile.

QUESTION 2

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

- HTTPS protocol
- Round robin routing
- SSL offloading

You need to recommend a load balancing option.

What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

If you are looking for Transport Layer Security (TLS) protocol termination ("SSL offload") or per-HTTP/HTTPS request, application-layer processing, review Application Gateway.

Application Gateway is a layer 7 load balancer, which means it works only with web traffic (HTTP, HTTPS, WebSocket, and HTTP/2). It supports capabilities such as SSL termination, cookie-based session affinity, and round robin for load-balancing traffic. Load Balancer load-balances traffic at layer 4 (TCP or UDP).

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq>

QUESTION 3

You manage a solution in Azure.

You must collect usage data including MAC addresses from all devices on the network.

You need to recommend a monitoring solution.

What should you recommend?

- A. Activity Log Analytics
- B. Azure Network Security Group Analytics
- C. Network Performance Monitor
- D. Azure Application Gateway Analytics
- E. Azure Wire Data

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A network security group (NSG) includes rules that allow or deny traffic to a virtual network subnet, network interface, or both. When you enable diagnostic logging for an NSG, you can log the following categories of information:

Event: Entries are logged for which NSG rules are applied to VMs, based on MAC address. The status for these rules is collected every 60 seconds.

Rule counter: Contains entries for how many times each NSG rule is applied to deny or allow traffic.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-nsg-manage-log>

QUESTION 4

A partner manages on-premises and Azure environments. The partner deploys an on-premises solution that needs to use Azure services. The partner deploys a virtual appliance.

All network traffic that is directed to a specific subnet must flow through the virtual appliance.

You need to recommend solutions to manage network traffic.

Which two options should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure Azure Traffic Manager
- B. Implement an Azure virtual network
- C. Configure a routing table with forced tunneling
- D. Implement Azure ExpressRoute

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

C: Forced tunneling lets you redirect or "force" all Internet-bound traffic back to your on-premises location via a Site-to-Site VPN tunnel for inspection and auditing. This is a critical security requirement for most enterprise IT policies. Without forced tunneling, Internet-bound traffic from your VMs in Azure always traverses from Azure network infrastructure directly out to the Internet, without the option to allow you to inspect or audit the traffic.

Forced tunneling in Azure is configured via virtual network user-defined routes.

D: ExpressRoute lets you extend your on-premises networks into the Microsoft cloud over a private connection facilitated by a connectivity provider. With ExpressRoute, you can establish connections to Microsoft cloud services, such as Microsoft Azure, Office 365, and Dynamics 365.

Connectivity can be from an any-to-any (IP VPN) network, a point-to-point Ethernet network, or a virtual cross-connection through a connectivity provider at a co-location facility. ExpressRoute connections do not go over the public Internet. This allows ExpressRoute connections to offer more reliability, faster speeds, lower latencies, and higher security than typical connections over the Internet.

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-forced-tunneling-rm>

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-introduction>

QUESTION 5

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create an Azure Batch application that runs the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use an Azure Logic Apps, which helps you automate workflows that run on a schedule.

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/tutorial-build-schedule-recurring-logic-app-workflow>

QUESTION 6

HOTSPOT

You have an Azure subscription that contains 300 Azure virtual machines that run Windows Server 2016.

You need to centrally monitor all warning events in the System logs of the virtual machines.

What should you include in the solutions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Resource to create in Azure:

Resource Agent
Dependency Agent
Monitor Agent

Configuration to perform on the virtual machines:

Virtual Machine Scale Set
Dependency Agent
Azure Monitor

Correct Answer:

Answer Area

Resource to create in Azure:

Resource Agent
Dependency Agent
Monitor Agent

Configuration to perform on the virtual machines:

Virtual Machine Scale Set
Dependency Agent
Azure Monitor

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Resource to create in Azure: Dependency Agent

The Map feature in Azure Monitor for VMs gets its data from the Microsoft Dependency agent. The Dependency agent relies on the Log Analytics agent for its connection to Log Analytics. So your system must have the Log Analytics agent installed and configured with the Dependency agent.

Whether you enable Azure Monitor for VMs for a single Azure VM or you use the at-scale deployment method, use the Azure VM Dependency agent extension to install the agent as part of the experience.

In a hybrid environment, you can download and install the Dependency agent manually. If your VMs are hosted outside Azure, use an automated deployment method

Configuration to perform on the virtual machines: Enable Virtual Machine Scale Set

To set up Azure Monitor for VMs:

- Enable a single Azure VM or virtual machine scale set by selecting Insights (preview) directly from the VM or virtual machine scale set.
- Enable two or more Azure VMs and virtual machine scale sets by using Azure Policy. This method ensures that on existing and new VMs and scale sets, the required dependencies are installed and

- properly configured. Noncompliant VMs and scale sets are reported, so you can decide whether to enable them and to remediate them.
- Enable two or more Azure VMs or virtual machine scale sets across a specified subscription or resource group by using PowerShell.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/insights/vminsights-enable-overview>

QUESTION 7

You plan to run an image rendering workload in Azure. The workload uses parallel compute processes.

What is the best service to use to run the workload? More than one answer choice may achieve the goal. Select the **BEST** answer.

- A. an Azure virtual machine scale set
- B. Azure Kubernetes Service (AKS)
- C. Azure Batch
- D. Azure Function App

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure Batch works well with intrinsically parallel (also known as "embarrassingly parallel") workloads. Intrinsically parallel workloads are those where the applications can run independently, and each instance completes part of the work. When the applications are executing, they might access some common data, but they do not communicate with other instances of the application. Intrinsically parallel workloads can therefore run at a large scale, determined by the amount of compute resources available to run applications simultaneously.

Reference:

<https://docs.microsoft.com/en-us/azure/batch/batch-technical-overview>

QUESTION 8

You need to recommend a solution to generate a monthly report of all the new Azure Resource Manager resource deployments in your subscription.

What should you include in the recommendation?

- A. the Change Tracking management solution
- B. Azure Activity Log
- C. Application Insights
- D. Azure Advisor

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The Azure Activity Log provides insight into subscription-level events that have occurred in Azure. This includes a range of data, from Azure Resource Manager operational data to updates on Service Health events.

Activity logs are kept for 90 days. You can query for any range of dates, as long as the starting date isn't more than 90 days in the past.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-audit>

QUESTION 9

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources.

You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure Blob storage in the design.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure StorSimple replicates to Azure Blob storage.

QUESTION 10

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources.

You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure Data Lake Storage in the design.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources.

You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure Table Storage in the design.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources.

You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure StorSimple in the design.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

You use Azure virtual machines to run a custom application that uses an Azure SQL Database instance on the back end.

The IT department at your company recently enabled forced tunneling.

Since the configuration change, developers have noticed degraded performance when they access the database from the Azure virtual machine.

You need to recommend a solution to minimize latency when accessing the database. The solution must minimize costs.

What should you include in the recommendation?

- A. Azure SQL Database ManagedInstance
- B. virtual network service endpoints
- C. Always On availability groups
- D. Azure virtual machines that run Microsoft SQL Server servers

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

DRAG DROP

You are designing a network connectivity strategy for a new Azure subscription. You identify the following requirements:

- The Azure virtual machines on a subnet named Subnet1 must be accessible only from the computers in your London office.
- Engineers require access to the Azure virtual machines on a subnet named Subnet2 over the Internet on a specific TCP/IP management port.
- The Azure virtual machines in the West Europe Azure region must be able to communicate on all ports to the Azure virtual machines in the North Europe Azure region.

You need to recommend which components must be used to meet the requirements. The solution must minimize costs and administrative effort whenever possible.

What should you include in the recommendation? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Components

An Azure ExpressRoute connection

A network security group (NSG)

A new virtual network

A site-to-site VPN

Virtual network peering

Answer Area

The Azure virtual machines on Subnet1 must be accessible only from the computers in the London office:

Component

Engineers require access to the Azure virtual machines on Subnet2 over the Internet on a specific TCP/IP management port:

Component

The Azure virtual machines in the West Europe region must be able to communicate on all ports to the Azure virtual machines in the North Europe region:

Component

Correct Answer:

Components

An Azure ExpressRoute connection

A network security group (NSG)

A new virtual network

A site-to-site VPN

Virtual network peering

Answer Area

The Azure virtual machines on Subnet1 must be accessible only from the computers in the London office:

A site-to-site VPN

Engineers require access to the Azure virtual machines on Subnet2 over the Internet on a specific TCP/IP management port:

A network security group (NSG)

The Azure virtual machines in the West Europe region must be able to communicate on all ports to the Azure virtual machines in the North Europe region:

Virtual network peering

Section: (none)**Explanation****Explanation/Reference:****QUESTION 15**

You develop a new Azure Web App that uses multiple Azure blobs and static content. The Web App uses a large number of JavaScript files and cascading style sheets. Some of these files contain references to other files. Users are geographically dispersed.

You need to minimize the time to load individual pages.

What should you do?

- A. Migrate the Web App to Azure Service Fabric
- B. Use an Azure Content Delivery Network (CDN)
- C. Implement an Azure Redis Cache
- D. Create a services layer by using an Azure-hosted ASP.NET web API
- E. Enable the Always On feature of the Web App

Correct Answer: B**Section: (none)****Explanation****Explanation/Reference:****QUESTION 16**

You have 100 Standard_F2s_v2 Azure virtual machines. Each virtual machine has two network adapters.

You need to increase the network performance of the workloads running on the virtual machines. The solution must meet the following requirements:

- The CPU-to-memory ratio must remain the same.
- The solution must minimize costs.

What should you do?

- A. Configure NIC teaming
- B. Enable RDMA over InfiniBand
- C. Enable SR-IOV
- D. Install an additional network adapter

Correct Answer: C**Section: (none)****Explanation****Explanation/Reference:****Explanation:**

Accelerated networking enables single root I/O virtualization (SR-IOV) to a VM, greatly improving its networking performance. This high-performance path bypasses the host from the datapath, reducing latency, jitter, and CPU utilization, for use with the most demanding network workloads on supported VM types.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/create-vm-accelerated-networking-cli>

QUESTION 17

You have a .NET web service named Service1 that has the following requirements:

- Must read and write temporary files to the local file system.
- Must write to the Application event log.

You need to recommend a solution to host Service1 in Azure. The solution must meet the following requirements:

- Minimize maintenance overhead.
- Minimize costs.

What should you include in the recommendation?

- A. an Azure virtual machine scale set
- B. an Azure function
- C. an App Service Environment
- D. an Azure web app

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

You have an Azure subscription that contains an Azure Blob storage account named store1.

You have an on-premises file server named Server1 that runs Windows Server 2016. Server1 stores 500 GB of company files.

You need to store a copy of the company files in store1.

Which two possible Azure services achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. an Azure Import/Export job
- B. an integration account
- C. an Azure Batch account
- D. Azure Data Factory
- E. an On-premises data gateway

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

You have a web app named App1 that is hosted on-premises and on four Azure virtual machines. Each virtual machine is in a different region.

You need to recommend a solution to ensure that users will always connect to the closest instance of App1. The solution must prevent the users from attempting to connect to a failed instance of App1.

Which two possible recommendations achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Front Door Service

- B. Azure Load Balancer
- C. round-robin DNS
- D. Azure Traffic Manager
- E. Azure Application Gateway

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

HOTSPOT

You plan to deploy a network-intensive application to several Azure virtual

You need to recommend a solution that meets the following requirements:

- Minimizes the use of the virtual machine processors to transfer data
- Minimizes network latency

Which virtual machine size and feature should you use? To answer, select **The appropriate options in the answer area.**

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Virtual machine size:

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature:

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

Correct Answer:

Suresh.Palani

2020-08-10 09:50:14

Q20 - Answer

Compute Optimized
Standard_F8s SR-IOV

Answer Area

Virtual machine size:

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature:

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sizes-hpc#h-series>

QUESTION 21

You are designing a microservices architecture that will support a web application.

The solution must meet the following requirements:

- Allow independent upgrades to each microservice
- Deploy the solution on-premises and to Azure
- Set policies for performing automatic repairs to the microservices
- Support low-latency and hyper-scale operations

You need to recommend a technology.

What should you recommend?

- A. Azure Service Fabric
- B. Azure Logic App
- C. Azure Container Instance
- D. Azure Virtual Machine Scale Set

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure Service Fabric is a distributed systems platform that makes it easy to package, deploy, and manage scalable and reliable microservices and containers.

You can use Azure Service Fabric to create Service Fabric clusters on any virtual machines or computers running Windows Server.

Reference: <https://docs.microsoft.com/en-us/azure/service-fabric/service-fabric-overview>


QUESTION 22**HOTSPOT**


You have an Azure environment that contains the Azure subscription and the virtual networks shown in the following table.

Virtual network name	Subscription name	Virtual network type
Vnet1	Subscription1	Classic mode
Vnet2	Subscription1	Resource Manager
Vnet3	Subscription1	Resource Manager
Vnet4	Subscription2	Resource Manager

You need to recommend a virtual network peering solution to ensure that the resources connected to any other virtual network. The solution must minimize administrative effort. Which virtual network topology should you recommend? To answer, select the appropriate topology in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:**Correct Answer:**



Section: (none)
Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-connect-different-deployment-models-portal>

QUESTION 23

You are designing a solution for a company to deploy software for testing and production.

The solution must meet the following requirements:

- Applications must be deployed to several different environments and must run without installation of dependencies.
- Existing published application must be ported to the new solution.
- Application developers must be given flexibility when architecting their code.

You need to recommend a solution for hosting applications.

What should you select?

- A. Azure worker role
- B. Azure Kubernetes Service
- C. Azure Functions

D. Azure Batch

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Kubernetes is open-source orchestration software for deploying, managing, and scaling containers. The fully managed Azure Kubernetes Service (AKS) makes deploying and managing containerized applications easy. It offers serverless Kubernetes.

Reference:

<https://azure.microsoft.com/en-us/services/kubernetes-service/>

QUESTION 24

You have 100 Standard_F2s_v2 Azure virtual machines. Each virtual machine has two network adapters.

You need to increase the network performance of the workloads running on the virtual machines. The solution must meet the following requirements:

- The CPU-to-memory ratio must remain the same.
- The solution must minimize costs.

What should you do?

- A. Configure NIC teaming
- B. Enable RDMA over InfiniBand
- C. Enable Accelerated Networking.
- D. Install an additional network adapter

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Accelerated networking enables single root I/O virtualization (SR-IOV) to a VM, greatly improving its networking performance. This high-performance path bypasses the host from the datapath, reducing latency, jitter, and CPU utilization, for use with the most demanding network workloads on supported VM types.


Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/create-vm-accelerated-networking-cli>

QUESTION 25

HOTSPOT

You have the application architecture shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To change the front end to an active/active architecture in which both regions process incoming connections, you must [answer choice].

▼
add a load balancer to each region
add an Azure Application Gateway to each region
add an Azure content delivery network (CDN)
modify the Azure Traffic Manager routing method

To control the threshold for failing over the front end to the standby region, you must configure the [answer choice].

▼
an Application Insights availability test
Azure SQL Database failover groups
Connection Monitor in Azure Network Watcher
Endpoint monitor settings in Azure Traffic Manager

Correct Answer:

Answer Area

To change the front end to an active/active architecture in which both regions process incoming connections, you must [answer choice].

- add a load balancer to each region
- add an Azure Application Gateway to each region
- add an Azure content delivery network (CDN)
- modify the Azure Traffic Manager routing method

To control the threshold for failing over the front end to the standby region, you must configure the [answer choice].

- an Application Insights availability test
- Azure SQL Database failover groups
- Connection Monitor in Azure Network Watcher
- Endpoint monitor settings in Azure Traffic Manager

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Box 1: Modify the Azure Traffic Manager routing

Azure Traffic Manager supports six traffic-routing methods to determine how to route network traffic to the various service endpoints.

Box 2: Endpoint monitor settings in the Azure Traffic Manager

Azure Traffic Manager includes built-in endpoint monitoring and automatic endpoint failover. This feature helps you deliver high-availability applications that are resilient to endpoint failure, including Azure region failures.

To configure endpoint monitoring, you must specify the following settings on your Traffic Manager profile: Protocol, Port, Path, custom header settings, etc.

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-routing-methods>

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-monitoring>

QUESTION 26

HOTSPOT

You are designing a solution for a stateless front-end application named Application1. Application1 will be hosted on two Azure virtual machines named VM1 and VM2.

You plan to load balance connections to VM1 and VM2 from the Internet by using one Azure load balancer.

You need to recommend the minimum number of required public IP addresses.

How many public IP addresses should you recommend using for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Load balancer:

▼
0
1
2
3

VM1:

▼
0
1
2
3

VM2:

▼
0
1
2
3

Correct Answer:

Answer Area

Load balancer:

▼
0
1
2
3

VM1:

▼
0
1
2
3

VM2:

▼
0
1
2
3

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

DRAG DROP

You have an Azure subscription. The subscription contains Azure virtual machines that run Windows Server 2016 and Linux.

You need to use Azure Monitor to design an alerting strategy for security-related events.

Which Log Analytics tables should you query? To answer, drag the appropriate tables to the correct log types. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Tables

AzureActivity

AzureDiagnostics

Event

Syslog

Answer Area

Events from Windows event logs:

Table

Events from Linux system logging:

Table

Correct Answer:

Tables

AzureActivity

AzureDiagnostics

Event

Syslog

Answer Area

Events from Windows event logs:

Event

Events from Linux system logging:

Syslog

Section: (none)


Explanation

Explanation/Reference:

QUESTION 28

HOTSPOT

You have the network topology shown in the following exhibit.



You have a user-defined route that has a default route of 0.0.0.0/0 and the next hop set to the network virtual appliance.

You configure the Azure Storage account to use virtual network service endpoints.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
From VM1, traffic destined to the Azure Key Management Service will be routed to the network virtual appliance.	<input type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure file share will be routed to the Internet.	<input type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure SQL database will be routed to the Internet.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

Statements	Yes	No
From VM1, traffic destined to the Azure Key Management Service will be routed to the network virtual appliance.	<input checked="" type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure file share will be routed to the Internet.	<input type="radio"/>	<input checked="" type="radio"/>
From VM1, traffic destined to the Azure SQL database will be routed to the Internet.	<input type="radio"/>	<input checked="" type="radio"/>

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

QUESTION 29

You are designing a container solution in Azure that will include two containers. One container will host a web API that will be available to the public. The other container will perform health monitoring of the web API and will remain private. The two containers will be deployed together as a group.

You need to recommend a compute service for the containers. The solution must minimize costs and maintenance overhead.

What should you include in the recommendation?

- A. Azure Service Fabric
- B. Azure Container Service
- C. Azure Kubernetes Service (AKS)
- D. Azure Container Instances

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure Container Instances supports the deployment of multiple containers onto a single host using a

container group. A container group is useful when building an application sidecar for logging, monitoring, or any other configuration where a service needs a second attached process.

Reference:

<https://docs.microsoft.com/en-us/azure/container-instances/container-instances-multi-container-group>

QUESTION 30

HOTSPOT

Your company has three branch offices and an Azure subscription. Each branch office contains a Hyper-V host that hosts application servers.

You need to recommend a storage solution for the branch offices. The solution must ensure that the application servers can connect to a central storage device by using iSCSI connections. Data saved to the iSCSI storage device from the application servers must be uploaded to Azure automatically.

Which components should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Branch office Hyper-V hosts:

Azure File Sync agent
Azure Site Recovery agent
Azure StorSimple Virtual Array
Distributed File System Replication

Azure subscription:

Azure file share
Azure File Sync
Azure Site Recovery vault
Azure Storage account

Correct Answer:

Answer Area

Branch office Hyper-V hosts:

Azure File Sync agent
Azure Site Recovery agent
Azure StorSimple Virtual Array
Distributed File System Replication

Azure subscription:

Azure file share
Azure File Sync
Azure Site Recovery vault
Azure Storage account

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/storsimple/storsimple-ova-overview>

QUESTION 31

DRAG DROP

You have an on-premises network that uses an IP address space of 172.16.0.0/16.

You plan to deploy 25 virtual machines to a new Azure subscription.

You identify the following technical requirements:

- All Azure virtual machines must be placed on the same subnet named Subnet1.
- All the Azure virtual machines must be able to communicate with all on-premises servers.
- The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnets. Each network address may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Network Addresses

172.16.0.0/16

172.16.1.0/28

192.168.0.0/24

192.168.1.0/28

Answer Area

Subnet1:

Network address

Gateway subnet:

Network address

Correct Answer:

Network Addresses

172.16.0.0/16

172.16.1.0/28

Answer Area

Subnet1:

192.168.0.0/24

Gateway subnet:

192.168.1.0/28

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create an Azure WebJob that runs the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use an Azure Logic Apps, which helps you automate workflows that run on a schedule.

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/tutorial-build-schedule-recurring-logic-app-workflow>

QUESTION 33

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create an Azure Function to run the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead use an Azure Logic Apps, which helps you automate workflows that run on a schedule.

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/tutorial-build-schedule-recurring-logic-app-workflow>

QUESTION 34

DRAG DROP

An organization has an on-premises server that runs Windows Server 2003. The server hosts an IIS-based stateless web application that uses forms authentication. The application consists of classic Active Server Pages (ASP) pages and third-party components (DLLs) that are registered in the Windows registry.

The deployment process for the web application is manual and is prone to errors. The deployment process makes it difficult to roll out updates, scale out, and recover after failures.

You need to design a modernization approach for the web application that meets the following requirements:

- Improve the deployment process.
- Ensure that the application can run in the cloud.
- Minimize changes to application code.
- Minimize administrative effort required to implement the modernization solution.

What should you recommend? To answer, drag the appropriate actions to the correct approaches. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth point.

Select and Place:

Answer Area		
Actions	Approach	Action
Package the existing application in a container.	Modernization	
Configure the application to run in a web role.	Deployment	
Implement Azure functions.		
Use Azure Kubernetes Service (AKS)		
Use a Web application.		

Correct Answer:

Answer Area		
Actions	Approach	Action
	Modernization	Use Azure Kubernetes Service (AKS)
Configure the application to run in a web role.	Deployment	Package the existing application in a container.
Implement Azure functions.		
Use a Web application.		

Section: (none)**Explanation****Explanation/Reference:****QUESTION 35**

You need to recommend a data storage solution that meets the following requirements:

- Ensures that applications can access the data by using a REST connection
- Hosts 20 independent tables of varying sizes and usage patterns
- Automatically replicates the data to a second Azure region
- Minimizes costs

*Suresh.Palani
2020-08-10 09:26:14*

Q35 - Answer B

tables in an Azure Storage account that use geo-redundant storage (GRS)

What should you recommend?

- A. an Azure SQL Database elastic database pool that uses active geo-replication
- B. tables in an Azure Storage account that use geo-redundant storage (GRS)
- C. tables in an Azure Storage account that use read-access geo-redundant storage (RA-GR)
- D. an Azure SQL Database that uses active geo-replication

Correct Answer: C

Section: (none)**Explanation****Explanation/Reference:****QUESTION 36**

You deploy two instances of an Azure web app. One instance is in the East US Azure region and the other instance is in the West US Azure region. The web app uses Azure Blob storage to deliver large files to end users.

You need to recommend a solution for delivering the files to the users. The solution must meet the following requirements:

- Ensure that the users receive files from the same region as the web app that they access.
- Ensure that the files only need to be updated once.
- Minimize costs.

What should you include in the recommendation?

- A. Azure File Sync
- B. Distributed File System (DFS)
- C. read-access geo-redundant storage (RA-GRS)
- D. geo-redundant storage (GRS)

Correct Answer: C

Section: (none)**Explanation****Explanation/Reference:****QUESTION 37**

Your company has an on-premises Windows HPC cluster. The cluster runs an intrinsically parallel, compute-intensive workload that performs financial risk modelling.

You plan to migrate the workload to Azure Batch.

You need to design a solution that will support the workload. The solution must meet the following requirements:

- Support the large-scale parallel execution of Azure Batch jobs.
- Minimize cost.

What should you include in the solution?

- Basic A-series virtual machines
- low-priority virtual machines
- burstable virtual machines
- Azure virtual machine sizes that support the Message Passing Interface (MPI) API

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/batch/batch-technical-overview>

QUESTION 38

DRAG DROP

Your company has users who work remotely from laptops.

You plan to move some of the applications accessed by the remote users to Azure virtual machines. The users will access the applications in Azure by using a point-to-site VPN connection. You will use certificates generated from an on-premises-based certification authority (CA).

You need to recommend which certificates are required for the deployment.

What should you include in the recommendation? To answer, drag the appropriate certificates to the correct targets. Each certificate may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Certificates

- A root CA certificate that has the private key
- A root CA certificate that has the public key only
- A user certificate that has the private key
- A user certificate that has the public key only

Answer Area

Trusted Root Certification Authorities certificate store on each laptop:

Certificate

The users' Personal store on each laptop:

Certificate

The Azure VPN gateway:

Certificate

Correct Answer:

Certificates

- A root CA certificate that has the private key
- A root CA certificate that has the public key only
- A user certificate that has the private key
- A user certificate that has the public key only

Answer Area

Trusted Root Certification Authorities certificate store on each laptop:

The users' Personal store on each laptop:

The Azure VPN gateway:

- A root CA certificate that has the public key only

- A user certificate that has the private key

- A user certificate that has the public key only

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create a Logic App to run the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure Logic Apps helps you automate workflows that run on a schedule.

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/tutorial-build-schedule-recurring-logic-app-workflow>

QUESTION 40

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from

an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure.

A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution: Deploy the web application to a web app hosted in a Premium App Service plan. Configure VNET Integration for the App Service plan.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

VNet Integration gives your web app access to resources in your virtual network. VNet Integration is often used to enable access from apps to a databases and web services running in your VNet.

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet>

QUESTION 41

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure.

A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution: Deploy the web application by using an Azure Kubernetes Service (AKS) container on VNET1.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead, use VNet Integration.

Note: VNet Integration gives your web app access to resources in your virtual network. VNet Integration is often used to enable access from apps to a databases and web services running in your VNet.

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet>

QUESTION 42

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure.

A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution: Deploy the web application to a web app hosted in an isolated App Service plan on VNET1.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead, use VNet Integration.

Note: VNet Integration gives your web app access to resources in your virtual network. VNet Integration is often used to enable access from apps to a databases and web services running in your VNet.

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet>

QUESTION 43

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy a virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Instead, you should deploy an Azure virtual machine to two Azure regions, and you create a Traffic Manager profile.

QUESTION 44

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy an Azure virtual machine to two Azure regions, and you create a Traffic Manager profile.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Need two virtual machines, not just one.

QUESTION 45

Note: This question is a part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy two Azure virtual machines to two Azure regions, and you deploy an Azure Application Gateway.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You need to deploy two Azure virtual machine to two Azure regions, but also create a Traffic Manager profile.

QUESTION 46

You plan to deploy an API by using Azure API Management.

You need to recommend a solution to protect the API from a distributed denial of service (DDoS) attack.

What should you recommend?

- A. Create network security groups (NSGs).
- B. Enable quotas.
- C. Enable rate limiting.
- D. Strip the Powered-By responsible header.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

You manage on-premises networks and Azure virtual networks.

You need a secure private connection between the on-premises networks and the Azure virtual networks. The connection must offer a redundant pair of cross connections to provide high availability.

What should you recommend?

- A. ExpressRoute
- B. Azure Load Balancer
- C. virtual network peering
- D. VPN Gateway

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

DRAG DROP

An organization has an on-premises server that runs Windows Server 2003. The server hosts an IIS-based stateless web application that uses forms authentication. The application consists of classic Active Server Pages (ASP) pages and third-party components (DLLs) that are registered in the Windows registry.

The deployment process for the web application is manual and is prone to errors. The deployment process makes it difficult to roll out updates, scale out, and recover after failures.

You need to design a modernization approach for the web application that meets the following requirements:

- Improve the deployment process.
- Ensure that the application can run in the cloud.
- Minimize changes to application code.
- Minimize administrative effort required to implement the modernization solution.

What should you recommend? To answer, drag the appropriate actions to the correct approaches. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth point.

Select and Place:

Answer Area		
Actions	Approach	Action
Packaging the existing application in a container.	Modernization	
Configure the application to run in a web role.	Deployment	
Implement Azure functions.		
Use Azure Container services.		
Use a Web application.		

Correct Answer:

Answer Area		
Actions	Approach	Action
	Modernization	Use Azure Container services.
Configure the application to run in a web role.	Deployment	Package the existing application in a container.
Implement Azure functions.		
Use a Web application.		

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

You use a virtual network to extend an on-premises IT environment into the cloud. The virtual network has two virtual machines (VMs) that store sensitive data.

The data must only be available using internal communication channels. Internet access to those VMs is not permitted.

You need to ensure that the VMs cannot access the Internet.

Which two options should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. network interface (NIC)
- B. Source Network Address Translation (SNAT)
- C. Azure ExpressRoute
- D. Network Security Groups (NSG)

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

Your company plans to migrate its on-premises data to Azure.

You need to recommend which Azure services can be used to store the data. The solution must meet the following requirements:

- Encrypt all data while at rest.
- Encrypt data only by using a key generated by the company.

Which two possible services can you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Table storage
- B. Azure Backup
- C. Azure Blob storage
- D. Azure Queue storage
- E. Azure Files

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-service-encryption-customer-managed-keys>

QUESTION 51

You architect a solution that calculates 3D geometry from height-map data.

You have the following requirements:

- Perform calculations in Azure.
- Each node must communicate data to every other node.
- Maximize the number of nodes to calculate multiple scenes as fast as possible.
- Require the least amount of effort to implement.

You need to recommend a solution.

Which two actions should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a render farm that uses Azure Batch.
- B. Enable parallel file systems on Azure.

- C. Enable parallel task execution on compute nodes.
- D. Create a render farm that uses virtual machine (VM) scale sets.
- E. Create a render farm that uses virtual machines (VMs).

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52

HOTSPOT

You are designing an Azure web app.

You plan to deploy the web app to the North Europe Azure region and the West Europe Azure region.

You need to recommend a solution for the web app. The solution must meet the following requirements:

- Users must always access the web app from the North Europe region, unless the region fails.
- The web app must be available to users if an Azure region is unavailable.
- Deployment costs must be minimized.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Request routing method:

A Traffic Manager profile
Azure Application Gateway
Azure Load Balancer

Request routing configuration:

Cookie-based session affinity
Performance traffic routing
Priority traffic routing
Weighted traffic routing

Correct Answer:

Answer Area

Request routing method:

A Traffic Manager profile
Azure Application Gateway
Azure Load Balancer

Request routing configuration:

Cookie-based session affinity
Performance traffic routing
Priority traffic routing
Weighted traffic routing

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53

DRAG DROP

You need to design an architecture to capture the creation of users and the assignment of roles. The captured data must be stored in Azure Cosmos DB.

Which Azure services should you include in the design? To answer, drag the appropriate services to the correct targets. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Azure Services


- Azure Event Grid
- Azure Event Hubs
- ⋮
- Azure Functions
- Azure Monitor Logs
- Azure Notification Hubs

Answer Area




Correct Answer:

Azure Services



Answer Area



Section: (none)

Explanation

Explanation/Reference:

Explanation:

Note: You can select Logs from either the Azure Monitor menu or the Log Analytics workspaces menu.

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/log-query-overview>

QUESTION 54

You are developing a web application that provides streaming video to users. You configure the application to use continuous integration and deployment.

The app must be highly available and provide a continuous streaming experience for users.

You need to recommend a solution that allows the application to store data in a geographical location that is closest to the user.

What should you recommend?

- A. Azure App Service Web Apps
- B. Azure App Service Isolated
- C. Azure Redis Cache
- D. Azure Content Delivery Network (CDN)

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Azure Content Delivery Network (CDN) is a global CDN solution for delivering high-bandwidth content. It can be hosted in Azure or any other location. With Azure CDN, you can cache static objects loaded from Azure Blob storage, a web application, or any publicly accessible web server, by using the closest point of presence (POP) server. Azure CDN can also accelerate dynamic content, which cannot be cached, by leveraging various network and routing optimizations.

Reference:

<https://docs.microsoft.com/en-in/azure/cdn/>

QUESTION 55

HOTSPOT

Your company deploys an Azure App Service Web App.

During testing the application fails under load. The application cannot handle more than 100 concurrent user sessions. You enable the Always On feature. You also configure auto-scaling to increase instance counts from two to 10 based on HTTP queue length.

You need to improve the performance of the application.

Which solution should you use for each application scenario? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Scenario	Solution
Store content close to end users.	<div style="border: 1px solid black; padding: 5px;"><p>Azure Redis Cache</p><p>Azure Traffic Manager</p><p>Azure Content Delivery Network</p><p>Azure Application Gateway</p></div>
Store content close to the application.	<div style="border: 1px solid black; padding: 5px;"><p>Azure Redis Cache</p><p>Azure Traffic Manager</p><p>Azure Content Delivery Network</p><p>Azure Application Gateway</p></div>

Correct Answer:

Answer Area

Scenario	Solution
Store content close to end users.	<div style="border: 1px solid black; padding: 5px;"><p>Azure Redis Cache</p><p>Azure Traffic Manager</p><p>Azure Content Delivery Network</p><p>Azure Application Gateway</p></div>
Store content close to the application.	<div style="border: 1px solid black; padding: 5px;"><p>Azure Redis Cache</p><p>Azure Traffic Manager</p><p>Azure Content Delivery Network</p><p>Azure Application Gateway</p></div>

Section: (none)
Explanation

Explanation/Reference:
Explanation:

Box 1: Content Delivery Network

A content delivery network (CDN) is a distributed network of servers that can efficiently deliver web content to users. CDNs store cached content on edge servers in point-of-presence (POP) locations that are close to end users, to minimize latency.

Azure Content Delivery Network (CDN) offers developers a global solution for rapidly delivering high-bandwidth content to users by caching their content at strategically placed physical nodes across the world. Azure CDN can also accelerate dynamic content, which cannot be cached, by leveraging various network optimizations using CDN POPs. For example, route optimization to bypass Border Gateway Protocol (BGP).

Box 2: Azure Redis Cache

Azure Cache for Redis is based on the popular software Redis. It is typically used as a cache to improve the performance and scalability of systems that rely heavily on backend data-stores. Performance is improved by temporarily copying frequently accessed data to fast storage located close to the application. With Azure Cache for Redis, this fast storage is located in-memory with Azure Cache for Redis instead of being loaded from disk by a database.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-cache-for-redis/cache-overview>

QUESTION 58

You are developing a sales application that will contain several Azure cloud services and will handle different components of a transaction. Different cloud services will process customer orders, billing, payment, inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using REST messages.

What should you include in the recommendation?

- A. Azure Data Lake
- B. Azure Service Fabric
- C. Azure Service Bus
- D. Azure Notification Hubs

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Service Bus is a transactional message broker and ensures transactional integrity for all internal operations against its message stores. All transfers of messages inside of Service Bus, such as moving messages to a dead-letter queue or automatic forwarding of messages between entities, are transactional.

Incorrect Answers:

D: Azure Notification Hubs is a massively scalable mobile push notification engine for quickly sending millions of notifications to iOS, Android, Windows, or Kindle devices.

References:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-transactions>

QUESTION 59

Use the following login credentials as needed:

To enter your username, place your cursor in the **Sign in** box and click on the username below.

To enter your password, place your cursor in the **Enter password** box and click on the password below.


Azure Username: User1-10989444@ExamUsers.com

Azure Password: KJn29!aBBB

If the Azure portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10989444



A screenshot of the Microsoft Azure sign-in page. The background is light blue. At the top, the text "Microsoft Azure" is displayed in a white sans-serif font. Below it is a white rectangular form. Inside the form, the Microsoft logo (four colored squares) is followed by the word "Microsoft". Below that is a large blue button with the text "Sign in" in white. Underneath the button, the text "to continue to Microsoft Azure" is shown in a smaller font. A horizontal line with the placeholder "Email, phone, or Skype" follows. Below the line are two links: "No account? Create one!" and "Can't access your account?". At the bottom of the form are two buttons: a grey "Back" button and a blue "Next" button. At the very bottom of the page is a white bar containing the GitHub logo and the text "Sign in with GitHub".

You need to recommend a networking solution to ensure that NWVM1 and NWVM3 can successfully establish network connections to one another. The solution must be implemented as quickly as possible.

What should you include in the recommendation?

NOTE: To answer this question, sign in to the Azure portal and explore an Azure resource group named ResourceGroup1lod10989444.

- A. two Azure firewalls
- B. two network security groups (NSGs)
- C. two virtual network peerings
- D. two local network gateways and one site-to-site VPN

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference:

<https://azure.microsoft.com/es-es/blog/vnet-to-vnet-connecting-virtual-networks-across-regions/>

Suresh.Palani
2020-08-10 08:03:19

SIMULATION Q59-Q59 Ends

QUESTION 60

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

Use the following login credentials as needed:

Suresh.Palani
2020-08-10 08:05:01

To enter your username, place your cursor in the **Sign in** box and click on

SIMULATION Q61-Q62 Starts

To enter your password, place your cursor in the **Enter password** box and click on the password below.


Azure Username: User1-10989444@ExamUsers.com


Azure Password: KJn29!aBBB

If the Azure portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10989444





You need to add an additional network interface to NWVM2.

What should you do first?

NOTE: To answer this question, sign in to the Azure portal and explore an Azure resource group named ResourceGroup1lod10989444.

- A. Connect NWVM2NetworkInterface2 to a load balancer.
- B. Add a new virtual network.
- C. Modify the virtual machine size.
- D. Add a subnet to NWDemoRG_VNET.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Constraints on adding a network interface card to a VM:

A VM must have at least one network interface attached to it.

A VM can only have as many network interfaces attached to it as the VM size supports.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface-vm#constraints>

QUESTION 62

Use the following login credentials as needed:

To enter your username, place your cursor in the **Sign in** box and click on the username below.

To enter your password, place your cursor in the **Enter password** box and click on the password below.


Azure Username: User1-10989444@ExamUsers.com


Azure Password: KJn29!aBBB

If the Azure portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10989444





You need to ensure that remote SSH connections can be established securely from the Internet to NWVM3.

Which two actions should you perform? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

NOTE: To answer this question, sign in to the Azure portal and explore an Azure resource group named ResourceGroup1lod10989444.

- A. Deploy a network security group (NSG), and then attach the NSG to NWVM3NetworkInterface.
- B. Deploy an application gateway that contains a publish rule.
- C. Deploy a load balancer that contains a NAT rule, and then add NWVM3NetworkInterface to the backend pool.
- D. Move NWVM3NetworkInterface to NWDemoRG_VNET.
- E. Deploy a gateway subnet, and then attach NWVM3PubIP to the subnet.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Internal load balancer. Network traffic from the VPN gateway is routed to the cloud application through an internal load balancer. The load balancer is located in the front-end subnet of the application.

Incorrect Answers:

A, E: Do not deploy any VMs to the gateway subnet. Also, do not assign an NSG to this subnet, as it will cause the gateway to stop functioning.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures>

Suresh.Palani

2020-08-10 08:05:31

SIMULATION Q61-Q62 Ends

Question Set 6 Ends

Q1 - Q62

Question #2

Your company uses Microsoft System Center "" Service Manager on its on-premises network. You plan to deploy several services to Azure.

You need to recommend a solution to push Azure service health alerts to Service Manager.

What should you include in the recommendation?

- A. Azure Notification Hubs
- B. Azure Event Hubs
- C. IT Service Management Connector (ITSM)
- D. Application Insights Connector

Answer:

C. IT Service Management Connector (ITSM)

Question #6

You need to recommend a solution to generate a monthly report of all the new Azure Resource Manager resource deployments in your subscription.

What should you include in the recommendation?

- A. Azure Analysis Services
- B. Azure Activity Log
- C. Azure Monitor action groups
- D. Azure Advisor
- E. Azure Monitor metrics
- F. Azure Log Analytics
- G. Application Insights

Answer-

B. Azure Activity Log

Question #7

HOTSPOT -

You have an Azure App Service Web App that includes Azure Blob storage and an Azure SQL Database instance. The application is instrumented by using the Application Insights SDK.

You need to design a monitoring solution for the web app.

Which Azure monitoring services should you use? To answer, select the appropriate Azure monitoring services in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Scenario

Azure monitoring service

Correlate Azure resource usage and performance data with application configuration and performance data.

Azure Application Insights
Azure Service Map
Azure Log Analytics
Azure Activity Log

Visualize the relationships between application components.

Azure Application Insights
Azure Service Map
Azure Log Analytics
Azure Activity Log

Track requests and exceptions to a specific line of code within the application.

Azure Application Insights
Azure Service Map
Azure Log Analytics
Azure Activity Log

Analyze how many users return to the application and how often they select a particular dropdown value.

Azure Application Insights
Azure Service Map
Azure Log Analytics
Azure Activity Log

Answer-

- 1) Azure Log Analytics (Correlation)
- 2) Azure Service Map (Visualization)
- 3) Azure Application Insight (App code)
- 4) Azure Application Insight (User behavior on app / web page)

Question #13

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Project1. Only a group named Project1admins is assigned roles in the Project1 subscription. The Project1 subscription contains all the resources for an application named Application1.

Your company is developing a new application named Application2. The members of the Application2 development team belong to an Azure Active Directory (Azure AD) group named App2Dev.

You identify the following requirements for Application2:

- ④ Identify any ADFS issues and their potential resolutions. The members of App2Dev must be prevented from changing the role assignments in Azure.
- ④ Identify any ADFS issues and their potential resolutions. The members of App2Dev must be able to create new Azure resources required by Application2.
- ④ Identify any ADFS issues and their potential resolutions. All the required role assignments for Application2 will be performed by the members of Project1admins.

You need to recommend a solution for the role assignments of Application2.

Solution: Create a new Azure subscription named Project2. Assign Project1admins the User Access Administrator role for the Project2 subscription. Assign App2Dev the Owner role for the Project2 subscription.

Does this meet the goal?

- A. Yes
- B. No

Answer-

B- No

Question #19

HOTSPOT -

Your company has an API that returns XML data to internal applications.

You plan to migrate the applications to Azure. You also plan to allow the company's partners to access the API.

You need to recommend an API management solution that meets the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Internal applications must receive data in the JSON format once the applications migrate to Azure.
- ④ Identify any ADFS issues and their potential resolutions. Partner applications must have their header information stripped before the applications receive the data.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Minimum number of APIs to add to Azure API Management:

1
2
3

Minimum number of products to publish in Azure API Management:

1
2
3

Minimum number of policy elements to add:

1
2
3

Answer-

Box1 - 1

Box2 - 2

Box3 – 2

Question #20

You have an Azure subscription.

You need to recommend a solution to provide developers with the ability to provision Azure virtual machines. The solution must meet the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Only allow the creation of the virtual machines in specific regions.
- ④ Identify any AD FS issues and their potential resolutions. Only allow the creation of specific sizes of virtual machines.

What should include in the recommendation?

- A. conditional access policies
- B. Azure Policy
- C. Azure Resource Manager templates
- D. role-based access control (RBAC)

Answer

B. Azure Policy

Question #32

HOTSPOT -

You manage a network that includes an on-premises Active Directory Domain Services domain and an Azure Active Directory (Azure AD).

Employees are required to use different accounts when using on-premises or cloud resources. You must recommend a solution that lets employees sign in to all company resources by using a single account. The solution must implement an identity provider.

You need provide guidance on the different identity providers.

How should you describe each identity provider? To answer, select the appropriate description from each list in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Identity provider	Description
synchronized identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
federated identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>

Answer-

Answer Area

Identity provider	Description
synchronized identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
federated identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>

Question #44

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs.

Solution: Use Azure Advisor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #52

You are designing a security solution for a company's Azure Active Directory (Azure AD). The company currently uses Azure AD Premium for all employees.

Contractors will periodically access the corporate network based on demand.

You must ensure that all employees and contractors are required to log on by using two-factor authentication. The solution must minimize costs.

You need to recommend a solution.

What should you recommend?

- A. Purchase Azure Multi-Factor Authentication licenses for the employees and the contractors
- B. Use the Multi-Factor Authentication provider in Azure and configure the usage model for each authentication type
- C. Use the Multi-Factor Authentication provider in Azure and configure the usage model for each enabled user
- D. Purchase Azure Multi-Factor Authentication licenses for the contractors only

Answer-

B. Use the Multi-Factor Authentication provider in Azure and configure the usage model for each

enabled user

Check Once – B also correct...

Question #68

HOTSPOT -

Your company deploys several Linux and Windows virtual machines (VMs) to Azure. The VMs are deployed with the Microsoft Dependency Agent and the Log Analytics Agent installed by using Azure VM extensions. On-premises connectivity has been enabled by using Azure ExpressRoute.

You need to design a solution to monitor the VMs.

Which Azure monitoring services should you use? To answer, select the appropriate Azure monitoring services in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Scenario

Analyze Network Security Group (NSG) flow logs for VMs attempting Internet access.

Azure Monitoring Service

Azure Traffic Analytics
Azure ExpressRoute Monitor
Azure Service Endpoint Monitor
Azure DNS Analytics

Visualize the VMs with their different processes and dependencies on other computers and external processes.

Azure Service Map
Azure Activity Log
Azure Service Health
Azure Advisor

Answer-

Answer Area

Scenario	Azure Monitoring Service				
Analyze Network Security Group (NSG) flow logs for VMs attempting Internet access.	<table border="1"><tr><td>Azure Traffic Analytics</td></tr><tr><td>Azure ExpressRoute Monitor</td></tr><tr><td>Azure Service Endpoint Monitor</td></tr><tr><td>Azure DNS Analytics</td></tr></table>	Azure Traffic Analytics	Azure ExpressRoute Monitor	Azure Service Endpoint Monitor	Azure DNS Analytics
Azure Traffic Analytics					
Azure ExpressRoute Monitor					
Azure Service Endpoint Monitor					
Azure DNS Analytics					
Visualize the VMs with their different processes and dependencies on other computers and external processes.	<table border="1"><tr><td>Azure Service Map</td></tr><tr><td>Azure Activity Log</td></tr><tr><td>Azure Service Health</td></tr><tr><td>Azure Advisor</td></tr></table>	Azure Service Map	Azure Activity Log	Azure Service Health	Azure Advisor
Azure Service Map					
Azure Activity Log					
Azure Service Health					
Azure Advisor					

Question #73

HOTSPOT -

You plan to deploy the backup policy shown in the following exhibit.

The screenshot shows the Azure Storage Blob container 'uneditedmedia'. The left sidebar has 'Overview' selected. The main area shows a table with one row:

NAME	MODIFIED	ACCESS TIER	BLOB TYPE	SIZE	LEASE STATE
rawfootage.avi	8/24/2018, 12:48:41 PM	Archive	Block blob	24.75 MB	Available

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To access the files, you must [answer choice].

generate a snapshot
modify the access tier
modify the blob type

The files will be stored [answer choice].

at the highest storage cost
at the lowest data retrieval cost
at the lowest storage cost

Answer-

Answer Area

To access the files, you must [answer choice].

generate a snapshot
modify the access tier
modify the blob type

The files will be stored [answer choice].

at the highest storage cost
at the lowest data retrieval cost
at the lowest storage cost

Question #74

You plan to use Azure Site Recovery to protect several on-premises physical server workloads. Each server workload is independent of the other. The workloads are stateless.

You need to recommend a failover strategy to ensure that if the on-premises data center fails, the workloads are available in Azure as quickly as possible.

Which failover strategy should you include in the recommendation?

- A. Latest
- B. Latest app-consistent
- C. Latest multi-VM processed
- D. Latest processed

Answer-

D. Latest processed

Question #75

DRAG DROP -

Your company identifies the following business continuity and disaster recovery objectives for virtual machines that host sales, finance, and reporting applications in the company's on-premises data center:


- ⇒ Identify any ADFS issues and their potential resolutions. The finance application requires that data be retained for seven years. In the event of a disaster, the application must be able to run from Azure. The recovery time objective (RTO) is 10 minutes.
- ⇒ Identify any ADFS issues and their potential resolutions. The reporting application must be able to recover point-in-time data at a daily granularity. The RTO is eight hours.

④ Identify any AD FS issues and their potential resolutions. The sales application must be able to fail over to a second on-premises data center. You need to recommend which Azure services meet the business continuity and disaster recovery objectives. The solution must minimize costs.

What should you recommend for each application? To answer, drag the appropriate services to the correct applications. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:



Answer-

Box1 - Sales – Azure Site Recovery only (ASR)

Box2 - Finance - Azure Site Recovery and Azure Backup (ASR + Backup)

Box3 - Reporting – Azure Backup Only

Question #76

You plan to move a web application named App1 from an on-premises data center to Azure.

App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. App1 must be available to users if an Azure data center becomes unavailable.
- ④ Identify any AD FS issues and their potential resolutions. Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a Traffic Manager profile and a web app.
- B. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- C. Deploy a load balancer and a virtual machine scale set across two availability zones.
- D. In two Azure regions, deploy a load balancer and a web app.

Answer-

C- Deploy a load balancer and a virtual machine scale set across two availability zones.

Question #85

DRAG DROP -

You plan to import data from your on-premises environment into Azure. The data is shown in the following table.

On-premises source	Azure target
A Microsoft SQL Server 2012 database	An Azure SQL database
A table in a Microsoft SQL Server 2008 database	An Azure Cosmos DB account that uses the SQL API

What should you recommend using to migrate the data? To answer, drag the appropriate tools to the correct data sources. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Tools

- AzCopy
- Azure Cosmos DB Data Migration Tool
- Data Management Gateway
- Data Migration Assistant

Answer Area

From the SQL Server 2012 database:



From the table in the SQL Server 2008 database:



Tool

Tool

Answer-

Tools

- AzCopy
- Data Management Gateway

Answer Area

From the SQL Server 2012 database:



From the table in the SQL Server 2008 database:



Data Migration Assistant

Azure Cosmos DB Data Migration Tool

Question #86

You have an on-premises deployment of MongoDB.

You plan to migrate MongoDB to an Azure Cosmos DB account that uses the MongoDB API.

You need to recommend a solution for migrating MongoDB to Azure Cosmos DB.

What should you include in the recommendation?

- A. mongorestore
- B. Data Migration Assistant
- C. Azure Storage Explorer
- D. Azure Cosmos DB Data Migration Tool

Answer-

D. Azure Cosmos DB Data Migration Tool

Question #87

Your company plans to publish APIs for its services by using Azure API Management.

You discover that service responses include the AspNet-Version header.

You need to recommend a solution to remove AspNet-Version from the response of the published APIs.

What should you include in the recommendation?

- A. a new product
- B. a modification to the URL scheme
- C. a new policy
- D. a new revision

Answer-

C. a new policy

Question #88

Your company has 300 virtual machines hosted in a Vmware environment. The virtual machines vary in size and have various utilization levels.

You plan to move all the virtual machines to Azure.

You need to recommend how many and what size Azure virtual machines will be required to move the current workloads to Azure. The solution must minimize administrative effort.

What should you use to make the recommendation?

- A. Azure Advisor
- B. Azure Migrate
- C. Azure Pricing calculator
- D. Azure Cost Management

Answer-

B. Azure Migrate

Question #89

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure. A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution:

Deploy the web application to a web app hosted in a Standard App Service plan. Create and configure an Azure App Service Hybrid Connections endpoint.

On the on-premises network, deploy the Hybrid Connection Manager. Configure the Hybrid Connection Manager to access both the Hybrid Connection endpoint and the SQL Server instance.

Does this meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #90

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: You create an Azure virtual network, public IP address, and load balancer. Then add virtual machines (VMs) to the solution and deploy individual containers on them.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #91

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: Deploy a Kubernetes cluster that has the desired number of instances of the applications. Does the solution meet the goal?

- A. Yes
- B. No

Answer-

A. Yes

Question #92

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: You deploy each application to an Azure Container instance.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #93

HOTSPOT -

You have a web application that uses a MongoDB database. You plan to migrate the web application to Azure.

You must migrate to Cosmos DB while minimizing code and configuration changes.

You need to design the Cosmos DB configuration.

What should you recommend? To answer, select the appropriate values in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Option	Value
MongoDB compatibility	Database API Collection Account
API	Cassandra API DocumentDB API Graph API MongoDB API Table API

Answer-

Box1 Database &

Box2 MongoDB API

Question #94

You manage an application instance. The application consumes data from multiple databases.

Application code references database tables using a combination of the server, database, and table name.

You need to migrate the application instance to Azure.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. SQL Server Stretch Database
- B. SQL Server in an Azure virtual machine
- C. Azure SQL Database
- D. SQL Managed Instance

Answer-

- B. SQL Server in an Azure virtual machine
- D. SQL Managed Instance

Question #95

You have 100 Microsoft SQL Server Integration Services (SSIS) packages that are configured to use 10 on-premises SQL Server databases as their destinations.

You plan to migrate the 10 on-premises databases to Azure SQL Database.

You need to recommend a solution to host the SSIS packages in Azure. The solution must ensure that the packages can target the SQL Database instances as their destinations.

What should you include in the recommendation?

- A. SQL Server Migration Assistant (SSMA)
- B. Azure Data Factory
- C. Data Migration Assistant
- D. Azure Data Catalog

Answer-

B. Azure Data Factory

Question #96

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has custom ASP.NET and Java applications that run on old versions of Windows and Linux. The company plans to place applications in containers.

You need to design a solution that includes networking, service discovery, and load balancing for the applications. The solution must support storage orchestration.

Solution: You deploy each application to an Azure Web App that has container support.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-


B. No

Question #98

HOTSPOT -

Your company develops a web service that is deployed to an Azure virtual machine named VM1. The web service allows an API to access real-time data from VM1.

The current virtual machine deployment is shown in the Deployment exhibit. (Click the Deployment tab).



The chief technology officer (CTO) sends you the following email message: "Our developers have deployed the web service to a virtual machine named VM1.

Testing has shown that the APIs are accessible from VM1 and VM2. Our partners must be able to connect to the API over the Internet. Partners will use this data in application that they develop". You deploy an Azure API Management (APIM) service. The relevant API Management configuration is shown in the API exhibit. (Click the API tab).

Virtual network	Off	External	Internal
LOCATION	VIRTUAL NETWORK		SUBNET
North Europe	VNet1		ProdSubnet

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The API is available to partners over the Internet	<input type="radio"/>	<input type="radio"/>
The APIM instance can access real-time from VM1	<input type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access	<input type="radio"/>	<input type="radio"/>

Answer-


Answer Area

Statements	Yes	No
The API is available to partners over the Internet	<input type="radio"/>	<input type="radio"/>
The APIM instance can access real-time from VM1	<input type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access	<input type="radio"/>	<input type="radio"/>

Question #99

HOTSPOT -

You have the application architecture shown in the following exhibit.



Use the drop-down menus to select choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To change the front end to an ative/active architecture in which both regions process incoming connections, you must [answer choice].

- ▼
 - add a load balancer to each region
 - add an Azure Application Gateway to each region
 - add an Azure content delivery network (CDN)
 - modify the Traffic Manager routing method

To control the threshold for failing over the front end to the standby region, you must configure the [answer choice].

- ▼
 - an Application Insights availability test
 - Azure SQL Database failover groups
 - Connection Monitor in Azure Network Watcher
 - Endpoint monitor settings in Traffic Manager

Answer-

Answer Area

To change the front end to an ative/active architecture in which both regions process incoming connections, you must [answer choice].

- ▼
 - add a load balancer to each region
 - add an Azure Application Gateway to each region
 - add an Azure content delivery network (CDN)
 - modify the Traffic Manager routing method

To control the threshold for failing over the front end to the standby region, you must configure the [answer choice].

- ▼
 - an Application Insights availability test
 - Azure SQL Database failover groups
 - Connection Monitor in Azure Network Watcher
 - Endpoint monitor settings in Traffic Manager

Question #100

HOTSPOT -

You are designing a solution for a stateless front-end application named Application1. Application1 will be hosted on two Azure virtual machines named VM1 and VM2.

VM2.

You plan to load balance connections to VM1 and VM2 from the Internet by using one Azure load balancer.

You need to recommend the minimum number of required public IP addresses.

How many public IP addresses should you recommend using for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Load balancer:

0	▼
1	
2	
3	

VM1:

0	▼
1	
2	
3	

VM2:

0	▼
1	
2	
3	

Answer-

Answer Area

Load balancer:

0	▼
1	
2	
3	

VM1:

0	▼
1	
2	
3	

VM2:

0	▼
1	
2	
3	

Question #101

You need to recommend a data storage solution that meets the following requirements:

④ Identify any ADFS issues and their potential resolutions. Ensures that application can access the data by using a REST connection

Hosts 20 independent tables of varying sizes and usage patterns

④ Identify any AD FS issues and their potential resolutions. Automatically replicates the data to a second Azure region

④ Identify any AD FS issues and their potential resolutions. Minimizes costs

What should you recommend?

- A. an Azure SQL Database elastic database pool that uses active geo-replication
- B. tables in an Azure Storage account that uses geo-redundant storage (GRS)
- C. tables in an Azure Storage account that use read-access geo-redundant storage (RA-GR)
- D. an Azure SQL database that uses active geo-replication

Answer-

B. tables in an Azure Storage account that uses geo-redundant storage (GRS)

Explanation:

You are so wrong mate. 2nd replica can be - your data replicated in the same data center - your data replicated in another data center in the same region - your data replicated in another data center in another region These are then the different levels which you need for your disaster strategy. If a region fails, the first two options are not helpful. GRS and RA-GRS both mean the third option. However, in GRS you would only be able to read from the fall back location once the disaster occurred and first data source becomes unavailable. The RA-GRS however, gives you a way to read from the 2nd location already which is useful in some cases but more expensive than simply GRS. Here, we do not have a requirement to read data from the 2nd location while the first is still actively working. Hence B is the cheaper option.

Question #102

You deploy two instances of an Azure web app. One instance is in the East US Azure region and the other instance is in the West US Azure region. The web app uses Azure Blob storage to deliver large files to end users.

You need to recommend a solution for delivering the files to the users. The solution must meet the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Ensure that the users receive files from the same region as the web app that they access.
- ④ Identify any AD FS issues and their potential resolutions. Ensure that the files only need to be updated once.
- ④ Identify any AD FS issues and their potential resolutions. Minimize costs.

What should you include in the recommendation?

- A. Azure File Sync
- B. Distributed File System (DFS)
- C. read-access geo-redundant storage (RA-GRS)
- D. geo-redundant storage (GRS)

Answer-

C. read-access geo-redundant storage (RA-GRS)

Explanation-

RA-GRS is correct answer as the data would be readily accessible in the second region. In case of GRS, data is accessible in the second region only in case of a failover. See link:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-grs> GRS replicates your data to another data center in a secondary region, but that data is available to be read only if Microsoft initiates a failover from the primary to secondary region

Question #103

Your company has an on-premises Windows HPC cluster. The cluster runs an intrinsically parallel, compute-intensive workload that performs financial risk modelling.

You plan to migrate the workload to Azure Batch.

You need to design a solution that will support the workload. The solution must meet the following requirements:

④ Identify any ADFS issues and their potential resolutions. Support the large-scale parallel execution of Azure Batch jobs.

④ Identify any ADFS issues and their potential resolutions. Minimize cost.

What should you include in the solution?

- A. Basic A-series virtual machines
- B. low-priority virtual machines
- C. burstable virtual machines
- D. Azure virtual machine sizes that support the Message Passing Interface (MPI) API

Answer-

B. low-priority virtual machines

Question #104

DRAG DROP -

Your company has users who work remotely from laptops.

You plan to move some of the applications accessed by the remote users to Azure virtual machines.

The users will access the applications in Azure by using a point-to-site VPN connection. You will use certificates generated from an on-premises-based certification authority (CA).

You need to recommend which certificates are required for the deployment.

What should you include in the recommendation? To answer, drag the appropriate certificates to the correct targets. Each certificate may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Certificates

- A root CA certificate that has the private key
- A root CA certificate that has the public key
- A user certificate that has the private key
- A user certificate that has the public key

Answer Area

- Trusted Root Certification Authorities certificate store on each laptop:
- The users' Personal store on each laptop:
- The Azure VPN gateway:

- Certificate
- Certificate
- Certificate

Answer-

Certificates

- A root CA certificate that has the private key
- A root CA certificate that has the public key
- A user certificate that has the private key
- A user certificate that has the public key

Answer Area

- Trusted Root Certification Authorities certificate store on each laptop:
- The users' Personal store on each laptop:
- The Azure VPN gateway:

- A root CA certificate that has the public key
- A user certificate that has the private key
- A root CA certificate that has the public key

Question #105

DRAG DROP -

You have an Azure subscription. The subscription contains Azure virtual machines that run Windows Server 2016 and Linux.

You need to use Azure Log Analytics design an alerting strategy for security-related events.

Which Log Analytics tables should you query? To answer, drag the appropriate tables to the correct log types. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Tables

AzureActivity

AzureDiagnostics

Event

Syslog

Answer Area

Events from Windows event logs:

Table

Events from Linux system logging:

Table

Answer

Tables

AzureActivity

AzureDiagnostics

Event

Syslog

Answer Area

Events from Windows event logs:

Event


Events from Linux system logging:

Syslog

Question #106

HOTSPOT -

You have the network topology shown in the following exhibit.



You have a user-defined route that has a default route of 0.0.0.0/0 and the next hop set to the network virtual appliance.

You configure the Azure Storage account to use virtual network service endpoints.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
From VM1, traffic destined to the Azure Key Management Service will be routed to the network virtual appliance.	<input type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure file share will be routed to the Internet.	<input type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure SQL database will be routed to the Internet.	<input type="radio"/>	<input type="radio"/>

Answer-

Answer Area

Statements	Yes	No
From VM1, traffic destined to the Azure Key Management Service will be routed to the network virtual appliance.	<input checked="" type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure file share will be routed to the Internet.	<input type="radio"/>	<input checked="" type="radio"/>
From VM1, traffic destined to the Azure SQL database will be routed to the Internet.	<input checked="" type="radio"/>	<input type="radio"/>

Question #107

You are designing a container solution in Azure that will include two containers. One container will host a web API that will be available to the public. The other container will perform health monitoring of the web API and will remain private. The two containers will be deployed together as a group.

You need to recommend a compute service for the containers. The solution must minimize costs and maintenance overhead.

What should you include in the recommendation?

- A. Azure Service Fabric
- B. Azure Container Service
- C. Azure Kubernetes Service (AKS)
- D. Azure Container Instances

Answer-

D. Azure Container Instances

Question #108

HOTSPOT -

Your company has three branch offices and an Azure subscription. Each branch office contains a Hyper-V host that hosts application servers.

You need to recommend a storage solution for the branch offices. The solution must ensure that the application servers can connect to a central storage device by using iSCSI connections. Data saved to the iSCSI storage device from the application servers must be uploaded to Azure automatically. Which components should you include in the recommendation? To answer, select the appropriate

options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Branch office Hyper-V hosts:

Azure File Sync agent
Azure Site Recovery agent
Azure StorSimple Virtual Array
Distributed File System Replication

Azure subscription:

Azure file share
Azure File Sync
Azure Site Recovery vault
Azure Storage account

Answer-

Answer Area

Branch office Hyper-V hosts:

Azure File Sync agent
Azure Site Recovery agent
Azure StorSimple Virtual Array
Distributed File System Replication

Azure subscription:

Azure file share
Azure File Sync
Azure Site Recovery vault
Azure Storage account

Question #109

DRAG DROP -

You have an on-premises network that uses an IP address space of 172.16.0.0/16.

You plan to deploy 25 virtual machines to a new Azure subscription.

You identify the following technical requirements:

- Identify any AD FS issues and their potential resolutions. All Azure virtual machines must be placed on the same subnet named Subnet1.
- Identify any AD FS issues and their potential resolutions. All the Azure virtual machines must be able to communicate with all on-premises servers.
- Identify any AD FS issues and their potential resolutions. The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnets. Each network address may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Network Addresses

172.16.0.0/16

172.16.1.0/28

192.168.0.0/24

192.168.1.0/28

Answer Area

Subnet1:

Network address

Gateway subnet:

Network address

Answer-

Network Addresses

172.16.0.0/16

172.16.1.0/28

Answer Area

Subnet1:

192.168.0.0/24

Gateway subnet:

192.168.1.0/28

Question #110

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create an Azure WebJob that runs the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #111

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create an Azure Function to run the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

A. Yes

Question #112

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create a Logic App to run the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #113

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure. A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution: Deploy the web application to a web app hosted in a Premium App Service plan.

Configure VNET Integration for the App Service plan.

Does this meet the goal?

- A. Yes
- B. No

Answer-

A. Yes

Question #114

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure. A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution: Deploy the web application by using an Azure Kubernetes Service (AKS) container on VNET1.

Does this meet the goal?

- A. Yes
- B. No

Answer

B. No

Question #115

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing an Azure solution for a company that wants to move a .NET Core web application from an on-premises data center to Azure. The web application relies on a Microsoft SQL Server 2016 database on Windows Server 2016. The database server will not move to Azure. A separate networking team is responsible for configuring network permissions.

The company uses Azure ExpressRoute and has an ExpressRoute gateway connected to an Azure

virtual network named VNET1.

You need to recommend a solution for deploying the web application.

Solution: Deploy the web application to a web app hosted in an isolated App Service plan on VNET1.

Does this meet the goal?

- A. Yes
- B. No

Answer-

B. No (Check once on certbolt)

Question #116

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Provide access to the full .NET framework.
- ④ Identify any ADFS issues and their potential resolutions. Provide redundancy if an Azure region fails.
- ④ Identify any ADFS issues and their potential resolutions. Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy a virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #117

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might

have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Provide access to the full .NET framework.
- ④ Identify any ADFS issues and their potential resolutions. Provide redundancy if an Azure region fails.
- ④ Identify any ADFS issues and their potential resolutions. Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy an Azure virtual machine to two Azure regions, and you create a Traffic Manager profile.

Does this meet the goal?

- A. Yes
- B. No

Answer-

A. Yes

Question #118

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Provide access to the full .NET framework.
- ④ Identify any ADFS issues and their potential resolutions. Provide redundancy if an Azure region fails.
- ④ Identify any ADFS issues and their potential resolutions. Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy an Azure virtual machine to two Azure regions, and you deploy an Azure Application Gateway.

Does this meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #119

You plan to deploy an API by using Azure API Management.

You need to recommend a solution to protect the API from a distributed denial of service (DDoS) attack.

What should you recommend?

- A. Create network security groups (NSGs).
- B. Enable quotas.
- C. Enable rate limiting.
- D. Strip the Powered-By responsible header.

Answer

A. Create network security groups (NSGs).

Check once – C is also correct

Question #120

You manage on-premises networks and Azure virtual networks.

You need a secure private connection between the on-premises networks and the Azure virtual networks. The connection must offer a redundant pair of cross connections to provide high availability.

What should you recommend?

- A. ExpressRoute
- B. Azure Load Balancer
- C. virtual network peering
- D. VPN Gateway

Answer-

A. ExpressRoute

Question #121

DRAG DROP -

An organization has an on-premises server that runs Windows Server 2003. The server hosts an IIS-based stateless web application that uses forms authentication. The application consists of classic Active Server Pages (ASP) pages and third-party components (DLLs) that are registered in the Windows registry.

The deployment process for the web application is manual and is prone to errors. The deployment process makes it difficult to roll out updates, scale out, and recover after failures.

You need to design a modernization approach for the web application that meets the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Improve the deployment process.
- ④ Identify any AD FS issues and their potential resolutions. Ensure that the application can run in the cloud.
- ④ Identify any AD FS issues and their potential resolutions. Minimize changes to application code.
- ④ Identify any AD FS issues and their potential resolutions. Minimize administrative effort required to implement the modernization solution.

What should you recommend? To answer, drag the appropriate actions to the correct approaches.

Each action may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth point.

Select and Place:

Answer Area

Actions

Package the existing application in a container.

Configure the application to run in a web role.

Implement Azure functions.

Use Azure Container services.

Use a Web application.

Approach

Modernization

Deployment

Action

Answer-

Answer Area		
Actions	Approach	Action
	Modernization	Use Azure Container services.
Configure the application to run in a web role.	Deployment	Package the existing application in a container.
Implement Azure functions.		
Use a Web application.		

Question #122

You use a virtual network to extend an on-premises IT environment into the cloud. The virtual network has two virtual machines (VMs) that store sensitive data. The data must only be available using internal communication channels. Internet access to those VMs is not permitted. You need to ensure that the VMs cannot access the Internet. Which two options should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. network interface (NIC)
- B. Source Network Address Translation (SNAT)
- C. Azure ExpressRoute
- D. Network Security Groups (NSG)

Answer-

- C. Azure ExpressRoute
D. Network Security Groups (NSG)

Question #123

Your company plans to migrate its on-premises data to Azure. You need to recommend which Azure services can be used to store the data. The solution must meet the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Encrypt all data while at rest.
- ④ Identify any AD FS issues and their potential resolutions. Encrypt data only by using a key generated by the company.

Which two possible services can you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Table storage
- B. Azure Backup
- C. Azure Blob storage
- D. Azure Queue storage
- E. Azure Files

Answer-

C. Azure Blob storage

E. Azure Files

Question #124

You architect a solution that calculates 3D geometry from height-map data.

You have the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Perform calculations in Azure.
- ④ Identify any AD FS issues and their potential resolutions. Each node must communicate data to every other node.
- ④ Identify any AD FS issues and their potential resolutions. Maximize the number of nodes to calculate multiple scenes as fast as possible.
- ④ Identify any AD FS issues and their potential resolutions. Require the least amount of effort to implement.

You need to recommend a solution.

Which two actions should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a render farm that uses Azure Batch.
- B. Enable parallel file systems on Azure.
- C. Enable parallel task execution on compute nodes.
- D. Create a render farm that uses virtual machine (VM) scale sets.
- E. Create a render farm that uses virtual machines (VMs).

Answer

A. Create a render farm that uses Azure Batch.

C. Enable parallel task execution on compute nodes.

Question #125

HOTSPOT -

You are designing an Azure web app.

You plan to deploy the web app to the North Europe Azure region and the West Europe Azure

region.

You need to recommend a solution for the web app. The solution must meet the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Users must always access the web app from the North Europe region, unless the region fails.
- ④ Identify any ADFS issues and their potential resolutions. The web app must be available to users if an Azure region is unavailable.
- ④ Identify any ADFS issues and their potential resolutions. Deployment costs must be minimized.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Request routing method:

A Traffic Manager profile
Azure Application Gateway
Azure Load Balancer

Request routing configuration:

Cookie-based session affinity
Performance traffic routing
Priority traffic routing
Weighted traffic routing

Answer-

Answer Area

Request routing method:

A Traffic Manager profile
Azure Application Gateway
Azure Load Balancer

Request routing configuration:

Cookie-based session affinity
Performance traffic routing
Priority traffic routing
Weighted traffic routing

Question # 126

DRAG DROP -

You need to design an architecture to capture the creation of users and the assignment of roles. The captured data must be stored in Azure Cosmos DB.

Which Azure services should you include in the design? To answer, drag the appropriate services to the correct targets. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Azure Services

- Azure Event Grid
- Azure Event Hubs
-
-
-
- Azure Functions
- Azure Log Analytics
- Azure Notification Hubs

Answer Area



Answer

Azure Services

Azure Event Grid

Azure Log Analytics

Azure Notification Hubs

Answer Area



Azure Event Hubs

Azure Functions



Cosmos DB

Question #127

You are developing a web application that provides streaming video to users. You configure the application to use continuous integration and deployment.

The app must be highly available and provide a continuous streaming experience for users.

You need to recommend a solution that allows the application to store data in a geographical location that is closest to the user.

What should you recommend?

- A. Azure App Service WebApps
- B. Azure App Service Isolated
- C. Azure Redis Cache
- D. Azure Content Delivery Network (CDN)

Answer-

D. Azure Content Delivery Network (CDN)

Question #128

HOTSPOT -

Your company deploys an Azure App Service Web App.

During testing the application fails under load. The application cannot handle more than 100 concurrent user sessions. You enable the Always On feature. You also configure auto-scaling to increase counts from two to 10 based on HTTP queue length.

You need to improve the performance of the application.

Which solution should you use for each application scenario? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Scenario

Store content close to end users.

Solution

Azure Redis Cache
Azure Traffic Manager
Azure Content Delivery Network
Azure Application Gateway

Store content close to the application.

Azure Redis Cache
Azure Traffic Manager
Azure Content Delivery Network
Azure Application Gateway

Answer-

Answer Area

Scenario	Solution				
Store content close to end users.	<table border="1"><tr><td>Azure Redis Cache</td></tr><tr><td>Azure Traffic Manager</td></tr><tr style="background-color: #90EE90;"><td>Azure Content Delivery Network</td></tr><tr><td>Azure Application Gateway</td></tr></table>	Azure Redis Cache	Azure Traffic Manager	Azure Content Delivery Network	Azure Application Gateway
Azure Redis Cache					
Azure Traffic Manager					
Azure Content Delivery Network					
Azure Application Gateway					
Store content close to the application.	<table border="1"><tr style="background-color: #90EE90;"><td>Azure Redis Cache</td></tr><tr><td>Azure Traffic Manager</td></tr><tr><td>Azure Content Delivery Network</td></tr><tr><td>Azure Application Gateway</td></tr></table>	Azure Redis Cache	Azure Traffic Manager	Azure Content Delivery Network	Azure Application Gateway
Azure Redis Cache					
Azure Traffic Manager					
Azure Content Delivery Network					
Azure Application Gateway					

Question #129

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Provide access to the full .NET framework.
- ④ Identify any ADFS issues and their potential resolutions. Provide redundancy if an Azure region fails.
- ④ Identify any ADFS issues and their potential resolutions. Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy a web app in an Isolated App Service plan.

Does this meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #130

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

HTTPS protocol -

- ④ Identify any AD FS issues and their potential resolutions. Round robin routing
- ④ Identify any AD FS issues and their potential resolutions. SSL offloading

You need to recommend a load balancing option.

What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Answer-

D. Azure Application Gateway

Question #131

You manage a solution in Azure.

You must collect usage data including MAC addresses from all devices on the network.

You need to recommend a monitoring solution.

What should you recommend?

- A. Activity Log Analytics
- B. Azure Network Security Group Analytics
- C. Network Performance Monitor
- D. Azure Application Gateway Analytics
- E. Azure Wire Data

Answer-

B. Azure Network Security Group Analytics

Question #132

A partner manages on-premises and Azure environments. The partner deploys an on-premises solution that needs to use Azure services. The partner deploys a virtual appliance. All network traffic that is directed to a specific subnet must flow through the virtual appliance. You need to recommend solutions to manage network traffic.

Which two options should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure Azure Traffic Manager
- B. Implement an Azure virtual network
- C. Configure a routing table with forced tunneling
- D. Implement Azure ExpressRoute

Answer-

- C. Configure a routing table with forced tunneling
D. Implement Azure ExpressRoute

Question #133

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are migrating an on-premises application to Azure. One component of the application is a legacy Windows native executable that performs image processing.

The image processing application must run every hour. During times that the image processing application is not running, it should not be consuming any Azure compute resources.

You need to ensure that the image processing application runs correctly every hour.

Solution: Create an Azure Batch application that runs the image processing application every hour.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

- A. Yes (check once)

Question #135

You plan to run an image rendering workload in Azure. The workload uses parallel compute processes.

What is the best service to use to run the workload? More than one answer choice may achieve the goal. Select the BEST answer.

- A. an Azure virtual machine scale set
- B. Azure Kubernetes Service (AKS)
- C. Azure Batch
- D. Azure Container Service

Answer

C. Azure Batch

Question #137

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources. You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure Blob storage in the design.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

A. Yes

Question #138

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources. You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure Data Lake Storage in the design.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

B. No

Question #139

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources. You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure Data Table Storage in the design.

Does the solution meet the goal?

- A. Yes

- B. No

Answer-

B. No

Question #140

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a storage solution to support on-premises resources and Azure-hosted resources. You need to provide on-premises storage that has built-in replication to Azure.

Solution: You include Azure StorSimple in the design.

Does the solution meet the goal?

- A. Yes
- B. No

Answer-

A. Yes

Question #141

You use Azure virtual machines to run a custom application that uses an Azure SQL Database instance on the back end.

The IT department at your company recently enabled forced tunneling.

Since the configuration change, developers have noticed degraded performance when they access the database.

You need to recommend a solution to minimize latency when accessing the database. The solution must minimize costs.

What should you include in the recommendation?

- A. Azure SQL Database Managed Instance
- B. virtual network service endpoints
- C. Always On availability groups
- D. Azure virtual machines that run Microsoft SQL Server servers

Answer-

B. virtual network service endpoints

Question #142

DRAG DROP -

You are designing a network connectivity strategy for a new Azure subscription. You identify the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. The Azure virtual machines on a subnet named Subnet1 must be accessible only from the computers in your London office.
- ④ Identify any ADFS issues and their potential resolutions. Engineers require access to the Azure virtual machine on a subnet named Subnet2 over the Internet on a specific TCP/IP management port.
- ④ Identify any ADFS issues and their potential resolutions. The Azure virtual machines in the West Europe Azure region must be able to communicate on all ports to the Azure virtual machines in the North Europe Azure region.

You need to recommend which components must be used to meet the requirements. The solution must minimize costs and administrative effort whenever possible.

What should you include in the recommendation? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Answer-

A site-to-site VPN: The Azure virtual machine on Subnet1 must be accessible only from the computers in the London Office

A Network Security Group (NSG): Engineers require access to the Azure virtual machines on Subnet2 over the Internet on a specific TCP/IP management port

Virtual Network Peering: The Azure virtual machines in the West Europe region must be able to communicate on all ports to the Azure virtual machines in the North Europe region.

Question #143

You develop a new Azure Web App that uses multiple Azure blobs and static content. The Web App uses a large number of JavaScript files and cascading style sheets. Some of these files contain references to other files. Users are geographically dispersed.

You need to minimize the time to load individual pages.

What should you do?

- A. Migrate the Web App to Azure Service Fabric
- B. Use an Azure Content Delivery Network (CDN)
- C. Implement an Azure Redis Cache
- D. Create a services layer by using an Azure-hosted ASP.NET web API
- E. Enable the Always On feature of the Web App

Answer-

B. Use an Azure Content Delivery Network (CDN)

Question #144

You have 100 Standard_F2s_v2 Azure virtual machines. Each virtual machine has two network adapters.

You need to increase the network performance of the workloads running on the virtual machines. The solution must meet the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. The CPU-to-memory ratio must remain the same.
- ④ Identify any AD FS issues and their potential resolutions. The solution must minimize costs.

What should you do?

- A. Configure NIC teaming
- B. Enable RDMA over InfiniBand
- C. Enable SR-IOV
- D. Install an additional network adapter

Answer-

C. Enable SR-IOV

Question #145

You have a .NET web service named Service1 that has the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Must read and write temporary files to the local file system.
- ④ Identify any AD FS issues and their potential resolutions. Must write to the Windows Application event log.

You need to recommend a solution to host Service1 in Azure. The solution must meet the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Minimize maintenance overhead.
- ④ Identify any AD FS issues and their potential resolutions. Minimize costs.

What should you include in the recommendation?

- A. an Azure virtual machine scale set
- B. an Azure function

- C. an App Service Environment
- D. an Azure web app

Answer-

B. an Azure function

or

A. an Azure virtual machine scale set

Check once

Question #146

You have an Azure subscription that contains an Azure Blob storage account named store1.

You have an on-premises file server named Server1 that runs Windows Server 2016. Server1 stores 500 GB of company files.

You need to store a copy of the company files in store1.

Which two possible Azure services achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. an Azure Import/Export job
- B. an integration account
- C. an Azure Batch account
- D. Azure data Factory
- E. an On-premises data gateway

Answer-

A. an Azure Import/Export job

D. Azure data Factory

Question #147

You have a web app named App1 that is hosted on-premises and on four Azure virtual machines.

Each virtual machine is in a different region.

You need to recommend a solution to ensure that users will always connect to the closest instance of App1. The solution must prevent the users from attempting to connect to a failed instance of App1. Which two possible recommendations achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Front Door Service

- B. Azure Load Balancer
- C. round-robin DNS
- D. Azure Traffic Manager
- E. Azure Application Gateway

Answer

A. Azure Front Door Service

D. Azure Traffic Manager

Question #148

HOTSPOT -

You plan to deploy a network-intensive application to several Azure virtual machines.

You need to recommend a solution that meets the following requirements:

- ④ Identify any AD FS issues and their potential resolutions. Minimizes the use of the virtual machine processors to transfer data
- ④ Identify any AD FS issues and their potential resolutions. Minimizes network latency

Which virtual machine size and feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Virtual machine size:

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature:

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

Answer

Box 1 - Compute Optimized Standard_F8s

Box 2 - Single Root I/O Virtualization (SR-IOV)

Question #149

You are designing a microservices architecture that will support a web application.

The solution must meet the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Allow independent upgrades to each microservice
- ④ Identify any ADFS issues and their potential resolutions. Deploy the solution on-premises and to Azure
- ④ Identify any ADFS issues and their potential resolutions. Set policies for performing automatic repairs to the microservices
- ④ Identify any ADFS issues and their potential resolutions. Support low-latency and hyper-scale operations

You need to recommend a technology.

What should you recommend?

- A. Azure Service Fabric
- B. Azure Container Service
- C. Azure Container Instance
- D. Azure Virtual Machine Scale Set

Answer-

A. Azure Service Fabric

Case Study

Topic 8 - Testlet 10

Question #1 *Topic 8*

Introductory Info Case study -

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide

more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study -

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirement, existing environment, and problem statements.

If the case study has an

All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview -

Fabrikam, Inc. is an engineering company that has offices throughout Europe. The company has a main office in London and three branch offices in Amsterdam, Berlin, and Rome.

Existing Environment -

Active Directory Environment -

The network contains two Active Directory forests named corp.fabrikam.com and rd.fabrikam.com. There are no trust relationships between the forests.

Corp.fabrikam.com is a production forest that contains identities used for internal user and computer authentication.

Rd.fabrikam.com is used by the research and development (R&D) department only.

Network Infrastructure -

Each office contains at least one domain controller from the corp.fabrikam.com domain. The main office contains all the domain controllers for the rd.fabrikam.com forest.

All the offices have a high-speed connection to the Internet.

An existing application named WebApp1 is hosted in the data center of the London office.

WebApp1 is used by customers to place and track orders.

WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

The IT department currently uses a separate Hyper-V environment to test updates to WebApp1.

Fabrikam purchases all Microsoft licenses through a Microsoft Enterprise Agreement that includes Software Assurance.

Problem Statements -

The use of Web App1 is unpredictable. At peak times, users often report delays. At other times, many resources for WebApp1 are underutilized.

Requirements -

Planned Changes -

Fabrikam plans to move most of its production workloads to Azure during the next few years. As one of its first projects, the company plans to establish a hybrid identity model, facilitating an upcoming Microsoft Office 365 deployment.

All R&D operations will remain on-premises.

Fabrikam plans to migrate the production and test instances of WebApp1 to Azure.

Technical Requirements -

Fabrikam identifies the following technical requirements:

Web site content must be easily updated from a single point.

User input must be minimized when provisioning new app instances.

Whenever possible, existing on-premises licenses must be used to reduce cost.

Users must always authenticate by using their corp.fabrikam.com UPN identity.

Any new deployments to Azure must be redundant in case an Azure region fails.

Whenever possible, solutions must be deployed to Azure by using platform as a service (PaaS).

An email distribution group named IT Support must be notified of any issues relating to the directory synchronization services.

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network.

Database Requirements -

Fabrikam identifies the following database requirements:

Database metrics for the production instance of WebApp1, must be available for analysis so that database administrators can optimize the performance settings.

To avoid disrupting customer access, database downtime must be minimized when databases are migrated.

Database backups must be retained for a minimum of seven years to meet compliance requirements.

Security Requirements -

Fabrikam identifies the following security requirements:

Company information including policies, templates, and data must be inaccessible to anyone outside the company.

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails.

Administrators must be able authenticate to the Azure portal by using their corp.fabrikam.com credentials.

All administrative access to the Azure portal must be secured by using multi-factor authentication. The testing of WebApp1 updates must not be visible to anyone outside the company.

Question

You need to recommend a notification solution for the IT Support distribution group. What should you include in the recommendation?

- A. Azure Network Watcher
- B. an action group
- C. a SendGrid account with advanced reporting
- D. Azure AD Connect Health

Answer-

C. Azure AD Connect Health

I can start only Questions

Question -16

HOTSPOT –

You are evaluating the components of the migration to Azure that require you to provision an Azure Storage account.

For each of the following statements, select Yes if the statement is true.

Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
You must provision an Azure Storage account for the SQL Server database migration.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Web site content storage.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Database metric monitoring.	<input type="radio"/>	<input type="radio"/>

Answer-

B1 - NO

B2 - NO

B3 – YES

Question - 17

You need to recommend a strategy for migrating the database content of WebApp1 to Azure.

What should you include in the recommendation?

- A. Use Azure Site Recovery to replicate the SQL servers to Azure
- B. Use SQL Server transactional replication
- C. Copy the VHD that contains the Azure SQL database files to Azure Blob storage
- D. Copy the BACPAC file that contains the Azure SQL database files to Azure Blob storage

Answer

B. Use SQL Server transactional replication

Question - 18

You need to recommend a strategy for the web tier of WebApp1. The solution must minimize costs.

What should you recommend?

- A. Configure the Scale Up settings for a web app
- B. Create a runbook that resizes virtual machines automatically to a smaller size outside of business hours
- C. Deploy a virtual machine scale set that scales out on a 75 percent CPU threshold
- D. Configure the Scale Out settings for a web app

Answer-

D. Configure the Scale Out settings for a web app

Question - 19

You need to recommend a compute solution for the middle tier of the payment processing system.

What should you include in the recommendation?

- A. Azure Kubernetes Service (AKS)
- B. virtual machine scale sets
- C. availability sets
- D. App Service Environments (ASEs)

Answer

B. virtual machine scale sets

Question #150

You need to recommend a data storage solution that meets the following requirements:

- ⇒ Identify any AD FS issues and their potential resolutions. Ensures that application can access the data by using a REST connection
- ⇒ Identify any AD FS issues and their potential resolutions. Hosts 20 independent tables of varying sizes and usage patterns
- ⇒ Identify any AD FS issues and their potential resolutions. Automatically replicates the data to a second Azure region
- ⇒ Identify any AD FS issues and their potential resolutions. Minimizes costs

What should you recommend?

- A. an Azure SQL Database elastic database pool that uses active geo-replication
- B. tables in an Azure Storage account that uses geo-redundant storage (GRS)
- C. tables in an Azure Storage account that use read-access geo-redundant storage (RA-GR)
- D. an Azure SQL database that uses active geo-replication

Answer-

B. tables in an Azure Storage account that uses geo-redundant storage (GRS)

Question #156

HOTSPOT –

Your company has an API that returns XML data to internal applications. You plan to migrate the applications to Azure. You also plan to allow the company's partners to access the API.

You need to recommend an API management solution that meets the following requirements:

- ⇒ Internal applications must receive data in the JSON format once the applications migrate to Azure.
- ⇒ Partner applications must have their header information stripped before the

applications receive the data.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Minimum number of APIs to add to Azure API Management:

	▼
1	
2	
3	

Minimum number of products to publish in Azure API Management:

	▼
1	
2	
3	

Minimum number of policy elements to add:

	▼
1	
2	
3	

Answer

Box1 - 1

Box2 - 2

Box3 - 2

Question #164

DRAG DROP -

Your company identifies the following business continuity and disaster recovery objectives for virtual machines that host sales, finance, and reporting applications in the company's on-premises data center:

- ④ Identify any ADFS issues and their potential resolutions. The finance application requires that data be retained for seven years. In the event of a disaster, the application must be able to run from Azure. The recovery time objective (RTO) is 10 minutes.
- ④ Identify any ADFS issues and their potential resolutions. The reporting application must be able to recover point-in-time data at a daily granularity. The RTO is eight hours.
- ④ Identify any AD FS issues and their potential resolutions. The sales application must be able to fail over to a second on-premises data center. You need to recommend which Azure services meet the business continuity and disaster recovery objectives. The solution must minimize costs.

What should you recommend for each application? To answer, drag the appropriate services to the correct applications. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Actions	Answer Area	
Azure Backup only	 Sales: Finance: Reporting:	Service or Services
Azure Site Recovery only		Service or Services
Azure Site Recovery and Azure Backup		Service or Services

[Reveal Solution](#) [Discussion](#) 11

Answer-

Box1 - Sales – Azure Site Recovery only (ASR)

Box2 - Finance - Azure Site Recovery and Azure Backup (ASR + Backup)

Box3 - Reporting – Azure Backup Only

Question #166

DRAG DROP –

You plan to import data from your on-premises environment into Azure. The data is shown in the following table.

On-premises source	Azure target
A Microsoft SQL Server 2012 database	An Azure SQL database
A table in a Microsoft SQL Server 2008 database	An Azure Cosmos account that uses the SQL API

What should you recommend using to migrate the data? To answer, drag the appropriate tools to the correct data sources. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Tools

- AzCopy
- Azure Cosmos DB Data Migration Tool
- Data Management Gateway
- Data Migration Assistant

Answer Area



From the SQL Server 2012 database:

Tool

From the table in the SQL Server 2008 database:

Tool

Answer

Tools

- AzCopy
- Data Management Gateway

Answer Area

- From the SQL Server 2012 database:
- From the table in the SQL Server 2008 database:


Data Migration Assistant

Azure Cosmos DB Data Migration Tool

Question #167

HOTSPOT -

You have the application architecture shown in the following exhibit.



Use the drop-down menus to select choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To change the front end to an active/active architecture in which both regions process incoming connections, you must [answer choice].

▼
add a load balancer to each region
add an Azure Application Gateway to each region
add an Azure content delivery network (CDN)
modify the Traffic Manager routing method

To control the threshold for failing over the front end to the standby region, you must configure the [answer choice].

▼
an Application Insights availability test
Azure SQL Database failover groups
Connection Monitor in Azure Network Watcher
Endpoint monitor settings in Traffic Manager

[Reveal Solution](#) [Discussion](#) 2

Answer

Answer Area

To change the front end to an active/active architecture in which both regions process incoming connections, you must [answer choice].

▼
add a load balancer to each region
add an Azure Application Gateway to each region
add an Azure content delivery network (CDN)
modify the Traffic Manager routing method

To control the threshold for failing over the front end to the standby region, you must configure the [answer choice].

▼
an Application Insights availability test
Azure SQL Database failover groups
Connection Monitor in Azure Network Watcher
Endpoint monitor settings in Traffic Manager

Question #168

HOTSPOT -

You are designing a solution for a stateless front-end application named Application1. Application1 will be hosted on two Azure virtual machines named VM1 and VM2.

You plan to load balance connections to VM1 and VM2 from the Internet by using one Azure load balancer.

You need to recommend the minimum number of required public IP addresses.

How many public IP addresses should you recommend using for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Load balancer:

	▼
0	
1	
2	
3	

VM1:

	▼
0	
1	
2	
3	

VM2:

	▼
0	
1	
2	
3	

[Reveal Solution](#) [Discussion 1](#)

Answer Area

Load balancer:

	▼
0	
1	
2	
3	

VM1:

	▼
0	
1	
2	
3	

VM2:

	▼
0	
1	
2	
3	

Question #169

You need to recommend a data storage solution that meets the following requirements:

• Identify any ADFS issues and their potential resolutions. Ensures that application can access the data by using a REST connection

• Hosts 20 independent tables of varying sizes and usage patterns

• Identify any AD FS issues and their potential resolutions. Automatically replicates the data to a second Azure region

• Identify any AD FS issues and their potential resolutions. Minimizes costs

What should you recommend?

- A. an Azure SQL Database elastic database pool that uses active geo-replication
- B. tables in an Azure Storage account that uses geo-redundant storage (GRS)
- C. tables in an Azure Storage account that use read-access geo-redundant storage (RA-GR)
- D. an Azure SQL database that uses active geo-replication

Answer

D. tables in an Azure Storage account that uses geo-redundant storage (GRS)

Question #170

DRAG DROP -

Your company has users who work remotely from laptops.

You plan to move some of the applications accessed by the remote users to Azure virtual machines. The users will access the applications in Azure by using a point-to-site VPN connection. You will use certificates generated from an on-premises-based certification authority (CA).

You need to recommend which certificates are required for the deployment.

What should you include in the recommendation? To answer, drag the appropriate certificates to the correct targets. Each certificate may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Certificates

- A root CA certificate that has the private key
- A root CA certificate that has the public key
- A user certificate that has the private key
- A user certificate that has the public key

Answer Area

Trusted Root Certification Authorities certificate store on each laptop:

Certificate

The users' Personal store on each laptop:

Certificate

The Azure VPN gateway:

Certificate

Answer-

Certificates

- A root CA certificate that has the private key
- A root CA certificate that has the public key
- A user certificate that has the private key
- A user certificate that has the public key

Answer Area

Trusted Root Certification Authorities certificate store on each laptop:

A root CA certificate that has the public key

The users' Personal store on each laptop:

A user certificate that has the private key

The Azure VPN gateway:

A root CA certificate that has the public key

Question #171

DRAG DROP –

You have an Azure subscription. The subscription contains Azure virtual machines that run Windows Server 2016 and Linux.

You need to use Azure Log Analytics design an alerting strategy for security-related events.

Which Log Analytics tables should you query? To answer, drag the appropriate tables to the correct log types. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Tables

AzureActivity

AzureDiagnostics

Event

Syslog

Answer Area

Events from Windows event logs:

Events from Linux system logging:

Table

Table

[Reveal Solution](#)

[Discussion 1](#)

Answer-

Tables

AzureActivity

AzureDiagnostics

Event

Syslog

Answer Area

Events from Windows event logs:

Events from Linux system logging:


Event

Syslog

Question #172

HOTSPOT -

You have the network topology shown in the following exhibit.



You have a user-defined route that has a default route of 0.0.0.0/0 and the next hop set to the network virtual appliance.

You configure the Azure Storage account to use virtual network service endpoints.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
From VM1, traffic destined to the Azure Key Management Service will be routed to the network virtual appliance.	<input type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure file share will be routed to the Internet.	<input type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure SQL database will be routed to the Internet.	<input type="radio"/>	<input type="radio"/>

Answer-

Answer Area

Statements	Yes	No
From VM1, traffic destined to the Azure Key Management Service will be routed to the network virtual appliance.	<input checked="" type="radio"/>	<input type="radio"/>
From VM1, traffic destined to the Azure file share will be routed to the Internet.	<input type="radio"/>	<input checked="" type="radio"/>
From VM1, traffic destined to the Azure SQL database will be routed to the Internet.	<input type="radio"/>	<input checked="" type="radio"/>

Question #173

HOTSPOT -

Your company has three branch offices and an Azure subscription. Each branch office contains a Hyper-V host that hosts application servers.

You need to recommend a storage solution for the branch offices. The solution must ensure that the application servers can connect to a central storage device by using iSCSI connections. Data saved to the iSCSI storage device from the application servers must be uploaded to Azure automatically. Which components should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Branch office Hyper-V hosts:

Azure File Sync agent
Azure Site Recovery agent
Azure StorSimple Virtual Array
Distributed File System Replication

Azure subscription:

Azure file share
Azure File Sync
Azure Site Recovery vault
Azure Storage account

Answer-

Answer Area

Branch office Hyper-V hosts:

Azure File Sync agent
Azure Site Recovery agent
Azure StorSimple Virtual Array
Distributed File System Replication

Azure subscription:

Azure file share
Azure File Sync
Azure Site Recovery vault
Azure Storage account

Question #174

DRAG DROP -

You have an on-premises network that uses an IP address space of 172.16.0.0/16.

You plan to deploy 25 virtual machines to a new Azure subscription.

You identify the following technical requirements:

- ④ Identify any AD FS issues and their potential resolutions. All Azure virtual machines must be placed on the same subnet named Subnet1.
 - ④ Identify any AD FS issues and their potential resolutions. All the Azure virtual machines must be able to communicate with all on-premises servers.
- The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnets. Each network address may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Network Addresses

172.16.0.0/16

172.16.1.0/28

192.168.0.0/24

192.168.1.0/28

Answer Area

Subnet1:

Network address

Gateway subnet:

Network address

Network Addresses

172.16.0.0/16

172.16.1.0/28

Answer Area

Subnet1:

192.168.0.0/24

Gateway subnet:

192.168.1.0/28

Question 175

HOTSPOT –

You need to recommend a solution for configuring the Azure Multi-Factor Authentication (MFA) settings.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Azure AD license:

Free	▼
Basic	
Premium P1	
Premium P2	

Access control for the sign-in risk policy:

Allow access and require multi-factor authentication	▼
Block access and require multi-factor authentication	
Allow access and require Azure MFA registration	
Block access	

Access control for the multi-factor authentication registration policy:

Allow access and require multi-factor authentication	▼
Block access and require multi-factor authentication	
Allow access and require Azure MFA registration	
Block access	

Answer

Answer Area

Azure AD license:

Free
Basic
Premium P1
Premium P2

Access control for the sign-in risk policy:

Allow access and require multi-factor authentication
Block access and require multi-factor authentication
Allow access and require Azure MFA registration
Block access

Access control for the multi-factor authentication registration policy:

Allow access and require multi-factor authentication
Block access and require multi-factor authentication
Allow access and require Azure MFA registration
Block access

Question #180

You have an Azure subscription for used for testing and development purposes only. The subscription contains Azure virtual machines that unmanaged, standard hard disk drives (HDD).

You need to recommend a recovery strategy for the virtual machines if an Azure region fails for a sustained period. The recovery time objective (RTO) can be up to seven days. The solution must minimize costs.

What should you include in the recommendation?

- A. Store the disks in a Standard_LRS storage account. Configure Azure site Recovery. If a failure occurs, initiate a manual failover.
- B. Store the disks in a Standard_GRS storage account. Configure Azure Recovery. If a failure occurs, initiate a manual failover.
- C. Store the disks in a Standard_LRS storage account. If a disaster occurs, manually create the virtual machines by used Azure Resources Manager templates.
- D. Store the disks in a Standard_GRS storage account. If a disaster occurs, manually create the virtual machines by used Azure Resources Manager templates.

Answer-

B. Store the disks in a Standard_GRS storage account. Configure Azure Recovery. If a failure occurs, initiate a manual failover.

Question #181

You are designing a solution for a company to deploy software for testing and production. The solution must meet the following requirements:

- ④ Identify any ADFS issues and their potential resolutions. Applications must be deployed to several different environments and must run without installation of dependencies.
- ④ Identify any AD FS issues and their potential resolutions. Existing published application must be ported to the new solution.
- ④ Identify any ADFS issues and their potential resolutions. Application developers must be given flexibility when architecting their code.

You need to recommend a solution for hosting applications.

What should you select?

- A. Azure worker role
- B. Azure Kubernetes Service
- C. Azure Functions
- D. Azure Batch

Answer

B. Azure Kubernetes Service

Question - 182

You need to recommend a solution for the network configuration of the front-end tier of the payment processing.

What should you include in the recommendation?

- A. Azure Application Gateway
- B. Traffic Manager
- C. a Standard Load Balancer
- D. a Basic load Balancer

Answer-

C. a Standard Load Balancer

Question #184

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

④ Identify any AD FS issues and their potential resolutions. HTTPS protocol

④ Identify any AD FS issues and their potential resolutions. Round robin routing

④ Identify any AD FS issues and their potential resolutions. SSL offloading

You need to recommend a load balancing option.

What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Answer

D. Azure Application Gateway

A.

Question #193

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing an Azure Storage account that has a file service and a blob service, and then using the Data Migration Assistant.

Does this meet the goal?

- A. Yes
- B. No

Answer

B. No

Question #194

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing an Azure Storage account, and then running AzCopy.

Does this meet the goal?

- A. Yes
- B. No

Answer

B- No

Question #195

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing a Recovery Services vault, and then using Azure Site Recovery.

Does this meet the goal?

- A. Yes
- B. No

Answer

A- Yes

Question #196

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1.

You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create a file share, and you configure an access policy.

Does this meet the goal?

- A.Yes
- B.No

Answer

B. No

Question #197

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1.

You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create an Azure Blob storage container, and you configure a legal hold access policy.

Does this meet the goal?

- A. Yes
- B. No

Answer

A. Yes

Question #198

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1.

You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create a file share and snapshots.

Does this meet the goal?

- A.Yes
- B.No

Answer

B- No

Question #199

You plan to archive 10 TB of on-premises data files to Azure.

You need to recommend a data archival solution. The solution must minimize the cost of storing the data files.

Which Azure Storage account type should you include in the recommendation?

- A. Premium Storage (general purpose v1)
- B. Standard StorageV2 (general purpose v2)
- C. Standard Storage (general purpose v1)
- D. Premium StorageV2 (general purpose v2)

Answer

B.Standard StorageV2 (general purpose v2)

Total Questions:

84 Latest

Version

Topic 1, Fabrikam, inc Case Study A Overview:

Existing Environment

Fabrikam, Inc. is an engineering company that has offices throughout Europe. The company has a main office in London and three branch offices in Amsterdam Berlin, and Rome.

Active Directory Environment:

The network contains two Active Directory forests named corp.fabrikam.com and rd.fabrikam.com. There are no trust relationships between the forests. Corp.fabrikam.com is a production forest that contains identities used for internal user and computer authentication. Rd.fabrikam.com is used by the research and development (R&D) department only.

Network Infrastructure:

Each office contains at least one domain controller from the corp.fabrikam.com domain. The main office contains all the domain controllers for the rd.fabrikam.com forest.

All the offices have a high-speed connection to the Internet.

An existing application named WebApp1 is hosted in the data center of the London office. WebApp1 is used by customers to place and track orders. WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

The IT department currently uses a separate Hyper-V environment to test updates to WebApp1.

Fabrikam purchases all Microsoft licenses through a Microsoft Enterprise Agreement that includes Software Assurance.

Problem Statement:

The use of Web App1 is unpredictable. At peak times, users often report delays. At other times, many resources for WebApp1 are underutilized.

Requirements:

Planned

Changes:

Fabrikam plans to move most of its production workloads to Azure during the next few years.

As one of its first projects, the company plans to establish a hybrid identity model, facilitating an upcoming Microsoft Office 365 deployment

All R&D operations will remain on-premises.

Fabrikam plans to migrate the production and test instances of WebApp1 to Azure.

Technical Requirements:

Fabrikam identifies the following technical requirements:

- Web site content must be easily updated from a single point.
- User input must be minimized when provisioning new app instances.
- Whenever possible, existing on premises licenses must be used to reduce cost.
- Users must always authenticate by using their corp.fabrikam.com UPN identity.
- Any new deployments to Azure must be redundant in case an Azure region fails.
- Whenever possible, solutions must be deployed to Azure by using platform as a service (PaaS).
- An email distribution group named IT Support must be notified of any issues relating to the directory synchronization services.
- Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on premises network.

Database Requirements:

Fabrikam identifies the following database requirements:

- Database metrics for the production instance of WebApp1 must be available for analysis so that database administrators can optimize the performance settings.
- To avoid disrupting customer access, database downtime must be minimized when databases are migrated.
- Database backups must be retained for a minimum of seven years to meet compliance requirement

Security Requirements:

Fabrikam identifies the following security requirements:

*Company information including policies, templates, and data must be inaccessible to anyone outside the company

*Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. *Administrators must be able authenticate to the Azure portal by using their corp.fabrikam.com credentials.

*All administrative access to the Azure portal must be secured by using multi-factor authentication.

*The testing of WebApp1 updates must not be visible to anyone outside the company.

Question: 1

To meet the authentication requirements of Fabrikam, what should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of Azure AD tenants:

▼	swe
0	
1	
2	
3	
4	

Minimum number of custom domains to add:

▼	
0	
1	
2	
3	
4	

Minimum number of conditional access policies to create:

▼	
0	
1	
2	
3	
4	

1
1

Question: 3

You need to recommend a strategy for migrating the database content of WebApp1 to Azure. What should you include in the recommendation?

- A. Use Azure Site Recovery to replicate the SQL servers to Azure.
- B. Use SQL Server transactional replication.
- C. Copy the BACPAC file that contains the Azure SQL database file to Azure Blob storage.
- D. Copy the VHD that contains the Azure SQL database files to Azure Blob storage

Answer: D**Explanation:**

Before you upload a Windows virtual machine (VM) from on-premises to Azure, you must prepare the virtual hard disk (VHD or VHDX).

Scenario: WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image>

Question: 4

You need to recommend a strategy for the web tier of WebApp1. The solution must minimize What should you recommend?

- A. Create a runbook that resizes virtual machines automatically to a smaller size outside of business hours.
- B. Configure the Scale Up settings for a web app.

- C. Deploy a virtual machine scale set that scales out on a 75 percent CPU threshold.
D. Configure the Scale Out settings for a web app.

Answer: D

Question: 7

What should you include in the identity management strategy to support the planned changes?

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Answer: B

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

Question: 8

You are evaluating the components of the migration to Azure that require you to provision an Azure Storage account.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- | Statements | Yes | No |
|--|----------------------------------|-----------------------|
| You must provision an Azure Storage account for the SQL Server database migration. | <input type="radio"/> | <input type="radio"/> |
| You must provision an Azure Storage account for the Web site content storage. | <input type="radio"/> | <input type="radio"/> |
| You must provision an Azure Storage account for the Database metric monitoring. | <input type="radio"/> | <input type="radio"/> |
| You must provision an Azure Storage account for the Database metric monitoring. | <input checked="" type="radio"/> | <input type="radio"/> |

- You must provision an Azure Storage account for the SQL Server database migration.
- You must provision an Azure Storage account for the Web site content storage.
- You must provision an Azure Storage account for the Database metric monitoring.
- ~~You must provision an Azure Storage account for the Database metric monitoring.~~

Question: 9

You need to recommend a notification solution for the IT Support distribution group. What should you include in the recommendation?

- A. Azure Network Watcher

-
- B. an action group
 - C. a SendGrid account with advanced reporting
 - D. Azure AD Connect Health

Answer: D

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-operations>

Topic 2, Contoso, Ltd Case Study B Overview

Contoso,Ltd is a US-base finance service company that has a main office New York and an office in San Francisco.

Payment Processing Query System

Contoso hosts a business critical payment processing system in its New York data center. The system has three tiers a front-end web app a middle -tier API and a back end data store implemented as a Microsoft SQL Server 2014 database All servers run Windows Server 2012 R2.

The front -end and middle net components are hosted by using Microsoft Internet Inform-non Services (IK) The application rode is written in C# and middle- tier API uses the Entity framework to communicate the SQL Server database. Maintenance of the database e performed by using SQL Server Ago-

The database is currently J IB and is not expected to grow beyond 3 TB.

The payment processing system has the following compliance related requirement

- Encrypt data in transit and at test. Only the front-end and middle-tier components must be able to access the encryption keys that protect the date store.
- Keep backups of the two separate physical locations that are at last 200 miles apart and can be restored for op to seven years.
- Support blocking inbound and outbound traffic based on the source IP address, the description IP address, and the port number
- Collect Windows security logs from all the middle-tier servers and retain the log for a period of seven years,
- Inspect inbound and outbound traffic from the from-end tier by using highly available network appliances.
- Only allow all access to all the tiers from the internal network of Contoso.

Tape backups are configured by using an on-premises deployment or Microsoft System Center Data protection Manager (DPMX) and then shipped offsite for long term storage

Historical Transaction Query System

Contoso recently migrated a business-critical workload to Azure. The workload contains a .NET web server for querying the historical transaction data residing in Azure Table Storage. The .NET service is accessible from a client app that was developed in-house and on the client computer in the New York office. The data in the storage is 50 GB and is not expected to increase.

Information Security Requirement

The IT security team wants to ensure that identity management is performed by using Active Directory. Password hashes must be stored on-premises only.

Access to all business-critical systems must rely on Active Directory credentials. Any suspicious authentication attempts must trigger multi-factor authentication prompt automatically. Legitimate users must be able to authenticate successfully by using multi-factor authentication.

Planned Changes

Contoso plans to implement the following changes:

- * Migrate the payment processing system to Azure.
- * Migrate the historical transaction data to Azure Cosmos DB to address the performance issues.

Migration Requirements

Contoso identifies the following general migration requirements:

Infrastructure services must remain available if a region or a data center fails. Failover must occur without any administrative intervention

- Whenever possible, Azure managed services must be used to minimize management overhead
- Whenever possible, costs must be minimized.

Contoso identifies the following requirements for the payment processing system:

- If a data center fails, ensure that the payment processing system remains available without any administrative intervention. The middle-tier and the web front end must continue to operate without any additional configurations.
- If the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.
- Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability

- Minimize the effort required to modify the middle tier API and the back-end tier of the payment processing system.
- Generate alerts when unauthorized login attempts occur on the middle-tier virtual machines.
- Insure that the payment processing system preserves its current compliance status.
- Host the middle tier of the payment processing system on a virtual machine.

Contoso identifies the following requirements for the historical transaction query system:

- Minimize the use of on-premises infrastructure service.
- Minimize the effort required to modify the .NET web service querying Azure Cosmos DB.
- If a region fails, ensure that the historical transaction query system remains available without any administrative intervention.

Current Issue

The Contoso IT team discovers poor performance of the historical transaction query as the queries frequently cause table scans.

Information Security Requirements

The IT security team wants to ensure that identity management is performed by using Active Directory. Password hashes must be stored on-premises only.

Access to all business-critical systems must rely on Active Directory credentials. Any suspicious authentication attempts must trigger a multi-factor authentication prompt automatically. legitimate users must be able to authenticate successfully by using multi-factor authentication.

Question: 10

You need to recommend a backup solution for the data store of the payment processing. What should you include in the recommendation?

- A. Microsoft System Center Data Protection Manager (DPM)
- B. long-term retention
- C. a Recovery Services vault
- D. Azure Backup Server

Answer: B

References:

Question: 11

You need to recommend a solution for protecting the content of the back-end tier of the payment processing system.

What should you include in the recommendations?

- A. Always Encrypted with deterministic encryption
- B. Transparent Date Encryption (TDE)
- C. Azure Storage Service Encryption
- D. Always Encrypted with randomized encryption

Answer: A

Question: 12

You need to recommend a solution for the user at Contoso to authenticate to the cloud-based sconces and the Azure AD-integrated application. What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Install Azure AD Connect and set the user sign-in option to:

Federation with AD FS
Pass-through Authentication
Password Synchronization

Implement load balancing for the components of the authentication solution by using:

Azure Application Gateway and a Basic Load Balancer
Azure Application Gateway and a Standard Load Balancer
Traffic Manager and a Basic Load Balancer
Traffic Manager and a Standard Load Balancer

Answe

Answer Area

Install Azure AD Connect and set the user sign-in option to:

Federation with AD FS
Pass-through Authentication
Password Synchronization

Implement load balancing for the components of the authentication solution by using:

Azure Application Gateway and a Basic Load Balancer
Azure Application Gateway and a Standard Load Balancer
Traffic Manager and a Basic Load Balancer
Traffic Manager and a Standard Load Balancer

Question: 13

You need to recommend a solution for data of the historical transaction query system. What should you include in the recommendation? To answer, Select the appropriate or options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Sizing requirements:

A table that has unlimited capacity
A table that has a fixed capacity
Multiple tables that have unlimited capacity
Multiple tables that have fixed capacity

Resiliency:

An additional read region
An availability set
An availability zone

Answe

Answer Area

Sizing requirements:

A table that has unlimited capacity
A table that has a fixed capacity
Multiple tables that have unlimited capacity
Multiple tables that have fixed capacity

Correct Answer:

Resiliency:

An additional read region
An availability set
An availability zone

Question: 14

You need to recommend a solution for the network configuration of the front-end tier of the payment processing. What should you include in the recommendation?

- A. Azure Application Gateway
- B. Traffic Manager
- C. a Standard Load Balancer
- D. a Basic load Balancer

Answer: C

Explanation:

Scenario:

Ensure that the number of compute nodes of the front-end and the middle tiers of the payment processing system can increase or decrease automatically based on CPU utilization.

Ensure that each tier of the payment processing system is subject to a Service Level Agreement (SLA) of 99.99 percent availability.

With Azure Load Balancer, you can scale your applications and create high availability for your services. Load Balancer supports inbound and outbound scenarios, provides low latency and high throughput, and scales up to millions of flows for all TCP and UDP applications.

Azure Load Balancer is available in two SKUs: Basic and Standard. There are differences in scale, features, and pricing. Standard SLA guarantees a 99.99% for data path with two healthy virtual machines. Basic SLA does not exist.

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-overview>

Question: 15

You need to recommend a solution for the collection of security logs the middle tier of the payment processing system.

What should you include in the recommendation?

- A. Azure Notification Hubs
- B. the Azure Diagnostics agent
- C. Azure Event Hubs
- D. the Azure Log Analytics agent

Answer: D

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/diagnostics-extension-overview>

Question: 17

You need to recommend a solution for configuring the Azure Multi-Factor Authentication (MFA) settings. What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Azure AD license:

Free
Basic
Premium P1
Premium P2

Access control for the sign-in risk policy:

Allow access and require multi-factor authentication
Block access and require multi-factor authentication
Allow access and require Azure MFA registration
Block access

Access control for the multi-factor authentication registration policy:

Allow access and require multi-factor authentication
Block access and require multi-factor authentication
Allow access and require Azure MFA registration
Block access

Answer

Azure AD license:

Free
Basic
Premium P1
Premium P2

Access control for the sign-in risk policy:

Allow access and require multi-factor authentication
Block access and require multi-factor authentication
Allow access and require Azure MFA registration
Block access

Access control for the multi-factor authentication registration policy:

Allow access and require multi-factor authentication
Block access and require multi-factor authentication
Allow access and require Azure MFA registration
Block access

References:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-sign-in-risk-policy>
<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-mfa-policy>

Question: 18

You need to design a solution for securing access to the historical transaction data.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

The Azure Cosmos DB account will be used to:

▼
Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

The .NET web service will be used to:

▼
Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

Answer:

The Azure Cosmos DB account will be used to:

▼
Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

The .NET web service will be used to:

▼
Create users and generate resource tokens
Create users and request resource tokens
Generate resource tokens and perform authentication
Request resource tokens and perform authentication

Question: 19 – duplicate question - question 1 – page 75

You need to recommend a solution for implementing the back-end tier of the payment processing system in Azure.

What should you include in the recommendation?

- A. an Azure SQL Database managed instance
- B. a SQL Server database on an Azure virtual machine
- C. an Azure SQL Database single database
- D. an Azure SQL Database elastic pool

Answer: C

Question: 21

You need to recommend a compute solution for the middle tier of the payment processing system. What should you include in the recommendation?

- A. Azure Kubernetes Service (AKS)
- B. virtual machine scale sets
- C. availability sets
- D. App Service Environments (ASEs)

Answer: B

Question: 22

duplicate question question 2 page no 76

You need to recommend a solution for protecting the content of the payment processing system. What should you include in the recommendation?

- A. Transparent Data Encryption (TDE)
- B. Azure Storage Service Encryption
- C. Always Encrypted with randomized encryption
- D. Always Encrypted with deterministic encryption

Answer: D

Question: 24

You need to recommend a solution for the users at Contoso to authenticate to the cloud-based services and the Azure AD-integrated applications.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Install Azure AD Connect and set the user sign-in option to:

Federation with AD FS
Pass-through Authentication
Password Synchronization

Implement load balancing for the components of the authentication solution by using:

Azure Application Gateway and a Basic Load Balancer
Azure Application Gateway and a Standard Load Balancer
Traffic Manager and a Basic Load Balancer
Traffic Manager and a Standard Load Balancer

Answer

Install Azure AD Connect and set the user sign-in option to:

Federation with AD FS
Pass-through Authentication
Password Synchronization

Implement load balancing for the components of the authentication solution by using:

Azure Application Gateway and a Basic Load Balancer
Azure Application Gateway and a Standard Load Balancer
Traffic Manager and a Basic Load Balancer
Traffic Manager and a Standard Load Balancer

Mix Questions

Question: 26

You need to recommend a solution to generate a monthly report of all the new Azure Resource Manager resource deployment in your subscription. What should you include in the recommendation?

- A. Azure Activity Log
- B. Azure Monitor action groups
- C. Azure Advisor
- D. Azure Monitor metrics

Answer: A

Explanation:

Activity logs are kept for 90 days. You can query for any range of dates, as long as the starting date isn't more than 90 days in the past.

Through activity logs, you can determine:

what operations were taken on the resources in your subscription
who started the operation
when the operation occurred
the status of the operation
the values of other properties that might help you research the operation

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/view-activity-logs>

Question: 27

You have an Azure subscription that contains an Azure SQL database named DB1. Several queries that query the data in DB1 take a long time to execute. You need to recommend a solution to identify the queries that take the longest to execute. What should you include in the recommendation?

- A. SQL Database Advisor
- B. Azure Monitor
- C. Performance Recommendations
- D. Query Performance Insight

Answer: D

Explanation:

Query Performance Insight provides intelligent query analysis for single and pooled databases. It helps identify the top resource consuming and long-running queries in your workload. This helps you find the queries to optimize to improve overall workload performance and efficiently use the resource that you are paying for.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/query-performance-insight-use>

Question: 28

Question: 30

You have an Azure subscription that contains the SQL servers shown in the following table.

Name	Resource group	Location
SQLsvr1	RG1	East US
SQLsvr2	RG2	West US

The subscription contains the storage accounts shown in the following table.

Name	Resource group	Location	Account kind
storage1	RG1	East US	StorageV2 (general purpose v2)
storage2	RG2	Central US	BlobStorage

You create the Azure SQL databases shown in the following table.

Name	Resource group	Server	Pricing tier
SQLdb1	RG1	SQLsvr1	Standard
SQLdb2	RG1	SQLsvr1	Standard
SQLdb3	RG2	SQLsvr2	Premium

Answer Area

Statements Yes No
When you enable auditing for SQLdb1, you can store the audit information to storage1.

When you enable auditing for SQLdb2, you can store the audit information to storage2.
Answe

Answer Area

Statements Yes No
When you enable auditing for SQLdb1, you can store the audit information to storage1.
When you enable auditing for SQLdb2, you can store the audit information to storage2.
When you enable auditing for SQLdb3, you can store the audit information to storage2.

Explanation:

Box 1: Yes

Be sure that the destination is in the same region as your database and server.

Box 2: No

Box 3: No

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-auditing>

Question: 32

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant. The subscription

contains 10 resource groups, one for each department at your company.

Each department has a specific spending limit for its Azure resources.

You need to ensure that when a department reaches its spending limit, the compute resources of the department shut down automatically.

Which two features should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure Logic Apps
- B. Azure Monitor alerts
- C. the spending limit of an Azure account
- D. Cost Management budgets
- E. Azure Log Analytics alerts

Answer: CD

Explanation:

C: The spending limit in Azure prevents spending over your credit amount. All new customers who sign up for an Azure free account or subscription types that include credits over multiple months have the spending limit turned on by default. The spending limit is equal to the amount of credit and it can't be changed.

D: Turn on the spending limit after removing

This feature is available only when the spending limit has been removed indefinitely for subscription types that include credits over multiple months. You can use this feature to turn on your spending limit automatically at the start of the next billing period.

Sign in to the Azure portal as the Account Administrator.

Search for Cost Management + Billing.

Etc.

Reference:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/spending-limit>

Question: 33

You plan to deploy an application named App1 that will run on five Azure virtual machines. Additional virtual machines will be deployed later to run App1.

You need to recommend a solution to meet the following requirements for the virtual machines that will run App1:

Ensure that the virtual machines can authenticate to Azure Active Directory (Azure AD) to gain access to an Azure key vault, Azure Logic Apps instances, and an Azure SQL database.

Avoid assigning new roles and permissions for Azure services when you deploy additional virtual machines.

Avoid storing secrets and certificates on the virtual machines.

Which type of identity should you include in the recommendation?

- A. a service principal that is configured to use a certificate
- B. a system-assigned managed identity
- C. a service principal that is configured to use a client secret
- D. a user-assigned managed identity

Answer: D

Explanation:

Managed identities for Azure resources is a feature of Azure Active Directory.

User-assigned managed identity can be shared. The same user-assigned managed identity can be associated with more than one Azure resource.

Incorrect Answers:

B: System-assigned managed identity cannot be shared. It can only be associated with a single Azure resource.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

Question: 34

You are designing a large Azure environment that will contain many subscriptions.

You plan to use Azure Policy as part of a governance solution.

To which three scopes can you assign Azure Policy definitions? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. management groups
- B. subscriptions
- C. Azure Active Directory (Azure AD) tenants
- D. resource groups
- E. Azure Active Directory (Azure AD) administrative units
- F. compute resources

Answer: ABD

Explanation:

Azure Policy evaluates resources in Azure by comparing the properties of those resources to business rules.

Once your business rules have been formed, the policy definition or initiative is assigned to any scope of resources that Azure supports, such as management groups, subscriptions, resource groups, or individual resources.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

Question: 35

Your company has the divisions shown in the following table.

Division	Azure subscription	Azure Active Directory (Azure AD) tenant
East	Sub1, Sub2	East.contoso.com
West	Sub3, Sub4	West.contoso.com

You plan to deploy a custom application to each subscription. The application will contain the following: A resource group

An Azure web app

Custom role assignments

An Azure Cosmos DB account

You need to use Azure Blueprints to deploy the application to each subscription.

What is the minimum number of objects required to deploy the application? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Management groups:

1
2
3
4

Blueprint definitions:

1
2
3
4

Blueprint assignments:

1
2
3
4

Answer

Management groups:

1
2
3
4

Blueprint definitions:

1
2
3
4

Blueprint assignments:

1
2
3
4

Explanation:

Box 1: 2

One management group for East, and one for West.

When creating a blueprint definition, you'll define where the blueprint is saved. Blueprints can be saved to a management group or subscription that you have Contributor access to. If the location is a management group, the blueprint is available to assign to any child subscription of that management group.

Box 2: 1

One definition as the you plan to deploy a custom application to each subscription.

With Azure Blueprints, the relationship between the blueprint definition (what should be deployed) and the blueprint assignment (what was deployed) is preserved.

Box 3: 4

One assignment for each subscription.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/overview>

Question: 37

You need to design a resource governance solution for an Azure subscription. The solution must meet the following requirements:

Ensure that all ExpressRoute resources are created in a resource group named RG1.

Delegate the creation of the ExpressRoute resources to an Azure Active Directory (Azure AD) group named Networking.

Use the principle of least privilege.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Ensure that all ExpressRoute resources are created in RG1:

A custom RBAC role assignment at the level of RG1
A custom RBAC role assignment at the subscription level
An Azure Blueprints assignment that sets locking mode for the level of RG1
An Azure Policy assignment at the subscription level that has an exclusion
Multiple Azure Policy assignments at the resource group level except for RG1

Delegate the creation of the ExpressRoute resources to Networking:

A custom RBAC role assignment at the level of RG1
A custom RBAC role assignment at the subscription level
An Azure Blueprints assignment that sets locking mode for the level of RG1
An Azure Policy assignment at the subscription level that has an exclusion
Multiple Azure Policy assignments at the resource group level except for RG1

Answer

Ensure that all ExpressRoute resources are created in RG1:

A custom RBAC role assignment at the level of RG1
A custom RBAC role assignment at the subscription level
An Azure Blueprints assignment that sets locking mode for the level of RG1
An Azure Policy assignment at the subscription level that has an exclusion
Multiple Azure Policy assignments at the resource group level except for RG1

Delegate the creation of the ExpressRoute resources to Networking:

A custom RBAC role assignment at the level of RG1
A custom RBAC role assignment at the subscription level
An Azure Blueprints assignment that sets locking mode for the level of RG1
An Azure Policy assignment at the subscription level that has an exclusion
Multiple Azure Policy assignments at the resource group level except for RG1

Explanation:

Box 1: An Azure policy assignment at the subscription level that has an exclusion

Box 2: A custom RBAC role assignment at the level of RG1

Azure role-based access control (Azure RBAC) is the authorization system you use to manage access to Azure resources. To grant access, you assign roles to users, groups, service principals, or managed identities at a particular scope.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/tutorials/create-and-manage>

Question: 38

You have an Azure Active Directory (Azure AD) tenant and Windows 10 devices.

You configure a conditional access policy as shown in the exhibit. (Click the Exhibit tab.)

MFA policy

Name *

Assignments

- Users and groups All users included and specific users...
- Cloud apps or actions All cloud apps
- Conditions 0 conditions selected

Access controls

- Grant 2 controls selected
- Session 0 controls selected

Enable policy Report-only On Off

Grant

Select the controls to be enforced.

Block access Grant access

- Require multi-factor authentication (1)
- Require device to be marked as compliant (1)
- Require Hybrid Azure AD joined device (1)
- Require approved client app (1)
See list of approved client apps
- Require app protection policy (Preview) (1)
See list of policy protected client apps

For multiple controls

Require all the selected controls Require one of the selected controls

Warning: Don't lock yourself out! Make sure that your device is Hybrid Azure AD Joined.

What is the result of the policy?

- A. All users will always be prompted for multi-factor authentication (MFA).
- B. Users will be prompted for multi-factor authentication (MFA) only when they sign in from devices that are NOT joined to Azure AD.
- C. All users will be able to sign in without using multi-factor authentication (MFA).
- D. Users will be prompted for multi-factor authentication (MFA) only when they sign in from devices that are joined to Azure AD.

Answer: B

Explanation:

Either the device should be joined to Azure AD or MFA must be used.

Question: 39

You are designing an Azure resource deployment that will use Azure Resource Manager templates. The deployment will use Azure Key Vault to store secrets.

You need to recommend a solution to meet the following requirements:

Prevent the IT staff that will perform the deployment from retrieving the secrets directly from Key Vault.

Use the principle of least privilege.

Which two actions should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a Key Vault access policy that allows all get key permissions, get secret permissions, and get certificate permissions.
- B. From Access policies in Key Vault, enable access to the Azure Resource Manager for template deployment.
- C. Create a Key Vault access policy that allows all list key permissions, list secret permissions, and list certificate permissions.
- D. Assign the IT staff a custom role that includes the Microsoft.KeyVault/Vaults/Deploy/Action permission.
- E. Assign the Key Vault Contributor role to the IT staff.

Answer: BD

Explanation:

B: To access a key vault during template deployment, set enabledForTemplateDeployment on the key vault to true.

D: The user who deploys the template must have the Microsoft.KeyVault/vaults/deploy/action permission for the scope of the resource group and key vault.

Incorrect Answers:

E: To grant access to a user to manage key vaults, you assign a predefined key vault Contributor role to the user at a specific scope.

If a user has Contributor permissions to a key vault management plane, the user can grant themselves access to the data plane by setting a Key Vault access policy. You should tightly control who has Contributor role access to your key vaults. Ensure that only authorized persons can access and manage your key vaults, keys, secrets, and certificates.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/key-vault-parameter>

<https://docs.microsoft.com/en-us/azure/key-vault/general/overview-security>

Question: 40

You have an Azure subscription that contains resources in three Azure regions.

You need to implement Azure Key Vault to meet the following requirements:

D18912E1457D5D1DDCBD40AB3BF70D5D

In the event of a regional outage, all keys must be readable.

All the resources in the subscription must be able to access Key Vault.
The number of Key Vault resources to be deployed and managed must be minimized.
How many instances of Key Vault should you implement?

- A. 1
- B. 2
- C. 3
- D. 6

Answer: A

Explanation:

The contents of your key vault are replicated within the region and to a secondary region at least 150 miles away but within the same geography. This maintains high durability of your keys and secrets. See the Azure paired regions document for details on specific region pairs.

Example: Secrets that must be shared by your application in both Europe West and Europe North. Minimize these as much as you can. Put these in a key vault in either of the two regions. Use the same URI from both regions. Microsoft will fail over the Key Vault service internally.

Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/general/disaster-recovery-guidance>

Question: 41

You have an Azure Active Directory (Azure AD) tenant.

You plan to provide users with access to shared files by using Azure Storage. The users will be provided with different levels of access to various Azure file shares based on their user account or their group membership.

You need to recommend which additional Azure services must be used to support the planned deployment.

What should you include in the recommendation?

- A. an Azure AD enterprise application
- B. Azure Information Protection
- C. an Azure AD Domain Services (Azure AD DS) instance
- D. an Azure Front Door instance

Answer: C

Explanation:

Azure Files supports identity-based authentication over Server Message Block (SMB) through two types of Domain Services: on-premises Active Directory Domain Services (AD DS) and Azure Active Directory Domain Services (Azure AD DS).

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-auth-active-directory-domain-service-enable>

Question: 42

Your company has users who work remotely from laptops.

You plan to move some of the applications accessed by the remote users to Azure virtual machines. The users will access the applications in Azure by using a point-to-site VPN connection. You will use certificates generated from an on-premises-based certification authority (CA).

You need to recommend which certificates are required for the deployment.

What should you include in the recommendation? To answer, drag the appropriate certificates to the correct targets. Each certificate may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Certificates

- A root CA certificate that has the private key
- A root CA certificate that has the public key
- A user certificate that has the private key
- A user certificate that has the public key

Answer Area

Trusted Root Certification Authorities certificate store on each laptop:

Certificate

The users' Personal store on each laptop:

Certificate

The Azure VPN gateway:

Certificate

Answer Area

Trusted Root Certification Authorities certificate store on each laptop:

A root CA certificate that has the public key

The users' Personal store on each laptop:

A user certificate that has the private key

The Azure VPN gateway:

A root CA certificate that has the public key

Question: 44

You have an Azure subscription that contains a custom application named Application1 was developed by an external company named fabric, Ltd. Developers at Fabrikam were assigned role-based access control (RBAC) permissions to the Application components. All users are licensed for the Microsoft 365 E5 plan. You need to recommend a solution to verify whether the Faricak developers still require permissions to Application1. The solution must the following requirements.

- * To the manager of the developers, send a monthly email message that lists the access permissions to Application1.
 - * If the manager does not verify access permission, automatically revoke that permission.
 - * Minimize development effort. What should you recommend?
- A. In Azure Active Directory (AD) Privileged Identity Management, create a custom role assignment for the Application1 resources
- B. Create an Azure Automation runbook that runs the Get-AzureADUserAppRoleAssignment cmdlet
- C. Create an Azure Automation runbook that runs the Get-AzureRmRoleAssignment cmdlet
- D. In Azure Active Directory (Azure AD), create an access review of Application1

Answer: D

Question: 46

You manage a network that includes an on-premises Active Directory Domain Services domain and an Azure Active Directory (Azure AD).

Employees are required to use different accounts when using on-premises or cloud resources. You must recommend a solution that lets employees sign in to all company resources by using a single account. The solution must implement an identity provider.

You need provide guidance on the different identity providers.

How should you describe each identity provider? To answer, select the appropriate description from each

list in the answer area.

NOTE: Each correct selection is worth one point.


Identity provider	Description
synchronized identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
federated identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
	Answer
Identity provider	Description
synchronized identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
federated identity	<p>User management occurs on-premises. Azure AD authenticates employees by using on-premises passwords.</p> <p>User management occurs on-premises. The on-premises domain controller authenticates employee credentials.</p> <p>Both user management and authentication occur in Azure AD.</p>
{	
{	
{	
/ Azure AD Domain Services for hybrid organizations	Organizations with a hybrid IT infrastructure consume a mix of cloud resources and on-premises resources. Such organizations synchronize identity information from their on-premises directory to their Azure AD tenant. As hybrid organizations look to migrate more of their on-premises applications to the cloud, especially legacy directory-aware applications, Azure AD Domain Services can be useful to them. Example: Litware Corporation has deployed Azure AD Connect, to synchronize identity information from their on-premises directory to their Azure AD tenant. The identity information that is synchronized includes user accounts, their credential hashes for authentication (password hash sync) and group memberships.



User accounts, group memberships, and credentials from Litware's on-premises directory are synchronized to Azure AD via Azure AD Connect. These user accounts, group memberships, and credentials are automatically available within the managed domain.

Box 2: User management occurs on-premises. The on-premises domain controller authenticates employee credentials.

You can federate your on-premises environment with Azure AD and use this federation for authentication and authorization. This sign-in method ensures that all user authentication occurs on-premises.



References:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/active-directory-ds-overview>
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/whatis-fed>

Question: 49

You are designing an order processing system in Azure that will contain the Azure resources shown in the following table.

Name	Type	Purpose
App1	Web app	Processes customer orders
Function1	Function	Check product availability at vendor 1
Function2	Function	Check product availability at vendor 2
storage1	Storage account	Stores order processing logs

The order processing system will have the following transaction flow:

A customer will place an order by using App1.

When the order is received, App1 will generate a message to check for product availability at vendor 1 and vendor 2.

An integration component will process the message, and then trigger either Function1 or Function2 depending on the type of order.

Once a vendor confirms the product availability, a status message for App1 will be generated by Function1 or Function2.

All the steps of the transaction will be logged to storage1.

Which type of resource should you recommend for the integration component?

D18912E1457D5D1DDCBD40AB3BF70D5D

Which type of resource should you recommend for the integration component?

- A. an Azure Data Factory pipeline
- B. an Azure Service Bus queue
- C. an Azure Event Grid domain
- D. an Azure Event Hubs capture

Answer: A

Explanation:

A data factory can have one or more pipelines. A pipeline is a logical grouping of activities that together perform a task.

The activities in a pipeline define actions to perform on your data.

Data Factory has three groupings of activities: data movement activities, data transformation activities, and control activities.

Azure Functions is now integrated with Azure Data Factory, allowing you to run an Azure function as a step in your data factory pipelines.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/concepts-pipelines-activities>

Question: 50

You have an existing implementation of Microsoft SQL Server Integration Services (SSIS) packages stored in an SSISDB catalog on your on-premises network. The on-premises network does not have hybrid connectivity to Azure by using Site-to-Site VPN or ExpressRoute.

You want to migrate the packages to Azure Data Factory.

You need to recommend a solution that facilitates the migration while minimizing changes to the existing packages. The solution must minimize costs.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Store the SSISDB catalog by using:

Azure SQL Database
Azure Synapse Analytics
SQL Server on an Azure virtual machine
SQL Server on an on-premises computer

Implement a runtime engine for package execution by using:

Self-hosted integration runtime only
Azure-SQL Server Integration Services Integration Runtime (IR) only
Azure-SQL Server Integration Services Integration Runtime and self-hosted integration runtime

Store the SSISDB catalog by using:

Azure SQL Database
Azure Synapse Analytics
SQL Server on an Azure virtual machine
SQL Server on an on-premises computer

Implement a runtime engine for package execution by using:

Self-hosted integration runtime only
Azure-SQL Server Integration Services Integration Runtime (IR) only
Azure-SQL Server Integration Services Integration Runtime and self-hosted integration runtime

Explanation:

Box 1: Azure SQL database

You can't create the SSISDB Catalog database on Azure SQL Database at this time independently of creating the Azure-SSIS Integration Runtime in Azure Data Factory. The Azure-SSIS IR is the runtime environment that runs SSIS packages on Azure.

Box 2: Azure-SQL Server Integration Service Integration Runtime and self-hosted integration runtime
The Integration Runtime (IR) is the compute infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments. Azure-SSIS Integration Runtime (IR) in Azure Data Factory (ADF) supports running SSIS packages.

Self-hosted integration runtime can be used for data movement in this scenario.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/create-azure-integration-runtime>

Question: 54

You have an Azure virtual machine named VM1 that runs Windows Server 2019 and contains 500 GB of data files.

You are designing a solution that will use Azure Data Factory to transform the data files, and then load the files to Azure Data Lake Storage.

What should you deploy on VM1 to support the design?

- A. the Azure Pipelines agent
- B. the Azure File Sync agent
- C. the On-premises data gateway
- D. the self-hosted integration runtime in Azure

Answer: D

Explanation:

The integration runtime (IR) is the compute infrastructure that Azure Data Factory uses to provide data-integration capabilities across different network environments. For details about IR, see Integration runtime overview.

A self-hosted integration runtime can run copy activities between a cloud data store and a data store in a private network. It also can dispatch transform activities against compute resources in an on-premises network or an Azure virtual network. The installation of a self-hosted integration runtime needs an on-premises machine or a virtual machine inside a private network.

Reference:

Question: 55

Your company is designing a multi-tenant application that will use elastic pools and Azure SQL databases. The application will be used by 30 customers.

You need to design a storage solution for the application. The solution must meet the following requirements:

Operational costs must be minimized.

All customers must have their own database.

The customer databases will be in one of the following three Azure regions: East US, North Europe, or South Africa North.

What is the minimum number of elastic pools and Azure SQL Database servers required? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Elastic pools:

1
3
6
10
30

Azure SQL Database servers:

1
3
6
10
30

Answe

Elastic pools:

1
3
6
10
30

Azure SQL Database servers:

1
3
6
10
30

Explanation:

Box 1: 3

The server, its pools & databases must be in the same Azure region under the same subscription.

Box 2: 3

A server can have up to 5000 databases associated to it. Reference:

<https://vincentlauzon.com/2016/12/18/azure-sql-elastic-pool-overview/>

Question: 56

Your company purchases an app named App1.

You plan to run App1 on seven Azure virtual machines in an Availability Set. The number of fault domains is set to 3. The number of update domains is set to 20.

You need to identify how many App1 instances will remain available during a period of planned maintenance.

How many App1 instances should you identify?

- A. 1
- B. 2
- C. 6
- D. 7

Answer: C

Explanation:

Only one update domain is rebooted at a time. Here there are 7 update domains with one VM each (and 13 update domains with no VM).

Reference:

Question: 57

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1. You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create an Azure Blob storage container, and you configure a legal hold access policy. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Use an Azure Blob storage container, but use a time-based retention policy instead of a legal hold.

Note:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state. This state makes the data non-erasable and non-modifiable for a user-specified interval. For the duration of the retention interval, blobs can be created and read, but cannot be modified or deleted. Immutable storage is available for general-purpose v2 and Blob storage accounts in all Azure regions.

Note: Set retention policies and legal holds

1. Create a new container or select an existing container to store the blobs that need to be kept in the immutable state. The container must be in a general-purpose v2 or Blob storage account.
2. Select Access policy in the container settings. Then select Add policy under Immutable blob storage. Either

- 3a. To enable legal holds, select Add Policy. Select Legal hold from the drop-down menu.

Or

- 3b. To enable time-based retention, select Time-based retention from the drop-down menu.

4. Enter the retention interval in days (acceptable values are 1 to 146000 days).

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutability-policies-manage>

Question: 58

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named Storage1. You plan to archive data to Storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create a file share and snapshots. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead you could create an Azure Blob storage container, and you configure a legal hold access policy.

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

Question: 59

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named Storage1. You plan to archive data to Storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create a file share, and you configure an access policy. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead of a file share, an immutable Blob storage is required.

Time-based retention policy support: Users can set policies to store data for a specified interval. When a time-based retention policy is set, blobs can be created and read, but not modified or deleted. After the retention period has expired, blobs can be deleted but not overwritten.

Note: Set retention policies and legal holds

1. Create a new container or select an existing container to store the blobs that need to be kept in the immutable state. The container must be in a general-purpose v2 or Blob storage account.
2. Select Access policy in the container settings. Then select Add policy under Immutable blob storage.
3. To enable time-based retention, select Time-based retention from the drop-down menu.
4. Enter the retention interval in days (acceptable values are 1 to 146000 days). References:
<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>
<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutability-policies-manage>

Question: 60

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it As a result, these questions will not appear In the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing an Azure Storage account and then running AzCopy.

Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

AzCopy only copy files, not the disks.

Instead use Azure Site Recovery.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

Question: 61

Note: This question Is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question In this section, you will NOT be able to return to It As a result, these questions will not appear In the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing an Azure Storage account that has a file service and a blob service, and then using the Data Migration Assistant

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Data Migration Assistant is used to migrate SQL databases. Instead use Azure Site Recovery.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

Question: 62

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machine(s) to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing a Recovery Services vault and then using Azure Site Recovery. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Site Recovery can replicate on-premises VMware VMs, Hyper-V VMs, physical servers (Windows and Linux), Azure Stack VMs to Azure.

Note: Site Recovery helps ensure business continuity by keeping business apps and workloads running during outages. Site Recovery replicates workloads running on physical and virtual machines (VMs) from a primary site to a secondary location. When an outage occurs at your primary site, you fail over to secondary location, and access apps from there. After the primary location is running again, you can fail back to it.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

Question: 63

You are designing a storage solution that will use Azure Blob storage. The data will be stored in a cool access tier or an archive access tier based on the access patterns of the data.

You identify the following types of infrequently accessed data:

Telemetry data: Deleted after two years

D18912E1457D5D1DDCBD40AB3BF70D5D

Promotional material: Deleted after 14 days

Virtual machine audit data: Deleted after 200 days

A colleague recommends using the archive access tier to store the data.

Which statement accurately describes the recommendation?

- A. Storage costs will be based on a minimum of 30 days.
- B. Access to the data is guaranteed within five minutes.
- C. Access to the data is guaranteed within 30 minutes.
- D. Storage costs will be based on a minimum of 180 days.

Answer: D

Explanation:

The following table shows a comparison of premium performance block blob storage, and the hot, cool, and archive access tiers.

Premium performance	Hot tier	Cool tier	Archive tier
Availability	99.9%	99.9%	99%
Availability (RA-GRS reads)	N/A	99.99%	99.9%
Usage charges	Higher storage costs, lower access, and transaction cost	Higher storage costs, lower access, and transaction costs	Lower storage costs, higher access, and transaction costs
Minimum object size	N/A	N/A	N/A
Minimum storage duration	N/A	N/A	30 days ¹
Latency (Time to first byte)	Single-digit milliseconds	milliseconds	milliseconds
			hours ²

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

Question: 64

You are planning to deploy an application named App1 that will run in containers on Azure Kubernetes Service (AKS) clusters. The AKS clusters will be distributed across four Azure regions.

You need to recommend a storage solution for App1. Updated container images must be replicated automatically to all the AKS clusters.

Which storage solution should you recommend?

- A. Premium SKU Azure Container Registry
- B. Azure Content Delivery Network (CDN)
- C. geo redundant storage (GRS) accounts
- D. Azure Cache for Redis

Answer: A

Explanation:

Enable geo-replication for container images.

Best practice: Store your container images in Azure Container Registry and geo-replicate the registry to each AKS region.

To deploy and run your applications in AKS, you need a way to store and pull the container images. Container Registry integrates with AKS, so it can securely store your container images or Helm charts. Container Registry supports multimaster geo-replication to automatically replicate your images to Azure regions around the world.

Geo-replication is a feature of Premium SKU container registries.

Note:

When you use Container Registry geo-replication to pull images from the same region, the results are:

Faster: You pull images from high-speed, low-latency network connections within the same Azure region.

More reliable: If a region is unavailable, your AKS cluster pulls the images from an available container registry.

Cheaper: There's no network egress charge between datacenters.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/operator-best-practices-multi-region>

Question: 66

You deploy two instances of an Azure web app. One instance is in the East US Azure region and the other instance is in the West US Azure region. The web app uses Azure Blob storage to deliver large files to end users.

You need to recommend a solution for delivering the files to the users. The solution must meet the following requirements:

Ensure that the users receive files from the same region as the web app that they access.

Ensure that the files only need to be updated once.

Minimize costs.

What should you include in the recommendation?

- A. Azure File Sync
- B. Distributed File System (DFS)
- C. read-access geo-redundant storage (RA-GRS)
- D. geo-redundant storage (GRS)

Answer: C

Question: 67

You are developing a web application that provides streaming video to users. You configure the application to use continuous integration and deployment.

The app must be highly available and provide a continuous streaming experience for users.

You need to recommend a solution that allows the application to store data in a geographical location that is closest to the user.

What should you recommend?

- A. Azure App Service Web Apps
- B. Azure App Service Isolated
- C. Azure Redis Cache
- D. Azure Content Delivery Network (CDN)

Answer: D

Explanation:

Azure Content Delivery Network (CDN) is a global CDN solution for delivering high-bandwidth content. It can be hosted in Azure or any other location. With Azure CDN, you can cache static objects loaded from Azure Blob storage, a web application, or any publicly accessible web server, by using the closest point of presence

(POP) server. Azure CDN can also accelerate dynamic content, which cannot be cached, by leveraging various network and routing optimizations.

References:

<https://docs.microsoft.com/en-in/azure/cdn/>

Question: 68

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy a web app in an Isolated App Service plan.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead, you should deploy an Azure virtual machine to two Azure regions, and you create a Traffic Manager profile.

Question: 69

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy a virtual machine scale set that uses autoscaling.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead, you should deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

Question: 70

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy an Azure virtual machine to two Azure regions, and you deploy an Azure Application Gateway.

Does this meet the goal?

-
- A. Yes
B. No

Answer: B

Explanation:

You need to deploy two Azure virtual machines to two Azure regions, but also create a Traffic Manager profile.

Question: 71

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

Provide access to the full .NET framework.

Provide redundancy if an Azure region fails.

Grant administrators access to the operating system to install custom application dependencies. Solution:

You deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

Does this meet the goal?

- A. Yes
B. No

Answer: A

Question: 72

You plan to deploy a network-intensive application to several Azure virtual machines.

You need to recommend a solution that meets the following requirements: Minimizes the use of the virtual machine processors to transfer data

Minimizes network latency

Which virtual machine size and feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Virtual machine size:

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature:

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

Virtual machine size:

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature:

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sizes-hpc#h-series>

Question: 73

You need to recommend a solution to deploy containers that run an application. The application has two tiers.

Each tier is implemented as a separate Docker Linux-based image. The solution must meet the following requirements:

The front-end tier must be accessible by using a public IP address on port 80.

The backend tier must be accessible by using port 8080 from the front-end tier only.

Both containers must be able to access the same Azure file share.

If a container fails, the application must restart automatically.

Costs must be minimized.

What should you recommend using to host the application?

- A. Azure Kubernetes Service (AKS)
- B. Azure Service Fabric
- C. Azure Container instances**

Answer: C

Explanation:

Azure Container Instances enables a layered approach to orchestration, providing all of the scheduling and management capabilities required to run a single container, while allowing orchestrator platforms to manage multi-container tasks on top of it.

Because the underlying infrastructure for container instances is managed by Azure, an orchestrator platform does not need to concern itself with finding an appropriate host machine on which to run a single container.

Azure Container Instances can schedule both Windows and Linux containers with the same API.

Orchestration of container instances exclusively

Because they start quickly and bill by the second, an environment based exclusively on Azure Container Instances offers the fastest way to get started and to deal with highly variable workloads.

Reference:

<https://docs.microsoft.com/en-us/azure/container-instances/container-instances-overview>

<https://docs.microsoft.com/en-us/azure/container-instances/container-instances-orchestrator-relationship>

Question: 74

You architect a solution that calculates 3D geometry from height-map data.

You have the following requirements:

Perform calculations in Azure.

Each node must communicate data to every other node.

Maximize the number of nodes to calculate multiple scenes as fast as possible.

Require the least amount of effort to implement.

You need to recommend a solution.

Which two actions should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a render farm that uses Azure Batch.
- B. Enable parallel file systems on Azure.
- C. Enable parallel task execution on compute nodes.
- D. Create a render farm that uses virtual machine (VM) scale sets.
- E. Create a render farm that uses virtual machines (VMs).

Answer: AC

Question: 75

Your company plans to publish APIs for its services by using Azure API Management.
You discover that service responses include the AspNet-Version header.
You need to recommend a solution to remove AspNet-Version from the response of the published APIs.
What should you include in the recommendation?

- A. a new product
- B. a modification to the URL scheme
- C. a new policy
- D. a new revision

Answer: C

References:

<https://docs.microsoft.com/en-us/azure/api-management/transform-api>

Question: 76

You have an Azure subscription that contains a storage account.
An application sometimes writes duplicate files to the storage account.
You have a PowerShell script that identifies and deletes duplicate files in the storage account. Currently, the script is run manually after approval from the operations manager.
You need to recommend a serverless solution that performs the following actions:
Runs the script once an hour to identify whether duplicate files exist
Sends an email notification to the operations manager requesting approval to delete the duplicate files
Processes an email response from the operations manager specifying whether the deletion was approved
Runs the script if the deletion was approved
What should you include in the recommendation?

- A. Azure Logic Apps and Azure Functions
- B. Azure Pipelines and Azure Service Fabric
- C. Azure Logic Apps and Azure Event Grid
- D. Azure Functions and Azure Batch

Answer: A

Explanation:

You can schedule a powershell script with Azure Logic Apps.

When you want to run code that performs a specific job in your logic apps, you can create your own function by using Azure Functions. This service helps you create Node.js, C#, and F# functions so you don't have to build a complete app or infrastructure to run code. You can also call logic apps from inside Azure functions. Azure Functions provides serverless computing in the cloud and is useful for performing tasks such as these examples:

Reference:
<https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-azure-functions>

Question: 77

You have an on-premises network that uses an IP address space of 172.16.0.0/16. You plan to deploy 25 virtual machines to a new Azure subscription.

You identify the following technical requirements.

All Azure virtual machines must be placed on the same subnet subnet1.

All the Azure virtual machines must be able to communicate with all on-premises servers.

The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnet. Each network address may be used once, more than once or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Network Addresses

172.16.0.0/16

172.16.1.0/28

192.168.0.0/24

192.168.1.0/28

Answer Area

Subnet1:

Network address
192.168.0.0/24

Gateway subnet:

Network address
192.168.1.0/28



Question: 78

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

HTTPS protocol

Round robin routing

SSL offloading

You need to recommend a load balancing option.

What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Answer: D

Explanation:

If you are looking for Transport Layer Security (TLS) protocol termination ("SSL offload") or per-HTTP/HTTPS

request, application-layer processing, review Application Gateway.

Application Gateway is a layer 7 load balancer, which means it works only with web traffic (HTTP, HTTPS, WebSocket, and HTTP/2). It supports capabilities such as SSL termination, cookie-based session affinity, and round robin for load-balancing traffic. Load Balancer load-balances traffic at layer 4 (TCP or UDP).

References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq>

Question: 79

Your company, named Contoso, Ltd, implements several Azure logic apps that have HTTP triggers: The logic apps provide access to an on-premises web service.

Contoso establishes a partnership with another company named Fabrikam, Inc.

Fabrikam does not have an existing Azure Active Directory (Azure AD) tenant and uses third-party OAuth 2.0 identity management to authenticate its users.

Developers at Fabrikam plan to use a subset of the logic apps to build applications that will integrate with the on-premises web service of Contoso.

You need to design a solution to provide the Fabrikam developers with access to the logic apps. The solution must meet the following requirements:

Requests to the logic apps from the developers must be limited to lower rates than the requests from the users at Contoso.

The developers must be able to rely on their existing OAuth 2.0 provider to gain access to the logic apps.

The solution must NOT require changes to the logic apps. The

solution must NOT use Azure AD guest accounts.

What should you include in the solution?

- A. Azure AD business-to-business (B2B)
- B. Azure Front Door
- C. Azure API Management
- D. Azure AD Application Proxy

Answer: C

Explanation:

API Management helps organizations publish APIs to external, partner, and internal developers to unlock the potential of their data and services.

You can secure API Management using the OAuth 2.0 client credentials flow.

Incorrect Answers:

A: Azure Active Directory B2B uses guest users.

B: Azure Front Door is an Application Delivery Network (ADN) as a service, offering various layer 7 load-balancing capabilities for your applications.

Azure Front Door supports HTTP, HTTPS and HTTP/2. Applications can be authorized through OAuth 2.0.

D: Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server.

Application Proxy works with:

Web applications that use Integrated Windows Authentication for authentication

Web applications that use form-based or header-based access

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-key-concepts>

Question: 80

You need to design a solution that will execute custom C# code in response to an event routed to Azure Event Grid. The solution must meet the following requirements:

The executed code must be able to access the private IP address of a Microsoft SQL Server instance that runs on an Azure virtual machine.

Costs must be minimized.

What should you include in the solution?

- A. Azure Logic Apps in the integrated service environment
- B. Azure Functions in the Dedicated plan and the Basic Azure App Service plan
- C. Azure Logic Apps in the Consumption plan
- D. Azure Functions in the Consumption plan

Answer: D

Explanation:

When you create a function app in Azure, you must choose a hosting plan for your app. There are three basic hosting plans available for Azure Functions: Consumption plan, Premium plan, and Dedicated (App Service) plan.

For the Consumption plan, you don't have to pay for idle VMs or reserve capacity in advance.

Connect to private endpoints with Azure Functions

As enterprises continue to adopt serverless (and Platform-as-a-Service, or PaaS) solutions, they often need a way to integrate with existing resources on a virtual network. These existing resources could be databases, file storage, message queues or event streams, or REST APIs.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale>

<https://techcommunity.microsoft.com/t5/azure-functions/connect-to-private-endpoints-with-azure-functions/ba-p/1426615>

Question: 81

The developers at your company are building a containerized Python Django app. You need to recommend platform to host the app. The solution must meet the following requirements:
Support autoscaling.
Support continuous deployment from an Azure Container Registry.
Provide built-in functionality to authenticate app users by using Azure Active Directory (Azure AD).
Which platform should you include in the recommendation?

- A. Azure Container instances
- B. **an Azure App Service instance that uses containers**
- C. Azure Kubernetes Service (AKS)

Answer: C

Explanation:

To keep up with application demands in Azure Kubernetes Service (AKS), you may need to adjust the number of nodes that run your workloads. The cluster autoscaler component can watch for pods in your cluster that can't be scheduled because of resource constraints. When issues are detected, the number of nodes in a node pool is increased to meet the application demand.

Azure Container Registry is a private registry for hosting container images. It integrates well with orchestrators like Azure Container Service, including Docker Swarm, DC/OS, and the new Azure Kubernetes service.

Moreover, ACR provides capabilities such as Azure Active Directory-based authentication, webhook support, and delete operations.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler>

<https://medium.com/velotio-perspectives/continuous-deployment-with-azure-kubernetes-service-azurecontainer-registry-jenkins-ca337940151b>

Question: 82

You have an on-premises network to which you deploy a virtual appliance.

You plan to deploy several Azure virtual machines and connect the on-premises network to Azure by using a Site-to-Site connection.

All network traffic that will be directed from the Azure virtual machines to a specific subnet must flow through the virtual appliance.

You need to recommend solutions to manage network traffic.

Which two options should you recommend? Each correct answer presents a complete solution.

- A. Configure Azure Traffic Manager.
- B. Implement an Azure virtual network.
- C. Implement Azure ExpressRoute.
- D. Configure a routing table.

Answer: CD

Connectivity can be from an any-to-any (IP VPN) network, a point-to-point Ethernet network, or a virtual cross-connection through a connectivity provider at a co-location facility. ExpressRoute connections do not go over the public Internet. This allows ExpressRoute connections to offer more reliability, faster speeds, lower latencies, and higher security than typical connections over the Internet.

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-forced-tunneling-rm>
<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-introduction>

Question: 83

You are developing a sales application that will contain several Azure cloud services and will handle different components of a transaction. Different cloud services will process customer orders, billing, payment, inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using REST messages.

What should you include in the recommendation?

- A. Azure Service Bus
- B. Azure Blob storage
- C. Azure Notification Hubs
- D. Azure Application Gateway

Answer: A

Explanation:

Service Bus is a transactional message broker and ensures transactional integrity for all internal operations against its message stores. All transfers of messages inside of Service Bus, such as moving messages to a dead-letter queue or automatic forwarding of messages between entities, are transactional.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-transactions>

Question: 84

You are designing a message application that will run on an on-premises Ubuntu virtual machine. The application will use Azure Storage queues.

You need to recommend a processing solution for the application to interact with the storage queues. The solution must meet the following requirements:

Create and delete queues daily.

Be scheduled by using a CRON job.

Upload messages every five minutes.

What should developers use to interact with the queues?

-
- A. Azure CLI
 - B. AzCopy
 - C. Azure Data Factory
 - D..NET Core

Answer: D

Reference:

<https://docs.microsoft.com/en-us/azure/storage/queues/storage-tutorial-queues>