

```
1 SELECT * FROM airline;
```

	airline_id [PK] integer 	airline_code character varying (30) 	airline_name character varying (50) 	airline_country character varying (50) 	created_at timestamp without time zone 	updated_at timestamp without time zone 
1	1	AL001	LOT Polish Airlines 1	Portugal	2026-10-02 16:38:02.015576	2026-10-03 16:38:02.015576
2	2	AL002	TAP Air Portugal 2	Poland	2026-10-01 16:38:02.015576	2026-10-03 16:38:02.015576
3	3	AL003	Lufthansa 3	Germany	2026-09-30 16:38:02.015576	2026-10-03 16:38:02.015576
4	4	AL004	Turkish Airlines 4	Netherlands	2026-09-29 16:38:02.015576	2026-10-03 16:38:02.015576
5	5	AL005	Qatar Airways 5	France	2026-09-28 16:38:02.015576	2026-10-03 16:38:02.015576
6	6	AL006	Emirates 6	Portugal	2026-09-27 16:38:02.015576	2026-10-03 16:38:02.015576
7	7	AL007	British Airways 7	Poland	2026-09-26 16:38:02.015576	2026-10-03 16:38:02.015576
8	8	AL008	KLM Royal Dutch 8	Germany	2026-09-25 16:38:02.015576	2026-10-03 16:38:02.015576
9	9	AL009	Swiss International 9	Netherlands	2026-09-24 16:38:02.015576	2026-10-03 16:38:02.015576
10	10	AL010	Air France 10	France	2026-09-23 16:38:02.015576	2026-10-03 16:38:02.015576
11	11	AL011	LOT Polish Airlines 11	Portugal	2026-09-22 16:38:02.015576	2026-10-03 16:38:02.015576
12	12	AL012	TAP Air Portugal 12	Poland	2026-09-21 16:38:02.015576	2026-10-03 16:38:02.015576
13	13	AL013	Lufthansa 13	Germany	2026-09-20 16:38:02.015576	2026-10-03 16:38:02.015576
14	14	AL014	Turkish Airlines 14	Netherlands	2026-09-19 16:38:02.015576	2026-10-03 16:38:02.015576
15	15	AL015	Qatar Airways 15	France	2026-09-18 16:38:02.015576	2026-10-03 16:38:02.015576
16	16	AL016	Emirates 16	Portugal	2026-09-17 16:38:02.015576	2026-10-03 16:38:02.015576
17	17	AL017	British Airways 17	Poland	2026-09-16 16:38:02.015576	2026-10-03 16:38:02.015576
18	18	AL018	KLM Royal Dutch 18	Germany	2026-09-15 16:38:02.015576	2026-10-03 16:38:02.015576

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Servers

PostgreSQL 18

postgres/postgres@PostgreSQL 18*

fk ddl.sql*

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1UPDATE airline

2SET airline_name = UPPER(airline_name);

Data Output

Messages

Notifications

UPDATE 200

Query returned successfully in 184 msec.

Total rows:

Query complete 00:00:00.184

CRLF

Ln 2, Col 40

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Servers

PostgreSQL 18

postgres/postgres@PostgreSQL 18*

fk ddl.sql*

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

UPDATE airline

2

SET airline_name = REPLACE(airline_name, 'Air', 'Aero')

3

WHERE airline_name LIKE '%Air%';

Data Output

Messages

Notifications

UPDATE 0

Query returned successfully in 177 msec.

Total rows:

Query complete 00:00:00.177

CRLF

Ln 3, Col 33

✓ Query returned successfully in 177 msec. ✕

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

booking_id integer

flight_id integer

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (3)

booking_flight_pkey

fk_bookflight_booking

fk_bookflight_flight

Indexes

RLS Policies

Rules

Triggers

flights

Columns (12)

flight_id integer

sch_departure_time timestamp without time zone

sch_arrival_time timestamp without time zone

departing_airport_id integer

arriving_airport_id integer

departing_gate text

arriving_gate character varying(50)

airline_id integer

act_departure_time timestamp without time zone

act_arrival_time timestamp without time zone

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (4)

fk_flights_airline

fk_flights_arr_airport

fk_flights_dep_airport

postgres/postgres@PostgreSQL 18*

fk ddl.sql*

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

SELECT * FROM flights;

Data Output

Messages

Notifications

Showing rows: 1 to 200

Page No: 1 of 1

	flight_id [PK] integer	sch_departure_time timestamp without time zone	sch_arrival_time timestamp without time zone	departing_airport_id integer	arriving_airport_id integer	departing_gate text	arriving_gate character varying (50)	airline_id integer	act_departure_time timestamp without time zone
1	1	2026-10-03 17:38:02.015576	2026-10-03 20:38:02.015576	1	2	D1	A1	1	2026-10-03 17:38:02
2	2	2026-10-03 18:38:02.015576	2026-10-03 21:38:02.015576	2	3	D2	A2	2	2026-10-03 18:38:02
3	3	2026-10-03 19:38:02.015576	2026-10-03 22:38:02.015576	3	4	D3	A3	3	2026-10-03 19:38:02
4	4	2026-10-03 20:38:02.015576	2026-10-03 23:38:02.015576	4	5	D4	A4	4	2026-10-03 20:38:02
5	5	2026-10-03 21:38:02.015576	2026-10-04 00:38:02.015576	5	6	D5	A5	5	2026-10-03 21:38:02
6	6	2026-10-03 22:38:02.015576	2026-10-04 01:38:02.015576	6	7	D6	A6	6	2026-10-03 22:38:02
7	7	2026-10-03 23:38:02.015576	2026-10-04 02:38:02.015576	7	8	D7	A7	7	2026-10-03 23:38:02
8	8	2026-10-04 00:38:02.015576	2026-10-04 03:38:02.015576	8	9	D8	A8	8	2026-10-04 00:38:02
9	9	2026-10-04 01:38:02.015576	2026-10-04 04:38:02.015576	9	10	D9	A9	9	2026-10-04 01:38:02
10	10	2026-10-04 02:38:02.015576	2026-10-04 05:38:02.015576	10	11	D10	A10	10	2026-10-04 02:38:02
11	11	2026-10-04 03:38:02.015576	2026-10-04 06:38:02.015576	11	12	D11	A11	11	2026-10-04 03:38:02
12	12	2026-10-04 04:38:02.015576	2026-10-04 07:38:02.015576	12	13	D12	A12	12	2026-10-04 04:38:02
13	13	2026-10-04 05:38:02.015576	2026-10-04 08:38:02.015576	13	14	D13	A13	13	2026-10-04 05:38:02
14	14	2026-10-04 06:38:02.015576	2026-10-04 09:38:02.015576	14	15	D14	A14	14	2026-10-04 06:38:02

Total rows: 200

Query complete 00:00:00.233

CRLF

Ln 1, Col 23

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

booking_id integer

flight_id integer

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (3)

booking_flight_pkey

fk_bookflight_booking

fk_bookflight_flight

Indexes

RLS Policies

Rules

Triggers

flights

Columns (12)

flight_id integer

sch_departure_time timestamp without time zone

sch_arrival_time timestamp without time zone

departing_airport_id integer

arriving_airport_id integer

departing_gate text

arriving_gate character varying(50)

airline_id integer

act_departure_time timestamp without time zone

act_arrival_time timestamp without time zone

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (4)

fk_flights_airline

fk_flights_arr_airport

fk_flights_dep_airport

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1SELECT flight_id

2FROM flights

3WHERE airline_id IN (1,2);

Data Output

Messages

Notifications

Showing rows: 1 to 2

Page No: 1 of 1

	flight_id [PK] integer
1	1
2	2

Total rows: 2

Query complete 00:00:00.219

CRLF

Ln 3, Col 27

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

booking_id integer

flight_id integer

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (3)

booking_flight_pkey

fk_bookflight_booking

fk_bookflight_flight

Indexes

RLS Policies

Rules

Triggers

flights

Columns (12)

flight_id integer

sch_departure_time timestamp with time zone

sch_arrival_time timestamp without time zone

departing_airport_id integer

arriving_airport_id integer

departing_gate text

arriving_gate character varying(50)

airline_id integer

act_departure_time timestamp with time zone

act_arrival_time timestamp without time zone

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (4)

fk_flights_airline

fk_flights_arr_airport

fk_flights_dep_airport

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

SELECT *

FROM airport

WHERE airport_name LIKE '%Reginal%'

AND airport_name LIKE '%Air%';

Data Output

Messages

Notifications

SQL

airport_id	airport_name	country	state	city	created_at	updated_at
------------	--------------	---------	-------	------	------------	------------

Total rows: 0

Query complete 00:00:00.188

Successfully run. Total query runtime: 188 msec. 0 rows affected.

CRLF

Ln 4, Col 33

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Explorer

booking_id integer

flight_id integer

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (3)

booking_flight_pkey

fk_bookflight_booking

fk_bookflight_flight

Indexes

RLS Policies

Rules

Triggers

flights

Columns (12)

flight_id integer

sch_departure_time timestamp without time zone

sch_arrival_time timestamp without time zone

departing_airport_id integer

arriving_airport_id integer

departing_gate text

arriving_gate character varying(50)

airline_id integer

act_departure_time timestamp without time zone

act_arrival_time timestamp without time zone

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (4)

fk_flights_airline

fk_flights_arr_airport

fk_flights_dep_airport

postgres/postgres@PostgreSQL 18*

fk ddl.sql*

postgres/postgres@PostgreSQL 18

Query

Query History

1

SELECT * FROM passengers;

Data Output

Messages

Notifications

Showing rows: 1 to 200

Page No: 1

of 1

	passenger_id [PK] integer	first_name character varying (50)	last_name character varying (50)	date_of_birth date	gender_new text	country_of_citizenship character varying (50)	country_of_residence character varying (50)	passport_number character varying (20)	created_at timestamp without time zone
1	1	Passenger1	Surname1	1975-02-20	Female	Kazakhstan	Kazakhstan	KZ0000001	2026-10-03 16:38:02.015576
2	2	Passenger2	Surname2	1975-04-11	Male	Kazakhstan	Kazakhstan	KZ0000002	2026-10-03 16:38:02.015576
3	3	Passenger3	Surname3	1975-05-31	Female	Kazakhstan	Kazakhstan	KZ0000003	2026-10-03 16:38:02.015576
4	4	Passenger4	Surname4	1975-07-20	Male	Kazakhstan	Kazakhstan	KZ0000004	2026-10-03 16:38:02.015576
5	5	Passenger5	Surname5	1975-09-08	Female	Kazakhstan	Kazakhstan	KZ0000005	2026-10-03 16:38:02.015576
6	6	Passenger6	Surname6	1975-10-28	Male	Kazakhstan	Kazakhstan	KZ0000006	2026-10-03 16:38:02.015576
7	7	Passenger7	Surname7	1975-12-17	Female	Kazakhstan	Kazakhstan	KZ0000007	2026-10-03 16:38:02.015576
8	8	Passenger8	Surname8	1976-02-05	Male	Kazakhstan	Kazakhstan	KZ0000008	2026-10-03 16:38:02.015576
9	9	Passenger9	Surname9	1976-03-26	Female	Kazakhstan	Kazakhstan	KZ0000009	2026-10-03 16:38:02.015576
10	10	Passenger10	Surname10	1976-05-15	Male	Kazakhstan	Kazakhstan	KZ0000010	2026-10-03 16:38:02.015576
11	11	Passenger11	Surname11	1976-07-04	Female	Kazakhstan	Kazakhstan	KZ0000011	2026-10-03 16:38:02.015576
12	12	Passenger12	Surname12	1976-08-23	Male	Kazakhstan	Kazakhstan	KZ0000012	2026-10-03 16:38:02.015576
13	13	Passenger13	Surname13	1976-10-12	Female	Kazakhstan	Kazakhstan	KZ0000013	2026-10-03 16:38:02.015576
14	14	Passenger14	Surname14	1976-12-01	Male	Kazakhstan	Kazakhstan	KZ0000014	2026-10-03 16:38:02.015576

✓ Successfully run. Total query runtime: 269 msec. 200 rows affected.

Total rows: 200

Query complete 00:00:00.269

CRLF

Ln 1, Col 26

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

booking_id integer

flight_id integer

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (3)

booking_flight_pkey

fk_bookflight_booking

fk_bookflight_flight

Indexes

RLS Policies

Rules

Triggers

flights

Columns (12)

flight_id integer

sch_departure_time timestamp without time zone

sch_arrival_time timestamp without time zone

departing_airport_id integer

arriving_airport_id integer

departing_gate text

arriving_gate character varying(50)

airline_id integer

act_departure_time timestamp without time zone

act_arrival_time timestamp without time zone

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (4)

fk_flights_airline

fk_flights_arr_airport

fk_flights_dep_airport

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

SELECT first_name, last_name,

TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS birth_date

FROM passengers;

Data Output

Messages

Notifications

Showing rows: 1 to 200

Page No: 1 of 1

	first_name character varying (50)	last_name character varying (50)	birth_date text
1	Passenger1	Surname1	February 20, 1975
2	Passenger2	Surname2	April 11, 1975
3	Passenger3	Surname3	May 31, 1975
4	Passenger4	Surname4	July 20, 1975
5	Passenger5	Surname5	September 08, 19...
6	Passenger6	Surname6	October 28, 1975
7	Passenger7	Surname7	December 17, 1975
8	Passenger8	Surname8	February 05, 1976
9	Passenger9	Surname9	March 26, 1976
10	Passenger10	Surname10	May 15, 1976
11	Passenger11	Surname11	July 04, 1976
12	Passenger12	Surname12	August 23, 1976
13	Passenger13	Surname13	October 12, 1976
14	Passenger14	Surname14	December 01, 1976
15	Passenger15	Surname15	January 20, 1977

Total rows: 200

Query complete 00:00:00.174

Successfully run. Total query runtime: 174 msec. 200 rows affected.

CRLF Ln 3, Col 17

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

Constrain

airport

Indexes

RLS Policy

Rules

Triggers

baggage

Columns

baggage

weight

created

updatec

booking

Constrain

baggage

fk_bagg

Indexes

RLS Policy

Rules

Triggers

baggage_ch

Columns

baggage

check_r

created

updatec

booking

passen

Constrain

baggage

postgres/postgres@PostgreSQL 18*

fk ddl.sql*

postgres/postgres@PostgreSQL 18

QueryQuery History

1

2

3

SELECT flight_id

FROM flights

WHERE act_arrival_time > sch_arrival_time;

Data OutputMessagesNotifications

Showing rows: 1 to 200

Page No: 1

of 1

	flight_id
	[PK] integer
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15

Successfully run. Total query runtime: 231 msec. 200 rows affected.

Total rows: 200

Query complete 00:00:00.231

CRLF

Ln 1, Col 17

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

booking_id integer

flight_id integer

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (3)

booking_flight_pkey

fk_bookflight_booking

fk_bookflight_flight

Indexes

RLS Policies

Rules

Triggers

flights

Columns (12)

flight_id integer

sch_departure_time timestamp without time zone

sch_arrival_time timestamp without time zone

departing_airport_id integer

arriving_airport_id integer

departing_gate text

arriving_gate character varying(50)

airline_id integer

act_departure_time timestamp without time zone

act_arrival_time timestamp without time zone

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (4)

fk_flights_airline

fk_flights_arr_airport

fk_flights_dep_airport

postgres/postgres@PostgreSQL 18*

fk ddl.sql*

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

SELECT *

2

FROM flights

3

WHERE act_arrival_time > sch_arrival_time;

Data Output

Messages

Notifications

Showing rows: 1 to 200

Page No: 1 of 1

Maximise

	flight_id [PK] integer	sch_departure_time timestamp without time zone	sch_arrival_time timestamp without time zone	departing_airport_id integer	arriving_airport_id integer	departing_gate text	arriving_gate character varying (50)	airline_id integer	act_departure_time timestamp without time zone
1	1	2026-10-03 17:38:02.015576	2026-10-03 20:38:02.015576	1	2	D1	A1	1	2026-10-03 17:38:02
2	2	2026-10-03 18:38:02.015576	2026-10-03 21:38:02.015576	2	3	D2	A2	2	2026-10-03 18:38:02
3	3	2026-10-03 19:38:02.015576	2026-10-03 22:38:02.015576	3	4	D3	A3	3	2026-10-03 19:38:02
4	4	2026-10-03 20:38:02.015576	2026-10-03 23:38:02.015576	4	5	D4	A4	4	2026-10-03 20:38:02
5	5	2026-10-03 21:38:02.015576	2026-10-04 00:38:02.015576	5	6	D5	A5	5	2026-10-03 21:38:02
6	6	2026-10-03 22:38:02.015576	2026-10-04 01:38:02.015576	6	7	D6	A6	6	2026-10-03 22:38:02
7	7	2026-10-03 23:38:02.015576	2026-10-04 02:38:02.015576	7	8	D7	A7	7	2026-10-03 23:38:02
8	8	2026-10-04 00:38:02.015576	2026-10-04 03:38:02.015576	8	9	D8	A8	8	2026-10-04 00:38:02
9	9	2026-10-04 01:38:02.015576	2026-10-04 04:38:02.015576	9	10	D9	A9	9	2026-10-04 01:38:02
10	10	2026-10-04 02:38:02.015576	2026-10-04 05:38:02.015576	10	11	D10	A10	10	2026-10-04 02:38:02
11	11	2026-10-04 03:38:02.015576	2026-10-04 06:38:02.015576	11	12	D11	A11	11	2026-10-04 03:38:02
12	12	2026-10-04 04:38:02.015576	2026-10-04 07:38:02.015576	12	13	D12	A12	12	2026-10-04 04:38:02
13	13	2026-10-04 05:38:02.015576	2026-10-04 08:38:02.015576	13	14	D13	A13	13	2026-10-04 05:38:02
14	14	2026-10-04 06:38:02.015576	2026-10-04 09:38:02.015576	14	15	D14	A14	14	2026-10-04 06:38:02

✓ Successfully run. Total query runtime: 248 msec. 200 rows affected. ✕

Total rows: 200

Query complete 00:00:00.248

CRLF

Ln 3, Col 10

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

booking_id integer

flight_id integer

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (3)

booking_flight_pkey

fk_bookflight_booking

fk_bookflight_flight

Indexes

RLS Policies

Rules

Triggers

flights

Columns (12)

flight_id integer

sch_departure_time timestamp without time zone

sch_arrival_time timestamp without time zone

departing_airport_id integer

arriving_airport_id integer

departing_gate text

arriving_gate character varying(50)

airline_id integer

act_departure_time timestamp without time zone

act_arrival_time timestamp without time zone

created_at timestamp without time zone

updated_at timestamp without time zone

Constraints (4)

fk_flights_airline

fk_flights_arr_airport

fk_flights_dep_airport

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1SELECT * FROM airline;

Data Output

Messages

Notifications

Showing rows: 1 to 200

Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	AL001	LOT POLISH AIRLINES 1	Portugal	2026-10-02 16:38:02.015576	2026-10-03 16:38:02.015576
2	2	AL002	TAP AIR PORTUGAL 2	Poland	2026-10-01 16:38:02.015576	2026-10-03 16:38:02.015576
3	3	AL003	LUFTHANSA 3	Germany	2026-09-30 16:38:02.015576	2026-10-03 16:38:02.015576
4	4	AL004	TURKISH AIRLINES 4	Netherlands	2026-09-29 16:38:02.015576	2026-10-03 16:38:02.015576
5	5	AL005	QATAR AIRWAYS 5	France	2026-09-28 16:38:02.015576	2026-10-03 16:38:02.015576
6	6	AL006	EMIRATES 6	Portugal	2026-09-27 16:38:02.015576	2026-10-03 16:38:02.015576
7	7	AL007	BRITISH AIRWAYS 7	Poland	2026-09-26 16:38:02.015576	2026-10-03 16:38:02.015576
8	8	AL008	KLM ROYAL DUTCH 8	Germany	2026-09-25 16:38:02.015576	2026-10-03 16:38:02.015576
9	9	AL009	SWISS INTERNATIONAL 9	Netherlands	2026-09-24 16:38:02.015576	2026-10-03 16:38:02.015576
10	10	AL010	AIR FRANCE 10	France	2026-09-23 16:38:02.015576	2026-10-03 16:38:02.015576
11	11	AL011	LOT POLISH AIRLINES 11	Portugal	2026-09-22 16:38:02.015576	2026-10-03 16:38:02.015576
12	12	AL012	TAP AIR PORTUGAL 12	Poland	2026-09-21 16:38:02.015576	2026-10-03 16:38:02.015576
13	13	AL013	LUFTHANSA 13	Germany	2026-09-20 16:38:02.015576	2026-10-03 16:38:02.015576
14	14	AL014	TURKISH AIRLINES 14	Netherlands	2026-09-19 16:38:02.015576	2026-10-03 16:38:02.015576
15	15	AL015	QATAR AIRWAYS 15	France	2026-09-18 16:38:02.015576	2026-10-03 16:38:02.015576

Total rows: 200

Query complete 00:00:00.235

✓ Successfully run. Total query runtime: 235 msec. 200 rows affected.

CRLF

Ln 1, Col 23

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

Columns (6)

airline_id integer

airline_code character varyin

airline_name character varyi

airline_country character var

created_at timestamp without

updated_at timestamp witho

Constraints (1)

airline_info_pkey

Indexes

RLS Policies

Rules

Triggers

airport

Columns (7)

airport_id integer

airport_name character vary

country character varying(50)

state character varvina(50)

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1

SELECT * FROM airline

2

WHERE airline_country IN ('France', 'Portugal', 'Poland')

3

AND created_at BETWEEN '2023-11-01' AND '2024-03-31';

Data Output

Messages

Notifications

airline_id

airline_code

airline_name

airline_country

created_at

updated_at

[PK] integer

character varying (30)

character varying (50)

character varying (50)

timestamp without time zone

timestamp without time zone

Successfully run. Total query runtime: 190 msec. 0 rows affected.

Total rows: 0

Query complete 00:00:00.190

CRLF

Ln 3, Col 54

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

Constraints (1)

airport_pkey

Indexes

RLS Policies

Rules

Triggers

baggage

Columns (5)

baggage_id integer

weight_in_kg numeric(4,2)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

Constraints (2)

baggage_pkey

fk_baggage_booking

Indexes

RLS Policies

Rules

Triggers

baggage_check

Columns (6)

baggage_check_id integer

check_result character varying(50)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

passenger_id integer

Constraints (3)

baggage_check_pkey

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1SELECT * FROM baggage;

Data Output

Messages

Notifications

Showing rows: 1 to 200

Page No: 1 of 1

	baggage_id [PK] integer	weight_in_kg numeric (4,2)	created_at timestamp without time zone	updated_at timestamp without time zone	booking_id integer
1	1	16.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	1
2	2	17.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	2
3	3	18.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	3
4	4	19.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	4
5	5	20.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	5
6	6	21.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	6
7	7	22.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	7
8	8	23.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	8
9	9	24.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	9
10	10	25.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	10
11	11	26.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	11
12	12	27.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	12
13	13	28.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	13
14	14	29.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	14
15	15	30.00	2026-10-03 16:38:02.015576	2026-10-03 16:38:02.015576	15

Total rows: 200

Query complete 00:00:00.182

✓ Successfully run. Total query runtime: 182 msec. 200 rows affected. ✕

CRLF Ln 1, Col 18

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

Constraints (1)

airport_pkey

Indexes

RLS Policies

Rules

Triggers

baggage

Columns (5)

baggage_id integer

weight_in_kg numeric(4,2)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

Constraints (2)

baggage_pkey

fk_baggage_booking

Indexes

RLS Policies

Rules

Triggers

baggage_check

Columns (6)

baggage_check_id integer

check_result character varying(50)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

passenger_id integer

Constraints (3)

baggage_check_pkey

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1SELECT baggage_id,

2weight_in_kg

3FROM baggage

4WHERE weight_in_kg > 25

5ORDER BY weight_in_kg DESC

6LIMIT 3;

Data Output

Messages

Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	baggage_id [PK] integer	weight_in_kg numeric (4,2)
1	39	34.00
2	19	34.00
3	59	34.00

✓ Successfully run. Total query runtime: 220 msec. 3 rows affected.

✗

Total rows: 3

Query complete 00:00:00.220

CRLF

Ln 6, Col 9

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

Constraints (1)

airport_pkey

Indexes

RLS Policies

Rules

Triggers

baggage

Columns (5)

baggage_id integer

weight_in_kg numeric(4,2)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

Constraints (2)

baggage_pkey

fk_baggage_booking

Indexes

RLS Policies

Rules

Triggers

baggage_check

Columns (6)

baggage_check_id integer

check_result character varying(50)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

passenger_id integer

Constraints (3)

baggage_check_pkey

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1SELECT

2first_name || ' ' || last_name

3FROM passengers

4ORDER BY date_of_birth DESC

5LIMIT 1;

Data Output

Messages

Notifications

Showing rows: 1 to 1

Page No: 1 of 1

	?column? text
1	Passenger200 Surname2...

Total rows: 1

Query complete 00:00:00.199

Successfully run. Total query runtime: 199 msec. 1 rows affected.

CRLF Ln 5, Col 9

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

Constraints (1)

airport_pkey

Indexes

RLS Policies

Rules

Triggers

baggage

Columns (5)

baggage_id integer

weight_in_kg numeric(4,2)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

Constraints (2)

baggage_pkey

fk_baggage_booking

Indexes

RLS Policies

Rules

Triggers

baggage_check

Columns (6)

baggage_check_id integer

check_result character varying(50)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

passenger_id integer

Constraints (3)

baggage_check_pkey

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1

2

3

4

5

SELECT

booking_platform,

MIN(ticket_price)

FROM booking

GROUP BY booking_platform;

Data Output

Messages

Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	booking_platform	min
	character varying (50)	numeric
1	Booking.com	115.00
2	Mobile App	110.00
3	Website	105.00

Successfully run. Total query runtime: 184 msec. 3 rows affected.

Total rows: 3

Query complete 00:00:00.184

CRLF

Ln 5, Col 27

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

Constraints (1)

airport_pkey

Indexes

RLS Policies

Rules

Triggers

baggage

Columns (5)

baggage_id integer

weight_in_kg numeric(4,2)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

Constraints (2)

baggage_pkey

fk_baggage_booking

Indexes

RLS Policies

Rules

Triggers

baggage_check

Columns (6)

baggage_check_id integer

check_result character varying(50)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

passenger_id integer

Constraints (3)

baggage_check_pkey

postgres/postgres@PostgreSQL 18*fk ddl.sql*

postgres/postgres@PostgreSQL 18

Query

Query History

1

2

3

SELECT

airline_code

FROM

airline

WHERE

airline_code ~ '[0-9]';

Data Output

Messages

Notifications

Showing rows: 1 to 200

Page No: 1 of 1

	airline_code character varying (30)
1	AL001
2	AL002
3	AL003
4	AL004
5	AL005
6	AL006
7	AL007
8	AL008
9	AL009
10	AL010
11	AL011
12	AL012
13	AL013
14	AL014
15	AL015

Total rows: 200

Query complete 00:00:00.226

Successfully run. Total query runtime: 226 msec. 200 rows affected.

CRLF

Ln 3, Col 30

pgAdmin 4

File Object Tools Edit View Window Help

Explorer

- Constraints (1)
 - airport_pkey
- Indexes
- RLS Policies
- Rules
- Triggers
- baggage
 - Columns (5)
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - booking_id integer
 - Constraints (2)
 - baggage_pkey
 - fk_baggage_booking
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - baggage_check
 - Columns (6)
 - baggage_check_id integer
 - check_result character varying(50)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - booking_id integer
 - passenger_id integer
 - Constraints (3)
 - baggage_check_pkey

postgres/postgres@PostgreSQL 18* x fk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query Query History

```
1 SELECT airline_name,
2 created_at
3 FROM airline
4 ORDER BY created_at DESC
5 LIMIT 5;
```

Execute script (F5)

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	airline_name character varying (50)	created_at timestamp without time zone
1	LOT POLISH AIRLINES...	2026-10-02 16:38:02.015576
2	TAP AIR PORTUGAL 2	2026-10-01 16:38:02.015576
3	LUFTHANSA 3	2026-09-30 16:38:02.015576
4	TURKISH AIRLINES 4	2026-09-29 16:38:02.015576
5	QATAR AIRWAYS 5	2026-09-28 16:38:02.015576

Successfully run. Total query runtime: 204 msec. 5 rows affected.

Total rows: 5 Query complete 00:00:00.204 CRLF Ln 5, Col 9

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Explorer

Constraints (1)

airport_pkey

Indexes

RLS Policies

Rules

Triggers

baggage

Columns (5)

baggage_id integer

weight_in_kg numeric(4,2)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

Constraints (2)

baggage_pkey

fk_baggage_booking

Indexes

RLS Policies

Rules

Triggers

baggage_check

Columns (6)

baggage_check_id integer

check_result character varying(50)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

passenger_id integer

Constraints (3)

baggage_check_pkey

postgres/postgres@PostgreSQL 18* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query

Query History

1

2

3

4

SELECT *

FROM baggage_check

WHERE booking_id BETWEEN 200 AND 300

AND check_result <> 'Checked';

Data Output

Messages

Notifications

baggage_check_id [PK] integer

check_result character varying (50)

created_at timestamp without time zone

updated_at timestamp without time zone

booking_id integer

passenger_id integer

✓ Successfully run. Total query runtime: 205 msec. 0 rows affected.

Total rows: 0

Query complete 00:00:00.205

CRLF

Ln 4, Col 31

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Explorer

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

Columns

airline_id

airline_code

airline_name

airline_type

created_at

updated_at

Constraints

airline_id

Indexes

RLS Policies

Rules

Triggers

airport

Columns

airport_id

airport_name

country

state

postgres/postgres@PostgreSQL 18*

fk ddl.sql*

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

SELECT * FROM baggage_check

2

WHERE DATE_TRUNC('month', updated_at) = DATE_TRUNC('month', created_at)

3

AND updated_at < created_at;

Data Output

Messages

Notifications

baggage_check_id

check_result

created_at

updated_at

booking_id

passenger_id

[PK] integer

character varying (50)

timestamp without time zone

timestamp without time zone

integer

integer

Total rows: 0

Query complete 00:00:00.179

Successfully run. Total query runtime: 179 msec. 0 rows affected.

CRLF

Ln 3, Col 1