

pgAdmin 4

FileObjectToolsEditViewWindowHelp

ddl.sql* ×fk ddl.sql* ×

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesFTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProceduresSequencesTables (10)airportColumnsConstraintsIndexesRLS PoliciesRulesTriggersbaggageConstraints (2)baggage_pkeyfk_baggage_bookirIndexesRLS Policies

1SELECT * FROM airport

Data OutputMessagesNotifications

airport_id [PK] integerairport_name character varying (50)country character varying (50)state character varying (50)city character varying (50)created_at timestamp without time zoneupdated_at timestamp without time zone

Total rows: 0Query complete 00:00:00.192CRLF Ln 1, Col 22

pgAdmin 4

FileObjectToolsEditViewWindowHelp

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_bookir

Indexes

RLS Policies

Rules

ddl.sql* xfk ddl.sql* x

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

```
1  INSERT INTO airport
2  (
3      airport_id,
4      airport_name,
5      country,
6      state,
7      city,
8      created_at,
9      updated_at
10 )
11 SELECT
12     1 + n,
13     'Airport_' || n,
14     'Country_' || (n % 20),
15     'State_' || (n % 15),
16     'City_' || n,
17     NOW(),
```

Data Output

Messages

Notifications

INSERT 0 200

Query returned successfully in 167 msec.

Total rows:

Query complete 00:00:00.167

CRLF

Ln 19, Col 31

pgAdmin 4

FileObjectToolsEditViewWindowHelp

ddl.sql* ×200.sql* ×

postgres/postgres@PostgreSQL 18

QueryQuery History

1SELECT * FROM airport

Data OutputMessagesNotifications

Showing rows: 1 to 200Page No: 1 of 1

	airport_id [PK] integer	airport_name character varying (50)	country character varying (50)	state character varying (50)	city character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
182	183	Airport_182	Country_2	State_2	City_182	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
183	184	Airport_183	Country_3	State_3	City_183	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
184	185	Airport_184	Country_4	State_4	City_184	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
185	186	Airport_185	Country_5	State_5	City_185	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
186	187	Airport_186	Country_6	State_6	City_186	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
187	188	Airport_187	Country_7	State_7	City_187	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
188	189	Airport_188	Country_8	State_8	City_188	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
189	190	Airport_189	Country_9	State_9	City_189	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
190	191	Airport_190	Country_10	State_10	City_190	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
191	192	Airport_191	Country_11	State_11	City_191	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
192	193	Airport_192	Country_12	State_12	City_192	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
193	194	Airport_193	Country_13	State_13	City_193	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
194	195	Airport_194	Country_14	State_14	City_194	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
195	196	Airport_195	Country_15	State_0	City_195	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
196	197	Airport_196	Country_16	State_1	City_196	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
197	198	Airport_197	Country_17	State_2	City_197	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
198	199	Airport_198	Country_18	State_3	City_198	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
199	200	Airport_199	Country_19	State_4	City_199	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
200	201	Airport_200	Country_0	State_5	City_200	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611

Total rows: 200Query complete 00:00:00.163

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesFTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProcedures1.3 SequencesTables (10)airlineairportColumnsConstraintsIndexesRLS PoliciesRulesTriggersbaggageColumnsConstraints (2)baggage_pkeyfk_baggage_bookirIndexesRLS PoliciesRules

Ln 1, Col 22

Navigation icons: Servers, Query, Query History, Data Output, Messages, Notifications

ddl.sql* x fk ddl.sql* x

postgres/postgres@PostgreSQL 18

Query toolbar: Run, Stop, Refresh, etc.

Query Query History

```
1 SELECT * FROM airline;
```

Data Output Messages Notifications

Data Output toolbar: Copy, Paste, etc.

airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
----------------------------	--	--	---	---	---

Total rows: 0 Query complete 00:00:00.195

✓ Successfully run. Total query runtime: 195 msec. 0 rows affected. ✕

pgAdmin 4

FileObjectTools>EditViewWindowHelp

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_bookir

Indexes

RLS Policies

Rules

ddl.sql* ×200.sql* ×

postgres/postgres@PostgreSQL 18

Query

Query History

1

2

3

4

INSERT INTO airline

VALUES

(1, 'KAZ', 'KazAir', 'Kazakhstan', NOW(), NOW())

);

Data Output

Messages

Notifications

INSERT 0 1

Query returned successfully in 171 msec.

Total rows:

Query complete 00:00:00.171

CRLF

Ln 4, Col 3

pgAdmin 4

FileObjectTools>EditViewWindowHelp

ddl.sql* ×

200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

SQL

QueryQuery History

1SELECT * FROM airline;

Data OutputMessagesNotifications

Showing rows: 1 to 1

Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	KAZ	KazAir	Kazakhstan	2026-09-27 16:01:33.131161	2026-09-27 16:01:33.131161

Total rows: 1Query complete 00:00:00.153CRLF Ln 1, Col 23

pgAdmin 4

FileObjectToolsEditViewWindowHelp

ddl.sql* ×200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

Execute script

F5

QueryQuery History

1UPDATE airline

2SET airline_country='Turkey'

3WHERE airline_name='KazAir';

Data OutputMessagesNotifications

UPDATE 1

Query returned successfully in 180 msec.

Total rows:Query complete 00:00:00.180

CRLF Ln 3, Col 29

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_bookir

Indexes

RLS Policies

Rules

✓ Query returned successfully in 180 msec. ✕

pgAdmin 4

FileObjectToolsEditViewWindowHelp

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_bookir

Indexes

RLS Policies

Rules

ddl.sql* x200.sql* x

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

1SELECT * FROM airline;

Data OutputMessagesNotifications

Showing rows: 1 to 1Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	KAZ	KazAir	Turkey	2026-09-27 16:01:33.131161	2026-09-27 16:01:33.131161

Successfully run. Total query runtime: 153 msec. 1 rows affected.

Total rows: 1Query complete 00:00:00.153CRLF Ln 1, Col 23

pgAdmin 4

FileObjectToolsEditViewWindowHelp

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_bookir

Indexes

RLS Policies

Rules

ddl.sql* ×200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

1INSERT INTO airline

2VALUES

3((SELECT MAX(airline_id)+1 FROM airline),'AES','AirEasy','France',NOW(),NOW()),

4((SELECT MAX(airline_id)+2 FROM airline),'FLH','FlyHigh','Brazil',NOW(),NOW()),

5((SELECT MAX(airline_id)+3 FROM airline),'FLY','FlyFly','Poland',NOW(),NOW());

Data OutputMessagesNotifications

INSERT 0 3

Query returned successfully in 197 msec.

Total rows:Query complete 00:00:00.197

✓Query returned successfully in 197 msec.✗

CRLF Ln 5, Col 79

pgAdmin 4

FileObjectToolsEditViewWindowHelp

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_bookir

Indexes

RLS Policies

Rules

ddl.sql* ×200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

1SELECT * FROM airline;

Data OutputMessagesNotifications

Showing rows: 1 to 4Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	KAZ	KazAir	Turkey	2026-09-27 16:01:33.131161	2026-09-27 16:01:33.131161
2	2	AES	AirEasy	France	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
3	3	FLH	FlyHigh	Brazil	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
4	4	FLY	FlyFly	Poland	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667

Total rows: 4Query complete 00:00:00.168

Successfully run. Total query runtime: 168 m

CRLF Ln 1, Col 23

pgAdmin 4

FileObjectTools>EditViewWindowHelp

ddl.sql* ×200.sql* ×

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_boc

Indexes

RLS Policies

Rules

postgres/postgres@PostgreSQL 18

No limit

SQL

Query

Query History

1

SELECT * FROM flights;

Data Output

Messages

Notifications

SQL

flight_id	sch_departure_time	sch_arrival_time	departing_airport_id	arriving_airport_id	departing_gate	arriving_gate	airline_id	act_departure_time
[PK] integer	timestamp without time zone	timestamp without time zone	integer	integer	text	character varying (50)	integer	timestamp without time zone

Total rows: 0Query complete 00:00:00.215

CRLFLn 1, Col 22

pgAdmin 4

FileObjectToolsEditViewWindowHelp

ddl.sql* x200.sql* x

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

Columns

Constraints

Indexes

RLS Policies

Rules

Triggers

baggage

Columns

Constraints (2)

baggage_pkey

fk_baggage_boc

Indexes

RLS Policies

Rules

1DELETE FROM flights

2WHERE EXTRACT(YEAR FROM act_arrival_time)=2024;

Data OutputMessagesNotifications

DELETE 0

Query returned successfully in 162 msec.

Total rows:Query complete 00:00:00.162

Ln 2, Col 48

Query returned successfully in 162 msec.

pgAdmin 4

FileObjectToolsEditViewWindowHelp

ddl.sql* ×200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

1SELECT * FROM booking;

Data OutputMessagesNotifications

booking_id	flight_id	passenger_id	booking_platform	created_at	updated_at	status	ticket_price
------------	-----------	--------------	------------------	------------	------------	--------	--------------

Total rows: 0Query complete 00:00:00.155

Successfully run. Total query runtime: 155 msec. 0 rows affected.

CRLF Ln 1, Col 23

public

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesFTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProceduresSequencesTables (10)

airlineairportColumnsConstraintsIndexesRLS PoliciesRulesTriggersbaggageColumnsConstraints (2)baggage_pkeyfk_baggage_bocIndexesRLS PoliciesRules

pgAdmin 4

File Object Tools Edit View Window Help

ddl.sql* x 200.sql* x

postgres/postgres@PostgreSQL 18

No limit

Execute script
F5

Query Query History

```
1 UPDATE booking
2 SET ticket_price = ticket_price * 1.15;
```

Data Output Messages Notifications

UPDATE 0

Query returned successfully in 144 msec.

Total rows: Query complete 00:00:00.144

CRLF Ln 2, Col 40

✓ Query returned successfully in 144 msec. ✕

- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - Columns (8)
 - booking_flight
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - flights

pgAdmin 4

File Object Tools Edit View Window Help

ddl.sql* x 200.sql* x

postgres/postgres@PostgreSQL 18

No limit

Execute script
F5

Query Query History

```
1 DELETE FROM booking
2 WHERE ticket_price < 10000;
```

Data Output Messages Notifications

DELETE 0

Query returned successfully in 138 msec.

Total rows: Query complete 00:00:00.138

Ln 2, Col 14

✓ Query returned successfully in 138 msec. ✕

Columns (8)

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- Columns (8)
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- booking_flight
- Columns
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- flights

```
1 SELECT * FROM airline;
```

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	KAZ	KazAir	Turkey	2026-09-27 16:01:33.131161	2026-09-27 16:01:33.131161
2	2	AES	AirEasy	France	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
3	3	FLH	FlyHigh	Brazil	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
4	4	FLY	FlyFly	Poland	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667

```
1 UPDATE airline
2 SET airline_code='UNK'
3 WHERE airline_code IS NULL;
```


UPDATE @

Query returned successfully in 177 msec.

Total rows: Query complete 00:00:00.177

✓ Query returned successfully in 177 msec. ✕

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

Columns

Constraints (3)

baggage_che

fk_bagcheck

fk_bagcheck

Indexes

RLS Policies

Rules

Triggers

boarding_pass

booking

booking_flight

ddl.sql* ×

200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

SELECT * FROM baggage_check;

Data Output

Messages

Notifications

SQL

baggage_check_id	check_result	created_at	updated_at	booking_id	passenger_id
[PK] integer	character varying (50)	timestamp without time zone	timestamp without time zone	integer	integer

Total rows: 0

Query complete 00:00:00.216

Successfully run. Total query runtime: 213 msec. 0 rows affected.

CRLF

Ln 1, Col 28

Execute script

F5

Execute script

F5

Query returned successfully in 122 msec.

Query returned successfully in 122 msec.

✓ Query returned successfully in 122 msec. ✕

✓ Query returned successfully in 122 msec. ✕

CRLF	Ln 3, Col 32
------	--------------

pgAdmin 4

FileObjectToolsEditViewWindowHelp

ddl.sql* ×200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

QueryQuery History

AggregatesCollationsDomainsFTS ConfigurationsFTS DictionariesFTS ParsersFTS TemplatesForeign TablesFunctionsMaterialized ViewsOperatorsProceduresSequencesTables (10)

airlineairportbaggagebaggage_checkColumns (6)

baggage_checcheck_resultcreated_at tinupdated_at tinbooking_id inpassenger_ic

Constraints (3)

baggage_chefk_bagcheckfk_bagcheck

Indexes

SELECT * FROM airport;

Data OutputMessagesNotifications

Showing rows: 1 to 200

Page No: 1 of 1

	airport_id [PK] integer	airport_name character varying (50)	country character varying (50)	state character varying (50)	city character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
97	98	Airport_97	Country_17	State_7	City_97	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
98	99	Airport_98	Country_18	State_8	City_98	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
99	100	Airport_99	Country_19	State_9	City_99	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
100	101	Airport_100	Country_0	State_10	City_100	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
101	102	Airport_101	Country_1	State_11	City_101	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
102	103	Airport_102	Country_2	State_12	City_102	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611
103	104	Airport_103	Country_3	State_13	City_103	2026-09-27 15:56:10.272611	2026-09-27 15:56:10.272611

Total rows: 200Query complete 00:00:00.218

CRLF

Ln 1, Col 22

pgAdmin 4

File Object Tools Edit View Window Help

ddl.sql* x 200.sql* x

postgres/postgres@PostgreSQL 18

No limit

Execute script
F5

Query Query History

```
1 DELETE FROM airport
2 WHERE state IS NULL
3 AND city IN ('Mlawe', 'Kepuh');
```

Data Output Messages Notifications

DELETE 0

Query returned successfully in 192 msec.

Columns (6)

- baggage_che
- check_result
- created_at tin
- updated_at tin
- booking_id in
- passenger_ic

Constraints (3)

- baggage_che
- fk_bagcheck.
- fk_bagcheck.

Indexes

airline

airport

baggage

baggage_check

Total rows: Query complete 00:00:00.192

✓ Query returned successfully in 192 msec. ✕

CRLF Ln 3, Col 31

pgAdmin 4

File Object Tools Edit View Window Help

ddl.sql* x 200.sql* x

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
1 SELECT * FROM baggage_check;
```

Data Output Messages Notifications

baggage_check_id	check_result	created_at	updated_at	booking_id	passenger_id
[PK] integer	character varying (50)	timestamp without time zone	timestamp without time zone	integer	integer

baggage_check
check_result
created_at timestamp without time zone
updated_at timestamp without time zone
booking_id integer
passenger_id integer

Constraints (3)
baggage_check
fk_bagcheck
fk_bagcheck

Indexes

Total rows: 0 Query complete 00:00:00.154

Successfully run. Total query runtime: 154 msec. 0 rows affected.

CRLF Ln 1, Col 28


```
1 SELECT * FROM airline;
```

Data Output Messages Notifications

Showing rows: 1 to 4

Page No: 1 of 1 |◀ ◀ ▶▶ ▶|

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	KAZ	KazAir	Turkey	2026-09-27 16:01:33.131161	2026-09-27 16:01:33.131161
2	2	AES	AirEasy	France	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
3	3	FLH	FlyHigh	Brazil	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
4	4	FLY	FlyFly	Poland	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667

Total rows: 4 Query complete 00:00:00.188

CRLF Ln 1, Col 23

```
1 UPDATE airline
2 SET airline_country = UPPER(airline_country);
```


UPDATE 4

Query returned successfully in 156 msec.

Total rows: Query complete 00:00:00.156

CRLF	Ln 2, Col 46
------	--------------

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

Columns (6)

baggage_che

check_result

created_at tin

updated_at tin

booking_id in

passenger_ic

Constraints (3)

baggage_che

fk_bagcheck.

fk_bagcheck.

Indexes

ddl.sql* ×

200.sql* ×

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1SELECT * FROM airline;

Data Output

Messages

Notifications

Showing rows: 1 to 4

Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	KAZ	KazAir	TURKEY	2026-09-27 16:01:33.131161	2026-09-27 16:01:33.131161
2	2	AES	AirEasy	FRANCE	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
3	3	FLH	FlyHigh	BRAZIL	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667
4	4	FLY	FlyFly	POLAND	2026-09-27 16:03:23.75667	2026-09-27 16:03:23.75667

Total rows: 4

Query complete 00:00:00.171

Successfully run. Total query runtime: 171 msec. 4 rows affected.

CRLF

Ln 1, Col 23

pgAdmin 4

File Object Tools Edit View Window Help

ddl.sql* x 200.sql* x

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
1 UPDATE airport
2 SET state = 'Capital District'
3 WHERE city IN ('Astana', 'London', 'Tokyo');
```

Data Output Messages Notifications

UPDATE 0

Query returned successfully in 135 msec.

baggage_check

check_result

created_at

updated_at

booking_id

passenger_id

baggage_check

fk_bagcheck

fk_bagcheck

Indexes

Total rows: Query complete 00:00:00.135

✓ Query returned successfully in 135 msec. ✕

CRLF Ln 3, Col 45

pgAdmin 4

FileObjectTools>EditViewWindowHelp

ddl.sql*

200.sql*

postgres/postgres@PostgreSQL 18

No limit

Query

Query History

1

UPDATE baggage_check

2

SET check_result = 'Checked',

3

updated_at = NOW()

4

WHERE check_result = 'Not checked'

5

AND created_at >= '2024-03-01'

6

AND created_at < '2024-04-01';

Data Output

Messages

Notifications

UPDATE 0

Query returned successfully in 129 msec.

Total rows:

Query complete 00:00:00.129

CRLF

In 6, Col 33

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

Columns (6)

baggage_che

check_result

created_at tin

updated_at tin

booking_id in

passenger_ic

Constraints (3)

baggage_che

fk_bagcheck

fk_bagcheck

Indexes

Query returned successfully in 129 msec.