

DocTrackTuao | DEPARTMENTS

Table attributes and direct relationships




RELATED TABLES (incoming foreign keys)

offices.department_id -> departments.id




0..1 to 0..many (parent to child)


users.department_id -> departments.id




0..1 to 0..many (parent to child)



Exactly one (1)



Zero or one (0..1)



Zero or many (0..many)

DocTrackTuao | OFFICES

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)


offices.department_id -> departments.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | ROLES

Table attributes and direct relationships




RELATED TABLES (incoming foreign keys)


users.role_id -> roles.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)




Zero or many (0..many)


DocTrackTuao | USERS

Table attributes and direct relationships



RELATED TABLES (outgoing foreign keys)






PK = primary key | FK = foreign key | UQ = unique | Code-based model; live MySQL not verified | 4 / 28


DocTrackTuao | DOCUMENT_TYPES

Table attributes and direct relationships




RELATED TABLES (incoming foreign keys)


documents.document_type_id -> document_types.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENT_STATUSES

Table attributes and direct relationships




RELATED TABLES (incoming foreign keys)

document_routes.status_id -> document_statuses.id




1 to 0..many (parent to child)


documents.status_id -> document_statuses.id




0..1 to 0..many (parent to child)



Exactly one (1)



Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | PRIORITIES

Table attributes and direct relationships




RELATED TABLES (incoming foreign keys)


documents.priority_id -> priorities.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)

DocTrackTuao | PROCESSING_ACTIONS

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

documents.current_action_id -> processing_actions.id




0..1 to 0..many (parent to child)


document_processing_logs.processing_action_id -> processing_actions.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)

DocTrackTuao | ROUTE_ACTIONS

Table attributes and direct relationships




RELATED TABLES (incoming foreign keys)


document_routes.action_id -> route_actions.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENTS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

documents.document_type_id -> document_types.id




0..1 to 0..many (parent to child)

documents.status_id -> document_statuses.id




0..1 to 0..many (parent to child)

documents.priority_id -> priorities.id




0..1 to 0..many (parent to child)

documents.origin_office_id -> offices.id




0..1 to 0..many (parent to child)

documents.current_office_id -> offices.id




0..1 to 0..many (parent to child)

documents.created_by -> users.id




0..1 to 0..many (parent to child)

documents.current_action_id -> processing_actions.id




0..1 to 0..many (parent to child)

documents.current_action_updated_by -> users.id




0..1 to 0..many (parent to child)

documents.completed_by -> users.id




0..1 to 0..many (parent to child)


documents.archived_by -> users.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENT_ROUTES

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

document_routes.document_id -> documents.id




1 to 0..many (parent to child)

document_routes.from_office_id -> offices.id




1 to 0..many (parent to child)

document_routes.to_office_id -> offices.id




1 to 0..many (parent to child)

document_routes.forwarded_by -> users.id




1 to 0..many (parent to child)

document_routes.received_by -> users.id




0..1 to 0..many (parent to child)

document_routes.status_id -> document_statuses.id




1 to 0..many (parent to child)

document_routes.action_id -> route_actions.id




0..1 to 0..many (parent to child)

document_routes.cancelled_by -> users.id




0..1 to 0..many (parent to child)

document_routes.rejected_by -> users.id




0..1 to 0..many (parent to child)


document_routes.return_route_id -> document_routes.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENT_PROCESSING_LOGS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

document_processing_logs.document_id -> documents.id




1 to 0..many (parent to child)

document_processing_logs.office_id -> offices.id




0..1 to 0..many (parent to child)

document_processing_logs.user_id -> users.id




0..1 to 0..many (parent to child)

document_processing_logs.processing_action_id -> processing_actions.id




0..1 to 0..many (parent to child)


document_processing_logs.document_route_id -> document_routes.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENT_ATTACHMENTS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

document_attachments.document_id -> documents.id




1 to 0..many (parent to child)


document_attachments.uploaded_by -> users.id




1 to 0..many (parent to child)



Exactly one (1)



Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENT_COMMENTS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

document_comments.document_id -> documents.id




1 to 0..many (parent to child)


document_comments.user_id -> users.id




1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENT_QR_CODES

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

document_qr_codes.document_id -> documents.id




0..1 to 0..1 (parent to child)

document_qr_codes.generated_by -> users.id




0..1 to 0..many (parent to child)

document_qr_codes.qr_code_request_id -> qr_code_requests.id




0..1 to 0..many (parent to child)


document_qr_codes.assigned_office_id -> offices.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | QR_CODE_REQUESTS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

qr_code_requests.requested_by_user_id -> users.id




1 to 0..many (parent to child)

qr_code_requests.requested_office_id -> offices.id




0..1 to 0..many (parent to child)


qr_code_requests.reviewed_by_user_id -> users.id




0..1 to 0..many (parent to child)



Exactly one (1)



Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | DOCUMENT_OFFICE_TAGS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

document_office_tags.document_id -> documents.id




1 to 0..many (parent to child)


document_office_tags.office_id -> offices.id




1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | NOTIFICATIONS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

notifications.document_id -> documents.id




0..1 to 0..many (parent to child)


notifications.user_id -> users.id




1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)

DocTrackTuao | AUDIT_LOGS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)


audit_logs.user_id -> users.id




0..1 to 0..many (parent to child)



Exactly one (1)




Zero or one (0..1)



Zero or many (0..many)


DocTrackTuao | PASSWORD_RESET_REQUESTS

Table attributes and direct relationships




RELATED TABLES (outgoing foreign keys)

password_reset_requests.user_id -> users.id




0..1 to 0..many (parent to child)


password_reset_requests.resolved_by_user_id -> users.id




0..1 to 0..many (parent to child)



Exactly one (1)



Zero or one (0..1)



Zero or many (0..many)

DocTrackTuao | PASSWORD_RESET_TOKENS

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.


Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)

DocTrackTuao | SESSIONS

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.


Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)

DocTrackTuao | CACHE

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.


Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)

DocTrackTuao | CACHE_LOCKS

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.


Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)

DocTrackTuao | JOBS

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.


Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)

DocTrackTuao | JOB_BATCHES

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.


Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)

DocTrackTuao | FAILED_JOBS

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.

Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)

DocTrackTuao | PERSONAL_ACCESS_TOKENS

Table attributes and direct relationships



RELATED TABLES (incoming foreign keys)

No declared outgoing foreign key in the migrations.

Exactly one (1)

Zero or one (0..1)

Zero or many (0..many)