Long title

Ivan Toftul, Your Collegues, ...

Australian National University

toftul.ivan@gmail.com

August 29, 2022
EVENT @ PLACE

Introduction

- One
- Two



Second slide in introduction

$$\int \mathrm{d}x f(x)$$

First slide with results

From[1] we have

$$\sin(x) \approx x$$

Example

For $x = 0.1$ we have

$$\sin(0.1) = 0.09983341664682815$$

[1] M. E. Muldoon, A. A. Ungar, *Math. Mag.* **69**, 3–14, ISSN: 0025-570X (Feb. 1996).

Second slide with results

$$\sin(x) \approx x + \frac{x^3}{3!}$$

Conclusions

1. One
2. Two

References

1. M. E. Muldoon, A. A. Ungar, *Math. Mag.* **69**, 3–14, ISSN: 0025-570X (Feb. 1996).

$\hat{\chi}^{(2)}_{\text{2D TMDC}}$ tensor in cylindrical coordinates

$$\chi^{(2)}_{\{\ell nm\}_{\text{cyl}}} = R^{-1}_{\ell i} R^{-1}_{nj} R^{-1}_{mk} \chi^{(2)}_{\{ijk\}_{\text{cart}}}, \qquad R^{-1}(\varphi) = \begin{pmatrix} \cos(\varphi) & \sin(\varphi) & 0 \\ -\sin(\varphi) & \cos(\varphi) & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

$$\begin{aligned}
\chi^{(2)}_{\text{2D TMDC}} &= \tilde{\chi}^{\text{TMDC}}_{\text{2D}} \left[\begin{bmatrix} 0 & -1 & 0 \\ -1 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} \right]_{(\hat{\mathbf{x}}\hat{\mathbf{y}}\hat{\mathbf{z}})} \\
&= \tilde{\chi}^{\text{TMDC}}_{\text{2D}} \left[\begin{bmatrix} -\sin(3\varphi) & -\cos(3\varphi) & 0 \\ -\cos(3\varphi) & \sin(3\varphi) & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} -\cos(3\varphi) & \sin(3\varphi) & 0 \\ \sin(3\varphi) & \cos(3\varphi) & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} \right]_{(\hat{\mathbf{r}},\hat{\boldsymbol{\varphi}},\hat{\mathbf{z}})} \\
&= \tilde{\chi}^{\text{TMDC}}_{\text{2D}} \Big[\frac{1}{2} e^{-3i\varphi} \left(\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}} + i\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}}\hat{\mathbf{r}} + i\hat{\boldsymbol{\varphi}}\hat{\mathbf{r}}\hat{\boldsymbol{\varphi}} - \hat{\boldsymbol{\varphi}}\hat{\mathbf{r}}\hat{\mathbf{r}} + i\hat{\mathbf{r}}\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}} - \hat{\mathbf{r}}\hat{\boldsymbol{\varphi}}\hat{\mathbf{r}} - \hat{\mathbf{r}}\hat{\mathbf{r}}\hat{\boldsymbol{\varphi}} - i\hat{\mathbf{r}}\hat{\mathbf{r}}\hat{\mathbf{r}} \right) \\
&\quad + \frac{1}{2} e^{+3i\varphi} \left(\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}} - i\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}}\hat{\mathbf{r}} - i\hat{\boldsymbol{\varphi}}\hat{\mathbf{r}}\hat{\boldsymbol{\varphi}} - \hat{\boldsymbol{\varphi}}\hat{\mathbf{r}}\hat{\mathbf{r}} - i\hat{\mathbf{r}}\hat{\boldsymbol{\varphi}}\hat{\boldsymbol{\varphi}} - \hat{\mathbf{r}}\hat{\boldsymbol{\varphi}}\hat{\mathbf{r}} - \hat{\mathbf{r}}\hat{\mathbf{r}}\hat{\boldsymbol{\varphi}} + i\hat{\mathbf{r}}\hat{\mathbf{r}}\hat{\mathbf{r}} \right) \Big]
\end{aligned}$$