



WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

STEP-1



STEP-2



WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

STEP-3

The screenshot shows the MySQL Workbench interface with a SQL script being executed. The script includes commands to create a database, use it, drop tables, and create a new table with data.

```
1 CREATE DATABASE IF NOT EXISTS bookflow_db;
2 USE bookflow_db;
3 DROP TABLE IF EXISTS loans;
4 DROP TABLE IF EXISTS donation_history;
5 DROP TABLE IF EXISTS books;
6
7 CREATE TABLE books (
8   book_id INT PRIMARY KEY,
9   title VARCHAR(100) NOT NULL,
10  isbn VARCHAR(20) UNIQUE,
11  published_year INT CHECK (published_year < 2027)
12 );
13 INSERT INTO books (book_id, title, isbn, published_year)
14 VALUES
15   (1, 'Avengers Civil War', '9780743273565', 2016),
16   (2, 'Ant Man', '9780061120084', 2015),
17   (3, 'Loki Season 1', '9780451524935', 2021);
18
```

The output window shows the execution results:

#	Time	Action	Message
17	15:25:40	USE bookflow_db	0 row(s) affected
18	15:25:40	DROP TABLE IF EXISTS loans	0 row(s) affected, 1 warning(s): 1051 Unknown table 'bookflow_db.loans'
19	15:25:40	DROP TABLE IF EXISTS donation_history	0 row(s) affected, 1 warning(s): 1051 Unknown table 'bookflow_db.donation_history'
20	15:25:40	DROP TABLE IF EXISTS books	0 row(s) affected
21	15:25:40	CREATE TABLE books (book_id INT PRIMARY KEY, title VARCHAR(100) NOT NULL, isbn VARCHAR...	0 row(s) affected
22	15:25:40	INSERT INTO books (book_id, title, isbn, published_year) VALUES (1, 'Avengers Civil War', '9780743273565...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0

STEP-4

The screenshot shows the MySQL Workbench interface with a SQL script being executed. The script includes commands to insert data into the books table and then select all records from it.

```
13 INSERT INTO books (book_id, title, isbn, published_year)
14 VALUES
15   (1, 'Avengers Civil War', '9780743273565', 2016),
16   (2, 'Ant Man', '9780061120084', 2015),
17   (3, 'Loki Season 1', '9780451524935', 2021);
18
19 SELECT * FROM books;
```

The output window shows the execution results:

#	Time	Action	Message
25	15:27:11	DROP TABLE IF EXISTS loans	0 row(s) affected, 1 warning(s): 1051 Unknown table 'bookflow_db.loans'
26	15:27:11	DROP TABLE IF EXISTS donation_history	0 row(s) affected, 1 warning(s): 1051 Unknown table 'bookflow_db.donation_history'
27	15:27:11	DROP TABLE IF EXISTS books	0 row(s) affected
28	15:27:11	CREATE TABLE books (book_id INT PRIMARY KEY, title VARCHAR(100) NOT NULL, isbn VARCHAR...	0 row(s) affected
29	15:27:11	INSERT INTO books (book_id, title, isbn, published_year) VALUES (1, 'Avengers Civil War', '978074327356...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
30	15:27:11	SELECT * FROM books	3 row(s) returned

The result grid shows the data returned by the SELECT statement:

book_id	title	isbn	published_year
1	Avengers Civil War	9780743273565	2016
2	Ant Man	9780061120084	2015
3	Loki Season 1	9780451524935	2021

WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

STEP-5

MySQL12

```
20 • INSERT INTO members (member_id, full_name, email)
21 VALUES
22 (120, 'Vaishali Lucky', 'vaishali.lucky@email.com'),
23 (121, 'Sri Kruthi', 'sri.kruthi@email.com'),
24 (122, 'Anushka Sharma', 'anushka.sharma@email.com');
25
26
```

Automatic context help is disabled. Use the toolbar to manually toggle automatic help.

book_id	title	isbn	published_year
1	Avengers Civil War	9780743273565	2016
2	Ant Man	9780061120094	2015
3	Iron Season 1	9780451524935	2021

books 2 x

Output

#	Time	Action	Message
34	15:46:41	DROP TABLE IF EXISTS donation_history	0 row(s) affected. 1 warning(s): 1051 Unknown table 'bookflow_db.donation_history'
35	15:46:41	DROP TABLE IF EXISTS books	0 row(s) affected
36	15:46:41	CREATE TABLE books (book_id INT PRIMARY KEY, title VARCHAR(100) NOT NULL, isbn VARCHAR(100) NOT NULL, published_year INT)	0 row(s) affected
37	15:46:41	INSERT INTO books (book_id, title, isbn, published_year) VALUES (1, 'Avengers Civil War', '9780743273565', 2016)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
38	15:46:42	SELECT * FROM books	3 row(s) returned
39	15:46:42	INSERT INTO members (member_id, full_name, email) VALUES (120, 'Vaishali Lucky', 'vaishali.lucky@email.com'), (121, 'Sri Kruthi', 'sri.kruthi@email.com'), (122, 'Anushka Sharma', 'anushka.sharma@email.com')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0

STEP-6

MySQL12

```
28 • INSERT INTO members (member_id, full_name, email)
29 VALUES
30 (120, 'Vaishali Lucky', 'vaishali.lucky@email.com'),
31 (121, 'Sri Kruthi', 'sri.kruthi@email.com'),
32 (122, 'Anushka Sharma', 'anushka.sharma@email.com');
33
34 • SELECT * FROM members;
```

Automatic context help is disabled. Use the toolbar to manually toggle automatic help.

member_id	full_name	email
120	Vaishali Lucky	vaishali.lucky@email.com
121	Sri Kruthi	sri.kruthi@email.com
122	Anushka Sharma	anushka.sharma@email.com

books 10 members 11 x

Output

#	Time	Action	Message
83	15:56:27	SELECT * FROM members	3 row(s) returned
84	15:56:27	DROP TABLE IF EXISTS loans	0 row(s) affected. 1 warning(s): 1051 Unknown table 'bookflow_db.loans'
85	15:56:27	DROP TABLE IF EXISTS members	0 row(s) affected
86	15:56:27	CREATE TABLE members (member_id INT PRIMARY KEY, full_name VARCHAR(100), email VARCHAR(100))	0 row(s) affected
87	15:56:27	INSERT INTO members (member_id, full_name, email) VALUES (120, 'Vaishali Lucky', 'vaishali.lucky@email.com'), (121, 'Sri Kruthi', 'sri.kruthi@email.com'), (122, 'Anushka Sharma', 'anushka.sharma@email.com')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
88	15:56:27	SELECT * FROM members	3 row(s) returned

WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

STEP-7

The screenshot shows the MySQL Workbench interface with the following SQL queries in the editor:

```
23 member_id INT PRIMARY KEY,  
24 full_name VARCHAR(100),  
25 email VARCHAR(100) UNIQUE  
26 );  
27  
28 * INSERT INTO members (member_id, full_name, email)  
29 VALUES  
30 (120, 'Vaishali Lucky', 'vaishali.lucky@email.com'),  
31 (121, 'Sri Kruthi', 'sri.kruthi@email.com'),  
32 (122, 'Anushka Sharma', 'anushka.sharma@email.com');  
33  
34 * SELECT * FROM members;  
35 * CREATE TABLE loans (  
36 loan_id INT PRIMARY KEY,  
37 member_id INT,  
38 book_id INT,  
39 loan_date DATE,  
40 FOREIGN KEY (member_id) REFERENCES members(member_id),  
41 FOREIGN KEY (book_id) REFERENCES books(book_id)  
42 );
```

The Output window shows the following results:

#	Time	Action	Message
84	15:56:27	DROP TABLE IF EXISTS loans	0 row(s) affected, 1 warning(s): 1051 Unknown table 'bookflow_db.loans'
85	15:56:27	DROP TABLE IF EXISTS members	0 row(s) affected
86	15:56:27	CREATE TABLE members (member_id INT PRIMARY KEY, full_name VARCHAR(100), email VARCHAR(100) UNIQUE)	0 row(s) affected
87	15:56:27	INSERT INTO members (member_id, full_name, email) VALUES (120, 'Vaishali Lucky', 'vaishali.lucky@email.com'), (121, 'Sri Kruthi', 'sri.kruthi@email.com'), (122, 'Anushka Sharma', 'anushka.sharma@email.com')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
88	15:56:27	SELECT * FROM members	3 row(s) returned
89	15:57:18	CREATE TABLE loans (loan_id INT PRIMARY KEY, member_id INT, book_id INT, loan_date DATE)	0 row(s) affected

STEP-8

The screenshot shows the MySQL Workbench interface with the following SQL queries in the editor:

```
36 loan_id INT PRIMARY KEY,  
37 member_id INT,  
38 book_id INT,  
39 loan_date DATE,  
40 FOREIGN KEY (member_id) REFERENCES members(member_id),  
41 FOREIGN KEY (book_id) REFERENCES books(book_id)  
42 );  
43 * INSERT INTO loans (loan_id, member_id, book_id, loan_date)  
44 VALUES  
45 (1, 120, 1, '2026-01-05'),  
46 (2, 121, 2, '2026-01-08'),  
47 (3, 122, 3, '2026-01-10'),  
48 (4, 120, 2, '2026-02-01'),  
49 (5, 121, 1, '2026-02-05'),  
50 (6, 122, 2, '2026-02-12'),  
51 (7, 120, 3, '2026-03-01'),  
52 (8, 121, 3, '2026-03-07'),  
53 (9, 122, 1, '2026-03-15'),  
54 (10, 120, 1, '2026-04-01');  
55
```

The Output window shows the following results:

#	Time	Action	Message
85	15:56:27	DROP TABLE IF EXISTS members	0 row(s) affected
86	15:56:27	CREATE TABLE members (member_id INT PRIMARY KEY, full_name VARCHAR(100), email VARCHAR(100) UNIQUE)	0 row(s) affected
87	15:56:27	INSERT INTO members (member_id, full_name, email) VALUES (120, 'Vaishali Lucky', 'vaishali.lucky@email.com'), (121, 'Sri Kruthi', 'sri.kruthi@email.com'), (122, 'Anushka Sharma', 'anushka.sharma@email.com')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
88	15:56:27	SELECT * FROM members	3 row(s) returned
89	15:57:18	CREATE TABLE loans (loan_id INT PRIMARY KEY, member_id INT, book_id INT, loan_date DATE)	0 row(s) affected
90	16:08:55	INSERT INTO loans (loan_id, member_id, book_id, loan_date) VALUES (1, 120, 1, '2026-01-05'), (2, 121, 2, '2026-01-08'), (3, 122, 3, '2026-01-10'), (4, 120, 2, '2026-02-01'), (5, 121, 1, '2026-02-05'), (6, 122, 2, '2026-02-12'), (7, 120, 3, '2026-03-01'), (8, 121, 3, '2026-03-07'), (9, 122, 1, '2026-03-15'), (10, 120, 1, '2026-04-01')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0

WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

STEP-9

The screenshot shows the MySQL Workbench interface for 'K Vaishali Local instance/W-2'. The SQL editor contains the following queries:

```
49 (5, 121, 1, '2026-02-05'),
50 (6, 122, 2, '2026-02-12'),
51 (7, 120, 3, '2026-03-01'),
52 (8, 121, 3, '2026-03-07'),
53 (9, 122, 1, '2026-03-15'),
54 (10, 120, 1, '2026-04-01');
55 SELECT * FROM loans;
```

The 'Result Grid' shows the output of the SELECT query, displaying columns: loan_id, member_id, book_id, loan_date. The data includes 10 rows of loan records.

The 'Output' pane shows the execution log for the following queries:

- 101 16:09:30 CREATE TABLE members (member_id INT PRIMARY KEY, full_name VARCHAR(100), email VARCHAR(100)); 0 row(s) affected
- 102 16:09:30 INSERT INTO members (member_id,full_name,email) VALUES (120,'Vaishali Lucky','vaishali.lucky@email...'); 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
- 103 16:09:30 SELECT * FROM members; 3 row(s) returned
- 104 16:09:30 CREATE TABLE loans (loan_id INT PRIMARY KEY, member_id INT, book_id INT, loan_date DATETIME); 0 row(s) affected
- 105 16:09:30 INSERT INTO loans (loan_id,member_id,book_id,loan_date) VALUES (1,120,1,'2026-01-05'), (2,121,2,'2026-01-08'), (3,122,3,'2026-01-10'), (4,120,2,'2026-02-01'), (5,121,1,'2026-02-05'), (6,122,2,'2026-02-12'), (7,120,3,'2026-03-01'), (8,121,3,'2026-03-07'), (9,122,1,'2026-03-15'), (10,120,1,'2026-04-01'); 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
- 106 16:09:30 SELECT * FROM loans; 10 row(s) returned

STEP-10

The screenshot shows the MySQL Workbench interface for 'K Vaishali Local instance/W-2'. The SQL editor contains the following queries:

```
53 (9, 122, 1, '2026-03-15'),
54 (10, 120, 1, '2026-04-01');
55 SELECT * FROM loans;
56 SELECT m.full_name AS Member_Name, b.title AS Book_Title
57 FROM loans l
58 INNER JOIN members m ON l.member_id = m.member_id
59 INNER JOIN books b ON l.book_id = b.book_id;
```

The 'Result Grid' shows the output of the JOIN query, displaying columns: Member_Name, Book_Title. The data includes 10 rows of loan records with member names and book titles.

The 'Output' pane shows the execution log for the following queries:

- 118 16:14:01 INSERT INTO members (member_id,full_name,email) VALUES (120,'Vaishali Lucky','vaishali.lucky@email...'); 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
- 119 16:14:01 SELECT * FROM members; 3 row(s) returned
- 120 16:14:01 CREATE TABLE loans (loan_id INT PRIMARY KEY, member_id INT, book_id INT, loan_date DATETIME); 0 row(s) affected
- 121 16:14:02 INSERT INTO loans (loan_id,member_id,book_id,loan_date) VALUES (1,120,1,'2026-01-05'), (2,121,2,'2026-01-08'), (3,122,3,'2026-01-10'), (4,120,2,'2026-02-01'), (5,121,1,'2026-02-05'), (6,122,2,'2026-02-12'), (7,120,3,'2026-03-01'), (8,121,3,'2026-03-07'), (9,122,1,'2026-03-15'), (10,120,1,'2026-04-01'); 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
- 122 16:14:02 SELECT * FROM loans; 10 row(s) returned
- 123 16:14:02 SELECT m.full_name AS Member_Name, b.title AS Book_Title FROM loans l INNER JOIN members m ON l.me...; 10 row(s) returned

WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

The screenshot shows the MySQL Workbench interface for a local instance. The SQL editor contains a query that joins the 'loans' and 'books' tables to calculate the total number of books for each year. The query is as follows:

```
57 FROM loans l
58 INNER JOIN members m ON l.member_id = m.member_id
59 INNER JOIN books b ON l.book_id = b.book_id;
60 SELECT published_year, COUNT(book_id) AS Total_Books
61 FROM books
62 GROUP BY published_year
63 ORDER BY published_year;
```

The 'Result Grid' tab is active, displaying the following data:

published_year	Total_Books
2015	1
2016	1
2021	1

The 'Output' tab shows the execution log with the following messages:

- 136 16:20:54 SELECT * FROM members 3 row(s) returned
- 137 16:20:54 CREATE TABLE loans (loan_id INT PRIMARY KEY, member_id INT, book_id INT, loan_date DAT... 0 row(s) affected
- 138 16:20:54 INSERT INTO loans (loan_id,member_id,book_id,loan_date) VALUES (1,120,1,'2026-01-05'), (2,121,... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
- 139 16:20:54 SELECT * FROM loans 10 row(s) returned
- 140 16:20:54 SELECT m.full_name AS Member_Name, b.title AS Book_Title FROM loans l INNER JOIN members m ON l.me... 10 row(s) returned
- 141 16:20:54 SELECT published_year, COUNT(book_id) AS Total_Books FROM books GROUP BY published_year ORDE... 3 row(s) returned

The screenshot shows the MySQL Workbench interface for a local instance. The SQL editor contains a query that creates a table named 'donation_history' and inserts data into it. The query is as follows:

```
64 CREATE TABLE donation_history (
65 donation_id INT PRIMARY KEY,
66 book_id INT,
67 donor_name VARCHAR(100),
68 donation_date DATE,
69 FOREIGN KEY (book_id) REFERENCES books(book_id)
70 );
```

The 'Result Grid' tab is active, displaying the following data:

published_year	Total_Books
2015	1
2016	1
2021	1

The 'Output' tab shows the execution log with the following messages:

- 155 16:26:00 CREATE TABLE loans (loan_id INT PRIMARY KEY, member_id INT, book_id INT, loan_date DAT... 0 row(s) affected
- 156 16:26:00 INSERT INTO loans (loan_id,member_id,book_id,loan_date) VALUES (1,120,1,'2026-01-05'), (2,121,... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
- 157 16:26:00 SELECT * FROM loans 10 row(s) returned
- 158 16:26:00 SELECT m.full_name AS Member_Name, b.title AS Book_Title FROM loans l INNER JOIN members m ON l.me... 10 row(s) returned
- 159 16:26:00 SELECT published_year, COUNT(book_id) AS Total_Books FROM books GROUP BY published_year ORDE... 3 row(s) returned
- 160 16:26:00 CREATE TABLE donation_history (donation_id INT PRIMARY KEY, book_id INT, donor_name VARC... 0 row(s) affected

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

The screenshot displays the SQL Server Enterprise Manager interface. On the left, the 'Server Enterprise1' tree shows the 'Databases' folder expanded, with 'books' and 'donation_history' databases visible. The 'Tools' menu is open, showing the 'Script' option. The main window shows a SQL script in the 'Script' tab, which includes a foreign key definition and an insert statement. The 'Results' tab shows the execution results of the script, including a table of published books and a list of messages from the SQL engine.

SQL Script:

```

68      donation_date DATE,
69      FOREIGN KEY (book_id) REFERENCES books(book_id)
70  );
71  • START TRANSACTION;
72  • INSERT INTO books (book_id, title, isbn, published_year)
73    VALUES (4, 'Captain America', '9780451526342', 2012);
74

```

Execution Results:

Result Grid:

published_year	Total_Books
2015	1
2016	1
2021	1

Messages:

#	Time	Action	Message
✓ 196	16:33:34	SELECT * FROM loans	10 row(s) returned
✓ 197	16:33:34	SELECT m full_name AS Member_Name, b title AS Book_Title FROM loans l INNER JOIN members m ON l.me...	10 row(s) returned
✓ 198	16:33:34	SELECT published_year, COUNT(book_id) AS Total_Books FROM books GROUP BY published_year ORDE...	3 row(s) returned
✓ 199	16:33:34	CREATE TABLE donation_history (donation_id INT PRIMARY KEY, book_id INT, donor_name VARC...	0 row(s) affected
✓ 200	16:33:34	START TRANSACTION	0 row(s) affected
✓ 201	16:33:34	INSERT INTO books (book_id, title, isbn, published_year) VALUES (4, 'Captain America', '9780451526342', 20...	1 row(s) affected

WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

The screenshot displays the MySQL Workbench interface for a local instance. The SQL editor shows a script with the following commands:

```
71 • START TRANSACTION;
72 • INSERT INTO books (book_id, title, isbn, published_year)
73 VALUES (4, 'Captain America', '9780451526342', 2012);
74 • INSERT INTO donation_history (donation_id, book_id, donor_name, do
75 VALUES (1, 4, 'Tarsa Chaitra', CURDATE());
76
77 • COMMIT;
```

The 'Result Grid' shows the following data:

published_year	Total_Books
2015	1
2016	1
2021	1

The 'Output' tab shows the execution results of the SQL script:

#	Time	Action	Message
219	16:40:05	SELECT published_year, COUNT(book_id) AS Total_Books FROM books GROUP BY published_year ORDER BY published_year	3 row(s) returned
220	16:40:05	CREATE TABLE donation_history (donation_id INT PRIMARY KEY, book_id INT, donor_name VARCHAR(255), donation_date DATE)	0 row(s) affected
221	16:40:05	START TRANSACTION	0 row(s) affected
222	16:40:05	INSERT INTO books (book_id, title, isbn, published_year) VALUES (4, 'Captain America', '9780451526342', 2012)	1 row(s) affected
223	16:40:05	INSERT INTO donation_history (donation_id, book_id, donor_name, donation_date) VALUES (1, 4, 'Tarsa Chaitra', CURDATE())	1 row(s) affected
224	16:40:05	COMMIT	0 row(s) affected

The second screenshot shows the continuation of the script:

```
73 VALUES (4, 'Captain America', '9780451526342', 2012);
74 • INSERT INTO donation_history (donation_id, book_id, donor_name, do
75 VALUES (1, 4, 'Tarsa Chaitra', CURDATE());
76
77 • COMMIT;
78 • CREATE INDEX idx_books_isbn
79 ON Books(isbn);
```

The 'Result Grid' shows the same data as the first screenshot.

The 'Output' tab shows the execution results of the second part of the script:

#	Time	Action	Message
243	16:42:25	CREATE TABLE donation_history (donation_id INT PRIMARY KEY, book_id INT, donor_name VARCHAR(255), donation_date DATE)	0 row(s) affected
244	16:42:25	START TRANSACTION	0 row(s) affected
245	16:42:25	INSERT INTO books (book_id, title, isbn, published_year) VALUES (4, 'Captain America', '9780451526342', 2012)	1 row(s) affected
246	16:42:25	INSERT INTO donation_history (donation_id, book_id, donor_name, donation_date) VALUES (1, 4, 'Tarsa Chaitra', CURDATE())	1 row(s) affected
247	16:42:25	COMMIT	0 row(s) affected
248	16:42:25	CREATE INDEX idx_books_isbn ON Books(isbn)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0

WEEK-2

NAME:K.VAISHALI
ROLLNO:2520030117
SECTION: 7
SUBJECT:DBS&DBE

K.Vaishali Local instance\W-2 x

File Edit View Query Database Server Tools Scripting Help

MySQL12 Administration - Data Import/Restore

SQL Additions: Don't Limit

Automatic context help is disabled. Use the caret position or to

75 VALUES (1, 4, 'Tarsa Chaitra', CURDATE());
76
77 COMMIT;
78 CREATE INDEX idx_books_isbn
79 ON Books(isbn);
80 SELECT * FROM Books
81 WHERE isbn = '9780451524935';

Result Grid

book_id	title	isbn	published_year
3	Loki Season 1	9780451524935	2021
NULL	NULL	NULL	NULL

books 55 members 56 loans 57 Result 58 Result 59 Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message
✓ 293	16:46:22	START TRANSACTION	0 row(s) affected
✓ 294	16:46:22	INSERT INTO books (book_id, title, isbn, published_year) VALUES (4, 'Captain America', '9780451526342', 20...	1 row(s) affected
✓ 295	16:46:22	INSERT INTO donation_history (donation_id, book_id, donor_name, donation_date) VALUES (1, 4, 'Tarsa Cha...	1 row(s) affected
✓ 296	16:46:22	COMMIT	0 row(s) affected
✓ 297	16:46:22	CREATE INDEX idx_books_isbn ON Books(isbn)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓ 298	16:46:22	SELECT * FROM Books WHERE isbn = '9780451524935'	1 row(s) returned

Info Session