



BANK DATABASE – SQL VIEWS

Name-K.Vaishali
RollNo-2520030117
Section-7
subject-DBS&DBE

1. CREATE DATABASE



2. CREATE CUSTOMER TABLE



3. CREATE ACCOUNT TABLE

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Schemas' view for the 'Bank' database. The central pane shows the SQL script for creating the 'Account' table. The script defines 'Account_No' as the primary key, with foreign key relationships to 'Customer' and 'Bank_Transaction'. The right pane shows the 'Output' window with the execution results.

```
CREATE TABLE Customer (  
    Customer_ID INT PRIMARY KEY,  
    Customer_Name VARCHAR(100) NOT NULL,  
    Phone VARCHAR(15),  
    Email VARCHAR(100),  
    City VARCHAR(50)  
);  
  
CREATE TABLE Account (  
    Account_No INT PRIMARY KEY,  
    Customer_ID INT,  
    Account_Type VARCHAR(20),  
    Balance DECIMAL(12,2),  
    Branch VARCHAR(50),  
  
    FOREIGN KEY (Customer_ID)  
    REFERENCES Customer(Customer_ID)  
);
```

#	Time	Action	Message
1	21:57:35	CREATE DATABASE BankDB	1 row(s) affected
2	21:57:35	USE BankDB	0 row(s) affected
3	21:58:20	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exists
4	21:58:23	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL...	0 row(s) affected
5	21:59:25	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR...	0 row(s) affected

4. CREATE BANK TRANSACTION TABLE

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Schemas' view for the 'Bank' database. The central pane shows the SQL script for creating the 'Bank_Transaction' table. The script defines 'Transaction_ID' as the primary key, with foreign key relationships to 'Account' and 'Customer'. The right pane shows the 'Output' window with the execution results.

```
CREATE TABLE Bank_Transaction (  
    Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,  
    Account_No INT,  
    Transaction_Type VARCHAR(20),  
    Amount DECIMAL(12,2),  
    Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,  
  
    FOREIGN KEY (Account_No)  
    REFERENCES Account(Account_No)  
);
```

#	Time	Action	Message
1	21:57:35	CREATE DATABASE BankDB	1 row(s) affected
2	21:57:35	USE BankDB	0 row(s) affected
3	21:58:20	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exists
4	21:58:23	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL...	0 row(s) affected
5	21:59:25	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR...	0 row(s) affected
6	22:00:30	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_N...	0 row(s) affected

5. CREATE LOAN TABLE

The screenshot shows the SQL Enterprise Manager interface with the 'SQL VIEWS' tab selected. The 'Administration - Data Import/Restore' window is open, displaying the SQL script for creating the 'Loan' table. The script includes a foreign key constraint referencing the 'Customer' table. The 'Output' pane at the bottom shows the execution results of the script.

```
11 Account_No INT PRIMARY KEY,  
12 Customer_ID INT,  
13 Account_Type VARCHAR(20),  
14 Balance DECIMAL(12,2),  
15 Branch VARCHAR(50),  
16  
17 FOREIGN KEY (Customer_ID)  
18 REFERENCES Customer(Customer_ID)  
19 );  
20 CREATE TABLE Loan (  
21 Loan_ID INT PRIMARY KEY,  
22 Customer_ID INT,  
23 Loan_Type VARCHAR(30),  
24 Loan_Amount DECIMAL(12,2),  
25 Interest_Rate DECIMAL(5,2),  
26  
27 FOREIGN KEY (Customer_ID)  
28 REFERENCES Customer(Customer_ID)  
29 );  
30  
31
```

Automatic context help is disabled. Use the tool caret position or to toggle

#	Time	Action	Message
2	21:57:35	USE BankDB	0 row(s) affected
3	21:58:20	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exists
4	21:58:23	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NU...	0 row(s) affected
5	21:59:25	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARC...	0 row(s) affected
6	22:00:30	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_...	0 row(s) affected
7	22:01:26	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), ...	0 row(s) affected

6. INSERT CUSTOMER DATA

The screenshot shows the SQL Enterprise Manager interface with the 'SQL VIEWS' tab selected. The 'Administration - Data Import/Restore' window is open, displaying the SQL script for inserting customer data into the 'Customer' table. The script uses the 'INSERT INTO' statement with a list of values. The 'Output' pane at the bottom shows the execution results of the script.

```
27 FOREIGN KEY (Customer_ID)  
28 REFERENCES Customer(Customer_ID)  
29 );  
30  
31 INSERT INTO Customer  
32 (Customer_ID, Customer_Name, Phone, Email, City)  
33 VALUES  
34 (101, 'VaishaliLucky', '9876543210',  
35 'VaishaliLucky@gmail.com', 'Hyderabad'),  
36 (102, 'Priya Sharma', '9876543211',  
37 'priya@gmail.com', 'Vijayawada'),  
38 (103, 'Arjun Reddy', '9876543212',  
39 'arjun@gmail.com', 'Bangalore'),  
40 (104, 'Sneha Rao', '9876543213',  
41 'sneha@gmail.com', 'Chennai'),  
42 (105, 'Kiran Kumar', '9876543214',  
43 'kiran@gmail.com', 'Hyderabad'),  
44 (106, 'Anil Kumar', '9876543215',  
45 'anil@gmail.com', 'Delhi'),  
46 (107, 'Meena Reddy', '9876543216',  
47 'meena@gmail.com', 'Bhubai')
```

Automatic context help is disabled. Use the tool caret position or to toggle

#	Time	Action	Message
3	21:58:20	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exists
4	21:58:23	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NU...	0 row(s) affected
5	21:59:25	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARC...	0 row(s) affected
6	22:00:30	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_...	0 row(s) affected
7	22:01:26	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), ...	0 row(s) affected
8	22:03:50	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101, 'VaishaliLucky', '987...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0

7. INSERT ACCOUNT DATA

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Server Enterprise' tree with 'Schemas' selected. The central pane shows the 'Administration - Data Import/Restore' task, with the 'SQL VIEWS' tab active. The SQL script in the central pane includes the following statements:

```
49 'rahu@gmail.com', 'Pune'),
50 (109, 'Lakshmi Devi', '9876543218',
51 'lakshmi@gmail.com', 'Hyderabad'),
52 (110, 'Suresh Babu', '9876543219',
53 'suresh@gmail.com', 'Vijayawada');
54
55 INSERT INTO Account
56 (Account_No, Customer_ID, Account_Type, Balance, Branch)
57 VALUES
58 (10001, 101, 'Savings', 50000, 'Hyderabad'),
59
60 (10002, 102, 'Savings', 75000, 'Vijayawada'),
61
62 (10003, 103, 'Current', 120000, 'Bangalore'),
63
64 (10004, 104, 'Savings', 45000, 'Chennai'),
65
66 (10005, 105, 'Current', 90000, 'Hyderabad'),
67
68 (10006, 106, 'Savings', 65000, 'Delhi'),
69
```

The right pane displays the message: "Automatic context help is disabled. Use the toolbar caret position or to toggle".

The bottom pane shows the 'Output' window with the following table:

#	Time	Action	Message
5	21:59:25	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(30), Balance DECIMAL(10,2), Branch VARCHAR(30))	0 row(s) affected
6	22:00:30	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, Transaction_Type VARCHAR(10), Amount DECIMAL(10,2))	0 row(s) affected
7	22:01:26	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), Amount DECIMAL(10,2))	0 row(s) affected
8	22:03:50	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101, 'Vaishallucky', '9876543210', 'vaishallucky@gmail.com', 'Pune')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
9	22:05:50	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exists
10	22:05:52	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001, 101, 'Savings', 50000, 'Hyderabad')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0

8. INSERT TRANSACTION DATA

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Server Enterprise' tree with 'Schemas' selected. The central pane shows the 'Administration - Data Import/Restore' task, with the 'SQL VIEWS' tab active. The SQL script in the central pane includes the following statements:

```
83 (10001, 'WITHDRAW', 5000),
84
85 (10002, 'DEPOSIT', 15000),
86
87 (10003, 'WITHDRAW', 20000),
88
89 (10004, 'DEPOSIT', 5000),
90
91 (10005, 'WITHDRAW', 10000),
92
93 (10006, 'DEPOSIT', 12000),
94
95 (10007, 'DEPOSIT', 25000),
96
97 (10008, 'WITHDRAW', 5000),
98
99 (10009, 'DEPOSIT', 20000),
100
101 (10010, 'WITHDRAW', 15000);
102
103
```

The right pane displays the message: "Automatic context help is disabled. Use the toolbar caret position or to toggle a".

The bottom pane shows the 'Output' window with the following table:

#	Time	Action	Message
7	22:01:26	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), Amount DECIMAL(10,2))	0 row(s) affected
8	22:03:50	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101, 'Vaishallucky', '9876543210', 'vaishallucky@gmail.com', 'Pune')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
9	22:05:50	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exists
10	22:05:52	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001, 101, 'Savings', 50000, 'Hyderabad')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
11	22:08:05	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001, 'DEPOSIT', 10000)	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0

9. INSERT LOAN DATA

Automatic context help is disabled. Use the toolbar caret position or to toggle

```
98
99 (10009, 'DEPOSIT', 20000),
100
101 (10010, 'WITHDRAW', 15000);
102 • INSERT INTO Loan
103 (Loan_ID, Customer_ID, Loan_Type,
104 Loan_Amount, Interest_Rate)
105 VALUES
106 (501, 101, 'Home Loan', 5000000, 7.5),
107 (502, 102, 'Education Loan', 1000000, 6.5),
108 (503, 103, 'Car Loan', 800000, 8.2),
109 (504, 104, 'Personal Loan', 500000, 10.5),
110 (505, 105, 'Home Loan', 4000000, 7.2),
111 (506, 106, 'Car Loan', 900000, 8.5),
112 (507, 107, 'Business Loan', 3000000, 9.0),
113 (508, 109, 'Personal Loan', 600000, 10.0)
114
115
116
117
```

#	Time	Action	Message
8	22:03:50	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101, 'Vaishallucky', '98765...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
9	22:05:50	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exist
10	22:05:52	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001, 101, 'Savi...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
11	22:08:05	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001, 'DEPOSIT', 10000)...	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0
12	22:09:28	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate) VALUES (501, 101, 'Hom...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0

10. DISPLAY ORIGINAL TABLES

Automatic context help is disabled. Use the toolbar caret position or to toggle

```
110 (505, 105, 'Home Loan', 4000000, 7.2),
111 (506, 106, 'Car Loan', 900000, 8.5),
112 (507, 107, 'Business Loan', 3000000, 9.0),
113 (508, 109, 'Personal Loan', 600000, 10.0)
114 • SELECT * FROM Customer;
115 • SELECT * FROM Account;
116 • SELECT * FROM Bank_Transaction;
117 • SELECT * FROM Loan;
118
```

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
501	101	Home Loan	5000000.00	7.50
502	102	Education Loan	1000000.00	6.50
503	103	Car Loan	800000.00	8.20
504	104	Personal Loan	500000.00	10.50
505	105	Home Loan	4000000.00	7.20
506	106	Car Loan	900000.00	8.50
507	107	Business Loan	3000000.00	9.00
508	109	Personal Loan	600000.00	10.00

Loan 1 x Apply Revert

#	Time	Action	Message
8	22:03:50	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101, 'Vaishallucky', '98...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
9	22:05:50	CREATE DATABASE BankDB	Error Code: 1007. Can't create database 'bankdb'; database exist
10	22:05:52	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001, 101, '...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
11	22:08:05	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001, 'DEPOSIT', 10...	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0
12	22:09:28	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate) VALUES (501, 101, '...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0
13	22:11:55	SELECT * FROM Loan	8 row(s) returned

