




HEALTH PRACTICE TEST SET

- Which is best for oral disease such as gingivitis and dental problems and is also used in cleansing wounds due to its antiseptic properties?
 - Lagundi
 - Sambong
 - C. Guava Leaves**
 - Akapulko

NOTE:

- Lagundi - treatment of cough, colds, and fever.
Sambong - treating hypertension, kidney stones, rheumatism.
akapulko - for the treatment of insect bites and fungal skin infections

- Which is a superficial wound caused by rubbing or scraping resulting to partial loss of skin surface?
 - Puncture *wound from pointed obj.*
 - B. Abrasion**
 - Laceration *Skin Wound / no skin is missing*
 - Incision *Surgical wound*
- Which is considered "a silent killer" because it usually doesn't have any symptoms for many years - until the vital organ is damaged?
 - Kidney failure
 - B. Hypertension**
 - Cancer
 - Diabetes
- Which disease tops the mortality list among Filipinos?
 - Pneumonia
 - Tuberculosis
 - Dengue
 - D. Heart disease**
- HIV may be transmitted from one individual to another in all of the following ways EXCEPT:
 - Perinatally from an infected mother to her fetus
 - Through contact made during oral sex
 - Through breastmilk from an infected mother and fed to an infant
 - D. Genetically from parent to child**



- Which is true of Tuberculosis?
 - It is hereditary
 - Using TB patients utensils will make you sick
 - 1 month of treatment is needed to cure disease
 - D. After 2 weeks of medication the patient is no longer infectious**

Rationalization:

Even before a TB diagnosis, people can unwittingly transmit tuberculosis to others. People with symptomatic TB are contagious until they have taken their TB medications for at least two weeks. After that point, treatment must continue for months, but the infection is no longer contagious

- Which is not true of chicken pox?
 - Touching of the fluids of chicken pox blisters can get you disease



- B. Inhalation of airborne droplets from a patient with chicken pox can get you disease
C. When the blisters start crusting the patient is no longer contagious
D. Even after the resolution of the disease the virus remains in active in a certain nerve of our body.

Rationalization:

- ✓ After about 24 to 48 hours, the fluid in the blisters gets cloudy and the blisters begin to crust over. Chickenpox blisters show up in waves.
✓ So after some begin to crust over, a new group of spots might appear. It usually takes 10–14 days for all the blisters to be scabbed over and then you are no longer contagious.

8. Cancer spreads through the process called?
A. Metastasis C. Reproduction
B. Regeneration D. Metamorphosis
9. Fetal alcohol syndrome is associated with which of the following:
A. Leukemia **C. Developmental disabilities**
B. Hepatitis D. Phenylketonuria
10. An orbital hematoma is more commonly referred as:
A. Loss of an eye
B. Eyelid laceration
C. Black eye
D. Pink eye
11. Which is TRUE of tinea flava?
A. Tincture of iodine C. Loss of taste
B. Kind of intestinal parasite **D. A fungal skin infection**
12. What is the best treatment option you can advise for a child who is having diarrhea?
A. Antibiotics
B. Anti-diarrheal medication
C. Gatorade
D. Oral rehydration
13. In teaching people in the community, health workers use demonstration to help explain meaningful concepts to students because they involve other senses. The following areas are appropriate for their use, except?
A. Teaching of family planning
B. Teaching of first aid
C. Teaching of nutrition
D. Teaching of drugs
14. Which of the following BEST explains the condition: "Acne is a skin problem especially common among teenagers"?
A. Hormones stimulate oil glands to produce extra oil.
B. Many body changes occur during adolescence.
C. Adjustments to new situations is difficult.
D. Teenagers are very energetic.
15. It occurs when the blood flow that carries oxygen to the brain is blocked.
A. Heart attack **C. Stroke**
B. Cardiac arrest D. Convulsion

Rationalization: abrupt interruption of constant blood flow to the brain that causes loss of neurological function.

F.A.S.T.

Face
Drooping

Arm
Weakness


Speech
Difficulty

Time to
Call 911



16. According to the chain of infection model, the bats infected with Covid, Rhesus macaque monkeys with Zika virus, and Anopheles mosquitoes with malaria are all classified under?
- Pathogens
 - Reservoirs**
 - Modes of transmission
 - Susceptible host

Rationalization:




17. What is the body's first defense when pathogens successfully invaded and multiplied?
- Swelling
 - Fatigue
 - Fever**
 - Bruise
18. Which stage of infection is referred as "the recovery" of a disease on a person's body?
- Prodromal stage
 - Acute stage
 - Declining stage
 - Convalescent stage**

Rationalization:

<i>Incubation</i>	- time between the exposure to a pathogen and the appearance of symptoms.
<i>Prodromal</i>	- time when the signs and symptoms of a disease start to appear.
<i>Acute</i>	- disease is at its peak and that the signs and symptoms can be clinically used or tested to diagnose the disease.
<i>Decline</i>	- period when symptoms start to subside and the severity of the disease declines.
<i>Convalescent</i>	- stage in which the symptoms of the disease begin to fade and the patient recovers his/her health.

19. The common cause of fainting among public school students is:
- Missing breakfast
 - Hunger**
 - Poor school environment
 - Extreme weather condition
20. A victim has lost a lot of blood from a lacerating injury. He is blood type A but there is no type A blood immediately available. Which type can you transfuse?
- AB
 - B
 - O**
 - A



RELATIONSHIPS BETWEEN BLOOD TYPES AND ANTIBODIES

Blood Type	Antigens on Red Blood Cell	Can Donate Blood To	Antibodies in Serum	Can Receive Blood From
A	A	A, AB	Anti-B	A, O
B	B	B, AB	Anti-A	B, O
AB	A and B	AB	None	AB, O
O	None	A, B, AB, O	Anti-A and Anti-B	O

21. Drug is considered a friend because?
- It treats anxiety and tensions
 - Of its overall medical importance
 - It is used as anesthetics for surgical procedures
 - It treats different diseases
22. Which among the following is used to cure severe pain?
- Antibiotic
 - Opium
 - Stimulants
 - Morphine

Rationalization:

Morphine - This medication is used to treat severe pain. Morphine belongs to a class of drugs known as **opioid (narcotic) analgesics**. It works in the brain to change how your body feels and responds to pain.

23. Which substance when abused leads to hearing loss, peripheral neuropathies brain damage?
- Marijuana
 - Heroin
 - Ecstasy
 - Rubber-based contact cement

Rationalization

Effects of Rugby:

- ✓ Permanent hearing loss
- ✓ Changes in personality
- ✓ Heart failure
- ✓ Brain damage
- ✓ Death of brain cells

❖ **Marijuana** - dried leaves, flowers, stems, and seeds from the **Cannabis sativa**.

Effects include:

- ✓ Find it harder to remember, multitask, and pay attention.
- ✓ Cough more, get more lung infections, and get lung scarring.
- ✓ Be more likely to get depressed, be anxious, or have thoughts of suicide.

❖ **Heroin** - opioid drug made from morphine. Heroin can be a white or brown powder, or a black sticky substance known as **black tar**.

Short-term effects of heroin include:

- ✓ Euphoria
- ✓ A dry mouth
- ✓ Warm, flushed skin
- ✓ A fuzzy brain
- ✓ Switching in and out of drowsiness

❖ **Ecstasy** - known as a **party drug**, ecstasy comes in pill or powder form

When you take ecstasy, the drug increases the way your brain chemicals work.

- ✓ **Serotonin**. The drug boosts your serotonin levels and causes you to have an elevated mood and feel really happy or high.
- ✓ **Dopamine**. Ecstasy affects your levels of dopamine, which causes a person to become very energized and active.
- ✓ **Norepinephrine**. Ecstasy also increases your heart rate and raises blood pressure from your norepinephrine being activated.



24. It is a drug primarily employed in surgery on the membranes lining the nose and throat.
- Shabu
 - Cocaine**
 - Barbiturate
 - Amphetamine

Rationalization:

- ❖ **Cocaine** - derived from the coca plant grown in the Andean mountains of South America, is legitimately used in the USA as a local anesthetic in ear, nose, and throat surgery.
- ❖ **Barbiturates** - a group of drugs in the class of drugs known as sedative-hypnotics, which generally describes their sleep-inducing and anxiety-decreasing effects. Barbiturates can be extremely dangerous because the correct dose is difficult to predict. *Downer*
- ❖ **Amphetamine** - central nervous system (CNS) stimulant that is used in the treatment of attention deficit hyperactivity disorder (ADHD), narcolepsy, and obesity. *UPPERS*
- ❖ **Shabu** - powerfully addictive meth stimulant, easily accessible and affordable, is the drug of choice of over 90% of Filipino drug users. *Poor man's drug/cocaine*

25. Children who continually pull on their ears or seem to have NO balance and equilibrium should be referred to an _____.
- Otologist**
 - Ophthalmologist
 - Dermatologist
 - Orthodontist
26. A medical specialist who concentrates in preventing disease, prolonging life, and promoting health of person past middle life is called:
- Geriatrician**
 - Pediatrician
 - Obstetrician
 - Dietician
27. A couple wants a long term but not permanent family planning method. What would you recommend:
- Intrauterine device**
 - Vasectomy
 - Bilateral tubal ligation
 - Injectable contraceptives
28. What kind of chairs can help the body posture of students who spend much time sitting in class?
- Seats lower than the hips
 - Slanted chair trays fitted the back of students
 - Height that allows both feet to touch the ground**
 - Slightly bent backwards for comfort
29. It slows down the brain function and other parts of the nervous system.
- Chocolate
 - Alcohol**
 - Coffee
 - Tea

Rationalization:

- has a profound effect on the complex structures of the brain.
- It blocks chemical signals between brain cells (called neurons), leading to the common immediate symptoms of intoxication, including impulsive behavior, slurred speech, poor memory, and slowed reflexes

30. Which of the following cooking methods for meat should be avoided in order to limit unsaturated fat intake and sustain a healthy body?
- Grilling
 - Roasting
 - Boiling
 - Frying**
31. First aid is the immediate assistance given to a victim, while waiting for a professional care of a doctor. Purposely, it is to:
- Give lesson on anxiety



- B. Save the victims' life
- C. Treats the victims' injury
- D. Assure the victim of his safety

32. Guidelines in giving emergency care; one is getting started such as planning of action, gathering the needed etc. letter A in AID stands for _____.

- A. Airway inspection
- B. Ask for help
- C. Active medical assistance
- D. Anticipate for the worst

Ask for help

Intervene

Do not further harm

33. If you are caught in an open area during lightning, lying down on a dry land is the best way to avoid accident. Which of these is not the reason of such decision?

- A. Water is a conductor of electricity ✓
- B. The tallest building is often hit by lightning
- C. Those inside the building are often struck by lightning
- D. Tall and isolated trees are commonly hit by lightning ✓

Rationalization:

Stay low when outdoors – lightning hits the tallest object.

- ❖ Get off elevated areas such as hills, mountain ridges, or peaks. If caught in an open field, seek a low spot and crouch with your feet together and head low.
- ❖ Moreover, pure water doesn't conduct electricity. But, rain water (since lightning begins as static charges in a rain cloud), has dissolved salts and acids that dissociate easily into ions. Rain water is therefore able to conduct electricity.

34. If you happened to see a vehicular accident, what will be the chronological order in things to do in case of emergency?

- I. Rescue the victim
- II. Check the victims breathing
- III. Control severe bleeding
- IV. Get help
- A. I, IV, II, II
- B. II, I, III, IV
- C. I, II, III, IV
- D. IV, I, II, III

35. Which position is BEST for a person who is in shock?

- A. Sitting position
- B. Prone lying
- C. Supine lying
- D. Side lying

36. In what order should the following procedures be followed in administering "Kiss of Life" or mouth to mouth resuscitation by the first aider for the victim to be in normal condition?

- I. Wipe out any foreign matter in the mouth
- II. Remove your mouth from the victim and turn your head away
- III. Tilt the back and pull the jaw into putting position
- IV. Open your mouth wide and place it tightly over the victim's mouth, pinch his/her nostril shut then blow
- A. III, II, IV and I
- B. IV, III, I, and II
- C. I, III, IV, and II
- D. I, II, IV, and III

37. How does first aider check breathing of victims?

- A. Check the pulse at the neck
- B. Check the eyes
- C. Ask the patients
- D. Listen at his breathing

Rationalization:

In First Aid, we follow the ABC Principle (Airways, Breathing, and Circulation). Check that the **airway** is open, the victim is **breathing** and that there are signs of **circulation**. With victim's airway open, the first thing to is to look, listen, and feel for breathing for 5-10 seconds by placing your cheek near victim's mouth and watching for chest to rise and fall. Hence, to check breathing, listen to his breathing



38. In compressing the chest of the adult victim, you will use:

- A. 1 heel of hand
- B. The middle and ring finger *- baby*
- C. 2 heels of hand, one over the other**
- D. None of the above

Rationalization:

When performing CHEST COMPRESSIONS proper hand placement is very important. To locate the correct hand position place 2 fingers at the sternum then put the heel of your other hand next to your fingers. Thus using 2 heels of a hand, one over the other.

39. To assist someone when a foreign object is trapped inside the eye these are First Aid priorities but NOT ____.

- A. Invert person if foreign object is under the upper lid of the eye
- B. Gently rinse the eye with clean water over the eye
- C. Advice person to look down or upward
- D. Have a person sneeze to remove the foreign object**

Rationalization:

- ❖ In helping a person remove a foreign object inside his/her eye, it is not advisable to make the person sneeze to remove the foreign object. As we sneeze, our eyes become more watery as fluid is produced by the conjunctiva.
- ❖ Since our eyes are now lubricated by the fluid, there is a possibility for the foreign object to stick on the edge of our eyelids and/or it becomes more difficult to remove as it easily enters the upper and lower eyelid.

40. A victim of car accident has pain in his neck. Upon checking, you found out the neck is swollen and tender. What should you do?

- A. Ask the patient to remain quiet and calm**
- B. Splint the neck
- C. Ask the patient to bend his head from side to side
- D. Ignore it and tell the patient it is nothing

Rationalization:

Call 911 or emergency medical help. Keep the person still. Place heavy towels or rolled sheets on both sides of the neck or hold the head and neck to prevent movement. Avoid moving the head or neck.

41. Your brother accidentally cut himself in the foot with rusty blade. What is the first thing to do?

- A. Apply ice to prevent swelling
- B. Request for tetanus vaccine in the nearest clinic
- C. Wash the wound thoroughly with soap and water**
- D. Apply pressure to stop the bleeding

Rationalization:

First Aid for Cuts

- 1. Clean it with soap and water.
- 2. Use antibacterial ointment.
- 3. Go to the emergency room if the bleeding is severe or doesn't stop after five to 20 minutes of direct pressure.

42. What can a first aider do to help a victim in severe external bleeding?

- A. Cover the victim a blanket
- B. Give the victim some water
- C. Apply direct pressure over the wound with your fingers or palm**
- D. Provide some medication

Rationalization:

For severe bleeding,

- 1. **Stop the bleeding.** Place a sterile bandage or clean cloth on the wound. Press the bandage firmly with your palm to control bleeding. Apply constant pressure until the bleeding stops.
- 2. Maintain pressure by binding the wound with a thick bandage or a piece of clean cloth. Don't put direct pressure on an eye injury or embedded object.



43. Burn is classified according to the extent of damage to the skin. What classification is a very serious burn in which the deeper layer of the skin and nerve are damaged?
- First-degree burn
 - Second-degree burn
 - Third-degree burn**
 - Simple burn

Rationalization:

The three layers of the skin are the epidermis, the dermis, and the subcutaneous layer. The type of burn which reaches the deeper layer of the skin is option a third-degree burn. Third-degree burns destroy the epidermis and dermis. They may go into the innermost layer of skin, the subcutaneous tissue. The burn site may look white or blackened and charred.

44. On preparation management, which can be bought in advance for emergency for fire in school or home?
- Sprinklers
 - Water tubes
 - Water buckets
 - Fire extinguisher**

45. What is the chronological order on using the fire extinguisher in an emergency?

- Aim the nozzle of the fire extinguisher low at the base of the fire.
- Sweep the extinguisher from side to side.
- Pull the pin.
- Squeeze the trigger you just pulled the pin out.

- I-III-IV-II
- III-II-I-IV
- I-III-IV-II
- III-I-IV-II**

46. You are caring for a victim with minor burns. Blisters that form should never break as they

- Aggravate the pain and swelling
- Damage nerves and fat tissues
- Interfere with the injured area
- Introduce infection into the wound**

Rationalization:

For minor burns, don't break blisters. Fluid-filled blisters protect against infection. If a blister breaks, infection is introduced into the wound. Thus, clean the area with water (mild soap is optional). Apply an antibiotic ointment. But if a rash appears, stop using the ointment.

47. First degree burns could be treated first by _____

- Ordinary water sprinkle**
- Pouring oil on the affected area
- Application of burn ointment
- Pouring cold water on the burn

Rationalization:

For First-Degree Burns (Affecting Top Layer of Skin)

- Cool Burn - Hold burned skin under cool (not cold) running water or immerse in cool water until the pain subsides.

Use compresses if running water isn't available.

- Protect Burn - Cover with sterile, non-adhesive bandage or clean cloth.

Do not apply butter, oil, lotions, or creams (especially if they contain fragrance). Apply a petroleum-based ointment two to three times per day.

- Treat Pain - Give over-the-counter pain reliever.

48. The following are TRUE regarding fire safety and burn prevention EXCEPT _____

- Prevent smoking of cigarettes at home
- Microwave heated beverages should be mixed first before serving
- When your clothes catch fire run to the nearest water source**
- Do not pour water over a burning pan with cooking oil

Rationalization:

The "stop, drop, roll – cool and call" procedure should be used to extinguish flames and lessen burn injuries if your clothes catch fire. ROLL over and over and back and forth, covering your face and mouth with your hands (this will prevent flames from burning your face and smoke from entering your lungs).



49. Which of the following is a wrong notion and action committed by many in treating burns?
- keep the person warm
 - put ice or iced water on affected area
 - apply lotion
 - take a pain reliever
50. Carefully carrying the victim is important to avoid further injury. Which is not one man assist or carry?
- Hands as a litter
 - Carry in arms
 - Piggy back carry
 - Fireman's drag

Rationalization:

One-Person lift – works with a child or a very light person.


- Place your arms under the victim's knees and around their back.

Firefighter Carry – carrying a victim longer distances.

- The victim is carried over one shoulder.
- The rescuer's arm =, on the side that the victim is being carried, is wrapped across the victim's legs and grasps the victim's opposite arm.

Piggyback Carry

- Support patient's weight with your arms under patient's thighs.
- If able, have patient clasp hands and lean forward; if not able, grasp patient's hands with yours to keep patient from falling back.



51. Where should an EpiPen (epinephrine auto-injector) be injected during a severe allergic reaction?
- Into the outer thigh, even through clothing if needed.
 - Into a vein.
 - Into the abdomen (stomach).
 - Into the chest over the heart.
52. Which statement about "juice detox" is correct?
- Juice detox is needed to cleanse the body.
 - Juice detox is necessary for healthy kidneys.
 - The liver and kidneys naturally remove waste from the body without juice detox.
 - Juice detox instantly removes all toxins from the body.
53. What is the primary function of the cardiovascular system?
- To protect the body's internal organs
 - To produce hormones that regulate body functions
 - To transport oxygen, nutrients, and blood throughout the body
 - To control body movements and balance
54. A high school guidance counselor is organizing a wellness seminar for Grade 10 students. Which topic would best meet the health needs of adolescents?
- Toddler nutrition
 - Training for older adults
 - Retirement planning
 - Stress management and emotional regulation
55. Before running a marathon, an athlete increases carbohydrate intake for several days to maximize energy stores. What does the body primarily do with the excess glucose consumed?
- Breaks it down immediately through glycolysis for instant energy.
 - Converts it into fat through lipogenesis. *break down excess to fat*
 - Stores it as glycogen in the liver and muscles through glycogenesis.
 - Produces new glucose from amino acids through gluconeogenesis.
56. Which statement best defines Exercise Physiology?
- It studies the structure and organization of the human body. *anatomy*
 - It examines how the body's systems respond and adapt to exercise and physical activity.
 - It analyzes the mechanics of movement and sports techniques. *bio mechanics*
 - It studies human movement, encompassing exercise physiology, biomechanics, motor learning and other disciplines. *kinesiology*



57. A student examines a "low-fat" snack and notices that it contains large amounts of added sugar. What is the most likely effect on the body after eating this snack?
- A. Blood glucose changes very little, so the pancreas releases little or no insulin.
 - B. Blood glucose rises quickly, causing the pancreas to release insulin to help move glucose into cells and store excess glucose.
 - C. Insulin release is prevented, causing blood glucose to decrease.
 - D. Fat storage increases without affecting blood glucose or insulin levels.
58. You are choosing between two sunscreens for a day at the beach: one is labeled SPF 50, and the other is labeled Broad-Spectrum SPF 30. Which sunscreen provides better overall skin protection?
- A. SPF 50, because the higher SPF protects against all types of UV rays.
 - B. SPF 50, because it blocks all harmful ultraviolet (UV) radiation. *skin ageing*
 - C. Broad-Spectrum SPF 30, because it protects against both UVA and UVB rays. *sun burn*
 - D. Broad-Spectrum SPF 30, because SPF 30 blocks more UVB rays than SPF 50.
59. During a Physical Education class, a learner accidentally touches a hot object and sustains a superficial partial-thickness burn with blisters. Which first-aid action is recommended?
- I. Cool the burned area with clean, running water for 10–20 minutes.
 - II. Cover the burn with a sterile, non-stick dressing.
 - III. Pop the blisters to drain the fluid and relieve pain.
 - IV. Keep the burned area clean and protect it from further injury.
- A. I and II
 - B. II and IV
 - C. I, II, and III
 - D. I, II, and IV
60. What is the primary purpose of vaccination in preventing the spread of infectious diseases?
- A. To develop herd immunity and reduce the spread of the virus.
 - B. To provide an immediate cure for infected individuals.
 - C. To increase the severity of the infection.
 - D. To eliminate all viruses instantly from the body.