| A                                 | Antimouse antibodies, 36       |
|-----------------------------------|--------------------------------|
| AAO, 18, 20–21                    | Antiphosphoserine antibodies   |
| Abacus                            | selection, 77                  |
| address, 189                      | Anti-phosphotyrosine Ab, 76    |
| Absorbance                        | Antirabbit antibodies, 36      |
| HTS workstation                   | Antisheep antibodies, 36       |
| manufacturer and model, 211       | AP Biotech, 55                 |
| Acceptance Test Script (ATS), 143 | APC, 66                        |
| scope, 144                        | Application Server, 138        |
| Actinomycetes, 154                | Arqule, 129                    |
| Activators, 164                   | ArrayScan, 6                   |
| Acuity Imaging Inc.               | Articulating robots            |
| address, 189                      | degrees of freedom, 169        |
| Administrator Terminal, 138       | ASCII flat files, 185          |
| AEA Technology plc                | ASRS, 175                      |
| address, 191                      | Assay. See also Dissociation-  |
| Affinity, 32                      | enhanced lanthanide            |
| Agroclavin, 165                   | fluoroimmunoassay (DELFIA);    |
| structure, 166                    | Enzymatic assays;              |
| Air curtain                       | Fluorescence polarization      |
| validation, 232                   | assays; Fluorescence resonance |
| Airflow velocity                  | energy transfer assays;        |
| electronic checking, 232          | Radioligand binding assays;    |
| Allophycocyanin (APC), 66         | Scintillation proximity assay  |
| Allosteric inhibitors, 10         | (SPA)                          |
| ALSB. See Automated Liquid        | assembly                       |
| Sample Bank (ALSB)                | unit automation unique         |
| Amersham Pharmacia Biotech, 6,    | operations, 198–201            |
| 51, 112                           | biochemical methods, 5         |
| Amine, 89                         | new constitutions, 88          |
| Antibase Database, 157            | biochemical parameters, 9-16   |
| Antiguinea pig antibodies, 36     | calcium mobilization, 113-114  |

| cell-based, 16, 17, 113              | protocols, 185, 197             |
|--------------------------------------|---------------------------------|
| ligand-binding, 112                  | quality                         |
| proximity, 112                       | statistical evaluation, 19–23   |
| cellular, 107–115                    | radioactive                     |
| chilled enzyme                       | end-point detection, 240        |
| results, 224                         | radiofiltration                 |
| comparisons                          | optimization, 20–21             |
| kinase inhibitors, 79–81             | radioligand receptor binding,   |
| competitive fluorescence             | 31–48                           |
| polarization                         | radiometric, 6, 87              |
| PKC, 78–79                           | receptor-binding, 54-55         |
| -                                    | reporter, 110                   |
| complexity, 203                      | results                         |
| development                          | chilled enzyme, 224             |
| fully automated screening            | Ser/Thr kinase, 90              |
| systems, 217–223                     | Strat6/P578 interaction         |
| unit automation advantages, 209      | ECL materials, 94               |
| development and validation, 7–28     | transcriptional regulation      |
| enzyme-linked immunosorbent, 5       | reporter, 110                   |
| filter-binding                       | tyrosine kinase, 102–103        |
| IC50 values, 74                      | validation, 23–25               |
| filtration, 51                       | whole-cell scintillation        |
| filtration-based radioligand         | proximity, 60                   |
| binding, 51                          | window                          |
| filtration format, 39                | reproducibility, 45             |
| fluorescence                         | Assay method cell-based, 6      |
| screening compound                   | choosing, 4–7                   |
| collections, 5                       | matching target type, 7         |
| fluorescence technologies, 6         | ATS, 143, 144                   |
| formats, 8                           | Augur electrons, 51             |
| high throughput screening            | Augur electrons, 51 Aurora, 129 |
| design and implementation,           | Aurora Biosciences Corp.        |
| 1–27                                 | address, 189                    |
| luminescent                          | Automated assay optimization    |
| end-point detection, 240             | (AAO), 18                       |
| optimization, 16–19                  | Automated Liquid Sample Bank    |
| process flowchart, 198               | (ALSB), 129, 130, 131, 135      |
| proliferation, 112                   | liquid handling cell            |
| protein-peptide interaction, 90      | hardware configuration, 136     |
| protein-protein interaction, 90, 101 | software hierarchy, 138         |
| 1 r                                  |                                 |

| Automated sample supply           | Binding capacity, 32                  |
|-----------------------------------|---------------------------------------|
| compound library management,      | Bioactive Natural Products            |
| 129–130                           | Database, 157                         |
| Automated storage and retrieval   | Biochemical assays                    |
| (ASRS), 175                       | methods, 5                            |
| Automated systems as customer     | new constitutions, 88                 |
| compound library management       | Biochemical parameters                |
| user interfaces, 148              | assay, 9–16                           |
| Automatic identification, 182–185 | Biochemical-reaction equilibrium, 199 |
| Automating, 54–55                 | BioDot Inc.                           |
| Automation Partnership Ltd.       | address, 189                          |
| address, 191                      | Biological personnel, 234             |
| В                                 | Biomeda, 75                           |
|                                   | Biomek 1000, 170                      |
| Balancing, 240                    | Biomek 2000, 21                       |
| Barcode                           | BioRobotics Inc.                      |
| formats, 183                      | address, 189                          |
| labels                            | Biorobotics Ltd.                      |
| externally printed, 185           | address, 191                          |
| label stock, 184                  | BM Equipment                          |
| printers, 184                     | address, 193                          |
| readers, 137, 184                 | Bohdan Automation                     |
| scanner, 139                      | address, 189                          |
| structure, 183                    | Building and Environmental            |
| symbologies, 184                  | Management System                     |
| Beads, 52, 55                     | (BEMS), 139                           |
| Beckman Coulter, Inc., 18, 21     | C                                     |
| address, 191                      |                                       |
| Beckman Instruments, 170          | Calcium mobilization assays,          |
| Beckman-Sagian linear tracks, 148 | 113–114                               |
| Becton Dickenson, 231             | Calcium-mobilization screens, 112     |
| BEMS, 139                         | Calibration                           |
| Berdy, 157                        | CBA, 245                              |
| Beta particles, 51                | Caliper Technologies Corp., 114       |
| Binding assays, 14–16             | address, 189                          |
| filtration-based radioligand, 51  | CAMP, 112                             |
| ligand concentration, 15          | CAMP screens, 112                     |
| preincubation and equilibrium, 16 | Candida albicans, 218                 |
| receptor concentration, 15        | Carbolite Paternoster oven, 133       |

| Cartesian robots                      | implementation challenges,             |
|---------------------------------------|--|
| degrees of freedom, 169               | 113–114                                |
| Cartesian Technologies Inc.           | miniaturization, 114                   |
| address, 190                          | rationale, 108                         |
| CBA                                   | Cellular calcium mobilization          |
| calibration, 245                      | HTS, 111                               |
| documents, 236, 245                   | Charged coupled device (CCD)           |
| maintenance, 245                      | cameras, 184, 201-202                  |
| CCD cameras, 184, 201–202             | Checkerboard symbologies, 184          |
| CCS-Packard                           | Chemical composition                   |
| address, 190                          | chemical repository, 231               |
| CCS/Packard Multiprobe, 119           | Chemically tractable targets           |
| CCS/Packard Plate Track, 120          | and HTS, 2–4                           |
| Cdk4, 90, 103                         | Chemical repository, 230–231           |
| ECL, 102–103                          | Chemistry personnel, 234               |
| materials, 94–95                      | Chemokines receptors                   |
| phosphorylation, 73                   | and HTS, 3                             |
| Cdk4 inhibitors, 66                   | Chilled enzyme                         |
| Cdk4 kinase, 65–66                    | assay results, 224                     |
| Cell-based assays, 16, 17             | CIM, 177                               |
| methods, 6                            | CIS bio International, 83              |
| protein expression, 113               | Clean rooms                            |
| Cell-based ligand-binding assays, 112 | address, 232                           |
| Cell-based proximity assays, 112      | Clonetics, 109                         |
| Cell-based screening                  | Code 39, 183                           |
| chips, 114                            | Code 49, 184                           |
| Cell-based screens                    | Cold store                             |
|                                       | compound library management, 133       |
| transporter targets, 112              | Communication, 132                     |
| Cell growth, 199                      | system controller                      |
| variations, 113                       | workstation, 180                       |
| Cell harvester, 33                    | Competition (displacement) binding     |
| Cellular adharma a prife etc. 112     | studies, 32                            |
| Cellular adherence artifacts, 113     | Competition receptor-binding sites, 32 |
| Cellular assays, 107–115              | Competitive fluorescence               |
| cellular platforms, 109–110           | polarization assay                     |
| common cell-based HTS formats,        | PKC, 78–79                             |
| 110–113                               | Competitive inhibitors, 9              |
| future, 114–115                       | Complex targets, 108                   |

| Compound                                | controlling software, 137–139  |
|---|--------------------------------|
| degradation, 123                        | defrost, 133–135               |
| identification, 108                     | design manufacture, 131–132    |
| ordering software                       | idea, 131                      |
| compound library                        | idea to design, 132            |
| management, 139                         | secure store, 130              |
| processing                              | system requirements, 130-131   |
| compound library                        | tendering process, 131–132     |
| management, 119-120                     | development and building,      |
| requesting                              | 132–139                        |
| compound library                        | liquid-handling cells, 135–137 |
| management, 121-122                     | informatic tools, 121          |
| storage, 124, 130                       | labware, 139–141               |
| tracking                                | design, 139                    |
| compound library                        | racks, 140–141                 |
| management, 122–123                     | tubes, 140                     |
| Compound intolerances, 114              | tube septa, 141                |
| Compound library                        | milestones, 143–145            |
| sample numbers, 54–55                   | acceptance testing, 143        |
| Compound library management,            | customer factory acceptance    |
| 117–125, 129–152                        | test, 143–144                  |
| automated sample supply, 129–130        | internal factor acceptance     |
| automated system                        | test, 143                      |
| overview, 134, 146                      | Pfizer integration, 145        |
| capacity, 148–150                       | site acceptance test, 145      |
| input and output metrics,               | quality control, 123–125       |
| 148–149                                 | collection, 123                |
| supporting systems, 149–150             | instruments, 124–125           |
| changing processes, 150–152             | screening hits, 123–124        |
| LC-MS purity/identity checking, 151–152 | sample preparation, 141–143    |
| liquid/solid IC <sub>50</sub> , 151     | legacy set transfer, 141–142   |
| publicity, $150-151$                    | new samples methods, 142–143   |
| cold store, 133                         | transport system, 137          |
| collections and stores, 118–121         | user interfaces, 145–148       |
| compound ordering software, 139         | automated systems as           |
| compound processing, 119–120            | customer, 148                  |
| compound requesting, 121–122            | ECADA, 147                     |
| compound tracking, 122–123              | IMSO, 146–147                  |
| 75pouna nacing, 122 125                 | 11100, 170 177                 |

| Confocal fluctuation spectroscopy, 5-6 Contamination chemical repository, 231 Continuous electronic monitoring chemical repository, 230 Continuous quality control, 234 Controlling software compound library management,  Data management screening automation, 185 Daughter plate, 133 Defrost compound library management, 133–135 DELFIA, 88, 93, 95                                  | Computer Integrated Manufacturing | D                                |
|---|-----------------------------------|----------------------------------|
| Confocal fluctuation spectroscopy, 5-6  Contamination chemical repository, 231  Continuous electronic monitoring chemical repository, 230  Continuous quality control, 234  Controlling software compound library management,  Screening automation, 185  Data transport screening automation, 185  Daughter plate, 133  Defrost compound library management, 133–135  DELFIA, 88, 93, 95 | (CIM), 177                        | Data management                  |
| Contamination chemical repository, 231 Continuous electronic monitoring chemical repository, 230 Continuous quality control, 234 Controlling software compound library management,  Data transport screening automation, 185 Daughter plate, 133 Defrost compound library management, 133–135 DELFIA, 88, 93, 95  |                                   |                                  |
| contamination chemical repository, 231  Continuous electronic monitoring chemical repository, 230  Continuous quality control, 234  Controlling software compound library management,  Defrost compound library management,  133–135  DELFIA, 88, 93, 95  |                                   | _                                |
| Continuous electronic monitoring chemical repository, 230 Continuous quality control, 234 Controlling software compound library management, 133–135 Deletrost compound library management, 133–135 DELFIA, 88, 93, 95   |                                   | *                                |
| chemical repository, 230 Continuous quality control, 234 Controlling software compound library management,  Defrost compound library management,  133–135 DELFIA, 88, 93, 95  |                                   | _                                |
| Continuous quality control, 234 Controlling software compound library management,  DELFIA, 88, 93, 95   |                                   | -                                |
| Controlling software 133–135 compound library management, DELFIA, 88, 93, 95  |                                   |                                  |
| compound library management, DELFIA, 88, 93, 95   |                                   |                                  |
|   | <del>-</del>                      |                                  |
|   |                                   |                                  |
| 137–139 DEREP Database, 157   |                                   | •                                |
| Control plates, 19 Detection cell   | •                                 |                                  |
| Copper his-tag antibodies, 36 ECL, 90   |                                   | ECL, 90                          |
| Corning Costar, 231 Dimethyl sulfoxide (DMSO), 16   |                                   | Dimethyl sulfoxide (DMSO), 16    |
| Coupling molecules, 36 Discovery, 83  |                                   | Discovery, 83                    |
| Cross-functional teams, 234 Discovery Technologies Ltd.   | •                                 | Discovery Technologies Ltd.      |
| CRS Robotics Corp., 174 address, 191  |                                   | address, 191                     |
| address, 190 Crude extracts Discovery Universal Server  | •                                 | Discovery Universal Server       |
| Clude extracts (DISCUE) 120 121 145   |                                   | •                                |
| natural products, 130–137   | _                                 |                                  |
| Current Best Approach (CBA)   |                                   |                                  |
|   |                                   |                                  |
| Customer factory acceptance test optical density, 238 compound library management Dispenser   | · -                               |                                  |
| milestones, 143–144 HTS workstation   |                                   | •                                |
|   | •                                 |                                  |
| indicate the model, 211   |                                   |                                  |
|   |                                   |                                  |
| address 100   | •                                 |                                  |
| CyRio Inc   |                                   |                                  |
| addragg 100   | -                                 | -                                |
| CyBio AG  Dissociation constant, 32   |                                   | Dissociation constant, 32        |
| address, 192 Dissociation-enhanced lanthanide   | •                                 | Dissociation-enhanced lanthanide |
| Cycle time, 209 fluoroimmunoassay (DELFIA)  | •                                 | fluoroimmunoassay (DELFIA),      |
| Cyclin-dependent kinase 4. See Cdk4  88, 93, 95   | •                                 | 88, 93, 95                       |
| Cylindrical geometry robotic arm,  Diverters, 137   | •                                 | Diverters, 137                   |
| 169–170 DMSO, 16  |                                   | DMSO, 16                         |
| Cylindrical robots Drawers  |                                   |                                  |
| degrees of freedom, 169 vertical rotary configuration, 175  |                                   |                                  |
| Cytostar T plates, 112 Dynamic schedules, 180   |                                   | • •                              |

| E                                | Enzymatic assays, 9–14                 |
|----------------------------------|--|
| ECADA, 145–147                   | enzyme concentration, 12-13            |
| ECL. See                         | incubation time, 13                    |
| Electrochemiluminescence         | reagent addition, 13                   |
| (ECL)                            | substrate concentration, 9–12          |
| Electrochemiluminescence (ECL),  | substrate depletion, 13                |
| 87–104                           | Enzyme-linked immunosorbent            |
| Cdk4, 102–103                    | assays (ELISA), 5–6, 88                |
| data analysis, 92                | Equilibrium                            |
| detection cell, 90               | binding assays, 16                     |
| instrumentation, 92–93           | binding studies, 32                    |
| materials, 93–95                 | biochemical-reaction, 199              |
| Cdk4, 94–95                      | microdialysis apparatus                |
| DELFIA Stat5/P578                | schematic, 159                         |
| interaction assay, 93            | Error charting                         |
| Myc/Max, 94                      | historical, 238                        |
| ruthenium, 93–94                 | Evotec, 129                            |
| Stat6/P578 interaction assay, 94 | Evotec uHTS devices, 148               |
| methods, 95–103                  | Excel format, 185                      |
| DELFIA Stat5/P578                | Experimental Creation and Data         |
| interaction assay, 95            | Analysis (ECADA), 145–146              |
| ruthenium, 96                    | compound library management            |
| Stat6/P578 interaction assay,    | user interfaces, 147                   |
| 96–101                           | Experimental designs, 17               |
| Myc/Max, 101–103                 | Experimental progress curve, 13        |
| optimization, 90–91              | Externally printed barcode labels, 185 |
| Electronic checking              | Extracts                               |
| airflow velocity, 232            | natural products, 118, 156-161         |
| Electronic device communication  | F                                      |
| modes, 181                       |  |
| Electroporation, 109             | False-negatives, 87–88                 |
| ELISA, 5–6, 88                   | False-positives, 88                    |
| EMAX Solution Partners, 185      | FCS, 5–6, 56                           |
| address, 190                     | FIDA, 5–7                              |
| Employee satisfaction index, 244 | Filter-binding assays                  |
| End-point detection, 240         | IC50 values, 74                        |
| Engineering personnel, 234       | Filter plates, 200                     |
| Environmental factors            | manufacturers, 211                     |
| chemical repository, 230–231     | Filtration assays 51                   |

| Filtration-based radioligand         | Fluorescence spectroscopy, 5–6       |
|--------------------------------------|--------------------------------------|
| binding assays, 51                   | Fluorescent-assay systems, 112       |
| Filtration format assay, 39          | Fluorescent techniques               |
| Fixed storage racks, 175             | sensitivity, 87                      |
| FlashPlates, 6                       | FP, 5–7                              |
| Flexlink conveyer system, 133, 137   | Freezers, 118                        |
| Flexlink System, 133                 | FRET, 5–6                            |
| FLINT, 5–6                           | tyrosine kinases, 71, 74–75          |
| FLIPR, 6, 7, 111                     | Full-factorial designs, 17           |
| optics, 111                          | Fully automated screening systems,   |
| Fluorescence, 239                    | 213–227                              |
| HTS workstation                      | assay development, 217-223           |
| manufacturer and model,              | cell-based, 218–221                  |
| 211, 212                             | noncell-based, 221-223               |
| Fluorescence assays                  | example, 214                         |
| screening compound collections, 5    | hardware selection, 213–217          |
| technologies, 6                      | future needs, 214–215                |
| Fluorescence correlation             | before ordering, 215–217             |
| spectroscopy (FCS), 5-6, 56          | before system arrives, 217           |
| Fluorescence imaging plate reader, 6 | improve implementation, 215          |
| Fluorescence intensity distribution  | troubleshooting, 225–227             |
| analysis (FIDA), 5–7                 | possible problems, 226–227           |
| Fluorescence intensity (FLINT), 5–6  | random and systematic                |
| Fluorescence polarization assays, 56 | errors, 226                          |
| serine/threonine kinases, 57,        | validation, 223–225                  |
| 71–72, 75–76                         | system, 224–225                      |
| equipment, 70                        | before system arrives, 224           |
| reagents and supplies, 69            | Functional Design Specification, 132 |
| tracer binding, 71–72                | Fungi, 154                           |
| Fluorescence polarization (FP), 5–7  | G                                    |
| Fluorescence related problems, 32    |                                      |
| Fluorescence resonance energy        | Genaisa Scientifics Inc.             |
| transfer assays                      | address, 193                         |
| tyrosine kinases, 65–69              | Genetix Ltd.                         |
| equipment, 68                        | address, 192                         |
| reagents and supplies, 68            | Gene to screen paradigms, 107        |
| Fluorescence resonance energy        | GeSiM mbH, Rossendorder              |
| transfer (FRET), 5–6                 | address, 192                         |
| tyrosine kinases, 71, 74–75          | GlaxoSmithKline, 18, 119             |

| Global screening database, 130–131  | controlled environment             |
|-------------------------------------|------------------------------------|
| Glucokinase                         | screening, 232–233                 |
| activators, 164                     | screening facilities, 231          |
| Glucolipsin A, 164                  | issues, 42–45                      |
| structure, 165                      | maintenance program                |
| Glucolipsin B, 164                  | requirements, 237–241              |
| structure, 165                      | computer maintenance, 241          |
| Glutathione antibodies, 36          | detection equipment, 239–241       |
| GPCRs. See G-protein coupled        | developmental equipment, 241       |
| receptors (GPCRs)                   | pipetting and dispensing           |
| * '                                 | equipment, 237–239                 |
| G-protein coupled receptors         | manipulation and maintenance,      |
| (GPCRs), 6, 7, 34, 108              | 229–243                            |
| and HTS, 2–4                        | process, 1–2                       |
| Graphical User Interface (GUI), 138 | process chart, 235                 |
| style, 179                          | system management and support,     |
| GST-Rb152-strep tag                 | 233–237                            |
| expression and purification,        | equipment performance              |
| 67–68, 70                           | tracking, 235–237                  |
| phosphorylation, 73                 | performance tracking, 234          |
| GUI, 138, 179                       | routine management, 233            |
| Н                                   | team composition, 234–235          |
|                                     | High throughput screening          |
| Hamilton Co., 170                   | (HTS)workstations                  |
| Hard event times, 179               | introduced since 1998              |
| HEPA filters, 232                   | manufacturers, models, and         |
| Heuristic scheduling, 179           | types, 211–212                     |
| High-content screens, 114           | Homogeneous mix-and-read           |
| High efficiency particulate air     | formats, 5                         |
| (HEPA) filters, 232                 | Homogenous time-resolved           |
| High Performance Serial Bus         | fluorescence resonance energy      |
| (HPSB), 180                         | transfer (HTR-FRET), 66            |
| High throughput screening assays    | HPSB, 180                          |
| design and implementation, 1–27     | HTR-FRET, 66                       |
| High throughput screening (HTS)     | HTS. See High throughput screening |
| continuing trends, 215              | (HTS)                              |
| data, 45–47                         | Hudson Control Group               |
| description, 1                      | address, 190                       |
| •                                   | Humidity, 118                      |
| equipment requirements, 230–233     | chemical repository, 230           |
| chemical repository, 230–231        | Hydrazide, 89                      |

| I                               | K   |
|---------------------------------|---|
| ID Business Solutions Ltd.      | Kinase inhibitors                               |
| address, 192                    | assay comparisons, 79-81                        |
| Identification                  | Kinetic constants, 13                           |
| CBA, 245                        | Kinetic studies, 32                             |
| IGEN ECL flow cell, 91          | Kitasato Microbial Chemistry                    |
| Imaging scanners, 184           | Database, 157                                   |
| IMSO, 145–147                   | Kyong Shin Scientific                           |
| Incubation time                 | address, 193                                    |
| enzymatic assays, 13            | L   |
| Inhibitor potency, 12           | Label stock                                     |
| Instrument performance          | barcodes, 184                                   |
| tracking, 237                   | Labman Automation Ltd.                          |
| Integra Biosciences, 140        | address, 192                                    |
| Integrated automation           | Laboratories                                    |
| vs. unit automation, 195        | screening                                       |
| Integrated Sciences Pty Ltd.    | sterile environment, 232                        |
| address, 193                    | Laboratory                                      |
| Integrated System, 178          | screening automation, 186                       |
| Integrated Systems Consulting   | Labware   |
| Group, 185                      | compound library management,                    |
| Integrin receptors              | 139–141   |
| and HTS, 3                      | LAN, 138  |
| Intelligent Automation, Inc.    | Laser-etch, 140                                 |
| address, 190                    | Laser-gun etcher, 140                           |
| Intermec Corporation, 184       | Lck tyrosine kinase, 165                        |
| Internal factor acceptance test | LC/MS, 231                                      |
| compound library management     | LC-MS purity/identity checking                  |
| milestones, 143                 | compound library management                     |
| Inventory, 185                  | changing processes, 151–152                     |
| Inventory Database, 121         | Leadseeker, 55, 56                              |
| Inventory Management and Sample | SPA, 6  |
| Ordering (IMSO), 145–147        | Legacy set transfer compound library management |
| compound library management     | sample preparation, 141–142                     |
| user interfaces, 146–147        | LHQC, 124–125                                   |
| Ion channels                    | Ligand binding                                  |
| and HTS 2-3                     | inhibition 61                                   |

| Ligand concentration             | Manufacturers                     |
|----------------------------------|-----------------------------------|
| binding assays, 15               | delivery schedule slippage, 216   |
| Linear scheduling, 179           | filter plates, 211                |
| Linear transport                 | MAP filter plate aspirator, 33    |
| integrated systems, 173–174      | Marsh Biomedical, 140             |
| Liquid chromatography/mass       | Matching target type              |
| spectrometry (LC/MS), 231        | assay method, 7                   |
| Liquid handling, 119             | Matrix Platemate, 149             |
| Liquid handling cell             | Matrix symbologies, 184           |
| ALSB                             | Matrix Technologies Corp.         |
| hardware configuration, 136      | address, 192                      |
| Liquid-handling cells            | MDS Autolab Systems               |
| compound library management      | address, 189                      |
| development and building,        | Mean, 21                          |
| 135–137                          | Measured data protocols, 185      |
| Liquid handling quality control  | Medical and Biological Laboratory |
| (LHQC), 124–125                  | Inc., 78                          |
| Liquid-handling robots, 170      | Metabolites                       |
| Liquid/solid IC <sub>50</sub>    | microbial and plant secondary     |
| compound library management      | natural products, 154-156         |
| changing processes, 151          | Microbot Alpha, 169               |
| LIST, 155                        | Microfluidics                     |
| Literature Information Selection | screening automation, 187         |
| Technique (LIST), 155            | Microorganisms                    |
| LJL BioSystems, 66, 112          | cultures, 155                     |
| Local Area Network (LAN), 138    | Microplate readers, 56            |
| Logbook                          | 24 microplate uniformity run      |
| performance tracking, 236        | results, 223                      |
| personal computers, 241          | Microtiter plates, 238            |
| Lotus Notes Database, 121–122    | Millipore, 33                     |
| Luminescent assays               | Mitona, 150                       |
| end-point detection, 240         | Mixed inhibitors, 10              |
| Luminescent systems, 112         | Molbank, 121                      |
| M                                | Molecular Devices, 111            |
|                                  | Monoclonal antibodies, 75         |
| Magnetic bead, 88                | Monoclonal antiphosphoserine      |
| Maintenance                      | antibody                          |
| CBA, 245                         | titration, 78                     |
| Maleimide, 89                    | Mother plate, 133                 |

| Motoman, Inc.                                 | Neats, 118                        |
|---|-----------------------------------|
| address, 190                                  | NEB antibodies, 75                |
| Multidrop 384 dispensers, 222                 | NEN Life Science Products, 6, 112 |
| Multilabel                                    | NHS ester, 89                     |
| HTS workstation                               | Nissel Sangyo Co. Ltd             |
| manufacturer and model,                       | address, 193                      |
| 211, 212                                      | Noncompetitive (allosteric)       |
| Multiple processes, 180                       | inhibitors, 10                    |
| Multiscreen Assay System, 33                  | Non-Michaelis-Menten behavior, 13 |
| Multitasking robotic arm, 174                 | Nonspecific binding (NSB), 15, 32 |
| Multitasking robotic transport                | controls, 19                      |
| integrated systems, 172–173                   | NSB, 15, 19, 32                   |
| Myc/Max, 90                                   | Nuclear hormone receptors         |
| N   | and HTS, 2–3                      |
| NAPRALERT, 155                                | and 1113, 2–3                     |
| Natural-product deck                          | 0                                 |
| construction, 162                             | ODBC compliant files, 185         |
| Natural Product Pool, 162                     | Operation                         |
| Natural products                              | CBA, 245                          |
| crude extracts, 156–159                       | Optical density                   |
| microbial, 156                                | dispensed liquid, 238             |
| plant, 156–158                                | Optimization process, 17          |
| screening and evaluating,                     | Oracle RDBS, 137                  |
| 158–159                                       | ORCA plate-handling robot, 205    |
| examples, 164–166                             | Orchid Biocomputer Inc.           |
| extracts, 118                                 | address, 190                      |
| microbial and plant secondary                 | Origen, 92                        |
| metabolites, 154–156                          | Oxygen levels                     |
| partially purified extracts,                  | • •                               |
| 159–161                                       | chemical repository, 230          |
| microbial, 159–161                            | Oyster Bay Pumpworks              |
| plant, 160–161                                | address, 190                      |
| relatively pure compounds, 161–164            | P                                 |
| screening, 153–167                            | Packard Instrument, 66            |
| screening, 135–107<br>screening deck, 156–164 | Packard Platetrak, 149            |
| screening deck, 130–104                       | Parallel synthesis, 119           |
| timelines, 158                                | Partial factorial designs, 17, 18 |
| UHTS flow, 164                                | Partially purified extracts       |
| value, 153–154                                | natural products, 159–161         |
|   | 11414141 producto, 127 101        |

| Peristaltic dispensing units       | Platemate, 150                        |
|------------------------------------|---------------------------------------|
| maintenance, 238                   | Plate readers                         |
| PerkinElmer Wallac, 66, 87         | comparison, 57                        |
| Personal computers                 | PMTs, 33, 201, 239–240                |
| maintenance, 241                   | Poly-L-lysine antibodies, 36          |
| Pfizer, 130–135                    |                                       |
| Pfizer integration                 | Polylysine coated beads, 88           |
| compound library management        | Polyvinyltoluene (PVT) beads, 35      |
| milestones, 145                    | Postreaction sample processing        |
| Phosphoramidite, 89                | steps, 54–55                          |
| Phosphorylation                    | Preincubation                         |
| Cdk4, 73                           | binding assays, 16                    |
| Photomultiplier tubes (PMTs), 201, | time, 18                              |
| 239–240                            | Prescription drugs                    |
| microplate liquid-scintillation    | top twenty-five, 154                  |
| counters, 33                       | Presence detectors, 137               |
| Pipettor HTS workstation           | Primary cells                         |
| manufacturer and model,            | human origin, 109                     |
| 211, 212                           | Printers                              |
| PKC                                | barcodes, 184                         |
| competitive fluorescence           | Process Analysis & Automation Ltd.    |
| polarization assay, 78–79          | address, 192                          |
| kinase                             | •                                     |
| staurosporine, 79                  | Process flowcharting, 197             |
| Place replication, 149             | Proliferation assays, 112             |
| Plant                              | Proteases                             |
| cell culture, 155                  | and HTS, 2–3                          |
| selection, 155                     | Protein A antibodies, 36              |
| Plasma-membrane fragments, 55      | Protein expression                    |
| Plastic plate                      | cell-based assays, 113                |
| creation, 170                      | Protein-peptide interaction assay, 90 |
| Plate handler                      | Protein-protein interaction assay,    |
| HTS workstation                    | 90, 101                               |
| manufacturer and model, 211        | Protein-protein interactions          |
| unit automation, 196               | and HTS, 3                            |
| Plate imager                       | Prozyme, 83                           |
| HTS workstation                    | PUMA 560 robot, 170                   |
| manufacturer and model, 211, 212   | PVT beads, 35                         |
| 411, 414                           | 1 v 1 UEaus, 33                       |

| Q                                  | Radiometric assays, 6, 87       |
|------------------------------------|---------------------------------|
| Quadra 96 dispenser, 142           | drawbacks, 87                   |
| Quality control                    | Readers                         |
| chemical repository, 231           | barcode, 137, 184               |
| •                                  | Reagent addition                |
| R                                  | enzymatic assays, 13            |
| Radioactive assays                 | Reagent procurement             |
| end-point detection, 240           | HTS, 4                          |
| Radioactive materials              | HTS process, 2                  |
| hazards, 87                        | Reagents                        |
| Radioactive systems, 112           | stability, 17                   |
| Radiofiltration, 5                 | Receptor                        |
| assay                              | definition, 32                  |
| optimization, 20–21                | Receptor binding assays, 54–55  |
| Radioligand binding assays         | SPA                             |
| buffer composition, 36             | whole cells, 62–63              |
| filtration-format radioligand      | Receptor binding sites          |
| binding, 33                        | competition, 32                 |
| materials, 36–37                   | Receptor concentration          |
| automation, 37                     | binding assays, 15              |
| SPA format receptor binding        | Receptor ligand interaction     |
| assay, 37                          | monitoring, 51–63               |
| methods, 37–39                     | homogeneous technologies, 55-58 |
| automation, 38–39                  | materials, 52–53                |
| filtration-format receptor-        | plasma membrane preparation,    |
| binding assay, 38                  | 52–53                           |
| membrane preparation, 37–38        | SPA, 53                         |
| SPA-format receptor-binding        | vacuum filtration, 53           |
| assay, 38                          | methods, 53–58                  |
| radioligand selection, 34–35       | plasma membrane                 |
| receptor preparation selection, 35 | preparation, 53                 |
| SPA bead selection, 35–36          | SPA, 54                         |
| SPA format, 33–34                  | vacuum filtration, 53           |
| Radioligand binding studies        | results, 54–55                  |
| categories, 32                     | Reliability data                |
| Radioligand receptor binding       | historical, 238                 |
| assays, 31–48                      | REMP AG                         |
| SPA, 32                            | address, 192                    |
| theory, 32–33                      | Reporter assay, 110             |

| Reporter genes, 56                | PUMA 560, 170                        |
|-----------------------------------|--------------------------------------|
| transcription, 110                | sample processor, 135                |
| Reporter proteins                 | sterility, 232                       |
| expression, 109                   | Tecan Genesis, 149                   |
| Reporter screens, 112             | transport                            |
| advantages and disadvantages, 110 | integrated systems, 172–173          |
| limitations, 110–111              | Rosys Anthos                         |
| miniaturization, 110              | address, 192                         |
| reagents                          | RP-HPLC, 162                         |
| costs, 110                        | RS-232, 180                          |
| Reproducibility                   | RS-485, 180                          |
| assay window, 45                  | RTS Thurnall, 133                    |
| Retractable stops, 137            | Run program, 237                     |
| Reverse-phase high-performance    | Ruthenium chelate, 88, 89            |
| liquid chromatography             | g.                                   |
| (RP-HPLC), 162                    | S                                    |
| RIA, 169                          | Samples, 119                         |
| Rixan Associates                  | preparation                          |
| address, 190                      | compound library                     |
| Robbins Hydra/Tango, 120          | management, 142–143                  |
| ROBOCON                           | screening, 130                       |
| address, 192                      | SAR, 13, 202                         |
| Robolab linear tracks, 148        | Saturation binding studies, 32       |
| Robota, 169                       | SCADA software, 139                  |
| Robot Institute of American       | Scanning spectrophotometer, 239      |
| (RIA), 169                        | Scarina, 150                         |
| Robots, 142                       | Scheduling engines                   |
| arm, 135, 174                     | features, 179–180                    |
| articulating                      | Scheduling software, 179, 180        |
| degrees of freedom, 169           | Scintillant-impregnated plates, 112  |
| Cartesian                         | Scintillation counting               |
| degrees of freedom, 169           | workstation, 205                     |
| cylindrical                       | Scintillation proximity assay (SPA). |
| degrees of freedom, 169           | 5-7, 17, 31-48, 51, 52, 87, 221      |
| definition, 169                   | bead settling, 199                   |
| derivation, 169                   | format assay                         |
| liquid-handling, 170              | optimization, 39–42                  |
| manipulators, 203                 | IC50 values, 74                      |
| ORCA plate-handling, 205          | Leadseeker, 6                        |

| matrix trial                     | extended workstations, 172     |
|----------------------------------|--------------------------------|
| raw data, 59                     | hybrid approaches, 174         |
| methods, 70–71                   | integrated systems, 172–174    |
| radioligand receptor binding     | simple workstations, 171–172   |
| assays, 32                       | standard workstations, 172     |
| receptor binding assay           | Screening hits                 |
| whole cells, 62–63               | compound library management    |
| serine/threonine kinases, 65–66, | quality control, 123-124       |
| 72–74                            | structural verification, 123   |
| equipment, 68                    | Screening laboratories         |
| reagents and supplies, 68        | sterile environment, 232       |
| techniques, 6                    | Screening laboratory           |
| whole cell, 60                   | ideal facility services, 186   |
| ScintiPlates, 87                 | Screening samples, 130         |
| Scitec SA                        | Screening systems              |
| address, 192                     | fully automated, 213-227       |
| Screening automation, 169–193    | SCS-OAGE, 66                   |
| future direction, 186–187        | Secure store                   |
| microfluidics, 187               | compound library management    |
| future directions, 186           | design manufacture, 130        |
| history, 169–171                 | SEPBOX, 163                    |
| microplate automation, 170       | Serine/threonine kinases       |
| microplate-focused               | assay, 90                      |
| workstations, 170–171            | SPA, 65–66, 72–74              |
| natural products, 170            | SPA vs. FP, 80–82              |
| transport/workstation            | Service support contract, 233  |
| integrated system, 171           | SFE, 161                       |
| laboratory, 186                  | Shelves, 118                   |
| microfluidics, 187               | Signal detection               |
| system integration, 176–177      | unit automation                |
| automatic ID, 182–185            | unique operations, 201–202     |
| data transport and               | Signal-to-background ratio, 87 |
| management, 185                  | Signal to noise ratio, 60      |
| error handling, 181–182          | Simulation features, 180       |
| facilities, 186                  | Single parallel processes, 180 |
| software and control, 177–181    | Single processes, 179          |
| technology providers, 189-193    | Singulators, 137               |
| today, 171–176                   | Site acceptance test           |
| compound library, 175-176        | compound library management    |
| detection 174–175                | milestones 145                 |

| Site engineering departments, 217 | Sun Ultra server, 137               |
|-----------------------------------|-------------------------------------|
| Software hierarchy                | Supercritical Fluid Extraction      |
| ALSB, 138                         | (SFE), 161                          |
| Solaris UNIX platform, 137        | System Control and Data             |
| Solutions, 118                    | Acquisition (SCADA)                 |
| Solvent intolerances, 114         | software, 139                       |
| SOPs, 217                         | System controller                   |
| Source for Automation             | workstation communication, 180      |
| address, 191                      | System Design Concept, 132          |
| SPA. See Scintillation proximity  | System scheduling/management        |
| assay (SPA)                       | software, 178                       |
| SPA conversion                    | Т                                   |
| vacuum filtration, 58             |                                     |
| Specific binding, 32              | Taratec Development                 |
| Standard deviation, 21, 92        | Corporation, 185                    |
| Standard operating procedures     | Target-to-Lead effort, 4            |
| (SOPs), 217                       | Target type                         |
| Static schedules, 180             | assay method, 7                     |
| Statistical evaluation            | TCP/IP, 138                         |
| assay quality, 19–23              | TECAN AG                            |
| Stat6/P578, 90                    | address, 192                        |
| interaction assay                 | Tecan Genesis, 119                  |
| ECL materials, 94                 | robotic sample processor, 135       |
| ECL methods, 96–101               | robots, 149                         |
| Staubli robotic arm, 135          | Tecan Inc., 170, 176                |
| Staubli Unimation Ltd, 135        | Tecan's Molbank, 121                |
| Steady-state binding studies, 32  | Tecan UK, 135                       |
| Storage media, 139                | Tecan U.S.                          |
| Storage racks, 140–141            | address, 191                        |
| StrepTag, 81                      | Temperature                         |
| Streptavidin antibodies, 36       | chemical repository, 230            |
| Structure activity relationship   | Tendering process                   |
| (SAR), 13, 202                    | compound library management         |
| Substrate concentration           | design manufacture, 131–132         |
| enzymatic assays, 9–12            | Therapeutic target                  |
| limitations, 11                   | choosing, 2–4                       |
| Substrate depletion               | Thin layer chromatography (TLC), 66 |
| enzymatic assays, 13              | Three Wallac Microbeta Trilux       |
| Sun Microsystems Inc., 137        | scintillation counters, 204–205     |
|                                   |                                     |

| Time-resolved energy transfer       | U   |
|-------------------------------------|---|
| (TRET), 5–6                         | UHTS devices, 148                               |
| Titertek, 33                        | UHTS flow                                       |
| Titration                           | natural products, 164                           |
| monoclonal antiphosphoserine        | Uncompetitive binders, 15                       |
| antibody, 78                        | Uncompetitive inhibitors, 10                    |
| TLC, 66                             | Unit automation, 195–210                        |
| TomTec                              | advantages, 202-209                             |
| address, 191                        | assay development, 209                          |
| TomTec Quadra, 149, 176             | decoupling, 204–205                             |
| Tracking, 185                       | flexibility, 202                                |
| Transcriptional regulation reporter | incremental capacity                            |
| assays, 110                         | additions, 209                                  |
| Transformed cell lines              | independent workstations,                       |
| human origin, 109                   | 205–209   |
| Transporter targets                 | reliability, 203–204                            |
| cell-based screens, 112             | definition, 195–196                             |
| Transport system                    | plate handling, 196                             |
| compound library management, 137    | process vs. assay, 195–196 standardization, 196 |
| TRET, 5–6                           | HTS, 202  |
| Tripropylamine                      | vs. integrated automation, 195                  |
| oxidization, 91                     | typical, 197                                    |
| Tropix, 112                         | unique operations, 196–202                      |
| Troubleshooting                     | assay assembly, 198–201                         |
| fully automated screening           | sample preparation, 198                         |
| systems, 225–227                    | signal detection, 201–202                       |
| possible problems, 226–227          | Universal Serial Bus (USB), 180                 |
| random and systematic               | USB, 180  |
| errors, 226                         | User interfaces                                 |
| Turbidity                           | compound library management,                    |
| HTS workstation                     | 145–148   |
| manufacturer and model, 211         | User requirements document,                     |
| Twin platen, 135                    | 131–132   |
| Two-dimensional coding, 183         | Utilities, 217                                  |
| Tyrosine kinase, 165                | V   |
| FRET, 71, 74–75                     | Vacuum filtration, 52, 54–55                    |
| SPA vs. FRET vs. FP, 81             | SPA conversion, 58                              |
| Tyrosine kinase assays, 102–103     | Vacuum manifold, 33                             |

| Validation assay, 23–25 Valyl-tRNA- synthetase, 12 Variable event times, 179 Vendors delivery schedule slippage, 216 filter plates, 211 Victor 2, 83 VIPR, 6 Voltage-sensitive fluorescence resonance energy transfer (VIPR), 6 | 384-well microplate cell growth, 220 96-well plates, 205–208 Wheat germ agglutinin (WGA), 52, 55 antibodies, 36 coated beads, 88 Whole-cell scintillation proximity assay, 60 Workstation system software architecture, 177 |
|---|---|
| W   | Y-Z   |
| Wallac 12-detector Microbeta Trilux readers, 222 Wallac Microbeta, 33 Washer HTS workstation manufacturer and model, 211, 212 Wavelength  | Yttrium silicate (Ysi) beads, 35 Zymark, 169, 176 address, 191 Zymark GmbH address, 193 Zymark Ltd. address, 191, 193 Zymark SA   |
| HTS, 5  | address, 193  |