

Subject Index

A

Acumen Explorer, *see* Laser-scanning
microplate cytometry

Adenoviral sensors
 comparison with other viral vectors,
 249–250
 design and construction, 249, 251–252
 glucocorticoid receptor–green fluorescent
 protein translocation sensor
 image acquisition and analysis, 258
 incubation conditions, 257–258
 materials, 257
 overview, 255–257
 high-content analysis
 applications, 254–255
 requirements, 248

nuclear factor of activated T
 cells–nitroreductase reporter sensor
 image acquisition and analysis, 260–261
 incubation conditions, 260
 materials, 260
 prospects, 262–263
 stable transfectant limitations, 248–249
 STAT studies, 263
 transduction, 249, 251–252
 validation, 254

Adhesion, *see* Cell adhesion

β_2 -Adrenergic receptor, *see* G protein-
coupled receptors

Akt, Forkhead Redistribution assay
 Akt inhibition and nuclear
 translocation, 522
 isoform-specific knockdown, 522, 525
 small-interfering RNA transfection,
 525–526

Androgen receptor
 function, 198, 200
 high-throughput microscopy
 overview, 198, 200
 translocation and nuclear variance
 assays, 200–201, 203
 pathology, 200

Apoptosis, multiplexed automated
 fluorescence microscopy assays
 caspase-3 cleavage detection, 293
 cell cycle/apoptosis assay multiplexing,
 296, 298–299
 morphology change detection, 295
 overview, 292–293
 poly(ADP)-ribose polymerase cleavage
 detection, 293–294
 TUNEL assay, 294–295, 298–299

AR, *see* Androgen receptor

ArrayScan, *see* Extracellular signal-regulated
kinases; Jun N-terminal kinase; Nuclear
factor- κ B; p38 mitogen-activated
protein kinase

Arrestin, *see* G protein-coupled receptors

ATPase, plate::explorer assays, 595–597

Autofocus, *see* Digital autofocus

Automated fluorescence microscopy
 adenoviral sensors, *see* Adenoviral sensors
 calcium imaging, *see* Calcium flux
 cell cycle sensors, *see* Cell cycle
 cellular phenotypes for compound
 classification, *see* Cytometrix
 technologies

 confocal microscopy limitations in
 high-content screening, 435

 epigenetic modulator screening,

see Epigenetic modulators

 functional genomic libraries,

see Genomic library high-content
 screening

 G protein-coupled receptor screening,
 see G protein-coupled receptors

 high-content screening versus high-
 throughput screening, 122

 high-resolution light microscopy,
 see Automatic high-resolution light
 microscopy

 high-throughput microscopy overview,
 188–189

 inflammation studies, *see* Inflammatory
 response

- Automated fluorescence microscopy (*cont.*)
 infrastructure for high-throughput
 microscopy
 assay processing
 automated processing, 490–493
 importance, 487–488
 plate preparation, 488–490
 process control software, 493–494
 data analysis
 cell classification and well-level
 population analysis, 501–502
 example, 504
 experiment level analysis, 504
 feature extraction and cell-level
 analysis, 500–501
 modularity, 500
 multiwell and plate-level analysis,
 502, 504
 principles, 499–500
 software components, 505–507
 data review and quality control
 data integrity problem identification,
 508–509
 principles, 507–508
 quality control metric identification
 and validation, 509
 software tools, 509, 511
 image acquisition
 instrumentation, 495–496
 parameter optimization, 496–498
 speed optimization, 498–499
 overview, 484–487, 511–512
 mitogen-activated protein kinase studies,
 see Extracellular signal-regulated
 kinases; Jun N-terminal kinase; p38
 mitogen-activated protein kinase
 multiplexed assays
 apoptosis assays
 caspase-3 cleavage detection, 293
 cell cycle/apoptosis assay
 multiplexing, 296, 298–299
 morphology change detection, 295
 overview, 292–293
 poly(ADP)-ribose polymerase
 cleavage detection, 293–294
 TUNEL assay, 294–295, 298–299
 cell cycle progression
 apoptosis/cell cycle assay
 multiplexing, 296, 298–299
 cell culture, 289–290
 cell cycle distribution
 determination, 290
 cyclin B1 immunofluorescence, 291
 cyclin B1–green fluorescent protein
 imaging, 290–291
 overview, 287–288
 phosphohistone H3
 immunofluorescence assay,
 291–292, 298–299
 cellular markers, 286
 general considerations, 285, 287
 inflammation studies, *see*
 Inflammatory response
 nuclear receptors, *see* Nuclear receptors
 optimization for high-content screening
 cell and imaging preparation, 469–470
 image acquisition
 autofocus mechanisms, 474–475
 detector, 474
 environmental control, 475
 excitation source and filters, 473
 kinetic imaging, 475
 objectives, 473–474
 wide-field versus confocal systems,
 471–473
 image analysis, 475–477
 image data handling and visualization
 tools, 477–481
 parameters, 469
 Transfluor assay, 481–483
 palmitoylation analysis, *see* Palmitoylation
 quantum dot imaging of single proteins,
 see Quantum dot imaging
 Redistribution technology,
 see Redistribution assay
 stem cell differentiation modulators,
 see Stem cells
 wingless type/Frizzled pathway activator
 screening, *see* Wingless type/Frizzled
 pathway
Automatic high-resolution light microscopy
 cell motility assay for migration gene
 screening, 243–245
 complementary DNA expression library
 localization screening, 240–243
 focal adhesion perturbation screening
 chemical compound screening, 236–237
 incubation and imaging, 237–238
 overview, 236
 RNA interference screening, 238–240

microscope, 230–231
 prospects, 245
 rationale for cell-based screens, 229
 requirements, 230
 software
 image acquisition, 233
 image analysis
 database module, 233–234
 image processing module, 234
 image segmentation and connected
 component analysis module,
 234–235
 interactive visualization
 module, 234
 multiparametric scoring, 235–236
 statistical module, 235

B

BD pathway BioImager, 43, 45, 47, 53, 59,
 63, 85
 BioImage Redistribution technology,
 see Redistribution assay

C

Calcium flux

cortical culture signaling from rat
 coculture studies with human neural
 precursors
 culture, 345–346
 image acquisition and analysis, 346–347
 rationale, 343, 345
 drug response, 339, 341, 342
 image acquisition, 342–343
 image analysis, 337–339, 343
 primary culture
 preparation, 342
 time and flux characteristics, 336
 synchronization, 339, 341, 342
 high-content analysis of dynamics in breast
 cancer cells
 cell growth and labeling, 320
 cell lines, 319
 decay kinetics of agonist-stimulated
 response, 324
 drug resistance effects, 317–319
 fluorescence microscopy, 320–321
 image acquisition and analysis, 321
 materials, 319–320

resting and stimulated calcium response
 measurements, 321–322, 324
 stimulators, 321
 high-content screening in breast
 cancer cells
 cell plating and labeling, 327
 image acquisition and analysis, 327,
 329, 332
 instrumentation, 326–327
 rationale, 325–326
 β -Catenin, *see* Wntless type/Frizzled
 pathway
 Cell adhesion, focal adhesion perturbation
 screening
 chemical compound screening, 236–237
 complementary DNA expression library
 localization screening, 240–243
 incubation and imaging, 237–238
 overview, 236
 RNA interference screening, 238–240
 Cell cycle
 cancer defects, 2
 green fluorescent protein sensors for
 high-content analysis
 automated high-throughput imaging for
 drug profiling and target validation
 cell cycle inhibitor studies, 10
 cholera toxin binding
 studies, 11–12
 RNA interference studies, 13–17
 G1/S phase marker design, 3–4
 G2/M phase marker design, 4–5
 time-lapse imaging, 5
 validation, 5–8
 multiplexed automated fluorescence
 microscopy assays
 apoptosis/cell cycle assay multiplexing,
 296, 298–299
 cell culture, 289–290
 cell cycle distribution
 determination, 290
 cyclin B1
 green fluorescent protein fusion
 protein imaging, 290–291
 immunofluorescence assay, 291
 overview, 287–288
 phosphohistone H3
 immunofluorescence assay,
 291–292, 298–299
 overview of assays, 3

- Cell Lab IC100 Image Cytometer, 8, 16, 86
- Cellonomics ArrayScan HCS, 1, 12, 47, 59, 64–69, 72–74, 77, 79, 80, 85, 106
- Cellular phenotype, *see* Cytometrix technologies
- Chromatin remodeling, *see also* Epigenetic modulators
- locus derepression assay with
 - laser-scanning microplate cytometry
 - high-throughput screening, 579–580
 - materials, 578–579
 - optimization, 577–578
 - principles, 576–577
 - validation, 580
- nuclear receptor assay with
- high-throughput microscopy
 - cell culture and labeling, 206–207
 - image acquisition and analysis, 206–208
- Confocal microscopy, *see* G protein-coupled receptors
- Cyclins, RNA interference studies of cell cycle, 14–16
- Cytometrix technologies
- advantages, 464–466
 - applications, 461, 465–466
 - attribute change comparison across cell types, 451–453
 - cell culture, 442
 - cell phenotype evaluation for compound classification, 441
 - compounds
 - addition, 442–443
 - clustering and classification
 - angle dissimilarity measure data calculation, 458–459
 - classification, 459–461
 - confusion matrix, 464
 - findings, 462–463
 - data storage, 447
 - image analysis, 444, 447
 - immunocytochemistry, 443
 - microscopy, 443–444
 - morphology change quantification, 441–442
 - object attributes and classification, 447–449
 - quantitative cellular phenotype analysis across cell lines, 447, 449
 - signature construction and visualization, 453, 455, 457–458
 - test compounds and mechanism of action classes, 454–455
- D**
- Differential interference contrast microscopy, *see* Digital autofocus
- Digital autofocus
- commercial systems, 621
 - focal drift sources, 520
 - hardware, 621–624
 - multiple-field scans, 629
 - software, 624–627, 630–632
 - viscoelasticity problem, 627–629
- Discovery-1, 12–14, 27, 28, 30, 31, 38, 47
- DNA methylation, *see* Epigenetic modulators
- E**
- Epigenetic modulators
- DNA methyltransferases, 22
 - drug targeting, 23
 - high-content fluorescence-based screening assays
 - cell line selection, 25
 - green fluorescent protein reporter system, 25
 - hit compound evaluation, 32–33
 - inhibitor studies, 27–28
 - molecular characterization, 28
 - primary screen setup and optimization, 28–32
 - prospects, 34–35
 - rationale for development, 24–25
 - secondary screens, 33–34
 - selection marker, 26
 - transfection, 26
 - histone acetylation, 22
- ER, *see* Estrogen receptor
- ERK, *see* Extracellular signal-regulated kinases
- Estrogen receptor
- antiestrogens, 203
 - high-throughput microscopy studies, 203, 206–208
 - types, 203

Evotec Opera, 12, 21, 24, 26, 45, 53, 69, 85,
105, 109, 112, 114

Extracellular signal-regulated kinases

ATP-competitive kinase inhibitors, 390

ERF1 Redistribution assay,
513–516

function and signaling cascade,
391–393

inhibitor screening with automated
fluorescence microscopy

activation assay

incubation conditions, 408

materials, 407

overview, 402–405, 407

signal window and reproducibility,
408–409

applications, 417

ArrayScan imaging platform, 394

inhibitor test cassette, 409, 411–413

F

FLIM, *see* Fluorescence lifetime imaging
microscopy

Fluorescence lifetime imaging microscopy
cell studies

fluorescence resonance energy transfer,
639–641

lifetime imaging, 639

configuration of system, 636

imaging, 636–638

principles, 633–634

streak camera, 634–635

streak image, 636

system calibration, 638–639

Fluorescence microscopy, *see* Automated
fluorescence microscopy; Fluorescence
lifetime imaging microscopy

Fluorescence resonance energy transfer,
see Fluorescence lifetime imaging
microscopy; plate::explorer

Focal adhesion, *see* Cell adhesion

Forkhead, Redistribution assay

Akt inhibition and nuclear
translocation, 522

Akt isoform-specific knockdown, 522, 525
small-interfering RNA transfection,
525–526

FRET, *see* Fluorescence resonance energy
transfer

G

GAP43, palmitoylation assay,
see Palmitoylation

GE Healthcare INCell 1000, 25, 26,
31, 53, 72

GE Healthcare INCell 3000, 4, 5, 8–10, 12,
13, 15, 18, 19, 47, 54, 60, 61, 72, 76

Genomic library high-content screening

advantages of high-throughput

microscopy, 532, 562, 564

arraying collections into high-throughput

assay plates, 543–545

automated microscopy, 549–553

bacterial culture for DNA preparation,
539–540

complementary DNA library

generation, 532, 534

maintenance, 536–538

replication of collection, 538–539

data storage, 554

DNA preparation from deep-well block
cultures, 540–542

fluorescent biomarkers, 554–556

image analysis

protein relocalization, 562

segmentation, 560, 562

instrumentation, 549–550

microtiter plates and washers, 553–554

overview of approaches, 531

plasmid DNA normalization, 542–543

RNA interference

array formats, 536

retroviral/lentiviral packaging, 547–549

small interfering RNA

chemical synthesis, 534–535

library maintenance, 536–538

plasmid short hairpin RNAs, 535–536

replication of collection, 538–539

transfection and efficiency calculation,
545, 547, 558–559

sample preparation

cell line selection, 556–557

fixation, 557

immunostaining, 558

GFP, *see* Green fluorescent protein

Glucocorticoid receptor

function, 255–256

green fluorescent protein translocation
adenoviral sensor

- Glucocorticoid receptor (*cont.*)
 image acquisition and analysis, 258
 incubation conditions, 257–258
 materials, 257
 overview, 255–257
- Redistribution assay of nuclear
 translocation with laser-scanning
 microplate cytometry
 high-throughput screening, 573, 575
 materials, 571, 573
 principles, 571
 validation, 575
- GLUT4, Redistribution assay, 527, 528
- GPCRs, *see* G protein-coupled receptors
- G protein-coupled receptors
 abundance, 51, 79, 100, 124
- arrestin; β_2 -adrenergic receptor protein
 fragment complementation assay with
 laser-scanning microplate cytometry
 high-throughput screening, 582–583
 materials, 582
 optimization, 582
 principles, 580, 582
 validation, 585
- arrestin isoforms and distribution, 65–66
- arrestin–green fluorescent protein fusion
 protein recruitment for orphan
 receptor screening
- confocal imaging assay with Opera
 automated microscope system
 EC₅₀ data fitting and scoring, 108–109
 findings, 116–118
 high-content screening, 113–114
 image acquisition and analysis,
 115–116
 image analysis algorithm, 105–108
 instrumentation, 102–105
 laser capture microscopy, 110
 prospects, 119
 real-time quantitative polymerase
 chain reaction for expression
 profiling, 110–111
 stable transfection, 111–113
 tissue preparation, 109–110
- discovery overview, 100–102
- ligand-independent translocation assay
 overview, 52–55
 quality control for Transfluoar
 screening campaigns, 59, 61–62
 validation of Transfluoar assay, 52,
 55–59
 Transfluoar technology, 51–52, 102
- arrestin–green fluorescent protein fusion
 protein translocation for high-content
 screening
 antibiotic-resistant cell evaluation, 69
 clone selection and expansion, 69–70
 clone selection for screen, 71–72
 dose–response evaluation, 67–69
 known receptor screening with
 Transfluoar
 advantages, 77
 data analysis, 75
 high content data harvesting, 75–77
 imaging, 75
 liquid-handling assay, 74–75
 optimization and validation, 74
 overview, 73
 scale-up of cells, 73–74
 positive clone identification, 70–71
 principles, 66–67
 stable transfection and drug selection, 69
 trafficking assay
 MRG-X1 receptor, 86–89, 91
 neurokinin NK1 receptor, 91–93,
 95–97
 overview, 85
 validation in Transfluoar assay, 67
- desensitization, 51, 64, 80
- functional assay overview, 80–81
- G protein interactions, 51, 64, 79–80
- high-content screening with
 fluorescent tags
 advantages, 121–122
- fluorophore-labeled arrestin
 antibody assay
 image acquisition and analysis,
 131–133
 incubation conditions, 131
 materials, 130–141
 principles, 130
- fluorophore-labeled ligand
 internalization assay
 image acquisition and analysis,
 129–130
 incubation conditions, 127
 materials, 127
 principles, 126–127

- high-throughput confocal cellular imaging systems, 122–123
 - prospects, 133–134, 136–137
 - signal transduction, 125–126
 - trafficking assay with green fluorescent protein–receptor fusion protein kinetics of internalization, 82, 84
 - overview, 81–82
 - Transluor assay optimization for
 - high-content screening
 - β -arrestin–green fluorescent protein fixed cell assay
 - confocal microscopy, 482
 - image analysis, 482–483
 - small molecule inhibitor screening, 481–482
 - cell and imaging preparation, 469–470
 - image acquisition
 - autofocus mechanisms, 474–475
 - detector, 474
 - environmental control, 475
 - excitation source and filters, 473
 - kinetic imaging, 475
 - objectives, 473–474
 - wide-field versus confocal systems, 471–473
 - image analysis, 475–477
 - image data handling and visualization tools, 477–481
 - parameters, 469
 - GR, *see* Glucocorticoid receptor
 - Green fluorescent protein
 - adenoviral sensors, *see* Adenoviral sensors
 - BioImage Redistribution technology, *see* Redistribution assay
 - cell cycle sensors for high-content analysis
 - automated high-throughput imaging for drug profiling and target validation
 - cell cycle inhibitor studies, 10
 - cholera toxin binding studies, 11–12
 - RNA interference studies, 13–17
 - G1/S phase marker design, 3–4
 - G2/M phase marker design, 4–5
 - time-lapse imaging, 5
 - validation, 5–8
 - dimerization, 161–163
 - epigenetic modulator screening, *see* Epigenetic modulators
 - G protein-coupled receptor screening, *see* G protein-coupled receptors
 - high-resolution light microscopy, *see* Automatic high-resolution light microscopy
 - laser-scanning microplate cytometry, *see* Laser-scanning microplate cytometry
 - lifetime imaging, *see* Fluorescence lifetime imaging microscopy
 - limitations in imaging, 211–212
 - mitogen-activated protein kinase studies, *see* p38 mitogen-activated protein kinase
 - nuclear receptor ligand discovery, *see* Nuclear receptors
 - palmitoylation analysis, *see* Palmitoylation
 - GRIP assay, *see* Redistribution assay
- ## H
- HDM2
 - p53 protein–protein interaction assay using GRIP technology
 - cell line generation, 518
 - cell plating and imaging, 518, 520
 - principles, 516–518
 - systems cell biology of HDM2 response in p53-expressing lung cancer cell line, 610–613
 - High-content analysis, *see* Automated fluorescence microscopy; Systems cell biology
 - High-resolution light microscopy, *see* Automatic high-resolution light microscopy
 - High-throughput microscopy, *see* Automated fluorescence microscopy
 - High-throughput screening, *see* Laser-scanning microplate cytometry; plate::explorer
 - Histone acetylation, *see* Epigenetic modulators
- ## I
- Inflammatory response
 - endothelial cell-based assays of cytokine effects
 - cell culture, 267–268, 270
 - image acquisition, 272–273
 - materials, 270–272
 - nuclear factor- κ B translocation assay

Inflammatory response (*cont.*)
 cytokine stimulation, 275
 image analysis, 273–274
 kinase and proteasome inhibitor
 studies, 275–276
 principles, 274
 RNA interference studies, 275
 probe selection, 268–270
 prospects, 281–282
 small interfering RNA transfection, 271
 E-selectin expression assay
 image analysis, 273
 induction studies, 278
 principles, 276–277
 statistical analysis, 274
 vascular cell adhesion molecule-1
 expression assay
 compound screening, 281
 image analysis, 273–274
 principles, 279–281
 modulators, 267
 multiplex analysis of signaling pathways
 with high-content imaging
 ArrayScan HCS reader, 349, 362
 assay reliability assessment, 358–359
 cell health parameters, 359–360
 fluorophore optimization to minimize
 channel bleed through, 353–355
 high-content analysis, 351–352
 image acquisition and object
 identification, 352–353
 immunofluorescence labeling, 350–351
 intracellular target distribution, 358
 markers, 349
 prospects, 362
 subpopulation analysis, 360–361
 pathology, 267
 phases, 267
 Inverted Zeiss Axiovert 100 M epifluorescent
 microscope, 9, 31, 37, 57, 80

J

Jun N-terminal kinase
 ATP-competitive kinase inhibitors, 390
 function and signaling cascade, 391–393
 inhibitor screening with automated
 fluorescence microscopy
 activation assay
 incubation conditions, 401

 materials, 400–401
 overview, 395, 397, 400
 signal window and reproducibility,
 401–402
 applications, 417
 ArrayScan imaging platform, 394
 cell line, 395
 inhibitor profiling, 414, 417
 inhibitor test cassette, 409, 411–413
 multiplex analysis of inflammation
 signaling pathways with high-content
 imaging
 ArrayScan HCS reader, 349, 362
 assay reliability assessment, 358–359
 cell health parameters, 359–360
 fluorophore optimization to minimize
 channel bleed through, 353–355
 high-content analysis, 351–352
 image acquisition and object
 identification, 352–353
 immunofluorescence labeling, 350–351
 intracellular target distribution, 358
 markers, 349
 prospects, 362
 subpopulation analysis, 360–361

L

Laser capture microscopy,
 orphan G protein-coupled receptor
 screening, 110
 Laser-scanning microplate cytometry
 Acumen Explorer configuration, 570
 advantages, 587–588
 applications, 567–568, 587–588
 β -arrestin; β_2 -adrenergic receptor protein
 fragment complementation assay
 high-throughput screening, 582–583
 materials, 582
 optimization, 582
 principles, 580, 582
 validation, 585
 data processing, 571
 glucocorticoid receptor–green fluorescent
 protein Redistribution assay of
 nuclear translocation
 high-throughput screening, 573, 575
 materials, 571, 573
 principles, 571
 validation, 575

library of pharmacologically active
 compounds titration series
 preparation, 569–570
liquid handling in 1536-well plates,
 570–571
locus derepression assay
 high-throughput screening, 579–580
 materials, 578–579
 optimization, 577–578
 principles, 576–577
 validation, 580
principles, 567–569
prospects, 588
LCM, *see* Laser capture microscopy
Locus derepression assay, *see* Chromatin
 remodeling

M

Mean square displacement, computation in
 quantum dot tracking, 225–226
Mitogen-activated protein kinase, *see*
 Extracellular signal-regulated kinases;
 Jun N-terminal kinase; p38
 mitogen-activated protein kinase
MK2, *see* p38 mitogen-activated protein
 kinase
MRG-X1 receptor, Transfluor trafficking
 assay, 86–89, 91
MSD, *see* Mean square displacement
Multiplex analysis, *see* Apoptosis; Cell cycle;
 Inflammatory response; Systems
 cell biology
Myristoylation
 amino terminus, 153
 consensus sequence, 153
 palmitoylation comodification, 153

N

Neurokinin NK1 receptor, Transfluor
 trafficking assay, 91–93, 95–97
NF- κ B, *see* Nuclear factor- κ B
NFAT, *see* Nuclear factor of
 activated T cells
Nuclear factor of activated T cells
 functions, 259–260
 nitroreductase reporter adenoviral sensor
 studies
 image acquisition and analysis, 260–261

 incubation conditions, 260
 materials, 260
Nuclear factor- κ B
 multiplex analysis of inflammation
 signaling pathways with high-content
 imaging
 ArrayScan HCS reader, 349, 362
 assay reliability assessment, 358–359
 cell health parameters, 359–360
 fluorophore optimization to minimize
 channel bleed through, 353–355
 high-content analysis, 351–352
 image acquisition and object
 identification, 352–353
 immunofluorescence labeling,
 350–351
 intracellular target distribution, 358
 markers, 349
 prospects, 362
 subpopulation analysis, 360–361
translocation assay
 cytokine stimulation, 275
 image analysis, 273–274
 kinase and proteasome inhibitor studies,
 275–276
 principles, 274
 RNA interference studies, 275
Nuclear receptors, *see also specific receptors*
 glucocorticoid receptor–green fluorescent
 protein translocation adenoviral
 sensor
 image acquisition and analysis, 258
 incubation conditions, 257–258
 materials, 257
 overview, 255–257
high-throughput microscopy studies
 androgen receptor analysis
 overview, 198, 200
 translocation and nuclear variance
 assays, 200–201, 203
 cell culture, 192
 chromatin remodeling assay
 cell culture and labeling, 206–207
 image acquisition and analysis,
 206–208
 cover slip preparation, 191–192
 estrogen receptor analysis, 203, 206
 fixation, 192–193
 imaging, 195
 immunostaining, 192–194

Nuclear receptors (*cont.*)

- materials, 194–195
- overview, 188–189
- postfixation and quenching, 194
- prospects, 209
- SRC-3 coregulator analysis
 - cell culture, 196
 - image acquisition and analysis, 196–199
- transfection, 192
- ligand discovery
 - challenges, 38
 - translocation assays
 - automated fluorescence imaging, 47
 - dose–response evaluation, 45–47
 - green fluorescent protein–receptor chimera design, 39–43
 - known ligand evaluation, 44–45
 - prospects, 48
 - rationale for development, 38–39
 - secondary assays, 48
 - stable transfection, 43–44
- mutations and disease, 37–38
- steroid receptor examples, 189
- structure, 190
- subcellular localization, 190

O

- Olympus Model IX71, 22, 23, 33, 43
- Olympus Model IX81, 43, 44
- Orphan receptors, *see* G protein-coupled receptors

P

- p38 mitogen-activated protein kinase
 - ATP-competitive kinase inhibitors, 390, 437–438
 - function and signaling cascade, 391–393
 - inhibitor screening with automated fluorescence microscopy
 - applications, 417, 436, 438
 - ArrayScan imaging platform, 394, 420–421, 435
 - hit assessment, 413
 - inhibitor profiling, 413–414
 - inhibitor test cassette, 409, 411–413

- 32K-biased library high-content
 - MK2–green fluorescent protein translocation screen
 - advantages over Redistribution assay, 437
 - comparison of inhibitors, 436
 - conversion of 96-well assay to 384-well assay on ArrayScan, 421–424, 435
 - inhibitor assay, 429, 431–434
 - overview, 419–420
 - signal window and reproducibility, 425–428
 - standard operation procedure, 429
 - inhibitor screening with high-content imaging
 - activator studies, 375–376, 385
 - ArrayScan automated imaging, 369–370, 376
 - comparison of inhibitors, 380, 382, 385–387
 - MK2–green fluorescent protein marker expression in HeLa cell line, 367–368, 385
 - imaging of clones, 372–373
 - translocation assay, 378
 - overview, 364–366
 - reproducibility, 378, 380
 - secondary analysis parameters, 380–382, 384
 - signal window evaluation, 380
 - multiplex analysis of inflammation
 - signaling pathways with high-content imaging
 - ArrayScan HCS reader, 349, 362
 - assay reliability assessment, 358–359
 - cell health parameters, 359–360
 - fluorophore optimization to minimize channel bleed through, 353–355
 - high-content analysis, 351–352
 - image acquisition and object identification, 352–353
 - immunofluorescence labeling, 350–351
 - intracellular target distribution, 358
 - markers, 349
 - prospects, 362
 - subpopulation analysis, 360–361
- p53
- HDM2 protein–protein interaction assay using GRIP technology

- cell line generation, 518
 - cell plating and imaging, 518, 520
 - principles, 516–518
 - systems cell biology of HDM2 response in
 - p53-expressing lung cancer cell line, 610–613
 - Palmitoylation
 - bond characteristics, 154
 - cysteine modification, 154, 158–159
 - depalmitoylation enzymes, 155–156
 - developmental functions, 156–158
 - green fluorescent protein studies
 - Aequorea* protein features, 161–163
 - assay design considerations
 - cell type selection, 175–176
 - control compounds, 176
 - fluorescent protein selection, 174
 - plating of cells, 175
 - stable reporter cell preparation, 174–175
 - substrate selection, 174
 - cytotoxicity of palmitoylation
 - antagonists, 171–173
 - data tracking, 178
 - GAP43–yellow fluorescence protein studies
 - 2-bromopalmitate inhibition, 168, 170–171
 - dimethylsulfoxide compatibility with
 - cellular reporter system, 171
 - palmitate half-life determination, 167–168
 - plasma membrane localization, 166
 - sites of modification, 165
 - subcellular distribution analysis with Thora, 168, 170–171
 - high-throughput microscopy/
 - high-content screening, 163–164
 - image organization and analysis, 178–179
 - membrane reporter density
 - quantification with machine vision algorithms, 165
 - morphometric analysis, 164
 - system error identification, 178
 - troubleshooting, 176–178
 - Z' statistical analysis, 176
 - myristoylation comodification, 153
 - palmitate turnover, 154–155
 - palmitoyl acyl transferases, 159–161
 - pathology, 160–161, 179
 - sites, 154–155
 - plate::explorer
 - absorbance assays, 594–598
 - development, 590, 594
 - fluorescence intensity assays, 599–600
 - fluorescence polarization assays, 599–600
 - fluorescence resonance energy transfer assays, 598–599
 - plate::vision
 - optical setup, 591–593
 - overview, 590–591
 - time-resolved fluorescence readout, 594
 - time-resolved fluorescence assays, 598–599
 - workstation, 594
 - plate::vision, *see* plate::explorer
 - PLK, *see* Polo-like kinase
 - Polo-like kinase, RNA interference studies
 - of cell cycle, 17
 - Prenylation
 - Ras proteins, 153–154
 - types, 152
- Q**
- Quantum dot imaging
 - advantages over fluorescent proteins, 211–212
 - properties of dots, 212–213
 - single molecule imaging
 - calibration, 221
 - comparison with other probes, 213–214
 - image acquisition and analysis, 221–223
 - instrumentation, 220–221
 - intracellular protein tracking
 - biotinylated protein conjugation, 220
 - cell uptake of conjugates, 220
 - materials, 218–219
 - overview, 217–218
 - quantum dot–streptavidin conjugate purification, 219
 - membrane protein tracking
 - cell culture, 216
 - labeling, 216
 - materials, 216
 - overview, 215
 - quantum dot trajectory analysis
 - blinking problem, 224–225
 - individual trajectories, 224
 - localization accuracy, 223

- Quantum dot imaging (*cont.*)
 - mean square displacement computation, 225–226
 - point spread function measurement, 223–224
 - software, 225
 - spot detection, 224
 - statistical error, 226
- signal-to-noise ratio, 213–214

R

- Rb, *see* Retinoblastoma protein
- Redistribution assay
 - cell heterogeneity and assay quality, 526–528
- ERF1 Redistribution assay, 513–516, 527
- glucocorticoid receptor–green fluorescent protein laser-scanning microplate cytometry assay of nuclear translocation
 - high-throughput screening, 573, 575
 - materials, 571, 573
 - principles, 571
 - validation, 575
- GLUT4 assay, 527, 528
- p53–HDM2 protein–protein interaction assay using GRIP technology
 - cell line generation, 518
 - cell plating and imaging, 518, 520
 - principles, 516–518
- prospects, 528–529
- RNA interference studies
 - advantages, 520–521
 - knockdown efficacy, 521
 - applications, 521–522
- Forkhead Redistribution assay
 - Akt inhibition and nuclear translocation, 522
 - Akt isoform-specific knockdown, 522, 525
 - small-interfering RNA transfection, 525–526
- 32K-biased library high-content MK2–green fluorescent protein translocation screen
 - comparison, 437

- Retinoblastoma protein, RNA interference studies of cell cycle, 15

- RNA interference
 - cell cycle studies with automated high-throughput imaging, 13–17
- focal adhesion perturbation
 - screening with automatic high-resolution light microscopy, 238–240

- functional genomic library screening,
 - see* Genomic library high-content screening

- inflammatory response studies, 271, 275

- Redistribution assay
 - advantages, 520–521
 - applications, 521–522
- Forkhead Redistribution assay
 - Akt inhibition and nuclear translocation, 522
 - Akt isoform-specific knockdown, 522, 525
 - small-interfering RNA transfection, 525–526
- knockdown efficacy, 521

S

- SCB, *see* Systems cell biology
- E-Selectin, expression assay
 - image analysis, 273
 - induction studies, 278
 - principles, 276–277
- Small interfering RNA, *see* RNA interference
- SRC-3 coregulator
 - functions, 195–196
 - high-throughput microscopy cell culture, 196
 - image acquisition and analysis, 196–199
- STATs, adenoviral sensor studies, 263
- Stem cells
 - high-throughput screening of differentiation modulators cell line validation, 304–305
 - data handling, 310–312, 314
 - dynamic range, 305–306
 - embryonic stem cell culture from mouse, 307, 313–314

general considerations,
301–302
homologous recombination for reporter
introduction, 304
image acquisition, 307–310, 314
promoter–reporter constructs,
302–303
rationale, 301
signal-to-noise ratio, 305–306
stable reporter cell line generation with
lentiviral vectors, 303–304
therapeutic prospects,
300–301
Streak camera, fluorescence lifetime imaging
microscopy, 634–635
Systems cell biology
HDM2 response in p53-expressing lung
cancer cell line, 610–613
high-content screening instrumentation
and assay design, 604–606
informatics, 608–609
multiplexing, 603–604
overview, 601–603
prospects, 614–616
reagents, 606–608

T

Transflour, *see* G protein-coupled receptors
Translocation assays, *see*
Adenoviral sensors; G protein-coupled
receptors; Nuclear factor- κ B; Nuclear
receptors; p38 mitogen-activated protein

kinase; Redistribution assay; Wingless
type/Frizzled pathway

V

Vascular cell adhesion molecule-1,
expression assay
anti-inflammatory compound
screening, 281
image analysis, 273–274
principles, 279–281
VCAM-1, *see* Vascular cell adhesion
molecule-1

W

Wingless type/Frizzled pathway
activator screening with automated
fluorescent microscopy
 β -catenin
immunofluorescence staining,
144–145
nuclear translocation imaging and
quantification, 145–147
data analysis, 148
materials, 142–143
preosteoblasts
culture, 143–144
model system, 142
bone formation role, 141–142
developmental patterning, 141
Wnt/Fzd pathway, *see* Wingless
type/Frizzled pathway