

---

# Index

## A

AD, *see* Alzheimer's disease

Adipogenesis, induction by gelatin  
hydrogel incorporating  
fibroblast growth factor, 95

Aerogel, *see* Sol-gel encapsulation

AFM, *see* Atomic force microscopy

Alzheimer's disease (AD), amyloid  
fibril formation, 424–426

Amyloidosis,

fibril characteristics, 419, 420, 427–  
429

mechanisms of fibril formation,  
conformational change  
hypothesis, 419

crowding, 419

protein folding defects, 417–419

unified mechanism, 431, 432

proteins and diseases,

$\beta$ -amyloid and Alzheimer's  
disease, 424–426

immunoglobulin light chains, 424

lysozyme, 422, 423

overview, 418

prion proteins, 426

transthyretin, 420–422

therapeutic intervention, 432, 433

X-ray diffraction studies of fibrils,  
429, 431

Angiogenesis, induction by gelatin

hydrogel incorporating

fibroblast growth factor, 92, 93

Antibodies,

amyloid fibril formation with immuno-  
globulin light chains, 424

immunoreceptors,

benzoapyrene detection in single  
cells, 395–397

cell culture for analysis, 392, 393

immobilization on nanofiber  
probes, 392

optical detection instrument, 393,  
394

overview, 388

nanosensors with antibody probes, 384

sol-gel encapsulation and immuno-  
assay application, 73–75

Atomic force microscopy (AFM),

aligned carbon nanotubules, 236–238

nanoelectrode integration into

cantilevers for scanning

electrochemical microscopy,

materials, 404

rationale, 403, 404

sample preparation, 408, 413

simultaneous topographical and

electrochemical imaging,

electrochemical imaging, 411

instrument setup, 408–411, 413

simultaneous imaging, 411,  
412

tapping mode imaging, 411,  
413, 414

tip preparation,

electrochemical

characterization, 407, 408

focused ion beam milling, 405–  
407

metallization and insulation of  
cantilevers, 405, 413

- protein crystallization studies,
  - instrumentation and data acquisition, 17–21
  - mass, size, and intermolecular interactions, 22, 23
  - resolution, 18–20
  - step velocity determination, 21, 22
- S-layer proteins on solid supports, 110, 111

## B

- Bacteriophage  $\Phi$ 29 DNA-packaging motor,
  - applications,
    - antiviral therapy,
      - antisense targeting of pRNA, 306
      - mutant pRNA inhibition, 306, 307
    - DNA sequencing, 305
    - macromolecular translocation through membranes, 308
    - nanodevice incorporation, 303, 304
    - nucleic acid sliding/riding studies, 307
    - polyvalent gene delivery using motor pRNA, 304, 305
    - prospects, 308
    - RNA dimer and trimer studies, 305, 306
  - ATP hydrolysis, 297, 298
  - components,
    - capsid proteins, 289
    - connector, 289, 290
    - genomic DNA, 290
    - gp16, 291
    - pRNA,
      - domains, 291, 292
      - hexamer assembly, 292
      - stoichiometric determination in DNA packaging, 292, 293, 295, 296
      - procapsid, 288, 289
      - scaffolding proteins, 289
      - stoichiometry studies, 296, 297
    - function, 285, 286
    - homology with other virus motors, 286
    - mechanism studies,
      - circularly permuted pRNA, 298
      - computer modeling, 298–300
      - optical tweezers for force determination, 300
      - reconstitution in vitro, 298
    - models, 300–303
    - packaging pathway, 286, 288
- Benzoapyrene tetrol (BPT),
  - nanodetectors, 203, 395–397
- $\beta$ -structured fibrous proteins, *see also* Amyloidosis,
  - applications, 135
  - crystallization conditions, 128, 129
  - peptide synthesis, 134
  - prospects for study, 136
  - recombinant expression systems, 127
  - self-assembling peptides, 133, 134
  - stable domain identification, 126, 127
  - virus proteins,
    - adenovirus fiber structure, 129–131
    - bacteriophage T4 short tail fiber structure, 131–133
    - functions, 126
- Bioreceptor,
  - definition, 385
  - immobilization on nanofiber probes, 392
  - immunoreceptors, *see* Antibodies
  - principles of optical detection, 386
  - specificity, 387, 388
- Bone, regeneration by gelatin hydrogel incorporating fibroblast growth factor, 93–95

- Bovine serum albumin (BSA),  
  fluorescence labeling with  
    noncovalent ligands, 175, 176  
  structure, 4, 5  
BPT, *see* Benzoapyrene tetrol  
BSA, *see* Bovine serum albumin  
Butyrylcholinesterase, sol-gel  
  encapsulation and stability, 61
- C**
- Calmodulin, labeling for fluorescence  
  resonance energy transfer  
  studies, 17  
Canavalin, kinetics of crystallization,  
  41  
Carbon nanotubes (CNTs),  
  biological sensing applications, 191–  
    193, 196–200, 216  
  diameter, 192  
  electrochemical sensing, 198, 199,  
    208–211  
  enzyme attachment to electrodes for  
    electron transfer,  
    alignment of electrodes for direct  
    electron transfer, 228–231,  
    233, 235–237  
  atomic force microscopy of  
    aligned nanotubules, 236–238  
  gold surface preparation, 234–237  
  materials, 234, 236  
  principles, 226–228  
  rationale, 225, 226  
  single-walled nanotube cutting  
    and characterization, 228, 229,  
    235, 237  
  field-effect transistor sensors, 193,  
    197, 201, 202, 206–208  
  functionalization for biological  
    sensing, 201–203  
  growth, 194, 195  
  nanoelectrode arrays, 208–211  
  porous film electrodes, 211  
  single-cell/single-molecule probes,  
    203–206, 226, 227  
  single-walled versus multiwalled,  
    192, 193, 198  
  templated bioassembly, 211, 212  
Caspase-9, assay of apoptosis in living  
  cells, 397, 398  
Catalase, kinetics of crystallization, 41  
CD, *see* Circular dichroism  
Chemical vapor deposition (CVD),  
  carbon nanotube synthesis,  
    194, 195  
Circular dichroism (CD),  
  creatine kinase sol-gel encapsulation  
    studies, 66, 67  
  protein conformational changes in  
    solution, 165, 166  
CNTs, *see* Carbon nanotubes  
Creatine kinase, sol-gel encapsulation  
  and stability studies,  
  encapsulation, 63  
  long-term storage at room  
    temperature, 63  
  matrix-enzyme surface interactions,  
    68, 69  
  thermal stability, 64–67  
Crystallization, proteins,  
  atomic force microscopy studies,  
    instrumentation and data  
      acquisition, 17–21  
    mass, size, and intermolecular  
      interactions, 22, 23  
    resolution, 18–20  
    step velocity determination, 21, 22  
   $\beta$ -structured fibrous proteins, *see*  $\beta$ -  
    structured fibrous proteins  
  driving force, 23, 24  
  ferritin and apoferritin,  
    geometry of crystals, 16, 17  
    kinetics of crystallization, 40, 41  
    solubility determination, 24  
    space group, 16

- growth sites,
  - kink formation energy, 28
  - kinks and kink density, 26–28
  - molecular interaction energy, 28, 29
- kink molecule incorporation limiting factors,
  - diffusion-limited kinetics, 35–40
  - transition-state kinetics, 36
- molecular-level kinetics, 31–35
- molecular pathway from solution to crystal, 42–46
- phase transition, 16
- S-layer proteins, *see* S-layer proteins
- solubility,
  - independence of molecular mass, 24–26
  - independence of temperature, 29
- thermodynamics,
  - enthalpy, 29, 30
  - entropy, 29–31
  - equilibrium constant of crystallization, 29
  - free energy, 30
- CVD, *see* Chemical vapor deposition
- Cytochrome b5, *see* DNA-protein assemblies floating on supported membranes
- Cytochrome c,
  - carbon nanotube electrode attachment, 227
  - sol-gel encapsulation and stability, 61, 62
- D**
- DNA hybridization,
  - peptide nucleic acid-carbon nanotube coupling, 205, 206
  - surface-enhanced Raman scattering gene probes, 266–270
- DNA methyltransferase,
  - catalytic reaction, 327, 328
  - inhibitor development using ordered protein arrays,
  - electronic structure activity relations, 336
- first-generation inhibitors, 335
- fourth-generation inhibitors, 342
- mistargeted bases, 337, 341
- overview, 333, 334
- second-generation inhibitors, 335–337, 341
- third-generation inhibitors, 341, 342
- tumor biology, 334, 335
- three-address protein array ordered assembly,
  - electrophoretic mobility shift assay with microfluidics chips, 333
  - fusion protein preparation, expression, 332
  - purification, 332, 333
  - vectors, 331, 332
- molecular models, 327, 330
- oligodeoxynucleotide preparation, 330, 331
- protein coupling conditions, 333
- Y-junction assembly monitoring with microfluidics chips, 331
- DNA-packaging motor, *see* Bacteriophage  $\Phi$ 29 DNA-packaging motor
- DNA-protein assemblies floating on supported membranes,
  - cytochrome b5 interactions with supported membranes, 360, 361
  - hybrid bilayer setup on gold surface, 359, 360, 366, 367
- P-DNA chips,
  - analysis of hybridization, 362, 363
  - hybrid bilayer interactions, 361, 362
  - unique properties, 364, 365
- preparation,
  - cytochrome b5 preparation, engineering, 352, 353
  - expression, 353, 354

- materials, 350, 351
- rationale, 349, 350
- single-stranded DNA coupling
  - to protein,
  - cisplatin bridge, 354
  - homobifunctional crosslinkers, 354–358, 365, 366
- surface plasmon resonance, 351, 359, 360, 362, 363, 365–367

## E

- Electron microscopy, nanoparticle array formation using S-layer proteins, 115, 116

## F

- Ferritin, crystallization, *see* Crystallization, proteins
- FET, *see* Field-effect transistor
- Fiberoptics,
  - fabrication of nanoprobe, 388–392
  - immunoreceptors,
    - antibody immobilization on nanofiber probes, 392
    - benzoapyrene detection in single cells, 395–397
    - cell culture for analysis, 392, 393
    - optical detection instrument, 393, 394
    - overview, 388
  - nanoprobes, 10, 11, 384
  - prospects, 399
- Fibrous proteins, *see*  $\beta$ -structured fibrous proteins
- Field-effect transistor (FET), carbon nanotube sensors, 193, 197, 201, 202, 206–208
- Flavonoids, *see* Quercitin
- Fluorescence microscopy,
  - multiphoton microscopy, 169
  - soft lithography patterning of S-layer proteins, 114, 115

- total internal reflection fluorescence microscopy,
  - principles, 170
  - sensitivity, 181
- Fluorescence polarization anisotropy (FPA),
  - principles, 180
  - single-molecule detection, 180–182
- Fluorescence resonance energy transfer (FRET),
  - advantages of protein conformational change measurement, 166, 167
  - filter sets for microscopy, 170, 172
  - fluorescence labeling of proteins,
    - chemical tagging, 178, 179
    - green fluorescent protein variants, 176–178
  - noncovalent binding, 174–176
  - fluorescence lifetime changes in donor and measurement, 170, 172, 173
  - principles, 167–170, 172, 173
  - single-molecule detection, 180–182
- FPA, *see* Fluorescence polarization anisotropy
- FRET, *see* Fluorescence resonance energy transfer

## G

- Gene therapy, polyvalent gene delivery using bacteriophage  $\Phi$ 29
  - DNA-packaging motor pRNA, 304, 305
- GFP, *see* Green fluorescent protein
- Glucose oxidase,
  - carbon nanotube electrode
    - attachment, 227, 228, 230, 233
  - catalytic reaction, 225, 226
  - scanning electrochemical microscopy, 404, 408, 411, 412
  - sol-gel encapsulation and stability, 60
- Glycolate oxidase, sol-gel encapsulation and stability, 60

- Graphite laser-driven nanomotor,
  - design, 8, 9
- Green fluorescent protein (GFP),
  - near-field scanning optical microscopy markers, 439, 440, 445, 446
  - protein labeling for fluorescence resonance energy transfer studies, 176–178

## H

- High-performance liquid chromatography (HPLC),
  - separations using molecularly imprinted polymers, 246, 247, 249, 251, 252
- Horseradish peroxidase (HRP), carbon nanotubule electrode attachment, 227
- HPLC, *see* High-performance liquid chromatography
- HRP, *see* Horseradish peroxidase

## I

- Immunoassay, *see* Antibodies; Protein chip; Surface-enhanced Raman scattering
- Immunoreceptors, *see* Antibodies
- Insulin, kinetics of crystallization, 41

## L

- Lactate oxidase, sol-gel encapsulation and stability, 60
- Luciferase, NADPH oxidoreductase coupling, 326, 327
- Lysozyme,
  - amyloid fibril formation, 422, 423
  - crystallization kinetics, 41
  - fluorescence labeling with noncovalent ligands, 174, 175

## M

- Mag-indo-1, noncovalent labeling of proteins, 174–176

- Metabolosomes, simulation of evolution, 326
  - Microperoxidase MP-11, carbon nanotubule electrode attachment, 229–231, 233, 236
  - Microtubule, dynamics, 7
  - Molecularly imprinted polymers,
    - applications, 243–245
    - principles of molecular imprinting, 244
    - quercitin recognition,
      - high-performance liquid chromatography separation using imprinted polymers, 246, 247, 249, 251, 252
    - materials, 245
    - polymer synthesis,
      - control polymer, 246
      - imprinted polymer, 246, 250, 251
    - processing, 246, 251
    - solid-phase extraction for assay, 249, 250
  - MRP-1, *see* Near-field scanning optical microscopy
  - Multidrug resistance, *see* Near-field scanning optical microscopy
  - Myosin, dynamics, 7
- ## N
- NAD(P)H, photochemical regeneration in sol-gel matrices, 69–73
  - NADPH oxidoreductase, luciferase coupling, 326, 327
  - Nanoprobes, development, 10, 11
  - Nanosensors, development, 10–12
  - Nanotechnology,
    - biological application prospects, 12
    - definition, 1
    - historical perspective, 1, 2
  - Nanowires,
    - assembly approaches, 193, 194
    - biological sensing applications, 191, 192, 196–200, 216

- definition, 193
  - functionalization for biological sensing, 201–203
  - growth, 195, 196
  - single-cell/single-molecule probes, 203–206
  - structure, 193
  - templated bioassembly, 212–215
  - Near-field scanning optical microscopy (NSOM),
    - applications,
      - actin filaments, 438
      - cell biology, 440
      - green fluorescent protein markers, 439, 440, 445, 446
      - hippocampal slices, 438
    - multidrug resistance studies,
      - cell lines, 441
      - imaging, 444, 445, 449
      - instrumentation and setup, 441–443
      - mounting and laser coupling, 444, 449
    - MRP-1 activity, 447, 448
    - P-glycoprotein activity, 447, 448
    - sample preparation, 444, 449
    - single-molecule studies, 446
    - transport proteins, 441, 445
  - nanofiber probes, 384, 385
  - principles, 182, 437, 438
  - resolution, 270, 271, 384, 385, 437
  - scanning probe microscopy technique
    - comparison, 438, 439
  - surface-enhanced Raman scattering
    - probes, 270, 271, 440
  - NMR, *see* Nuclear magnetic resonance
  - NSOM, *see* Near-field scanning optical microscopy
  - Nuclear magnetic resonance (NMR),
    - binding affinity considerations, 142, 143
    - ligand screening assay, 141, 142
    - protein conformational changes in solution, 165, 166
  - trNOESY of tetanus toxin fragment
    - C binding ligands,
      - competition assays,
        - doxorubicin as marker ligand, 152
      - limitations, 152, 158
      - protein addition to ligand combinations, 154, 156
      - reverse-order binding, 154
      - sequential addition of ligands, 152–154
    - ligand set optimization with
      - virtual screening and mass spectrometry, 149, 150
    - materials, 144, 156
    - principles, 142, 144–146, 156
    - pulse sequences,
      - mixing times, 148
      - protein signal filtering, 147, 156
      - scan times, 148, 149
      - temperature effects, 149, 158
      - water signal suppression, 148, 158
    - sample solution preparation, 150, 158
- O**
- Optical tweezers,
    - bacteriophage  $\Phi$ 29 DNA-packaging motor force determination, 300
    - principles, 12
- P**
- P-DNA, *see* DNA-protein assemblies
    - floating on supported membranes
  - Peptide nucleic acid (PNA), carbon nanotube coupling for DNA hybridization, 205, 206
  - P-glycoprotein, *see* Near-field scanning optical microscopy
  - F29, *see* Bacteriophage  $\Phi$ 29 DNA-packaging motor
  - Plasmonics, *see also* Surface-enhanced Raman scattering,
    - overview, 10

- PNA, *see* Peptide nucleic acid
- Polymer imprinting, *see* Molecularly imprinted polymers
- Prion proteins, amyloid fibril formation, 426
- Protein arrays, *see also* Protein chip, DNA methyltransferase inhibitor development, electronic structure activity relations, 336 first-generation inhibitors, 335 fourth-generation inhibitors, 342 mistargeted bases, 337, 341 overview, 333, 334 second-generation inhibitors, 335–337, 341 third-generation inhibitors, 341, 342 tumor biology, 334, 335 ordering approaches, 325–327 prospects, 344 three-address array ordered assembly, electrophoretic mobility shift assay with microfluidics chips, 333 fusion protein preparation, expression, 332 purification, 332, 333 vectors, 331, 332 molecular models, 327, 330 oligodeoxynucleotide preparation, 330, 331 protein coupling conditions, 333 Y-junction assembly monitoring with microfluidics chips, 331
- Protein chip, multianalyte immunoassay, chemiluminescence signal detection, 375 IgA, IgG, and IgM immunoassays, 373 overview, 376–378 particle array assembly on protein chip, 373, 375, 376 rationale, 369, 370 preparation, electrodeposition, 372 materials, 371 overview, 370, 371 particle fabrication, 372, 373 photolithographic patterning, 372 self-assembled monolayer coating, 373 prospects for use, 378
- Protein structure, crystallization, *see* Crystallization, proteins misfolding and disease, 5 primary structure, 4 quaternary structure, 4 secondary structure, 4 sequence and function, 4 size, 2, 3 techniques for elucidation, 5, 6 tertiary structure, 4
- Proteomics, functional versus structural, 6
- Q**
- Quantum molecular simulation, nanomaterial design, 6, 7
- Quercitin, recognition using molecularly imprinted polymers, *see* Molecularly imprinted polymers
- R**
- Raman spectroscopy, *see* Surface-enhanced Raman scattering
- Regeneration, *see* Tissue engineering
- Ribosome, machine function, 7 size, 3, 7
- S**
- SAMs, *see* Self-assembled monolayers
- Scanning electrochemical microscopy, *see* Atomic force microscopy
- Scanning probe microscopy (SCM), carbon nanotube probes, 204



- comparison of techniques, 438, 439
- single nucleotide polymorphism mapping, 204, 205
- SCM, *see* Scanning probe microscopy
- Self-assembled monolayers (SAMs),
  - protein chip coating, 373
  - surface-enhanced Raman scattering substrate overcoating, 264
- SERS, *see* Surface-enhanced Raman scattering
- Single-molecule detection,
  - carbon nanotube probes, 203–206, 226, 227
  - fluorescence techniques, 180–182
  - near-field scanning optical microscopy, 446
  - surface-enhanced Raman scattering, 271
- S-layer proteins,
  - assembly on non-bacterial substrates, 103
  - bacteria distribution, 101, 102
  - biomedical applications, 103, 104
  - lipid membrane modification,
    - crystallization of proteins, 117–119
  - folded membrane formation, 116, 117, 120
  - materials, 107, 108
  - painting, 116, 120
- nanoparticle array formation,
  - crystallization of proteins, 115
  - materials, 107
  - nanoparticle preparation, 115, 120
  - solid support preparation, 115
  - transmission electron microscopy, 115, 116
- nanopatterning applications, 104
- patterning of crystalline proteins,
  - excimer laser patterning, 111–113, 119
  - materials, 106, 107
  - soft lithography patterning, 113–115, 119, 120
- preparation,
  - bacterial strains, 104, 105
  - cell-wall fragment preparation, 109
  - continuous culture of bacteria, 108, 109, 119
  - isolation of proteins, 109, 119
  - materials, 104, 105
- solid support coating studies,
  - atomic force microscopy, 110, 111
  - crystallization of proteins, 110
  - materials, 105, 106
  - solid support preparation, 109, 110
- structure of lattices, 102, 103
- Sol-gel encapsulation,
  - aerogels, 57
  - biosensor applications, 73–76
  - hydrolysis and condensation reactions, 55, 56
  - photochemical coenzyme regeneration, 69–73
  - rationale, 53, 54
  - sol-gel chemistry overview, 54–57
  - stabilization of biomolecules,
    - chemical stability, 62
    - creatine kinase studies, 62–69
    - matrix-enzyme surface interactions, 68, 69
    - mechanisms, 59, 62
    - storage stability, 61, 63
    - thermal stability, 60, 61, 64–67
  - synthesis protocol for biomolecule encapsulation, 58, 59
  - xerogels, 57, 59
- SPR, *see* Surface plasmon resonance
- Streptavidin, ordering along DNA, 326
- Supramolecular assemblies, *see* DNA-protein assemblies floating on supported membranes
- Surface plasmon resonance (SPR),
  - DNA-protein assemblies floating on supported membranes, 351, 359, 360, 362, 363, 365–367

Surface-enhanced Raman scattering (SERS),  
active metal electrode development, 257  
active metal nanoparticle colloid development, 257, 258  
efficiency of Raman scattering, 255  
gene probes, 266–270  
immunoassays, 265, 266  
intracellular analysis nanoprobe, 272, 273  
metal nanoparticle island film development, 258  
nanoprobe utilization, 10  
near-field scanning optical microscopy probes, 270, 271  
near-field surface-enhanced Raman spectroscopy, 385  
origins of enhancement, 256  
prospects, 273, 274  
single-molecule detection, 271  
substrate development,  
metal-coated nanoparticles, 260, 261  
metal-coated nanospheres, 259, 260  
metal-coated quartz posts for substrate development, 261  
metal nanoparticle-embedded media, 261–263  
substrate overcoating,  
bioreceptor monolayers, 264, 265  
general organic, metallic, and dielectric overcoatings, 263, 264  
self-assembled monolayers, 264

## T

TetC, *see* Tetanus toxin C

Tetanus toxin C (TetC),  
ligand identification rationale, 143, 144

structure, 5, 6  
trNOESY assay of ligands,  
competition assays,  
doxorubicin as marker ligand, 152  
limitations, 152, 158  
protein addition to ligand combinations, 154, 156  
reverse-order binding, 154  
sequential addition of ligands, 152–154  
ligand set optimization with virtual screening and mass spectrometry, 149, 150  
materials, 144, 156  
principles, 142, 144–146, 156  
pulse sequences,  
mixing times, 148  
protein signal filtering, 147, 156  
scan times, 148, 149  
temperature effects, 149, 158  
water signal suppression, 148, 158  
sample solution preparation, 150, 158  
Thaumatococcus, kinetics of crystallization, 41  
Tissue engineering,  
gelatin hydrogel incorporating fibroblast growth factor, adipogenesis, 95  
angiogenesis induction, 92, 93  
bone regeneration, 93–95  
controlled release of growth factor, 90, 91  
degradation characterization, 88, 90  
preparation, 87  
in vitro versus in vivo, 84  
organ engineering, 83, 86  
regeneration,

- carrier-growth factor
  - combinations, 88, 89
- extracellular matrix functions, 82
- fibrosis inhibition, 86
- growth factors, 82, 83
- materials, 87
- therapeutic prospects, 81, 82, 95, 97
- tissue site differences, 83, 86
- Total internal reflection fluorescence microscopy,
  - principles, 170
  - sensitivity, 181
- Transthyretin, amyloid fibril formation, 420–422
- trNOESY, *see* Nuclear magnetic resonance
- X**
- Xerogel, *see* Sol-gel encapsulation
- X-ray diffraction, amyloid fibrils, 429, 431

---

## About the Editor

Tuan Vo-Dinh is a Corporate Fellow, Group Leader and Director of the Center for Advanced Biomedical Photonics at Oak Ridge National Laboratory (ORNL), Oak Ridge, TN. A native of Vietnam and a naturalized US citizen, Dr. Vo-Dinh completed his high school education in Saigon (now Ho Chi Minh City) and went on to pursue his studies in Europe, where he received a PhD in biophysical chemistry in 1975 from the Swiss Federal Institute of Technology (known as ETH) in Zurich, Switzerland. His research has focused on the development of advanced technologies for the protection of the environment and the improvement of human health. His research activities involve laser spectroscopy, molecular imaging, medical diagnostics, cancer detection, chemical sensors, biosensors, biochips, nanosensors, and nanotechnology.



Dr. Vo-Dinh has published over 300 peer-reviewed scientific papers, is an author of a textbook on spectroscopy, and is the editor of four books. He holds over 28 patents, six of which have been licensed to environmental and biotech companies for commercial development. Dr. Vo-Dinh is a Fellow of the American Institute of Chemists and a Fellow of SPIE, the International Society for Optical Engineering, and serves on the editorial boards for various international journals on molecular spectroscopy, analytical chemistry, biomedical optics, and medical diagnostics. He has also served the scientific community through his participation in a wide range of governmental and industrial boards and advisory committees.

In addition, Dr. Vo-Dinh has received seven *R&D 100 Awards* for “Most Technologically Significant Advance in Research and Development” for his pioneering research and inventions of innovative technologies. These awards were for a chemical dosimeter (1981), an antibody biosensor (1987), the SERODS optical data storage system (1992), a spot test for environmental pollutants (1994), the SERS gene probe technology for DNA detection (1996), the multifunctional biochip for medical diagnostics and pathogen detection (1999), and the Ramits Sensor (2003). He also received the *Gold Medal Award*, Society for Applied Spectroscopy (1988); the *Languedoc-Roussillon Award* (France, 1989); the *Scientist of the Year Award*, ORNL (1992); the *Thomas Jefferson Award*, Martin Marietta Corporation (1992); and two *Awards for Excellence in Technology Transfer*, Federal Laboratory Consortium (1995, 1986), the *Inventor of the Year Award*, Tennessee Inventors Association (1996); the *Lockheed Martin Technology Commercialization Award* (1998), the *Distinguished Inventors Award*, UT-Battelle (2003), and the *Distinguished Scientist of the Year Award*, ORNL (2003). In 1997 Dr. Vo-Dinh was presented the *Exceptional Services Award* for distinguished contribution to a Healthy Citizenry from the U.S. Department of Energy.