## INDEX

Α		В	
absorbance	15–16, 18–19,	background signal	6, 23,
22–23, 25, 125, 127, 130–135, 145, 147		36, 38, 46, 52, 58–59, 65–66, 71, 74, 87, 92, 98–99,	
acoustic transfer		104–105, 110, 115–117,	
activator		177, 179, 181, 183–188,	
53, 123, 149	, , , ,	bacteria	
aequorin	109–112, 117–120, 122	19-23, 25-26, 59-60, 63	
affinity		culture	
agar		22, 24, 59, 62, 72, 73	
69, 72, 73, 79, 83–84, 86–8		frozen stock	15. 62
dispensing		pathogenic	
agarose		physiology	
agonist115		barcode	
American Type Culture Collection		batch processing	
(ATCC)		198, 202–204	, 70, 100,
ampicillin		binding	3 8-9 30
amplification		100, 104–105, 122, 140,	
antagonist		161–164, 167, 172	177, 131 132, 137,
antibiotic		binning	32 35 67
	13, 10–17, 22–23,	_	
54, 57, 71, 74, 99 antibody	20 21 22 24 20	103, 157–158, 160–162	(1 (4 (5
		biosafety cabinet	01, 04–03,
140, 142–146, 148, 179	22 20	84–86, 88, 101	(0 (2 (5
anti-mouse		bleach	00–03, 63,
anti-rabbit	,	69, 72–73, 83–85, 132	00 102
monoclonal	· · · · · · · · · · · · · · · · · · ·	bovine serum albumin (BSA)	, ,
Arabidopsis thaliana	//-80, 82-83,	122, 141–142, 145, 153–	-154, 157, 168
85–89, 93–95	( 2 ( 22	C	
aspiration		_	
62, 64, 70, 102–103, 105, 1		Caenorhabditis elegans	
151–152, 158, 169–171, 18		calcium chloride	47, 60–61, 112–113
assay development		calcium phosphate	113, 120
105, 111, 120, 142–143, 15	66, 162, 172–173,	calcium sulfate	
177–179, 182–189		calibration	92, 157, 163, 174, 207
assay		carbon dioxide	
cell-based	1, 4, 46, 97–98,	113–114, 141, 144, 170,	185
109, 149, 195		cDNA	2, 80, 95,
cytoblot		113–115, 118, 120–121,	168-169, 172-174
loss-of-function	· · · · · · · · · · · · · · · · · · ·	cell counting	6, 101, 155, 179
autoclave	15, 60–61,	cell culture	9, 31–33, 47,
63, 83–84, 127–129		90, 99–102, 105, 126, 14	1–142, 153, 155, 168,
autofluorescence	82	170–171, 173, 184	
autofocus		automated	4
autosampler	151, 156–158	microbial	
averaging	4, 22, 25, 35, 49,	cell line	· · · · · · · · · · · · · · · · · · ·
69, 103, 131, 133, 145, 172		104–106, 110–111, 141,	· · · · · · · · · · · · · · · · · · ·
median13	3, 162, 164, 194, 199, 204	clonal	

## 214 Cell-Based Assays for High-Throughput Screening Index

19, 22-24, 3.6-40, 51, 59, 65, 70, 73, 101, 105, 112, 113-114, cell lysate   60, 64, 110, 113, 114-115, 130, 134-136, 142-144, 155, 168, 171, 173-174   115-116, 121, 142, 168-169, 171, 173-174   173, 183-184, 187-189   170-71, 74, 193, 195-209   18 adhernt   6, 99, 101-102, 155, 168 animal   90, 93   C2C12   170	cell line (Continued)	concentration dependence
stable 113-114 cell lyste 60, 64, 110, 113, 115-116, 121, 142, 168-169, 171, 173-174 cell viability 97-99, 144 cell viability 97-99, 144 cell viability 97-99, 144 cell viability 97-99, 144 cell viability 97-99, 145 contensation 50, 92, 94, 163 contamination 25-26, 40, 59, 63, 72, 83-84, 133, 135-136, 174, 184, 194 bacterial 51, 184, 194 bacterial 72, 24, 24-25, 115, 118, 121, 127, 136, 144, 158, 158, 174, 184, 194 bacterial 51, 184, 194 bacterial 72, 24, 24-25, 115, 118, 121, 127, 136, 144, 158, 158, 194 controls 61, 67, 15-20, 22, 24-25, 115, 118, 121, 127, 136, 144, 158, 194 controls 61, 67, 15-20, 22, 24-25, 115, 118, 121, 127, 136, 144, 158, 194 controls 61, 67, 194, 194, 194, 194, 194, 194, 194, 194		1
cell lysate	6	
115-116, 121, 142, 168-169, 171, 173-174		
cell viability. 97-99, 144 CellProfiler 61-62, 68, 70-71, 74, 193, 195-209 cells adherent 6, 699, 101-102, 155, 168 animal 90, 93 C2C12 1.70 cancer. 1441, 146-147 Cos7 118-119, 122 endothelial 29, 31, 41 HEK293 100, 102-106, 113-117, 120, 122 HUVEC 29, 31, 33, 35-39 phybridoma 1.79 mammalian 4, 9, 29-30 plant 79-80, 90, 94 primary 4, 29, 31 U2OS 195 U937 155 centrifugation 25, 33, 47, 50, 61, 64-65, 68-70, 73, 85, 101, 128, 130-132, 155, 163, 173-174 ChemBank 2, 137-174 ChemBank 2, 137-174 ChemEank 2, 137-174 Chemical genetics 2, 10-12, 14, 43, 106 chemical genomics 142, 144, 146, 148 chloramphenicol 51-71, 20, 22, 110 chromosomes 77, 81, 135-136, 143, 149 cloning 70, 78, 88, 106, 125, 129, 142, 144, 151, 153, 156, 168-171, 173, 177, 179-182, 184-185, 188-189 compound collection 15-17, 20, 22, 110 chromosomes 77, 81, 135-136, 143, 149 cloning 70, 78, 88, 106, 125, 129, 142, 144, 151, 153, 156, 168-171, 173, 177, 179-182, 184-185, 188-189 compound concentration 15, 19, 22, 26-27, 51, 54, 65, 70, 73-74, 101, 114, 115, 122, 135, 144, 154, 156, 165, 171, 173, 187-189 compound concentration 15, 19, 22, 26-27, 51, 54, 65, 70, 73-74, 101, 114, 115, 122, 135, 144, 154, 156, 165, 171, 173, 187-189 compound anagement 17, 20, 21, 102, 113, 144-145, 145, 156, 161, 162, 164, 172, 177-178, 181-189 compound anagement 17, 20, 21, 102, 103, 134, 136, 184-185, 188 compound acutive 18, 189 compound solubility 184-185, 188 compound acutive 18, 189 compound acutive 18, 189 compound acutive 18, 189, 13-15, 17, 22, 27, 43, 46, 52-53, 58, 127, 133-134, 136, 118, 189-190 compound collection 19, 189, 189, 189, 190 compound collection 19, 189, 189, 189, 190 compound collection 19, 189, 189, 189, 190 compound collection 19, 189, 189, 189, 189, 190 compound collection 19, 189, 189, 189, 189, 189, 189, 189,	·	
CellProfiler         61-62, 68, 70-71, 74, 193, 195-209         63, 72, 83-84, 133, 135-136, 174, 184, 194         bacterial         72 fingal         84           animal		
To-71, 74, 193, 195-209 cells adherent		
cells adherent	*	
controls. 6, 99, 101-102, 155, 168 animal. 90, 93 C2C12 170 cancer. 141, 146-147 Cos7 118-119, 122 endorthelial 2, 29, 31, 41 HEK293. 100, 102-106, 113-117, 120, 122 HUVEC. 29, 31, 33, 35-39 hybridoma. 179 mammalian 4, 9, 29-30 plant. 79-80, 90, 94 primary. 4, 29, 31 U2OS 195 U937. 155 centrifugation 25, 33, 47, 50, 61, 64-65, 68-70, 73, 85, 101, 128, 130-132, 155, 163, 173-174 CbemBank. 2, 53 chemical genetics. 2, 10-12, 14, 43, 106 chemical genetics. 142, 144, 146, 148 chloramphenicol 15-17, 20, 22, 110 chromosomes. 77, 81, 135-136, 143, 149 cloning. 8, 27, 62, 64, 66, 70, 73, 88, 106, 125, 129, 142, 144, 151, 153, 156, 168-171, 173, 177, 179-182, 184-185, 188 compound collection 15, 19, 22, 26-27, 51, 54, 65, 70, 73-74, 101, 114, 115, 122, 135, 144, 154, 156, 168, 171, 173, 187-189 compound concentration. 15, 19, 22, 26-27, 51, 54, 65, 70, 73-74, 101, 114, 115, 122, 135, 144, 154, 156, 168, 171, 173, 187-189 compound management 17, 20, 50, 98, 132, 189 compound management 17, 20, 50, 98, 132, 188 compound active. 1, 8-9, 13-15, 17, 22, 27, 43, 46, 52-53, 58, 127, 133-134, 136, 184, 188-189 water contents. 18, 29, 13-15, 17, 22, 27, 43, 46, 52-53, 58, 127, 133-134, 136, 184, 188-189 water contents. 166, 169, 171, 178, 187, 189, 189 compound annagement 17, 20, 22, 110 chromosomes. 77, 81, 128, 130-132, 135, 144, 154, 156, 168, 171, 173, 187-189 compound annagement 17, 20, 22, 110 chromosomes. 70, 71, 71, 71, 717, 719-182, 184-185, 188 compound annagement 17, 20, 22, 110 chromosomes. 71, 72, 72, 73, 74, 74, 74, 74, 74, 74, 74, 74, 74, 74		
C2C12		9
C2C12		
cancer	•	
Cos7		
negative		•
HEK293		
113-117, 120, 122   HUVEC		
HUVEC		
hybridoma		
23, 142, 144, 156, 161–162, 164, 173, 179, 183, 190, 195, 209     195, 209     197, 200, 200, 200, 200, 200, 200, 200, 20		
plant	•	1
primary		
vehicle	÷	
U937	primary4, 29, 31	•
centrifugation		, , ,
curve fitting	U937155	
Cyan-fluorescent protein (CFP)   82, 91,   98-100, 102-104, 106   cytoblot.   141, 143, 146   cytoplasm.   31, 34, 37, 81,   99, 103-104, 195-196, 200, 209   cytotoxicity   39, 103-104, 195-196, 200, 209   cytotoxicity   33, 99, 104, 144   146, 148   99, 103-104, 195-196, 200, 209   cytotoxicity   33, 99, 104, 144   146, 148   99, 103-104, 195-196, 200, 209   cytotoxicity   33, 99, 104, 144   146, 147, 180, 189   compound collection   1-3, 6, 10, 13-16, 19-21, 25, 43, 46-48, 50-53, 58, 60, 70, 78, 88, 106, 125, 129, 142, 144, 151, 153, 156, 168-171, 173, 177, 179-182, 184-185, 188-189   compound concentration   15, 19, 22, 26-27, 51, 54, 65, 70, 73-74, 101, 114, 115, 122, 135, 144, 154, 156, 168, 171, 173, 187-189   compound management   17, 20, 50, 98, 132, 189   compound management   17, 20, 184-185, 188   compound   active   17, 22, 27, 43, 46, 52-53, 58, 127, 133-134, 136,   17, 22,	centrifugation25, 33, 47, 50,	
ChemBank       2,53         chemical genetics       2, 10-12, 14, 43, 106       cytoblot       141, 143, 146         chemical genomics       12, 79, 85, 88       cytoblot       141, 143, 146         chemical genomics       142, 144, 146, 148       cytoblot       31, 34, 37, 81,         chorromosomes       77, 81,       99, 103-104, 195-196, 200, 209       cytotoxicity         chorromosomes       77, 81,       135-136, 143, 149       135-136, 143, 149       141, 143, 146         cloning       8, 27, 62, 64, 66,       6, 10, 13-16, 19-21, 25, 43, 46-48, 50-53, 58, 60,       1-3,       146-147, 180, 189       189         compound collection       15, 19,       146-147, 180, 189       128, 135         compound concentration       15, 19,       83, 142, 157         compound annagement       17, 20,       50, 98, 132, 189       83, 142, 157         compound solubility       133, 136,       184-185, 188       188         compound       1, 8-9, 13-15,       19-20, 22-23, 25, 47, 50-51, 62, 70, 74, 102-103,         184-185, 188       105, 129, 135, 144, 144, 144, 154, 154, 156, 168, 171, 173, 187-189       165, 70, 102, 112, 114-115, 118-119, 130-132, 135,         165, 70, 102, 112, 114, 1414, 143, 146       141, 143, 146       144, 148, 148       144, 148, 148 <t< td=""><td>61, 64–65, 68–70, 73, 85, 101, 128, 130–132, 155,</td><td>curve fitting</td></t<>	61, 64–65, 68–70, 73, 85, 101, 128, 130–132, 155,	curve fitting
chemical genetics	163, 173–174	cyan-fluorescent protein (CFP) 82, 91,
chemical genomics	<i>ChemBank</i>	98–100, 102–104, 106
chemiluminescence	chemical genetics	cytoblot141, 143, 146
chemiluminescence	chemical genomics	cytoplasm31, 34, 37, 81,
chloramphenicol		99, 103–104, 195–196, 200, 209
chromosomes	chloramphenicol	
cloning		
cloning	135–136, 143, 149	D
72–73, 82, 85, 130, 135 compound collection		deed volume 160 173_174
compound collection	_	
denaturation		
70, 78, 88, 106, 125, 129, 142, 144, 151, 153, 156, 168–171, 173, 177, 179–182, 184–185, 188–189 compound concentration	± .	
detergent		
compound concentration		
22, 26–27, 51, 54, 65, 70, 73–74, 101, 114, 115, 122, 135, 144, 154, 156, 168, 171, 173, 187–189 compound management		detergent83, 142, 157
122, 135, 144, 154, 156, 168, 171, 173, 187–189 compound management		
compound management		
50, 98, 132, 189  compound solubility		
compound solubility		
184–185, 188  compound  active		
compound active		
active		
17, 22, 27, 43, 46, 52–53, 58, 127, 133–134, 136, DNA	1	,
D141100, 120 130,		
140 150 174 101 107		DNA100, 128–130,
143, 152, 164, 181, 187 169, 178–179, 198, 201		169, 178–179, 198, 201
lead		0
72, 74, 80, 82, 139, 147, 207 replication	72, 74, 80, 82, 139, 147, 207	replication14

staining	inducible52, 125, 127, 130
synthesis41	protein
carrier	135–136, 142, 167
linear	stable111, 114, 123
marker	514010
plasmid	F
primer	C1
salmon sperm	false positive
dose response	filter set
119, 182–189, 209	fixation
drug	flow cytometry
53, 88, 110, 140, 142, 195, 209	155, 157–159, 163–164
efflux127, 134–135	fluorescence
	34, 36, 39, 48, 51, 57–59, 61, 65–66, 70–71, 74,
target	78–80, 87, 90–93, 95, 97–105, 109–110, 145,
drug discovery	151–153, 158–164, 168, 180–181, 195, 197, 205, 207
43, 54, 125, 151, 175, 181	lifetime
A1 22 25 27 29	polarization
Alexa	resonance energy transfer (FRET)5, 82, 97–100,
	102–104, 106, 147, 180
101–102, 104–106 DAPI198	time-resolved (TRF)
Fluo-4	fluorophore
fluorescein/FITC	97–100, 151, 153, 181
, ,	fold change
153–154, 161–163	fungi 54, 72, 83–84
Fura Red	G
Hoechst	
Nile Red	galactose
rhodamine	genetic background
Texas Red/TRITC	genetic construct
dynamic range	100, 111–114, 116–117, 120, 127
177–179, 180, 183, 190	genetic engineering
E	geneticin
_	genetics14, 43, 45
EC507, 13–14, 23,	forward48
133, 177, 179, 182–183, 185, 187–188, 190, 209	reverse82
edge effect	genome
ELISA	genomics
embryo	germination
emission wavelength	glucose
energy transfer	131–132, 135–136, 154
Escherichia coli	G-protein coupled receptor (GPCR)
ethanol	30, 109–111, 113–118, 121, 151, 153
51, 60–63, 65, 72, 83, 84–85, 101, 105, 132	green-fluorescent protein (GFP)
ethylenediamine tetraacetic acid (EDTA)	51, 58, 67, 79–82, 87, 104, 109–110, 198, 200–201
99–100, 128, 141–142, 154	growth30, 73, 90
evaporation	log-phase18–19, 24–25
excitation wavelength82, 99–100, 106, 145	microbial
expression	plant
51–52, 78–80, 87, 93, 104, 111–114, 125–127,	inhibition14, 126, 136
139–141, 153, 155, 163, 167–168, 170, 172–174	rate
constitutive	rescue
gene	growth chamber
109–110, 143, 167–169, 171–173	growth factor

## 216 Cell-Based Assays for High-Throughput Screening Index

н	automated
hatching54, 59, 62, 65, 69, 72	bulk
horseradish peroxidase (HRP)142–144	localization
humidity	logarithm transformation
33, 70, 74, 128–129, 131–132, 163, 170	logistic equation
hydroxyethyl-piperazine-ethanesulfonic	luciferase
acid (HEPES)112, 118, 153–154	luciferin
acid (1151 150)112,110,155 15 1	luminescence
I	113, 116, 118, 120, 122, 143, 145–147, 168
1050	lyophilization
IC50	
177, 179, 182, 185, 187–188, 190	М
illumination correction	machine learning
198–199, 207–208	magnesium chloride
image acquisition	magnesium sulfate
34, 58, 66–68, 70, 73, 77, 79–80, 82, 85–86, 89–93,	magnification
97–103, 105–106, 147, 180–181, 197, 199, 203–208	<i>MATLAB</i>
automated	mechanism
image analysis	99–100, 103–104, 133, 139, 141, 177, 191–192
195, 197, 205–206	media
imaging	22–24, 26, 29, 31, 33, 36, 38, 43–44, 47, 49–52,
bright-field	54, 57–64, 66–67, 69, 72–73, 77, 83–90, 94,
fluorescence	97, 99–103, 105, 109–110, 112–118, 120–121,
luminescence	125–133, 135, 139, 141, 144, 146, 151, 153–154,
immunodetection	167–171, 177, 184, 193
incubator16–17, 21,	bacterial
23, 25, 33, 47, 51, 61, 68, 70, 74, 90, 99, 101–102,	dropout
118, 129–130, 170	Eagle/MEM32–33, 100,
infection	112–116, 118, 141, 168
inhibition	liquid57, 59, 69,
116–117, 121, 125–126, 130–131, 133–136, 140,	85–86, 127, 130
161–162, 177, 181, 187–188, 190	Luria-Bertani (LB)15–20, 22–24, 60–61, 68
inhibitor	phenol red-free
22–23, 30, 37, 39–40, 45, 117, 121, 125–127, 129,	RPMI
131–136, 139–143, 145–147, 175, 184	yeast
inoculation	membrane permeability
68–69, 72, 131–132	methanol
IPTG59-60, 72	microscope
K	51, 58–59, 61–62, 66–67, 70, 83, 85, 87, 90–93, 97,
N.	100–101, 104–105, 133, 136, 193, 206–207
kanamycin15–17, 61–62, 74	inverted
kinase3, 29–31, 33,	microscopy
35-37, 39-40, 45, 75, 111, 139-141, 179	79–80, 82, 85, 87, 90, 93–95, 97, 173, 193, 197
Kolmogorov-Smirnov statistic	automated
	61–62, 66–67, 70, 87, 91–92, 97, 101, 105, 193, 206
L	bright-field
larva54, 59, 65–66, 69, 73	confocal
ligand	epifluorescence
106, 109–110, 115, 139–140, 151–153, 162	fluorescence
binding99–100, 107,	phase-contrast
125, 140, 152–154, 162–163	Microsoft Excel
lipofection112, 114, 118, 121	microtiter plate
liquid handling	
33, 45, 50, 61–62, 64, 156, 158, 169–174, 180, 183	47, 50, 59, 62, 74, 114–115, 118, 121–122, 127, 129,
33, 73, 30, 01 02, 07, 130, 130, 107-174, 100, 183	141–143, 146–147, 156, 164, 167–171, 204, 207

384-well	62, 173	pipette	15, 26, 47,
48-well	83, 88	49, 72, 84, 89	
96-well	16–17, 61, 64, 72,		
73, 129, 132, 141, 170		44, 50, 72, 88, 102,	121, 129, 132, 141, 156,
black	62, 104	169-171, 173-174,	
cell culture-treated	170	Pasteur	44, 47, 49–50, 64, 93
clear	15–17, 168	pipetting	19, 22, 26, 33,
conical-bottom	154	44, 47, 49–51, 64, 6	59, 72–73, 84–85, 88–89, 93,
deep-well	61, 64, 72–73, 184		129–132, 141, 146, 156, 163,
flat-bottom		169-174, 184-185,	188-189
opaque	100, 103–104	automated	26, 33, 156, 163
optical	61-62, 99-100,	manual	44, 47, 49, 156
104, 141, 147, 169		plant	4, 77–85, 87, 89, 91–95
white	116	•	113, 125–128,
microtiter plate reader	74, 92, 97,	130–132, 135–136	
99, 102, 127, 129, 146–147		plate map	7, 177–178, 181–189
microtiter plate stacker	64, 99, 101, 147	polymerase chain reaction	
microtiter plate washer		(PCR)	130, 167–169, 171–174
modifier			47, 112, 142, 154
chemical-genetic	43	-	60–61
genetic	11, 45		50, 83, 114,
molecular biology	130, 179	120, 133, 136, 184	
morphology		precision	6, 90, 92–93, 172, 188
mRNA		promoter	93, 109–111, 127, 133
multiplexing	109–111, 122,	•	80
144, 153, 194		protein	
mutagenesis	78	fusion	78, 80, 100, 103–104
MySQL	202	recombinant	78, 80, 111,
NI.		125-127, 129-131,	133, 135
N		PubChem	
natural product	8, 15, 46, 52, 129	•	
nuclear translocation	31, 36–37,	Q	
39, 97, 99–100, 102, 104, 193		quality control	175, 179, 181, 183
nucleus		17	,,
35-37, 81, 103-104, 195-196		R	
		rocentor	3, 5, 7, 30–31,
0		*	116–117, 119, 121, 125,
off-target effects	3, 8, 48	139–140, 151–155,	
oligo-dT			
overexposure			3–4, 79,
overexpression		109–117, 119–120,	
125–126, 133, 139–140, 146	, ,		6, 31, 36,
		40, 52, 120, 174, 17	
P			17, 20–22, 26, 72, 112
paraformaldehyde	22 26 28		33, 50, 60, 64–65,
penicillin			)–132, 135, 155, 163, 184
permeability			167–168, 172, 174
phosphorylation		RNA 2, 68, 71, 178–179	107 100, 172, 174
photosynthesis			58–59
pin transfer		RNAi 2, 9, 57–60, 62–66,	
54, 70, 72, 101–103, 105, 106			57–58, 75
170, 173, 174	, 147, 134, 133–130,	O	1, 30, 32,
automated	120		94, 129, 132, 147, 156, 169–171,
manual		173–174, 178	1, 127, 132, 177, 130, 107-171,
aua	, 127, 134	113 117, 110	

## 218 CELL-BASED ASSAYS FOR HIGH-THROUGHPUT SCREENING Index

S	T	
Saccharomyces cerevisiae125–126, 130	temperature control	16–17, 129, 147
saline	tetracycline	
Hanks buffered (HBSS) 112, 118	thermal cycler	169, 172, 174
phosphate-buffered (PBS)32-34,	time course	6, 120, 161
99–100, 102–103, 105, 112–114, 120, 141–142,	178, 181, 183, 188, 209	
155, 169, 171	toxicity	
Tris-buffered142, 144–146	130, 133–134, 136, 146	
screen	transcription	11, 29, 31
24, 58, 136, 167, 197, 181, 184, 193, 204	37–38, 110–111, 127, 14	0-141, 167-168, 172, 174
genetic	transcription factor	
high-content (HCS)	37–38, 110–111, 127	
7, 77, 97, 99–102, 106, 151, 153, 155, 157, 159,	transfection	113–115, 117–122, 154
163, 180, 193, 195–196, 199, 205	calcium phosphate	
high-throughput (HTS)1–7, 9, 13,	mock	
15, 17, 19, 21, 23, 25, 29–30, 43–46, 48, 57–59,	stable	
61, 63, 65, 69, 71, 73, 77, 79–80, 82, 85, 90, 97–98,	transient	· · · · · · · · · · · · · · · · · · ·
109–111, 125–126, 139, 143, 147, 151–152,	transformation	
167–169, 171, 173, 177–186, 188–190, 193, 206	neoplastic	
image-based	translocation	
modifier	35–37, 97, 99–100, 102,	
screening "hit"	Triton-X100	
148, 161, 194, 204	trypsin	
prioritization	Tween-20	
rate	1 WCC11 20	
sensitivity	V	
•		
97, 105, 109–111, 125, 142, 146–147, 153, 158, 178	variability	
sequencing	vector	
serial dilution	viability	
serum	virus	80, 82, 125–126
112, 121–122, 141–142, 153–154, 168, 170, 188	vortex mixer	64, 69–70, 84, 131–132
fetal bovine (FBS)32–33, 99–100,	14/	
105, 112–115, 118, 122, 141, 153, 158, 168	W	
horse	Western blot	139, 142–144, 146
signal transduction	worms	
40, 45, 97–98, 109–110, 116, 139, 148–149, 152,	counting	
181, 183, 195	hatching	
sodium chloride	8	
60–61, 112, 142, 154	Υ	
sodium hydroxide		4 0 40 440 444 405 405
standard deviation	yeast	
7, 22, 24, 26, 162, 173–174, 181, 187, 209	yellow-fluorescent protein (YFF	') 82, 91,
sterilization	98–100, 102–104, 106	
70, 72, 83–85, 93–94, 101, 112–113, 128–129	Z	
streptomycin54, 61, 68, 72, 99, 141, 153, 168		
suppressor	zebrafish	4, 43–49, 51–54, 178
surface tension	zeocin	112