

General

| | |
|---|--|
| <code>php artisan --env=dev</code> | Use <code>.env.dev</code> file |
| <code>php artisan optimize</code> | Dump composer autoload and compile common classes and view files |
| <code>php artisan optimize:clear</code> | Clear optimized files |
| <code>php artisan serve</code> | Serve application using the <code>server.php</code> file |
| <code>php artisan key:generate</code> | Generate <code>APP_KEY</code> in <code>.env</code> |
| <code>php artisan config:cache</code> | Cache app settings and <code>.env</code> variables |
| <code>php artisan vendor:publish --tag=laravel-notifications</code> | Publish assets for Laravel's default email template |

Migrations

| | |
|---|---|
| <code>php artisan migrate</code> | Migrate |
| <code>php artisan migrate --seed</code> | Migrate + Seed |
| <code>php artisan migrate:fresh --seed</code> | Migrate (from scratch) + Seed |
| <code>php artisan migrate:install</code> | Install migrations to DB configured in <code>.env</code> file |

Make

| | |
|---|--------------------------------------|
| <code>php artisan make:auth</code> | Make Authentication |
| <code>php artisan make:seeder <name></code> | Make a Seeder |
| <code>php artisan make:factory <name></code> | Make a Factory |
| <code>php artisan make:request <name></code> | Make a Request |
| <code>php artisan make:resource <name></code> | Make a Resource |
| <code>php artisan make:migration <name></code> | Make a Migration |
| <code>php artisan make:model -m "path\in\app\<name>"</code> | Make a Model + Migration |
| <code>php artisan make:mail <name></code> | Make Mail (using default template) |
| <code>php artisan make:controller "path\in\app\<name>"</code> | Make a Controller (with custom path) |
| <code>php artisan make:notification</code> | Make a Notification |

ide-helper Package

| | |
|--|---|
| <code>php artisan ide-helper:generate</code> | Generate ide-helper file |
| <code>php artisan ide-helper:models</code> | Generate DocBlocks for your models using ide-helper |
| <code>php artisan vendor:publish --provider="Barryvdh\LaravelIdeHelper\IdeHelperServiceProvider" --tag=config</code> | Publish ide-helper config file |

spatie/laravel-permission Package

| | |
|---|----------------------------|
| <code>php artisan vendor:publish --provider="Spatie\Permission\PermissionServiceProvider" --tag="config"</code> | Publish package's settings |
|---|----------------------------|

