Change Web Font

1.Add css File

source/webui_html5-2.398.6/data/app/css

```
# SPX Packa... 

SPX Easy S... 

Search □ □ □ □ Golos Text_Bold.css □ □ Golos Text_Regular.css □ core.less □ header.less □ styles.less □ sourcesans.css
                                        1 /* Generated by ParaType (http://www.paratype.com)*/
2 /* Font Golos Text: Copyright ? ParaType, 2018. All rights reserved.*/
  ▶ u libpdkapp-3.16.0
  ▶ ∰ ncml_configuration-2.4.0
                                                                   defont-face {
    font-family: 'GolosTextWebBold';
    src: url('../fonts/Golos%20Text_Bold.eot');
    src:
    url('../fonts/Golos%20Text_Bold.eot');
    src:
    url('../fonts/Golos%20Text_Bold.eot?#ie
    url('../fonts/Golos%20Text_Bold.woff2')
  ▶ u oempdk_dev-3.19.0
  ▶ 

platform-2.3.0
  ► Fredfish_extension-6.85.0.0.0
                                                                                 src:
    url('../fonts/Golos%20Text_Bold.eot?#iefix') format('embedded-opentype'),
    url('../fonts/Golos%20Text_Bold.woff2') format('woff2'),
    url('../fonts/Golos%20Text_Bold.woff') format('woff'),
    url('../fonts/Golos%20Text_Bold.ttf') format('truetype');
font-weight: normal;
  ▶ ₩ spx_restservice_extension-1.4.0
  ► $\foatsquarestservice_hostinterface-6.2.0.0.0
                                                                     11
12
13
   ▶ ∰ sys_defaultcfg-2.3.0
   ▶ # upnp_dsc-1.1.0
   font-style: normal;
   ▶ ଌ api
    ▼ 🇀 app
     ▶ ⇔ collection
      ▼ 🇁 CSS

☐ Golos Text_Bold.css

    Golos Text_Regular.css

         opensans.css

    □ roboto.css

         sourcesans.css
      ▶ ⊜ fonts
      ▶ images
      ▶ blang_support
```

2.Add String Design

(There 4 files are custemer support.) source/webui_html5-2.398.6/data/app/fonts

10.194.49.234:3000/s/SkZmZsYkw

- ▼ 🖫 webui_html5-2.398.6
 - ▶ 🍃 api
 - ▼

 Bapp
 - ▶ **⇔** collection

 - ▼ fonts

 - fpTVHK8qsXbIeTHTrnQH6PULlOK_XQENnt2ryrY843E.woff
 - **■** Golos Text Bold.eot
 - Golos Text_Bold.ttf
 - **B** Golos Text Bold.woff
 - Golos Text_Bold.woff2
 - Golos Text_Regular.eot
 - Golos Text_Regular.ttf
 - Golos Text_Regular.woff
 - Golos Text_Regular.woff2
 - M2Jd71oPJhLKp0zdtTvoMzNrcjQuD0pTu1za2FULaMs.wofl
 - ODelI1aHBYDBqgeIAH2zlBM0YzuT7MdOe03otPbuUS0.wof
 - OpenSans-Light-webfont.eot
 - OpenSans-Light-webfont.svg
 - OpenSans-Light-webfont.ttf
 - DpenSans-Light-webfont.woff
 - DenSans-Regular-webfont.eot
 - QpenSans-Regular-webfont.svg
 - OpenSans-Regular-webfont.ttf

 - ax1LSqts-NtiKcLw4N03IFhlQWQpSCpzb2Peu3I-Q34.woff
 - Roboto-Light-webfont.eot
 - Roboto-Light-webfont.svg

3.Import css

source/webui_html5-2.398.6/data/less/styles.less

```
/.../source/webui html5-2.398.6-src/data/app/less/styles.less

2020年07月13日下午 03時43分20秒下午 37,751 bytes Everything Else ▼ Current Locale (U

@import (less)"app/css/opensans.css";
@import (less)"app/css/sourcesans.css";
@import (less)"app/css/sourcesans.css";
@import (less)"app/css/sourcesans.css";
@import (less)"app/css/sourcesans.css";
@import (less)"app/css/solos Text Bold.css";
@import (less)"app/css/solos Text Regular.css";
@import 'vendor/bower/icheck/skins/square/blue.css";
@import 'vendor/bower/font-awesome/less/font-awesome/less/font-awesome/less/font-awesome/less/font-awesome/less/font-awesome/less/sourcesans.css";
@import (less)"vendor/bower/font-avesome/less/font-awesome/less/font-awesome/less/font-awesome/less/font-awesome/less/font-awesome/less/sourcesans.css";
@import (less)"vendor/bower/font-ons/css/ionicons.css";
@import (less)"vendor/bower/font-ons/css/ionicons.css";
@import (less)"vendor/bower/font-ons/css/ionicons.css";
@import (less)"vendor/bower/fullcalendar/fullcalendar/fullcalendar/fullcalendar.css";
@import (less)"vendor/bower/ons-rangeSlider/css/ion.rangeSlider/css/ion.rangeSlider.css";
// @import (less)"vendor/bower/pace/themes/pace-theme-minimal.css";
```

4. Modify String less

key word: font-family (need rebuild webui_html5-2.398.6) source/webui_html5-2.398.6/data/less/styles.less source/webui_html5-2.398.6/data/less/AdminLTE/core.less source/webui_html5-2.398.6/data/less/AdminLTE/header.less Taiga_Ace12

- ▼ customizable
 - - - ▼ Deapp
 - ▼ 🗁 CSS
 - ▼ 🖹 Golos Text_Bold.css
 - 6: font-family: 'GolosTextWebBold';
 - - - ▼ 🖹 core.less (2 matches)
 - 8: font-family: 'GolosTextWebBold', 'Source Sans Pro', sa
 - 125: font-family: 'GolosTextWebBold','Source Sans Pro', s
 - ▼ header.less
 - 83: font-family: 'GolosTextWebBold','Source Sans Pro';
 - ▼

 styles.less
 - → 248: font-family: 'GolosTextWebBold','Source Sans Pro';

10.194.49.234:3000/s/SkZmZsYkw 3/3