

Jenkins 플러그인 설치

- 플러그인 설치
 - Jenkins 관리 > Tools

The screenshot shows the Jenkins configuration page for a NodeJS tool. The main form has a title bar 'NodeJS' with a close button. Below it is a 'Name' field containing 'my-nodejs'. There is a checked checkbox for 'Install automatically' with a help icon. A dashed box contains a sub-section titled 'Install from nodejs.org' with its own close button. Inside this sub-section, there is a 'Version' dropdown menu set to 'NodeJS 23.2.0'. Below this is a text warning about 32bit architecture and an unchecked checkbox 'Force 32bit architecture'. Then, there is a section 'Global npm packages to install' with a text description and a text field containing 'pm2'. Finally, there is a section 'Global npm packages refresh hours' with a text description and a text field containing '72'. At the bottom of the sub-section is an 'Add Installer' button with a dropdown arrow.

NodeJS

Name

my-nodejs

☒ Install automatically ?

Install from nodejs.org

Version

NodeJS 23.2.0

For the underlying architecture, if available, force the installation of the 32bit package. Otherwise the build will fail

☐ Force 32bit architecture

Global npm packages to install

Specify list of packages to install globally -- see npm install -g. Note that you can fix the packages version by using the syntax `packageName@version`

pm2

Global npm packages refresh hours

Duration, in hours, before 2 npm cache update. Note that 0 will always update npm cache

72

Add Installer