

Schacht Auditorium

TTI: DIMMERS 1-6 Capacity: 2.4kW @ 120v, in racks of 6

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
1	413	(127)	#3 Electric #13	6x9 575w	>Warm Sidelight UUSR	Rx16
2	414	(128)	#3 Electric #11	6x12 575w	>Warm Sidelight UUSC	Rx16
3	408	(17)	#3 Electric #8	PAR WFL 575w	USR Warm Backlight	Rx09
5	410	(18)	#3 Electric #7	PAR WFL 575w	USC Warm Backlight	Rx09
6	412	(19)	#3 Electric #6	PAR WFL 575w	USL Warm Backlight	Rx09

TTI: DIMMERS 7-12 Capacity: 2.4kW @ 120v, in racks of 6

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
7	B1	(137)	#3 Electric #5	6x12 575w	<Warm Sidelight UUSR	Rx16
8	B2	(138)	#3 Electric #3	6x12 575w	< Warm Sidelight UUSC	Rx16
9	B3	(139)	#3 Electric #1	6x9 575w	< Warm Sidelight UUSL	Rx16
10	415	(129)	#3 Electric #9	6x12 575w	>Warm Sidelight UUSL	Rx16

TTI: DIMMERS 25-30 Capacity: 6kW @ 120v, in racks of 6

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
27	411	(93)	#3 Electric #A1	300R40 Strip 1.5kW	Red Cyc	Rx120
	409	"	#3 Electric #B1	"	"	"
	407	"	#3 Electric #C1	"	"	"
28	406	(92)	#3 Electric #A2	300R40 Strip 1.5kW	Green Cyc	Rx122
	404	"	#3 Electric #B2	"	"	"
	402	"	#3 Electric #C2	"	"	"
29	405	(91)	#3 Electric #A3	300R40 Strip 1.5kW	Blue Cyc	Rx121
	403	"	#3 Electric #B3	"	"	"
	401	"	#3 Electric #C3	"	"	"
30	416	(48)	#3 Electric #2	6x9 575w	< Blue Sidelight UUSL	Rx64
	"	"	#3 Electric #4	6x12 575w	<Blue Sidelight UUSC	"
	"	"	#3 Electric #10	"	>Blue Sidelight UUSC	"
	"	"	#3 Electric #12	6x9 575w	>Blue Sidelight UUSR	"

CD-80: DIMMERS 61-84 Capacity: 1.2kW @ 120v, in racks of 24

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
61	20	(74)	#1 Electric #7	Parnel Autoyoke 750w	SL Parnel Autoyoke	CXI
62	17	(55)	#1 Electric #4	6x12 575w	<Blue Sidelight SC	Rx64
63	22	(13)	#1 Electric #9	PAR MFL 1kW	DSL Warm Backlight	Rx09
64	2	(84)	Beam #3	6x16 575w	DSL Leaves	Rx88, T: GA294
65	27	(12)	#1 Electric #12	PAR MFL 1kW	DSC Warm Backlight	Rx09
66	5	(83)	Beam #6	6x16 575w	DLC Leaves	Rx88, T: GA294
67	32	(11)	#1 Electric #16	PAR MFL 1kW	DSR Warm Backlight	Rx09
68	8	(82)	Beam #10	6x16 575w	DRC Leaves	Rx88, T: GA294
69	34	(73)	#1 Electric #18	Parnel Autoyoke 750w	SR Parnel Autoyoke	CXI
70	11	(81)	Beam #13	6x16 575w	DSR Leaves	Rx88, T: GA294
71	102	(72)	Apron Truss #1	PAR MFL 1kW	DSL CXI	CXI
72	101	(4)	Apron Truss #8	6x12 575w	SR Frontlight	Rx302
	117	"	Apron Truss #17	"	"	"
73	104	(78)	Apron Truss #3	36° Autoyoke 750w	DSL Autoyoke	Rx302
74	106	(5)	Apron Truss #5	6x12 575w	SC Frontlight	Rx302
	113	"	Apron Truss #13	"	"	"
75	105	(66)	Apron Truss #4	6x16 575w	SL Special	Rx302
76	103	(6)	Apron Truss #2	6x12 575w	SL Frontlight	Rx302
	110	"	Apron Truss #10	"	"	"
77	107	(88)	Apron Truss #6	6x9 575w	SL Leaves	Rx88, T: GA294
78	108	(87)	Apron Truss #7	6x9 575w	SLC Leaves	Rx88, T: GA294
79	111	(86)	Apron Truss #11	6x9 575w	SRC Leaves	Rx88, T: GA294

CD-80: DIMMERS 61-84 Capacity: 1.2kW @ 120v, in racks of 24

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
80	112	(85)	Apron Truss #12	6x9 575w	SR Leaves	Rx88, T: GA294
81	114	(77)	Apron Truss #14	36° Autoyoke 750w	DSR Autoyoke	Rx302
82	115	(64)	Apron Truss #15	6x16 575w	SR Special	Rx302
83	116	(71)	Apron Truss #16	PAR MFL 1kW	DSR CXI	CXI
84	118	(65)	Apron Truss #9	6x16 575w	SC Special	Rx302

Smartpack: DIMMERS 85-96 Capacity: 1.2kW @ 120v, in racks of 12

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
85	75b	(22)	Apron Boom Right #3	6x12 575w	>Warm Sidelight DSC	Rx16
86	75c	(21)	Apron Boom Right #5	6x9 575w	>Warm Sidelight DSR	Rx16
87	75d	(42)	Apron Boom Right #4	6x12 575w	>Blue Sidelight DSC	Rx64
88	75f	(41)	Apron Boom Right #6	6x9 575w	>Blue Sidelight DSR	Rx64
89	75h	(23)	Apron Boom Right #1	6x16 575w	>Warm Sidelight DSL	Rx16
90	75i	(43)	Apron Boom Right #2	6x16 575w	>Blue Sidelight DSL	Rx64
91	100a	(53)	Apron Boom Left #5	6x9 575w	<Blue Sidelight DSL	Rx64
92	100b	(32)	Apron Boom Left #4	6x12 575w	<Warm Sidelight DSC	Rx16
93	100c	(51)	Apron Boom Left #1	6x16 575w	<Blue Sidelight DSR	Rx64
94	100e	(31)	Apron Boom Left #2	6x16 575w	<Warm Sidelight DSR	Rx16
95	100h	(33)	Apron Boom Left #6	6x9 575w	<Warm Sidelight DSL	Rx16
96	100i	(52)	Apron Boom Left #3	6x12 575w	<Blue Sidelight DSC	Rx64

Smartpack: DIMMERS 97-108 Capacity: 1.2kW @ 120v, in racks of 12

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
97	16	(35)	#1 Electric #3	6x12 575w	<Warm Sidelight SC	Rx16
98	18	(34)	#1 Electric #5	6x16 575w	<Warm Sidelight SR	Rx16
99	21	(69)	#1 Electric #8	6x16 575w	USL Special	Rx302
100	24	(36)	#1 Electric #1	6x9 575w	<Warm Sidelight SL	Rx16
101	25	(56)	#1 Electric #2	6x9 575w	<Blue Sidelight SL	Rx64
102	28	(68)	#1 Electric #13	6x16 575w	USC Special	Rx302
103	30	(24)	#1 Electric #24	6x9 575w	>Warm Sidelight SR	Rx16
104	33	(67)	#1 Electric #17	6x16 575w	USR Special	Rx302
105	36	(26)	#1 Electric #20	6x16 575w	>Warm Sidelight SL	Rx16
106	37	(45)	#1 Electric #21	6x12 575w	>Blue Sidelight SC	Rx64
107	38	(25)	#1 Electric #22	6x12 575w	>Warm Sidelight SC	Rx16
108	39	(44)	#1 Electric #23	6x9 575w	>Blue Sidelight SR	Rx64

CD-80: DIMMERS 637-648 Capacity: 2.4kW @ 120v, in racks of 12

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
637	60	(47)	#2 Electric #2	6x9 575w	< Blue Sidelight USL	Rx64
	"	"	#2 Electric #4	6x12 575w	<Blue Sidelight USC	"
	"	"	#2 Electric #12	"	>Blue Sidelight USC	"
	"	"	#2 Electric #14	6x9 575w	>Blue Sidelight USR	"
638	57	(14)	#2 Electric #9	PAR MFL 1kW	SR Warm Backlight	Rx09
639	56	(15)	#2 Electric #8	PAR MFL 1kW	SC Warm Backlight	Rx09
640	55	(16)	#2 Electric #7	PAR MFL 1kW	SL Warm Backlight	Rx09
641	59	(27)	#2 Electric #15	6x9 575w	>Warm Sidelight USR	Rx16
642	58	(28)	#2 Electric #13	6x12 575w	>Warm Sidelight USC	Rx16
643	62	(29)	#2 Electric #11	6x16 575w	>Warm Sidelight USL	Rx16
644	51	(37)	#2 Electric #5	6x16 575w	<Warm Sidelight USR	Rx16
645	54	(38)	#2 Electric #3	6x12 575w	< Warm Sidelight USC	Rx16
646	53	(39)	#2 Electric #1	6x9 575w	< Warm Sidelight USL	Rx16
647	61	(75)	#2 Electric #10	PAR MFL 1kW	USR CXI	CXI
648	52	(76)	#2 Electric #6	PAR MFL 1kW	USL CXI	CXI

CD-80: DIMMERS 649-660 Capacity: 2.4kW @ 120v, in racks of 12

Dim	Cir#	Chan	Position & Unit#	Inst Type & Load	Purpose	Color & Gobo
649	1	(3)	Beam #2	6x16 575w	DSL Frontlight	Rx302
	7	"	Beam #9	"	"	"
650	19	(9)	#1 Electric #6	6x12 575w	USL Frontlight	Rx302
	29	"	#1 Electric #14	"	"	"
651	3	(2)	Beam #4	6x16 575w	DSC Frontlight	Rx302
	10	"	Beam #12	"	"	"
652	23	(8)	#1 Electric #10	6x12 575w	USC Frontlight	Rx302
	31	"	#1 Electric #15	"	"	"
653	6	(1)	Beam #7	6x16 575w	DSR Frontlight	Rx302
	12	"	Beam #14	"	"	"
654	26	(7)	#1 Electric #11	6x12 575w	USR Frontlight	Rx302
	35	"	#1 Electric #19	"	"	"
656	201	(63)	Beam #5	8x13 1kW	DSL Special	Rx302
658	204	(62)	Beam #8	8x13 1kW	DSC Special	Rx302
660	208	(61)	Beam #11	8x13 1kW	DSR Special	Rx302