

Schacht Auditorium

Beam

Un	Chan	Dim	Adr	Circuit#	Instrument Type & Load	Color & Gobo	Purpose
1					PAR56MFL 1kW		Worklight
2	(3)	649	649	1	6x16 575w	Rx302	DSL Frontlight
3	(84)	64	64	2	"	Rx88, T: GA294	DSL Leaves
4	(2)	651	651	3	"	Rx302	DSC Frontlight
5	(63)	656	656	201	8x13 1kW	"	DSL Special
6	(83)	66	66	5	6x16 575w	Rx88, T: GA294	DLC Leaves
7	(1)	653	653	6	"	Rx302	DSR Frontlight
8	(62)	658	658	204	8x13 1kW	"	DSC Special
9	(3)	649	649	7	6x16 575w	"	DSL Frontlight
10	(82)	68	68	8	"	Rx88, T: GA294	DRC Leaves
11	(61)	660	660	208	8x13 1kW	Rx302	DSR Special
12	(2)	651	651	10	6x16 575w	"	DSC Frontlight
13	(81)	70	70	11	"	Rx88, T: GA294	DSR Leaves
14	(1)	653	653	12	"	Rx302	DSR Frontlight
15					PAR56MFL 500w		Worklight

Apron Truss

Un	Chan	Dim	Adr	Circuit#	Instrument Type & Load	Color & Gobo	Purpose
1	(72)	71	71	102	PAR MFL 1kW	CXI	DSL CXI
1a	"		204		CXI		
2	(6)	76	76	103	6x12 575w	Rx302	SL Frontlight
3	(78)	73	73	104	36° Autoyoke 750w	"	DSL Autoyoke
3a	"		164		Autoyoke		
4	(66)	75	75	105	6x16 575w	Rx302	SL Special
5	(5)	74	74	106	6x12 575w	"	SC Frontlight
6	(88)	77	77	107	6x9 575w	Rx88, T: GA294	SL Leaves
7	(87)	78	78	108	"	"	SLC Leaves
8	(4)	72	72	101	6x12 575w	Rx302	SR Frontlight
9	(65)	84	84	118	6x16 575w	"	SC Special
10	(6)	76	76	110	6x12 575w	"	SL Frontlight
11	(86)	79	79	111	6x9 575w	Rx88, T: GA294	SRC Leaves
12	(85)	80	80	112	"	"	SR Leaves
13	(5)	74	74	113	6x12 575w	Rx302	SC Frontlight
14	(77)	81	81	114	36° Autoyoke 750w	"	DSR Autoyoke
14a	"		154		Autoyoke		
15	(64)	82	82	115	6x16 575w	Rx302	SR Special
16	(71)	83	83	116	PAR MFL 1kW	CXI	DSR CXI
16a	"		201		CXI		
17	(4)	72	72	117	6x12 575w	Rx302	SR Frontlight

Apron Boom Left

Un	Chan	Dim	Adr	Circuit#	Instrument Type & Load	Color & Gobo	Purpose
1	(51)	93	93	100c	6x16 575w	Rx64	<Blue Sidelight DSR
2	(31)	94	94	100e	"	Rx16	<Warm Sidelight DSR
3	(52)	96	96	100i	6x12 575w	Rx64	<Blue Sidelight DSC
4	(32)	92	92	100b	"	Rx16	<Warm Sidelight DSC
5	(53)	91	91	100a	6x9 575w	Rx64	<Blue Sidelight DSL
6	(33)	95	95	100h	"	Rx16	<Warm Sidelight DSL

Apron Boom Right

Un	Chan	Dim	Adr	Circuit#	Instrument Type & Load	Color & Gobo	Purpose
1	(23)	89	89	75h	6x16 575w	Rx16	>Warm Sidelight DSL
2	(43)	90	90	75i	"	Rx64	>Blue Sidelight DSL
3	(22)	85	85	75b	6x12 575w	Rx16	>Warm Sidelight DSC
4	(42)	87	87	75d	"	Rx64	>Blue Sidelight DSC
5	(21)	86	86	75c	6x9 575w	Rx16	>Warm Sidelight DSR
6	(41)	88	88	75f	"	Rx64	>Blue Sidelight DSR

#1 Electric

Un	Chan	Dim	Adr	Circuit#	Instrument Type & Load	Color & Gobo	Purpose
1	(36)	100	100	24	6x9 575w	Rx16	<Warm Sidelight SL
2	(56)	101	101	25	"	Rx64	<Blue Sidelight SL
3	(35)	97	97	16	6x12 575w	Rx16	<Warm Sidelight SC
4	(55)	62	62	17	"	Rx64	<Blue Sidelight SC
5	(34)	98	98	18	6x16 575w	Rx16	<Warm Sidelight SR
6	(9)	650	650	19	6x12 575w	Rx302	USL Frontlight
7	(74)	61	61	20	Parnel Autoyoke 750w	CXI	SL Parnel Autoyoke
7a	"		181		Parnel Autoyoke		
7b	"		188		CXI		
8	(69)	99	99	21	6x16 575w	Rx302	USL Special
9	(13)	63	63	22	PAR MFL 1kW	Rx09	DSL Warm Backlight
10	(8)	652	652	23	6x12 575w	Rx302	USC Frontlight
11	(7)	654	654	26	"	"	USR Frontlight
12	(12)	65	65	27	PAR MFL 1kW	Rx09	DSC Warm Backlight
13	(68)	102	102	28	6x16 575w	Rx302	USC Special
14	(9)	650	650	29	6x12 575w	"	USL Frontlight
15	(8)	652	652	31	"	"	USC Frontlight
16	(11)	67	67	32	PAR MFL 1kW	Rx09	DSR Warm Backlight
17	(67)	104	104	33	6x16 575w	Rx302	USR Special
18	(73)	69	69	34	Parnel Autoyoke 750w	CXI	SR Parnel Autoyoke
18a	"		171		Parnel Autoyoke		
18b	"		178		CXI		
19	(7)	654	654	35	6x12 575w	Rx302	USR Frontlight
20	(26)	105	105	36	6x16 575w	Rx16	>Warm Sidelight SL
21	(45)	106	106	37	6x12 575w	Rx64	>Blue Sidelight SC
22	(25)	107	107	38	"	Rx16	>Warm Sidelight SC
23	(44)	108	108	39	6x9 575w	Rx64	>Blue Sidelight SR
24	(24)	103	103	30	"	Rx16	>Warm Sidelight SR

#2 Electric

Un	Chan	Dim	Adr	Circuit#	Instrument Type & Load	Color & Gobo	Purpose
1	(39)	646	646	53	6x9 575w	Rx16	< Warm Sidelight USL
2	(47)	637	637	60	"	Rx64	< Blue Sidelight USL
3	(38)	645	645	54	6x12 575w	Rx16	< Warm Sidelight USC
4	(47)	637	637	60	"	Rx64	<Blue Sidelight USC
5	(37)	644	644	51	6x16 575w	Rx16	<Warm Sidelight USR
6	(76)	648	648	52	PAR MFL 1kW	CXI	USL CXI
6a	"		216		CXI		
7	(16)	640	640	55	PAR MFL 1kW	Rx09	SL Warm Backlight
8	(15)	639	639	56	"	"	SC Warm Backlight
9	(14)	638	638	57	"	"	SR Warm Backlight
10	(75)	647	647	61	"	CXI	USR CXI
10a	"		213		CXI		
11	(29)	643	643	62	6x16 575w	Rx16	>Warm Sidelight USL
12	(47)	637	637	60	6x12 575w	Rx64	>Blue Sidelight USC
13	(28)	642	642	58	"	Rx16	>Warm Sidelight USC
14	(47)	637	637	60	6x9 575w	Rx64	>Blue Sidelight USR
15	(27)	641	641	59	"	Rx16	>Warm Sidelight USR

#3 Electric

Un	Chan	Dim	Adr	Circuit#	Instrument Type & Load	Color & Gobo	Purpose
1	(139)	9	9	B3	6x9 575w	Rx16	< Warm Sidelight UUSL
2	(48)	30	30	416	"	Rx64	< Blue Sidelight UUSL
3	(138)	8	8	B2	6x12 575w	Rx16	< Warm Sidelight UUSC
4	(48)	30	30	416	"	Rx64	<Blue Sidelight UUSC
5	(137)	7	7	B1	"	Rx16	<Warm Sidelight UUSR
6	(19)	6	6	412	PAR WFL 575w	Rx09	USL Warm Backlight
7	(18)	5	5	410	"	"	USC Warm Backlight
8	(17)	3	3	408	"	"	USR Warm Backlight
9	(129)	10	10	415	6x12 575w	Rx16	>Warm Sidelight UUSL
10	(48)	30	30	416	"	Rx64	>Blue Sidelight UUSC
11	(128)	2	2	414	"	Rx16	>Warm Sidelight UUSC
12	(48)	30	30	416	6x9 575w	Rx64	>Blue Sidelight UUSR
13	(127)	1	1	413	"	Rx16	>Warm Sidelight UUSR
A1	(93)	27	27	411	300R40 Strip 1.5kW	Rx120	Red Cyc
A2	(92)	28	28	406	"	Rx122	Green Cyc
A3	(91)	29	29	405	"	Rx121	Blue Cyc
B1	(93)	27	27	409	"	Rx120	Red Cyc
B2	(92)	28	28	404	"	Rx122	Green Cyc
B3	(91)	29	29	403	"	Rx121	Blue Cyc
C1	(93)	27	27	407	"	Rx120	Red Cyc
C2	(92)	28	28	402	"	Rx122	Green Cyc
C3	(91)	29	29	401	"	Rx121	Blue Cyc