
Sage 9.3 Reference Manual: External Packages

Release 9.3

The Sage Development Team

May 10, 2021

CONTENTS

1	Standard Packages	1
2	Optional Packages	7
3	Experimental Packages	11
4	Detailed Listing of External Packages	13

STANDARD PACKAGES

The Sage distribution includes most programs and libraries on which Sage depends. It installs them automatically if it does not find equivalent system packages.

- *_prereq*: Represents system packages required for installing SageMath from source
- *alabaster*: Default theme for the Sphinx documentation system
- *appnope*: Disable App Nap on OS X
- *arb*: Arbitrary-precision floating-point ball arithmetic
- *argon2_cffi*: The secure Argon2 password hashing algorithm
- *attrs*: Decorator for Python classes with attributes
- *babel*: Internationalization utilities for Python
- *backcall*: Specifications for callback functions
- *bleach*: An HTML-sanitizing tool
- *boost_cropped*: Portable C++ libraries (subset needed for Sage)
- *brial*: Boolean Ring Algebra implementation using binary decision diagrams
- *bzip2*: High-quality data compressor
- *cddlib*: Double description method for polyhedral representation conversion
- *certifi*: Python package for providing Mozilla's CA Bundle
- *cffi*: Foreign Function Interface for Python calling C code
- *cliquer*: Routines for clique searching
- *combinatorial_designs*: Data from the Handbook of Combinatorial Designs
- *conway_polynomials*: Tables of Conway polynomials over finite fields
- *curl*: Multiprotocol data transfer library and utility
- *cvxopt*: Python software for convex optimization
- *cycler*: Composable cycles
- *cypari2*: Python interface to the number theory library libpari
- *cysignals*: Interrupt and signal handling for Cython
- *cython*: C-Extensions for Python, an optimizing static compiler
- *dateutil*: Extensions to the standard Python module datetime
- *decorator*: Python library providing decorators

- *defusedxml*: Addresses vulnerabilities of XML parsers and XML libraries
- *docutils*: Processing plaintext documentation into useful formats, such as HTML or LaTeX
- *ecl*: An implementation of the Common Lisp language
- *eclib*: Enumerating and computing with elliptic curves defined over the rational numbers
- *ecm*: Elliptic curve method for integer factorization
- *elliptic_curves*: Databases of elliptic curves
- *entrypoints*: Discover and load entry points from installed Python packages
- *fflas_ffpack*: Dense linear algebra over word-size finite fields
- *flint*: Fast Library for Number Theory
- *flintqs*: Multi-polynomial quadratic sieve for integer factorization
- *fpLLL*: Lattice algorithms, including LLL with floating-point orthogonalization
- *fpYLLL*: Python interface for FPLLL
- *freetype*: A free, high-quality, and portable font engine
- *gap*: Groups, Algorithms, Programming - a system for computational discrete algebra
- *gc*: The Boehm-Demers-Weiser conservative garbage collector
- *gcc*: The GNU Compiler Collection, including the C, C++ and Fortran compiler
- *gf2x*: Fast arithmetic in $GF(2)[x]$ and searching for irreducible/primitive trinomials
- *gfan*: Groebner fans and tropical varieties
- *gfortran*: Fortran compiler from the GNU Compiler Collection
- *giac*: A general purpose computer algebra system
- *givaro*: C++ library for arithmetic and algebraic computations
- *glpk*: GNU Linear Programming Kit
- *gmp*: Library for arbitrary precision arithmetic
- *gmpy2*: Python interface to GMP/MPFR, MPFR, and MPC
- *graphs*: A database of combinatorial graphs
- *gsl*: The GNU Scientific Library
- *html5lib*: An HTML parser
- *iconv*: Library for language/country-dependent character encodings
- *imagesize*: Parser for image file metadata
- *iml*: Integer Matrix Library
- *importlib_metadata*: Library to access the metadata for a Python package
- *ipykernel*: IPython Kernel for Jupyter
- *ipython*: Interactive computing environment with an enhanced interactive Python shell
- *ipython_genutils*: Vestigial utilities from IPython
- *ipywidgets*: Interactive HTML widgets for Jupyter notebooks and the IPython kernel
- *jedi*: Static analysis tool providing IDE support for Python

- *jinja2*: General purpose template engine for Python
- *jmol*: Java viewer for chemical structures in 3D
- *jsonschema*: Python implementation of JSON Schema
- *jupyter_client*: Jupyter protocol implementation and client libraries
- *jupyter_core*: Jupyter core package
- *jupyter_ismol*: JSmol viewer widget for Jupyter
- *kiwisolver*: An implementation of the Cassowary constraint solving algorithm
- *lcalc*: L-function calculator
- *libatomic_ops*: Access hardware-provided atomic memory update operations
- *libbraiding*: Computing with braids
- *libffi*: A portable foreign-function interface library
- *libgd*: Dynamic graphics generation tool
- *libhomfly*: Compute the homfly polynomial of knots and links
- *libpng*: Bitmap image support
- *linbox*: Linear algebra with dense, sparse, structured matrices over the integers and finite fields
- *lrcalc*: Littlewood-Richardson calculator
- *m4ri*: fast arithmetic with dense matrices over $GF(2)$
- *m4rie*: Arithmetic with dense matrices over $GF(2^e)$
- *markupsafe*: Safely add untrusted strings to HTML/XML markup
- *mathjax*: A JavaScript library for displaying mathematical formulas
- *matplotlib*: Python 2D plotting library
- *maxima*: System for manipulating symbolic and numerical expressions
- *mistune*: A markdown parser in pure Python
- *mpc*: Arithmetic of complex numbers with arbitrarily high precision and correct rounding
- *mpfi*: Multiple precision interval arithmetic library based on MPFR
- *mpfr*: Multiple-precision floating-point computations with correct rounding
- *mpir*: Multiple precision integers and rationals (fork of GMP)
- *mpmath*: Pure Python library for multiprecision floating-point arithmetic
- *nauty*: Find automorphism groups of graphs, generate non-isomorphic graphs
- *nbconvert*: Converting Jupyter Notebooks
- *nbformat*: Base implementation of the Jupyter notebook format
- *ncurses*: Classic terminal output library
- *networkx*: Python package for complex networks
- *nose*: Python unit testing framework
- *notebook*: Jupyter notebook, a web-based notebook environment for interactive computing
- *ntl*: A library for doing number theory

- *numpy*: Package for scientific computing with Python
- *openblas*: An optimized implementation of BLAS (Basic Linear Algebra Subprograms)
- *openssl*: Implementation of the SSL and TLS protocols
- *packaging*: Core utilities for Python packages
- *palp*: A package for Analyzing Lattice Polytopes
- *pandocfilters*: A Python module for writing pandoc filters
- *pari*: Computer algebra system for fast computations in number theory
- *pari_galdata*: PARI data package needed to compute Galois groups in degrees 8 through 11
- *pari_seadata_small*: PARI data package needed by ellap for large primes (small version)
- *parso*: A Python parser
- *patch*: Applies diffs and patches to files
- *pcre*: Perl-compatible regular expressions library
- *pexpect*: Python module for controlling and automating other programs
- *pickleshare*: A ‘shelve’ like datastore with concurrency support
- *pillow*: Python Imaging Library
- *pip*: Tool for installing and managing Python packages
- *pkgconf*: An implementation of the pkg-config spec
- *pkgconfig*: Python interface to pkg-config
- *planarity*: Planarity-related graph algorithms
- *polytopes_db*: Databases of 2- and 3-dimensional reflexive polytopes
- *ppl*: Parma Polyhedra Library
- *pplpy*: Python interface to the Parma Polyhedra Library
- *prometheus_client*: Python client for the systems monitoring and alerting toolkit Prometheus
- *prompt_toolkit*: Interactive command lines for Python
- *psutil*: Python library to retrieve information on processes and system utilization
- *ptyprocess*: Python interaction with subprocesses in a pseudoterminal
- *pybind11*: Create Python bindings to C++ code
- *pycparser*: Parser of the C language in Python
- *pycygwin*: Python bindings for Cygwin’s C API
- *pygments*: Generic syntax highlighter
- *pynac*: A fork of the symbolic computation software GiNaC that uses Python objects
- *pyparsing*: A Python parsing module
- *pysistent*: Persistent data structures in Python
- *python3*: The Python programming language
- *pytz*: Timezone definitions for Python
- *pyzmq*: Python bindings for the zeromq networking library

- *r*: A free software environment for statistical computing and graphics
- *ratpoints*: Find rational points on hyperelliptic curves
- *readline*: Command line editing library
- *requests*: An HTTP library for Python
- *rpy2*: Python interface to R
- *rw*: Compute rank-width and rank-decompositions
- *sage_conf*: Configuration module for the SageMath library
- *sagenb_export*: Convert legacy SageNB notebooks to Jupyter notebooks and other formats
- *sagetex*: Embed code, results of computations, and plots from Sage into LaTeX documents
- *scandir*: Fast file system iteration for Python
- *scipy*: Scientific tools for Python
- *send2trash*: Send file to trash natively under Mac OS X, Windows and Linux
- *setuptools*: Build system for Python packages
- *setuptools_scm*: Python build system extension to obtain package version from version control
- *setuptools_wheel*: Build the setuptools package as a wheel
- *simplegeneric*: Simple single-dispatch generic functions for Python
- *singular*: Computer algebra system for polynomial computations, algebraic geometry, singularity theory
- *six*: Python 2 and 3 compatibility utilities
- *snowballstemmer*: Stemmer algorithms for natural language processing in Python
- *sphinx*: Python documentation generator
- *sphinxcontrib_applehelp*: Sphinx extension which outputs Apple help book
- *sphinxcontrib_devhelp*: Sphinx extension which outputs Devhelp documents
- *sphinxcontrib_htmlhelp*: Sphinx extension which outputs HTML help book
- *sphinxcontrib_jsmath*: Sphinx extension which renders display math in HTML via JavaScript
- *sphinxcontrib_qthelp*: Sphinx extension which outputs QtHelp documents
- *sphinxcontrib_serializinghtml*: Sphinx extension which outputs serialized HTML files
- *sphinxcontrib_websupport*: Sphinx API for Web apps
- *sqlite*: An SQL database engine
- *suitesparse*: A suite of sparse matrix software
- *symmetrica*: Library for representation theory
- *sympow*: Computes special values of symmetric power elliptic curve L-functions
- *sympy*: Python library for symbolic mathematics
- *tachyon*: A ray tracing system
- *terminado*: Tornado websocket backend for the term.js Javascript terminal emulator library
- *testpath*: Testing utilities for filesystem-related code
- *thebe*: Add live Jupyter interaction to static websites

- *threejs*: JavaScript library to display 3D graphics in the browser
- *tornado*: Python web framework and asynchronous networking library
- *traitlets*: A configuration system for Python applications
- *tzlocal*: Python timezone information for the local timezone
- *vcversioner*: Python build system extension to obtain package version from version control
- *wcwidth*: Python support for wide characters in a terminal
- *webencodings*: Character encoding aliases for legacy web content
- *wheel*: A built-package format for Python
- *widgetsnbextension*: Jupyter notebook extension for interactive HTML widgets
- *xz*: General-purpose data compression software
- *yasm*: An assembler for the x86 and AMD64 instruction sets
- *zeromq*: A modern networking library
- *zip*: A pathlib-compatible zipfile object wrapper
- *zlib*: Data compression library
- *zn_poly*: C library for polynomial arithmetic in $\mathbb{Z}/n\mathbb{Z}[x]$

OPTIONAL PACKAGES

For additional functionality, you can install some of the following optional packages.

- *4ti2*: Algebraic, geometric and combinatorial problems on linear spaces
- *_bootstrap*: Represents system packages required for running the top-level bootstrap script
- *_recommended*: Represents system packages recommended for additional functionality
- *admcycles*: Computation in the tautological ring of the moduli space of curves
- *atlas*: Automatically Tuned Linear Algebra Software (BLAS implementation)
- *barvinok*: Projections of integer point sets of parametric polytopes
- *beautifulsoup4*: A screen-scraping library
- *benzene*: Generate fusenes and benzenoids with a given number of faces
- *biopython*: Tools for computational molecular biology
- *bliss*: Computing automorphism groups and canonical forms of graphs
- *boost*: Portable C++ libraries (full set)
- *buckygen*: Efficient generation of nonisomorphic fullerenes
- *cbc*: COIN-OR branch and cut solver for mixed-integer programs
- *ccache*: A compiler cache
- *cmake*: A cross-platform build system generator
- *coxeter3*: Library for Coxeter groups, Bruhat ordering, Kazhdan-Lusztig polynomials
- *cryptominisat*: A SAT solver
- *csdp*: Solver for semidefinite programs
- *cunningham_tables*: List of the prime numbers occuring in the Cunningham table
- *d3js*: JavaScript library for manipulating documents based on data
- *database_cremona_ellcurve*: Database of elliptic curves
- *database_jones_numfield*: Table of number fields
- *database_kohel*: Database of modular and Hilbert polynomials
- *database_mutation_class*: Database of exceptional mutation classes of quivers
- *database_odlyzko_zeta*: Table of zeros of the Riemann zeta function
- *database_stein_watkins*: Database of elliptic curves (full version)

- *database_stein_watkins_mini*: Database of elliptic curves (small version)
- *database_symbolic_data*: Database from the SymbolicData project
- *dot2tex*: Create PGF/TikZ commands from Graphviz output
- *e_antic*: Real embedded number fields
- *fricas*: A general purpose computer algebra system
- *frobby*: Computations on monomial ideals
- *gap_jupyter*: Jupyter kernel for GAP
- *gap_packages*: A collection of GAP packages
- *git*: Version control system
- *glucose*: A SAT solver
- *gp2c*: A compiler for translating GP routines to C
- *graphviz*: Graph visualization software
- *igraph*: A library for creating and manipulating graphs
- *isl*: Sets and relations of integer points bounded by affine constraints
- *jupymake*: A Python wrapper for the polymake shell
- *jupyterlab*: An extensible environment for interactive and reproducible computing
- *jupyterlab_widgets*: A JupyterLab extension for Jupyter/IPython widgets
- *kenzo*: Construct topological spaces and compute homology groups
- *latte_int*: Count lattice points, compute volumes, and integrate over convex polytopes
- *libnauty*: Find automorphism groups of graphs, generate non-isomorphic graphs (callable library)
- *libogg*: Library for the Ogg multimedia container format
- *libsemigroups*: Library for semigroups and monoids
- *libxml2*: XML parser and toolkit
- *lidia*: A library for computational number theory
- *lrslib*: Reverse search algorithm for vertex enumeration and convex hull problems
- *mcqd*: An exact algorithm for finding a maximum clique in an undirected graph
- *meataxe*: Library for computing with modular representations
- *mpfrcx*: Arithmetic of univariate polynomials over arbitrary precision real or complex numbers
- *nibabel*: Access a multitude of neuroimaging data formats
- *ninja_build*: A build system with a focus on speed
- *nodeenv*: A tool to create isolated node.js environments
- *nodejs*: A JavaScript runtime built on Chrome's V8 JavaScript engine
- *normaliz*: Computations in affine monoids, vector configurations, lattice polytopes, and rational cones
- *notedown*: Create IPython notebooks from markdown
- *ore_algebra*: Ore algebra
- *p_group_cohomology*: Modular cohomology rings of finite groups

- *pandoc*: A document converter
- *pandoc_attributes*: A parser and generator for pandoc block attributes
- *pari_elldata*: PARI data package for elliptic curves
- *pari_galpol*: PARI data package for polynomials defining Galois extensions of the rationals
- *pari_jupyter*: Jupyter kernel for PARI/GP
- *pari_nftables*: PARI data package for number fields
- *pari_seadata*: PARI data package needed by ellap for large primes (full version)
- *perl_cpan_polymake_prereq*: Represents all Perl packages that are prerequisites for polymake
- *plantri*: Generate non-isomorphic sphere-embedded graphs
- *polylib*: Operations on unions of polyhedra
- *polytopes_db_4d*: Database of 4-dimensional reflexive polytopes
- *primecount*: Algorithms for counting primes
- *pybtex*: A BibTeX-compatible bibliography processor in Python
- *pycosat*: SAT solver picosat with Python bindings
- *pyflakes*: Passive checker of Python programs
- *pygraphviz*: Python interface to Graphviz
- *pynormaliz*: Python bindings for the normaliz library
- *pyopenssl*: Python wrapper module around the OpenSSL library
- *pysingular*: A basic Python interface to Singular
- *pytest*: Simple powerful testing with Python
- *python_igraph*: Python bindings for igraph
- *pyx*: Generate PostScript, PDF, and SVG files in Python
- *qhull*: Compute convex hulls, Delaunay triangulations, Voronoi diagrams
- *r_jupyter*: Jupyter kernel for R
- *rst2ipynb*: Convert reStructuredText files to Jupyter notebooks
- *rubiks*: Programs for Rubik's cube
- *saclib*: Computations with real algebraic numbers
- *sage_flatsurf*: computation with flat surfaces
- *sage_numerical_backends_coin*: COIN-OR backend for Sage MixedIntegerLinearProgram
- *sage_numerical_backends_cplex*: Cplex backend for Sage MixedIntegerLinearProgram
- *sage_numerical_backends_gurobi*: Gurobi backend for Sage MixedIntegerLinearProgram
- *sage_sws2rst*: Translate legacy Sage worksheet files (.sws) to reStructuredText (.rst) files
- *singular_jupyter*: Jupyter kernel for Singular
- *sip*: Python extension module generator for C and C++ libraries
- *sirocco*: Compute topologically certified root continuation of bivariate polynomials
- *slabbe*: Sébastien Labbé's Research code

- *snappy*: Topology and geometry of 3-manifolds, with a focus on hyperbolic structures
- *speaklater*: Lazy strings for Python
- *sqlalchemy*: A database abstraction library
- *surface_dynamics*: dynamics on surfaces (measured foliations, interval exchange transformation, Teichmüller flow, etc)
- *symengine*: A C++ symbolic manipulation library
- *symengine_py*: Python wrappers for SymEngine
- *tdlib*: Algorithms for computing tree decompositions
- *texlive*: A comprehensive TeX system
- *texttable*: Python module for creating simple ASCII tables
- *tides*: Integration of ODEs
- *topcom*: Compute triangulations of point configurations and oriented matroids
- *tox*: A command line driven CI frontend and development task automation tool

EXPERIMENTAL PACKAGES

Some packages that provide additional functionality are marked as “experimental”. Developers are needed in order to improve the integration of these packages into the Sage distribution.

- *awali*: Computation of/with finite state machines
- *cocoalib*: Computations in commutative algebra
- *compilerwrapper*: A wrapper for compiler and binutils that sets rpath and works around broken archs
- *deformation*: Count points on hypersurfaces using the deformation method
- *gambit*: Computations on finite, noncooperative games
- *gap3*: A minimal distribution of GAP 3 containing packages that have no equivalent in GAP 4
- *gdb*: The GNU Project debugger
- *libtheora*: Library for the Theora video codec
- *lie*: Library for the representation theory of complex semisimple Lie groups and algebras
- *modular_decomposition*: A modular decomposition algorithm
- *perl_term_readline_gnu*: Perl extension for the GNU Readline/History libraries
- *polymake*: Computations with polyhedra, fans, simplicial complexes, matroids, graphs, tropical hypersurfaces
- *qepcad*: Quantifier elimination by partial cylindrical algebraic decomposition
- *scipoptsuite*: Mixed integer programming solver
- *surf*: Visualization of algebraic curves, algebraic surfaces and hyperplane sections of surfaces
- *valgrind*: Memory error detector; call graph generator, runtime profiler

DETAILED LISTING OF EXTERNAL PACKAGES

4.1 External Packages (alphabetical order)

4.1.1 4ti2: Algebraic, geometric and combinatorial problems on linear spaces

Description

A software package for algebraic, geometric and combinatorial problems on linear spaces. Available at www.4ti2.de.

License

4ti2 is released under a GPL v2 license.

Upstream Contact

- <https://4ti2.github.io/>
- Raymond Hemmecke, TU Munich, Germany
- Matthias Köppe, UC Davis, CA, USA

Dependencies

GLPK, GMP.

Type

optional

Version Information

package-version.txt:

```
1.6.7.p0
```

Equivalent System Packages

conda:

```
$ conda install 4ti2
```

opensuse:

```
$ sudo zypper install 4ti2
```

See <https://repology.org/project/4ti2/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.2 `_bootstrap`: Represents system packages required for running the top-level bootstrap script

Description

This optional script package represents the requirements (system packages) that are needed in addition to those represented by the `_prereq` package in order to run the top-level `bootstrap` script.

Type

optional

Version Information

Equivalent System Packages

arch:

```
$ sudo pacman -S gettext autoconf automake libtool pkg-config gettext-devel xtools_↵  
↵mk-configure
```

conda:

```
$ conda install gettext autoconf automake libtool pkg-config gettext-devel xtools mk-↵  
↵configure
```

cygwin:

```
$ apt-cyg install gettext autoconf automake libtool pkg-config gettext-devel xtools_↵  
↵mk-configure
```

Debian/Ubuntu:

```
$ sudo apt-get install gettext autoconf automake libtool pkg-config gettext-devel_
↳xtools mk-configure
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gettext autoconf automake libtool pkg-config gettext-devel xtools_
↳mk-configure
```

freebsd:

```
$ sudo pkg install gettext autoconf automake libtool pkg-config gettext-devel xtools_
↳mk-configure
```

gentoo:

```
$ sudo emerge gettext autoconf automake libtool pkg-config gettext-devel xtools mk-
↳configure
```

homebrew:

```
$ brew install gettext autoconf automake libtool pkg-config gettext-devel xtools mk-
↳configure
```

nix:

```
$ nix-env --install gettext autoconf automake libtool pkg-config gettext-devel xtools_
↳mk-configure
```

opensuse:

```
$ sudo zypper install gettext autoconf automake libtool pkg-config gettext-devel_
↳xtools mk-configure
```

slackware:

```
$ sudo slackpkg install gettext autoconf automake libtool pkg-config gettext-devel_
↳xtools mk-configure
```

void:

```
$ sudo xbps-install gettext autoconf automake libtool pkg-config gettext-devel_
↳xtools mk-configure
```

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.3 `_prereq`: Represents system packages required for installing SageMath from source

Description

This script package represents the minimal requirements (system packages) for installing SageMath from source.

Type

standard

Version Information

Equivalent System Packages

arch:

```
$ sudo pacman -S binutils make m4 perl python3 tar bc gcc which
```

conda:

```
$ conda install binutils make m4 perl python3 tar bc gcc which
```

cygwin:

```
$ apt-cyg install binutils make m4 perl python3 tar bc gcc which
```

Debian/Ubuntu:

```
$ sudo apt-get install binutils make m4 perl python3 tar bc gcc which
```

Fedora/Redhat/CentOS:

```
$ sudo yum install binutils make m4 perl python3 tar bc gcc which
```

freebsd:

```
$ sudo pkg install binutils make m4 perl python3 tar bc gcc which
```

gentoo:

```
$ sudo emerge binutils make m4 perl python3 tar bc gcc which
```

homebrew:

```
$ brew install binutils make m4 perl python3 tar bc gcc which
```

nix:

```
$ nix-env --install binutils make m4 perl python3 tar bc gcc which
```

opensuse:

```
$ sudo zypper install binutils make m4 perl python3 tar bc gcc which
```

slackware:

```
$ sudo slackpkg install binutils make m4 perl python3 tar bc gcc which
```

void:

```
$ sudo xbps-install binutils make m4 perl python3 tar bc gcc which
```

If the system package is installed, `./configure` will check whether it can be used.

4.1.4 `_recommended`: Represents system packages recommended for additional functionality

Description

Script package representing a list of system packages recommended to be installed for additional functionality.

Type

optional

Version Information

Equivalent System Packages

Debian/Ubuntu:

```
$ sudo apt-get install ffmpeg imagemagick texinfo
```

homebrew:

```
$ brew install ffmpeg imagemagick texinfo
```

macports: install the following packages: ffmpeg imagemagick texinfo

If the system package is installed, `./configure` will check whether it can be used.

4.1.5 `admcycles`: Computation in the tautological ring of the moduli space of curves

Description

The SageMath package `admcycles` offers the possibility to compute in the tautological ring of the Deligne-Mumford compactification of the moduli space of curves. Construction for standard generators are provided (`psi`, `kappa` and `lambda` classes) as well as more advanced algebraic construction (double ramification cycle, strata of differentials).

License

GPLv2+

Upstream Contact

<https://pypi.org/project/admcycles/>

Type

optional

Version Information

requirements.txt:

```
admcycles
```

Equivalent System Packages

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.6 alabaster: Default theme for the Sphinx documentation system

Description

Alabaster is a visually (c)lean, responsive, configurable theme for the Sphinx documentation system. It is Python 2+3 compatible.

It began as a third-party theme, and is still maintained separately, but as of Sphinx 1.3, Alabaster is an install-time dependency of Sphinx and is selected as the default theme.

Live examples of this theme can be seen on paramiko.org, fabfile.org and pyinvoke.org.

Upstream Contact

<https://alabaster.readthedocs.io/en/latest/>

Type

standard

Version Information

package-version.txt:

```
0.7.12
```

install-requires.txt:

```
alabaster >=0.7.12
```

Equivalent System Packages

conda:

```
$ conda install alabaster
```

opensuse:

```
$ sudo zypper install alabaster
```

See <https://repology.org/project/alabaster/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.7 appnope: Disable App Nap on OS X

Description

Disable App Nap on OS X 10.9

Upstream Contact

<https://github.com/minrk/appnope>

Type

standard

Version Information

package-version.txt:

```
0.1.0.p0
```

install-requires.txt:

```
appnope >=0.1.0
```

Equivalent System Packages

macports: install the following packages: python:appnope See <https://repology.org/project/python:appnope/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.8 arb: Arbitrary-precision floating-point ball arithmetic

Description

Arb is a C library for arbitrary-precision floating-point ball arithmetic, developed by Fredrik Johansson (fredrik.johansson@gmail.com). It supports efficient high-precision computation with polynomials, power series, matrices and special functions over the real and complex numbers, with automatic, rigorous error control.

License

GNU General Public License v2+

Upstream Contact

- Fredrik Johansson: fredrik.johansson@gmail.com
- <https://arblib.org/>
- <http://github.com/fredrik-johansson/arb/>

Dependencies

- FLINT
- MPFR or GMP
- MPFR

Special Update/Build Instructions

Type

standard

Version Information

package-version.txt:

```
2.18.1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S arb-fp
```

conda:

```
$ conda install arb-fp
```

Debian/Ubuntu:


```
$ sudo apt-get install arb-fp
```

Fedora/Redhat/CentOS:

```
$ sudo yum install arb-fp
```

freebsd:

```
$ sudo pkg install arb-fp
```

gentoo:

```
$ sudo emerge arb-fp
```

homebrew:

```
$ brew install arb-fp
```

nix:

```
$ nix-env --install arb-fp
```

opensuse:

```
$ sudo zypper install arb-fp
```

See <https://repology.org/project/arb-fp/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.9 argon2_cffi: The secure Argon2 password hashing algorithm

Description

The secure Argon2 password hashing algorithm.

License

MIT

Upstream Contact

<https://pypi.org/project/argon2-cffi/>

Type

standard

Version Information

package-version.txt:

```
20.1.0
```

install-requires.txt:

```
argon2-cffi
```

Equivalent System Packages

macports: install the following packages: `argon2-cffi` `python:argon2-cffi` See <https://repology.org/project/argon2-cffi/versions>, <https://repology.org/project/python:argon2-cffi/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.10 atlas: Automatically Tuned Linear Algebra Software (BLAS implementation)

Description

Automatically Tuned Linear Algebra Software

License

3-clause BSD

Upstream Contact

- <http://math-atlas.sourceforge.net>
- Atlas devel mailing list.
- Clint Whaley has frequently answered questions from the Sage project

Dependencies

- Python

Special Update/Build Instructions

- `src/lapack-x.y.z.tgz`: The netlib lapack tarball. If you update this, make sure you also update the `LA-PACK_TARBALL` variable in `spkg-install`.
- `src/ATLAS-lib`: We are using a dummy autotools/libtools project to repack the static ATLAS libraries into shared libraries.
- `src/ARCHS`: We ship some archdef tarballs to speed ATLAS build.
- `spkg-install`: If you update atlas to a new version make sure that the `ATLAS_OSTYPE`, `ATLAS_MACHTYPE`, and `ATLAS_ISAEXT` variables in `spkg-install` remain in sync with atlas' `CONFIG/include/atlconf.h`
- The package is never installed on OS X, unless you set `SAGE_ATLAS_ARCH`.

Patches

- `patches/detect.patch`: Fix Itanium2 support on modern RHEL 5 and SLES 10 systems, work around -m64 issue on Itanium2, and correctly detect number and speed of CPUs on a bunch of systems.
- `patches/arm_hard_floats.patch`: make sure soft floats are not enforced on ARM.
- `patches/Makefile.patch`: fix clean target.
- `patches/do_not_force_mutex.patch`: always use assembly over mutex since the mutex version fails to build a shared library. See #15045 for details.
- `patches/glibc_scanf_workaround.patch`: Workaround for the scanf bug in glibc-2.18 that breaks the atlas auto-tuning system.

Configuration

The package can be configured via three environment variables:

- `SAGE_ATLAS_LIB=path`

If this environment variable is set, the libraries `libatlas`, `libcblas`, `liblapack`, and `libf77blas` from the directory “path” are used and ATLAS is not compiled from source. The libraries can be either static (ending in `.a`) or shared libraries (ending in `.so` or `.dylib`).

- `SAGE_ATLAS_ARCH=arch[,isaext1][,isaext2]...[,isaextN]`

The given architectural default and instruction set extensions are used instead of the empirical tuning. Available architectures are

POWER3, POWER4, POWER5, PPCG4, PPCG5, POWER6, POWER7, IBMz9, IBMz10, IBMz196, x86x87, x86SSE1, x86SSE2, x86SSE3, P5, P5MMX, PPRO, PII, PIII, PM, CoreSolo, CoreDuo, Core2Solo, Core2, Corei1, Corei2, Atom, P4, P4E, Efficeon, K7, HAMMER, AMD64K10h, AMDDOZER, UNKNOWNx86, IA64Itan, IA64Itan2, USI, USII, USIII, USIV, UST1, UST2, UnknownUS, MIPSr1xK, MIPSICE9, ARMv6, ARMv7

and instruction set extensions are

VSX, AltiVec, AVXMAC, AVXFMA4, AVX, SSE3, SSE2, SSE1, 3DNow, NEON

In addition, you can also set

- `SAGE_ATLAS_ARCH=fast` picks defaults for a modern (2-3 year old) CPU of your processor line, and

- SAGE_ATLAS_ARCH=base picks defaults that should work for a ~10 year old CPU.

For example,

SAGE_ATLAS_ARCH=Corei2,AVX,SSE3,SSE2,SSE1

would be appropriate for a Core i7 CPU.

- If SAGE_ATLAS_SAVE_ARCHDEF = is given, then a new archdef file is created and saved to the given path.

Type

optional

Version Information

package-version.txt:

3.10.2.p3

Equivalent System Packages

macports: install the following packages: atlas-linear-algebra See <https://repology.org/project/atlas-linear-algebra/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.11 attrs: Decorator for Python classes with attributes

Description

attrs is the Python package that will bring back the joy of writing classes by relieving you from the drudgery of implementing object protocols (aka dunder methods).

License

MIT License

Upstream Contact

Home page: <https://www.attrs.org>

Dependencies

Python

Type

standard

Version Information

package-version.txt:

```
19.3.0
```

install-requires.txt:

```
attrs >=19.3.0
```

Equivalent System Packages

conda:

```
$ conda install python:attrs
```

macports: install the following packages: python:attrs See <https://repology.org/project/python:attrs/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.12 awali: Computation of/with finite state machines

Description

Awali is a software platform dedicated to the computation of, and with, finite state machines. Here finite state machines is to be understood in the broadest possible sense: finite automata with output — often called transducers then — or even more generally finite automata with multiplicity, that is, automata that not only accept, or recognize, sequences of symbols but compute for every such sequence a ‘value’ that is associated with it and which can be taken in any semiring. Hence the variety of situations that can thus be modellized.

License

- GPL 3.0

Upstream Contact

- Website: <http://vaucanson-project.org/Awali/index.html>
- Releases: <http://files.vaucanson-project.org/tarballs/>

Dependencies

- Python
- CMake
- Cython
- ncurses
- graphviz must be installed from your distro, and available in the path.

Special Update/Build Instructions

- None

Type

experimental

Version Information

package-version.txt:

1.0.2-190218

Equivalent System Packages

See <https://repology.org/project/awali/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.13 babel: Internationalization utilities for Python

Description

A collection of tools for internationalizing Python applications.

Upstream Contact

<http://babel.pocoo.org/en/latest/>

Type

standard

Version Information

package-version.txt:

```
2.6.0
```

install-requires.txt:

```
babel >=2.6.0
```

Equivalent System Packages

conda:

```
$ conda install python:babel
```

macports: install the following packages: python:babel opensuse:

```
$ sudo zypper install python:babel
```

See <https://repology.org/project/python:babel/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.14 backcall: Specifications for callback functions

Description

Specifications for callback functions passed in to an API

Type

standard

Version Information

package-version.txt:

```
0.1.0
```

install-requires.txt:

```
backcall >=0.1.0
```

Equivalent System Packages

conda:

```
$ conda install python:backcall
```

macports: install the following packages: python:backcall See <https://repology.org/project/python:backcall/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.15 barvinok: Projections of integer point sets of parametric polytopes

Description

barvinok is a library for counting the number of integer points in parametric and non-parametric polytopes as well as projections of such sets.

License

GPL v2

Upstream Contact

- <http://groups.google.com/group/isl-development>

Type

optional

Version Information

package-version.txt:

```
0.41.1
```


Equivalent System Packages

opensuse:

```
$ sudo zypper install barvinok
```

See <https://repology.org/project/barvinok/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.16 beautifulsoup4: A screen-scraping library

Description

Screen-scraping library

License

MIT

Upstream Contact

<https://pypi.org/project/beautifulsoup4/>

<https://www.crummy.com/software/BeautifulSoup/>

Type

optional

Version Information

requirements.txt:

```
beautifulsoup4
```

Equivalent System Packages

conda:

```
$ conda install python:beautifulsoup4
```

macports: install the following packages: python:beautifulsoup4 See <https://repology.org/project/python:beautifulsoup4/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.17 benzene: Generate fusenes and benzenoids with a given number of faces

Description

Benzene is a program for the efficient generation of all nonisomorphic fusenes and benzenoids with a given number of faces. Fusenes are planar polycyclic hydrocarbons with all bounded faces hexagons. Benzenoids are fusenes that are subgraphs of the hexagonal lattice.

License

Benzene is licensed under the GNU General Public License v2 or later (June 2007)

Upstream Contact

Benzene was written by Gunnar Brinkmann and Gilles Caporossi. This version was adapted by Gunnar Brinkmann and Nico Van Cleemput for Grinvin.

<http://www.grinvin.org/>

Dependencies

- None

Type

optional

Version Information

package-version.txt:

```
20130630
```

Equivalent System Packages

arch:

```
$ sudo pacman -S benzene
```

opensuse:

```
$ sudo zypper install benzene
```

See <https://repology.org/project/benzene/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.18 biopython: Tools for computational molecular biology

Description

Freely available tools for computational molecular biology.

License

Upstream Contact

<https://pypi.org/project/biopython/>

<http://biopython.org/>

Type

optional

Version Information

requirements.txt:

```
biopython
```

Equivalent System Packages

conda:

```
$ conda install biopython python:biopython
```

macports: install the following packages: biopython python:biopython See <https://repology.org/project/biopython/versions>, <https://repology.org/project/python:biopython/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.19 bleach: An HTML-sanitizing tool

Description

An easy safelist-based HTML-sanitizing tool.

License

Apache License v2

Upstream Contact

Home Page: <https://github.com/mozilla/bleach>

Dependencies

Python, html5lib, six

Type

standard

Version Information

package-version.txt:

```
3.1.5
```

install-requires.txt:

```
bleach >=3.1.5
```

Equivalent System Packages

conda:

```
$ conda install python:bleach
```

macports: install the following packages: python:bleach See <https://repology.org/project/python:bleach/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.20 bliss: Computing automorphism groups and canonical forms of graphs

Description

bliss is an open source tool for computing automorphism groups and canonical forms of graphs.

License

LGPL

Upstream Contact

Bliss is currently being maintained by Tommi Junttila and Petteri Kaski.

<http://www.tcs.tkk.fi/Software/bliss/index.html>

We apply patches generated from <https://github.com/mkoeppe/bliss> (branch `apply_debian_patches`) as our upstream. This tracks the patches from the Debian package, adding an autotools build system and adjusting the include file locations.

Dependencies

None

Type

optional

Version Information

package-version.txt:

```
0.73+debian-1+sage-2016-08-02.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S bliss-graphs
```

conda:

```
$ conda install bliss-graphs
```

opensuse:

```
$ sudo zypper install bliss-graphs
```

See <https://repology.org/project/bliss-graphs/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.21 boost: Portable C++ libraries (full set)

Description

Boost provides free peer-reviewed portable C++ source libraries.

License

Boost software license (GPL compatible)

Upstream Contact

Home page: <http://boost.org>

Dependencies

None

Type

optional

Version Information

package-version.txt:

```
1_66_0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S boost-devel
```

conda:

```
$ conda install boost-devel
```

cygwin:

```
$ apt-cyg install boost-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install boost-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install boost-devel
```

freebsd:

```
$ sudo pkg install boost-devel
```

homebrew:

```
$ brew install boost-devel
```

macports: install the following packages: boost-devel nix:

```
$ nix-env --install boost-devel
```

opensuse:

```
$ sudo zypper install boost-devel
```

slackware:

```
$ sudo slackpkg install boost-devel
```

void:

```
$ sudo xbps-install boost-devel
```

See <https://repology.org/project/boost-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.22 boost_cropped: Portable C++ libraries (subset needed for Sage)

Description

Boost provides free peer-reviewed portable C++ source libraries.

We emphasize libraries that work well with the C++ Standard Library. Boost libraries are intended to be widely useful, and usable across a broad spectrum of applications. The Boost license encourages both commercial and non-commercial use.

We aim to establish “existing practice” and provide reference implementations so that Boost libraries are suitable for eventual standardization. Ten Boost libraries are already included in the C++ Standards Committee’s Library Technical Report (TR1) and will be in the new C++0x Standard now being finalized. C++0x will also include several more Boost libraries in addition to those from TR1. More Boost libraries are proposed for TR2.

License

Boost Software License - see <http://www.boost.org/users/license.html>

Upstream Contact

Website: <http://www.boost.org/>

See mailing list page at <http://www.boost.org/community/groups.html>

Dependencies

None

Type

standard

Version Information

package-version.txt:

```
1.66.0.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S boost
```

conda:

```
$ conda install boost
```

cygwin:

```
$ apt-cyg install boost
```

Debian/Ubuntu:

```
$ sudo apt-get install boost
```

Fedora/Redhat/CentOS:

```
$ sudo yum install boost
```

freebsd:

```
$ sudo pkg install boost
```

homebrew:

```
$ brew install boost
```

macports: install the following packages: boost opensuse:


```
$ sudo zypper install boost
```

slackware:

```
$ sudo slackpkg install boost
```

See <https://repology.org/project/boost/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.23 brial: Boolean Ring Algebra implementation using binary decision diagrams

Description

BRiAl (“Boolean Ring Algebra”) is the successor to PolyBoRi.

The core of PolyBoRi is a C++ library, which provides high-level data types for Boolean polynomials and monomials, exponent vectors, as well as for the underlying polynomial rings and subsets of the powerset of the Boolean variables. As a unique approach, binary decision diagrams are used as internal storage type for polynomial structures. On top of this C++-library we provide a Python interface. This allows parsing of complex polynomial systems, as well as sophisticated and extendable strategies for Gröbner base computation. PolyBoRi features a powerful reference implementation for Gröbner basis computation.

License

GPL version 2 or later

Upstream Contact

<https://github.com/BRiAl/BRiAl>

Type

standard

Version Information

package-version.txt:

```
1.2.8
```

Equivalent System Packages

arch:

```
$ sudo pacman -S brial
```

conda:

```
$ conda install brial
```

Debian/Ubuntu:

```
$ sudo apt-get install brial
```

Fedora/Redhat/CentOS:

```
$ sudo yum install brial
```

freebsd:

```
$ sudo pkg install brial
```

gentoo:

```
$ sudo emerge brial
```

nix:

```
$ nix-env --install brial
```

opensuse:

```
$ sudo zypper install brial
```

See <https://repology.org/project/brial/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.24 buckygen: Efficient generation of nonisomorphic fullerenes

Description

Buckygen is a program for the efficient generation of all nonisomorphic fullerenes. These are triangulations where all vertices have degree 5 or 6. Or if the dual representation is used: cubic plane graphs where all faces are pentagons or hexagons.

License

Buckygen is licensed under the GNU General Public License v3 (June 2007)

Upstream Contact

Buckygen was mainly written by Jan Goedgebeur, [jan.goedgebeur\[at\]ugent.be](mailto:jan.goedgebeur@ugent.be).

<http://caagt.ugent.be/buckygen/>

Dependencies

- None

Type

optional

Version Information

package-version.txt:

```
1.1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S buckygen
```

opensuse:

```
$ sudo zypper install buckygen
```

See <https://repology.org/project/buckygen/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.25 bzip2: High-quality data compressor

Description

bzip2 is a freely available, patent free, high-quality data compressor.

It typically compresses files to within 10% to 15% of the best available techniques (the PPM family of statistical compressors), whilst being around twice as fast at compression and six times faster at decompression.

License

BSD-style

Upstream Contact

- Website <http://bzip.org/>
- Author: Julian Seward <julian@bzip.org>

Dependencies

None

Special Update/Build Instructions

This package must not be bzip2 compressed, so create it using

```
tar c bzip2-1.0.6 | gzip --best >bzip2-1.0.6.spkg
```

The build system has been autotoolized based on a patch by the Suse folk at http://ftp.uni-kl.de/pub/linux/suse/people/sbrabec/bzip2/for_downstream/bzip2-1.0.6-autoconfiscated.patch

See patches/autotools and spkg-src for details.

Type

standard

Version Information

package-version.txt:

```
1.0.6-20150304.p0
```

Equivalent System Packages

conda:

```
$ conda install bzip2-devel
```

cygwin:

```
$ apt-cyg install bzip2-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install bzip2-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install bzip2-devel
```

opensuse:

```
$ sudo zypper install bzip2-devel
```

slackware:

```
$ sudo slackpkg install bzip2-devel
```

void:

```
$ sudo xbps-install bzip2-devel
```

See <https://repology.org/project/bzip2-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.26 cbc: COIN-OR branch and cut solver for mixed-integer programs

Description

The Computational Infrastructure for Operations Research (COIN-OR**, or simply COIN) project is an initiative to spur the development of open-source software for the operations research community.

The COIN Branch and Cut solver (CBC) is an open-source mixed-integer program (MIP) solver written in C++. CBC is intended to be used primarily as a callable library to create customized branch-and-cut solvers. A basic, stand-alone executable version is also available. CBC is an active open-source project led by John Forrest at www.coin-or.org.

License

Eclipse Public License, Version 1.0 (EPL-1.0) (<http://opensource.org/licenses/eclipse-1.0>)

Upstream Contact

- John Forrest <jjforre@us.ibm.com>
- Robin Lougee-Heimer

Project Home Page

- <https://projects.coin-or.org/Cbc>

Type

optional

Version Information

package-version.txt:

```
2.9.4.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S coin-or-cbc
```

conda:

```
$ conda install coin-or-cbc
```

Debian/Ubuntu:

```
$ sudo apt-get install coin-or-cbc
```

Fedora/Redhat/CentOS:

```
$ sudo yum install coin-or-cbc
```

freebsd:

```
$ sudo pkg install coin-or-cbc
```

See <https://repology.org/project/coin-or-cbc/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.27 ccache: A compiler cache

Description

ccache is a compiler cache. It speeds up recompilation by caching previous compilations and detecting when the same compilation is being done again. Supported languages are C, C++, Objective-C and Objective-C++.

License

GNU General Public License version 3 or later

Upstream Contact

- Author: Andrew Tridgell
- Website: <http://ccache.samba.org/>

Type

optional

Version Information

package-version.txt:

```
3.3.4
```

Equivalent System Packages

conda:

```
$ conda install ccache
```

macports: install the following packages: ccache opensuse:

```
$ sudo zypper install ccache
```

See <https://repology.org/project/ccache/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.28 cddlib: Double description method for polyhedral representation conversion

Description

The C-library cddlib is a C implementation of the Double Description Method of Motzkin et al. for generating all vertices (i.e. extreme points) and extreme rays of a general convex polyhedron in \mathbb{R}^d given by a system of linear inequalities:

$$P = \{ x = (x_1, \dots, x_d)^T : b - A x \geq 0 \}$$

where A is a given $m \times d$ real matrix, b is a given m -vector and 0 is the m -vector of all zeros.

The program can be used for the reverse operation (i.e. convex hull computation). This means that one can move back and forth between an inequality representation and a generator (i.e. vertex and ray) representation of a polyhedron with cdd. Also, cdd can solve a linear programming problem, i.e. a problem of maximizing and minimizing a linear function over P .

License

GPL v2

Upstream Contact

<https://github.com/cddlib/cddlib>

Dependencies

- gmp (or its fork mpir)

Type

standard

Version Information

package-version.txt:

```
0.94m
```

Equivalent System Packages

arch:

```
$ sudo pacman -S cddlib
```

conda:

```
$ conda install cddlib
```

cygwin:

```
$ apt-cyg install cddlib
```

Debian/Ubuntu:

```
$ sudo apt-get install cddlib
```

Fedora/Redhat/CentOS:

```
$ sudo yum install cddlib
```

freebsd:

```
$ sudo pkg install cddlib
```

gentoo:

```
$ sudo emerge cddlib
```


macports: install the following packages: cddlib nix:

```
$ nix-env --install cddlib
```

opensuse:

```
$ sudo zypper install cddlib
```

See <https://repology.org/project/cddlib/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.29 certifi: Python package for providing Mozilla's CA Bundle

Description

Python package for providing Mozilla's CA Bundle.

License

ISC

Upstream Contact

Home page: <https://pypi.python.org/pypi/certifi>

Dependencies

Python, Setuptools

Type

standard

Version Information

package-version.txt:

```
2020.11.8
```

install-requires.txt:

```
certifi >=2020.6.20
```

Equivalent System Packages

conda:

```
$ conda install python:certifi
```

macports: install the following packages: python:certifi openssl:

```
$ sudo zypper install python:certifi
```

See <https://repology.org/project/python:certifi/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.30 cffi: Foreign Function Interface for Python calling C code

Description

development website: <https://foss.heptapod.net/pypy/cffi>

documentation website: <https://cffi.readthedocs.io/en/latest/>

PyPI page: <https://pypi.org/project/cffi/>

License

MIT

Upstream Contact

<https://foss.heptapod.net/pypy/cffi>

Type

standard

Version Information

package-version.txt:

```
1.14.5
```

install-requires.txt:

```
cffi >=1.14.0
```

Equivalent System Packages

conda:

```
$ conda install python:cffi
```

macports: install the following packages: python:cffi opensuse:

```
$ sudo zypper install python:cffi
```

See <https://repology.org/project/python:cffi/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.31 cliquer: Routines for clique searching

Description

Cliquer is a set of C routines for finding cliques in an arbitrary weighted graph. It uses an exact branch-and-bound algorithm developed by Patric Östergård.

License

GNU General Public License v2

Upstream Contact

Cliquer was mainly written by Sampo Niskanen, sampo.niskanen@iki.fi (Q=@).

<https://users.aalto.fi/~pat/cliquer.html>

Dependencies

- None

Patches

- minor config updates (v1.22)
- autotoolized - see <https://github.com/dimpase/autocliquer> (v1.21)

Type

standard

Version Information

package-version.txt:

```
1.22
```

Equivalent System Packages

conda:

```
$ conda install cliquer
```

Debian/Ubuntu:

```
$ sudo apt-get install cliquer
```

Fedora/Redhat/CentOS:

```
$ sudo yum install cliquer
```

freebsd:

```
$ sudo pkg install cliquer
```

gentoo:

```
$ sudo emerge cliquer
```

nix:

```
$ nix-env --install cliquer
```

opensuse:

```
$ sudo zypper install cliquer
```

See <https://repology.org/project/cliquer/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.32 cmake: A cross-platform build system generator

Description

The “cmake” executable is the CMake command-line interface. It may be used to configure projects in scripts. Project configuration settings may be specified on the command line with the -D option. The -i option will cause cmake to interactively prompt for such settings.

CMake is a cross-platform build system generator. Projects specify their build process with platform-independent CMake listfiles included in each directory of a source tree with the name CMakeLists.txt. Users build a project by using CMake to generate a build system for a native tool on their platform.

License

CMake is distributed under the OSI-approved BSD 3-clause License.

Upstream Contact

- <https://cmake.org/>
- cmake-developers@cmake.org

Dependencies

- curl
- zlib
- bzip2
- xz

Type

optional

Version Information

package-version.txt:

```
3.19.3
```

Equivalent System Packages

conda:

```
$ conda install cmake
```

cygwin:

```
$ apt-cyg install cmake
```

Debian/Ubuntu:

```
$ sudo apt-get install cmake
```

Fedora/Redhat/CentOS:

```
$ sudo yum install cmake
```

freebsd:

```
$ sudo pkg install cmake
```

homebrew:

```
$ brew install cmake
```

macports: install the following packages: cmake opensuse:

```
$ sudo zypper install cmake
```

slackware:

```
$ sudo slackpkg install cmake
```

void:

```
$ sudo xbps-install cmake
```

See <https://repology.org/project/cmake/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.33 cocoalib: Computations in commutative algebra

Description

CoCoA is a program to compute with numbers and polynomials.

License

- GPL v3

Upstream Contact

- Authors: <http://cocoa.dima.unige.it/research/>
- Email: cocoa@dim.unige.it
- Website: <http://cocoa.dima.unige.it/>
- Releases: <http://cocoa.dima.unige.it/cocoalib/>

Dependencies

- GMP/MPFR

Special Update/Build Instructions

None.

Type

experimental

Version Information

package-version.txt:

0.99564

Equivalent System Packages

freebsd:

\$ sudo pkg install cocoalib

See <https://repology.org/project/cocoalib/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.34 **combinatorial_designs**: Data from the Handbook of Combinatorial Designs

Description

Data for Combinatorial Designs. Current content:

- The table of MOLS (10 000 integers) from the Handbook of Combinatorial Designs, 2ed.

License

Public domain.

Upstream Contact

None

Dependencies

N/A

Type

standard

Version Information

package-version.txt:

```
20140630.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S sagemath-combinatorial-designs
```

conda:

```
$ conda install sagemath-combinatorial-designs
```

See <https://repology.org/project/sagemath-combinatorial-designs/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.35 compilerwrapper: A wrapper for compiler and binutils that sets rpath and works around broken archs

Description

A wrapper for compiler and binutils that sets rpath, removes optimizations on broken archs and gcc versions, and generally helps to compile Sage more easily.

License

GPL v2+

Upstream Contact

- <https://bitbucket.org/vbraun/compilerwrapper>
- Volker Braun <vbraun.name@gmail.com>

Dependencies

- None

Special Update/Build Instructions

The src/ subdirectory is a clone of my mercurial repository at <https://bitbucket.org/vbraun/compilerwrapper>. You can update the source tree with “hg pull -u”.

Type

experimental

Version Information

package-version.txt:

1.2

Equivalent System Packages

See <https://repology.org/project/compilerwrapper/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.36 configure: Files of the Sage distribution that are autogenerated in the bootstrapping phase

Description

This package contains a tar archive of auto-generated files. They are shipped with Sage in case you do not have a sufficiently recent autotools version installed.

License

GPLv3+

Upstream Contact

Automatically generated by Sage, use trac and/or sage-devel for questions.

Dependencies

None

Special Update/Build Instructions

This tarball is automatically generated by Sage whenever you run the `$SAGE_ROOT/bootstrap -s` or the `$SAGE_ROOT/src/bin/sage-update-version` script.

Type

base

Version Information

package-version.txt:

`3f4547f2cc40338ba42329d53f7fb48c31ff9fc8`

Equivalent System Packages

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.37 conway_polynomials: Tables of Conway polynomials over finite fields

Description

Frank Lübeck's tables of Conway polynomials over finite fields.

Dependencies

- Sage library

Upstream contact

<http://www.math.rwth-aachen.de/~Frank.Luebeck/data/ConwayPol/>

Type

standard

Version Information

package-version.txt:

```
0.5
```

Equivalent System Packages

arch:

```
$ sudo pacman -S sagemath-conway-polynomials
```

conda:

```
$ conda install sagemath-conway-polynomials
```

See <https://repology.org/project/sagemath-conway-polynomials/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.38 coxeter3: Library for Coxeter groups, Bruhat ordering, Kazhdan-Lusztig polynomials

Description

This package wraps Fokko Ducloux's Coxeter 3 C++ library

Features:

- General Coxeter groups, implemented through the combinatorics of reduced words;
- Reduced expression and normal form computations;
- Bruhat ordering;
- Ordinary Kazhdan-Lusztig polynomials;
- Kazhdan-Lusztig polynomials with unequal parameters;
- Inverse Kazhdan-Lusztig polynomials;
- Cells and W-graphs;

http://math.univ-lyon1.fr/~ducloux/coxeter/coxeter3/english/coxeter3_e.html

This is a patched version done by Mike Hansen 2009-2013 and some fixes by Nicolas M. Thiéry and Jean-Pierre Flori.

License

GPL

Upstream Contact

github: <https://github.com/tscrim/coxeter>

Alas, Fokko Ducloux passed away in 2006.

http://math.univ-lyon1.fr/~ducloux/du_Cloux.html

Dependencies

None

Special Update/Build Instructions

The source package was created by running

```
commit=8ac9c71723c8ca57a836d6381aed125261e44e9e
git clone https://github.com/tscrim/coxeter.git
cd coxeter
git archive $commit | bzip2 --best >coxeter-$commit.tar.bz2
```

Type

optional

Version Information

package-version.txt:

```
8ac9c71723c8ca57a836d6381aed125261e44e9e.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S coxeter
```

Fedora/Redhat/CentOS:

```
$ sudo yum install coxeter
```

opensuse:

```
$ sudo zypper install coxeter
```

See <https://repology.org/project/coxeter/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.39 cryptominisat: A SAT solver

Description

CryptoMiniSat is a SAT solver that aims to become a premiere SAT solver with all the features and speed of successful SAT solvers, such as MiniSat and PrecoSat. The long-term goals of CryptoMiniSat are to be an efficient sequential, parallel and distributed solver. There are solvers that are good at one or the other, e.g. ManySat (parallel) or PSolver (distributed), but we wish to excel at all.

CryptoMiniSat 2.5 won the SAT Race 2010 among 20 solvers submitted by researchers and industry.

License

MIT License

Upstream Contact

- Authors: Mate Soos
- Email: soos.mate@gmail.com
- Website: <http://www.msoos.org/>
- Releases: <https://github.com/msoos/cryptominisat/releases>

Special Update/Build Instructions

CryptoMiniSat's tarball downloaded from github is called VERSION.tar.gz and should be renamed to cryptominisat-VERSION.tar.gz

Type

optional

Version Information

package-version.txt:

5.6.8

Equivalent System Packages

conda:

\$ conda install cryptominisat

See <https://repology.org/project/cryptominisat/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.40 csdp: Solver for semidefinite programs

Description

This is a fast SDP solver written in C, with a callable library namely, an autotool'ed version of CSDP, by Brian Borchers, see <https://projects.coin-or.org/Csdp>

License

Common Public License Version 1.0

Upstream Contact

Dmitrii Pasechnik <dimpase+sage@gmail.com>

Dependencies

Special Update/Build Instructions

csdp is an autotool'ed version of CSDP, see <https://projects.coin-or.org/Csdp>, developed in its own repository at <http://github.org/dimpase/csdp>.

To update to a new version, you need to bump the version number in configure.ac and rerun autotools (autoreconf -fiv). Any changes should be merged to the upstream repo.

The build is done with NOSHORTS variable defined; this makes it compatible with packages, where NOSHORTS must be defined, e.g. <https://github.com/dimpase/pycsdp>; also the Sage Cython interface needs NOSHORTS defined.

Detailed steps to build the spkg are as follows. You need

- git
- autotools and libtool (the full autohell suite, version at least 2.67)

With these ready:

- ./spkg-src
- copy the resulting csdp-<version>.tar.gz to SAGE_ROOT/upstream, or somewhere else appropriate

Type

optional

Version Information

package-version.txt:

6.2.0

Equivalent System Packages

arch:

```
$ sudo pacman -S coin-or-csdp csdp
```

See <https://repology.org/project/coin-or-csdp/versions>, <https://repology.org/project/csdp/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.41 **cunningham_tables**: List of the prime numbers occuring in the Cunningham table

The script `read_cunningham_prime_factors.py` was used to generate the data set from the file <http://cage.ugent.be/~jdemeyer/cunningham/main.gz> We include a local copy, `main.gz` (see comments in the file for details)

Type

optional

Version Information

package-version.txt:

```
1.0
```

Equivalent System Packages

See <https://repology.org/project/cunningham-tables/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.42 **curl**: Multiprotocol data transfer library and utility

Description

Multiprotocols data transfer library (and utility).

License

“MIT style license” : see file “COPYING” at the root of the source tarball, explanations at <https://curl.haxx.se/docs/copyright.html>.

Upstream Contact

According to the file README at the root of the tarball, contact is done by mailing <https://curl.haxx.se/mail/>

Dependencies

None listed.

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
7.62.0.p0
```

Equivalent System Packages

conda:

```
$ conda install curl libcurl-devel
```

cygwin:

```
$ apt-cyg install curl libcurl-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install curl libcurl-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install curl libcurl-devel
```

freebsd:

```
$ sudo pkg install curl libcurl-devel
```

macports: install the following packages: curl libcurl-devel opensuse:

```
$ sudo zypper install curl libcurl-devel
```

slackware:

```
$ sudo slackpkg install curl libcurl-devel
```


void:

```
$ sudo xbps-install curl libcurl-devel
```

See <https://repology.org/project/curl/versions>, <https://repology.org/project/libcurl-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.43 cvxopt: Python software for convex optimization

Description

CVXOPT is a free software package for convex optimization based on the Python programming language. It can be used with the interactive Python interpreter, on the command line by executing Python scripts, or integrated in other software via Python extension modules. Its main purpose is to make the development of software for convex optimization applications straightforward by building on Python’s extensive standard library and on the strengths of Python as a high-level programming language.

Upstream Contact

- J. Dahl <dahl.joachim@gmail.com>
- L. Vandenberghe <vandenbe@ee.ucla.edu>

<https://cvxopt.org/>

License

GPLv3 or later. Includes parts under GPLv2, GNU Lesser General Public License, v2.1. See `src/LICENSE` for more details. (Sage-compatible)

Dependencies

- GNU patch
- GSL
- GLPK

Special Update/Build Instructions

- `cvxopt.h.patch`: Fix building with GCC on Solaris.
- `setup.py.patch`: look for libraries and includes in `$SAGE_LOCAL` instead of `/usr`. Add `fortran`, `blas`,... libraries if needed. Build with `GSL` and `GLPK` support.
- remove `doc/html/`, as it can be rebuild by invoking `'sage -sh'` and running `'make html'` in `doc/`
- TODO: Add more tests in `spkg-check`
- TODO: one might want to enhance the code to allow other Sage random sources, at the moment only `GSL` is used in `CVXOPT-1.1.3` spkg, apparently it will need an unclear to me “with `seed(..)`” construct.

Type

standard

Version Information

package-version.txt:

```
1.2.6
```

install-requires.txt:

```
cvxopt >=1.2.5
```

Equivalent System Packages

conda:

```
$ conda install python:cvxopt
```

freebsd:

```
$ sudo pkg install python:cvxopt
```

macports: install the following packages: python:cvxopt See <https://repology.org/project/python:cvxopt/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.44 cycler: Composable cycles

Description

Cycler is a small break-off of matplotlib to deal with “composable cycles”. It is a required dependency of matplotlib 1.5.0.

License

BSD

Upstream Contact

cycler is developed on github: <https://github.com/matplotlib/cycler>

A more informative webpage about cyclor, its motivation and usage is at <http://tacaswell.github.io/cycler/>

Dependencies

- python
- setuptools
- six

Type

standard

Version Information

package-version.txt:

```
0.10.0.p0
```

install-requires.txt:

```
cycler >=0.10.0
```

Equivalent System Packages

conda:

```
$ conda install cycler python:cycler
```

macports: install the following packages: cycler python:cycler See <https://repology.org/project/cycler/versions>, <https://repology.org/project/python:cycler/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.45 cypari2: Python interface to the number theory library libpari

Description

A Python interface to the number theory library libpari.

License

GPL version 2 or later

Upstream Contact

<https://github.com/defeo/cypari2>

Dependencies

- Python
- Cython
- PARI
- cysignals

Type

standard

Version Information

package-version.txt:

```
2.1.2
```

install-requires.txt:

```
cypari >=2.1.1
```

Equivalent System Packages

conda:

```
$ conda install python:cypari2
```

See <https://repology.org/project/python:cypari2/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.46 cysignals: Interrupt and signal handling for Cython

Description

Interrupt and signal handling for Cython

License

LGPL version 3 or later

Upstream Contact

<https://github.com/sagemath/cysignals>

Dependencies

- Python
- Cython
- PARI (optional)

Type

standard

Version Information

package-version.txt:

```
1.10.3
```

install-requires.txt:

```
cysignals >=1.10.2
```

Equivalent System Packages

conda:

```
$ conda install cysignals python:cysignals
```

See <https://repology.org/project/cysignals/versions>, <https://repology.org/project/python:cysignals/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.47 cython: C-Extensions for Python, an optimizing static compiler

Description

Cython is a language that makes writing C extensions for the Python language as easy as Python itself. Cython is based on the well-known Pyrex, but supports more cutting edge functionality and optimizations.

The Cython language is very close to the Python language, but Cython additionally supports calling C functions and declaring C types on variables and class attributes. This allows the compiler to generate very efficient C code from Cython code.

This makes Cython the ideal language for wrapping for external C libraries, and for fast C modules that speed up the execution of Python code.

License

Apache License, Version 2.0

Upstream Contact

- <http://www.cython.org/>
- cython-devel@python.org

Dependencies

- Python

Type

standard

Version Information

package-version.txt:

```
0.29.21
```

install-requires.txt:

```
cython >=0.29.21, <1.0
```

Equivalent System Packages

conda:

```
$ conda install python:cython
```

freebsd:

```
$ sudo pkg install python:cython
```

macports: install the following packages: python:cython See <https://repology.org/project/python:cython/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.48 d3js: JavaScript library for manipulating documents based on data

Description

D3.js is a JavaScript library for manipulating documents based on data. The file d3.min.js will be placed into the `${SAGE_SHARE}/d3js/` directory.

License

BSD 3-Clause License

Upstream Contact

- Author: Mike Bostock (<http://bost.ocks.org/mike/>)
- Home page: <http://d3js.org/>

Dependencies

None.

Special Update/Build Instructions

Two kind of archives can be downloaded from d3.js website: one with all source code and tests that weights 2,9M (both in zip and tar.gz formats) and one with the final javascript scripts which weights 121K (zip format only). Since testing requires node.js that is not shipped with Sage, we currently ship the final js only. Hence we have to transform it from zip to tar.gz format. Running sage-src should do all the repackaging job.

Type

optional

Version Information

package-version.txt:

3.4.8

Equivalent System Packages

See <https://repology.org/project/node:d3/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.49 database_cremona_ellcurve: Database of elliptic curves

Description

John Cremona's database of elliptic curves

See <https://github.com/JohnCremona/ecdata>

This is an optional package, not included by default.

License

Public Domain

Dependencies

None

Patches

- None

Upstream Contact

- Author: John Cremona
- Email: john.cremona@gmail.com
- Website: <http://homepages.warwick.ac.uk/staff/J.E.Cremona/>

Update Instructions

Get an up-to-date copy of the git repository ecdata from <https://github.com/JohnCremona/ecdata>.

If the cremona database has already been installed, remove `SAGE_DATA/cremona/cremona.db`. Then run

The build script expects to find the files in subfolders allcurves, allgens, degphi and allbsd of the ecdata folder. It extracts them and builds the new cremona.db file from the contents.

Finally, copy `SAGE_DATA/cremona/cremona.db` to the src directory of the spkg.

Type

optional

Version Information

package-version.txt:

20190911

Equivalent System Packages

See <https://repology.org/project/sage-data-cremona-ellcurve/versions>, <https://repology.org/project/sagemath-database-cremona-elliptic-curves/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.50 database_jones_numfield: Table of number fields

Description

This is a table of number fields with bounded ramification and degree at most 6.

License

GPLv2+

Upstream Contact

sage-devel@googlegroups.com

Dependencies

None

Special Update/Build Instructions

Created by taking the original old-style spkg and removing crud from it.

Type

optional

Version Information

package-version.txt:

4

Equivalent System Packages

See <https://repology.org/project/sage-data-jones-numfield/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.51 database_kohel: Database of modular and Hilbert polynomials

Description

Database of modular and Hilbert polynomials.

Upstream Contact

- David Kohel <David.Kohel@univ-amu.fr>

Type

optional

Version Information

package-version.txt:

20160724

Equivalent System Packages

See <https://repology.org/project/sage-data-kohel/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.52 `database_mutation_class`: Database of exceptional mutation classes of quivers

Description

Contains a database of all exceptional mutation classes of quivers.

Every file in the database is of the form `mutation_classes_n.dig6` for some `n` and

- contains a `cPickle.dump` of a dictionary where
- the keys are tuples representing irreducible exceptional quiver mutation types of rank `n`, and
- the values are all quivers in the given mutation class stored in canonical form as `(dig6, edges)` where
- `dig6` is the `dig6` data of the given `DiGraph`, and
- `edges` are the non-simply-laced edges thereof.
- is obtained by running the function

```
sage.combinat.cluster_algebra_quiver.quiver_mutation_type.  
_save_data_dig6(n, types='Exceptional', verbose=False)
```

SPKG Maintainers

- C. Stump <christian.stump@gmail.com>

Dependencies

- None

Type

optional

Version Information

package-version.txt:

1.0

Equivalent System Packages

See <https://repology.org/project/database-mutation-class/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.53 database_odlyzko_zeta: Table of zeros of the Riemann zeta function

Description

Table of zeros of the Riemann zeta function by Andrew Odlyzko.

This package contains the file ‘zeros6’ with the first 2,001,052 zeros of the Riemann zeta function, accurate to within $4 \cdot 10^{(-9)}$.

Dependencies

- Sage library

Type

optional

Version Information

package-version.txt:

20061209

Equivalent System Packages

See <https://repology.org/project/sage-data-odlyzko-zeta/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.54 database_stein_watkins: Database of elliptic curves (full version)

Description

The Stein-Watkins database of elliptic curves (full version)

See <http://modular.math.washington.edu/papers/stein-watkins/>

This is an optional (huge) package, not included by default.

License

Public Domain

Dependencies

None

Patches

None

Type

optional

Version Information

package-version.txt:

20110713

Equivalent System Packages

See <https://repology.org/project/database-stein-watkins/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.55 database_stein_watkins_mini: Database of elliptic curves (small version)**Description**

The Stein-Watkins database of elliptic curves (small version)

See <http://modular.math.washington.edu/papers/stein-watkins/>

This is an optional package, not included by default.

License

Public Domain

Dependencies

None

Patches

None

Type

optional

Version Information

package-version.txt:

20070827

Equivalent System Packages

See <https://repology.org/project/database-stein-watkins-mini/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.56 database_symbolic_data: Database from the SymbolicData project

Description

The SymbolicData project is set out

- to develop concepts and tools for profiling, testing and benchmarking Computer Algebra Software (CAS) and
- to collect and interlink relevant data and activities from different Computer Algebra Communities.

SymbolicData is an

- inter-community project that has its roots in the activities of different Computer Algebra Communities and
- aims at interlinking these activities using modern Semantic Web concepts.

Tools and data are designed to be used both

- on a local site for special testing and profiling purposes
- and to manage a central repository at www.symbolicdata.org.

License

GNU General Public License

Upstream Contact

- Andreas Nareike <nareike@informatik.uni-leipzig.de>

Dependencies

Special Update/Build Instructions

List patches that need to be applied and what they do

Type

optional

Version Information

package-version.txt:

20070206

Equivalent System Packages

See <https://repology.org/project/database-symbolic-data/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.57 dateutil: Extensions to the standard Python module datetime

Description

The dateutil module provides powerful extensions to the standard datetime module.

License

Simplified BSD License

Upstream Contact

Author: Gustavo Niemeyer <gustavo@niemeyer.net>

Home page: <http://labix.org/python-dateutil>

<https://pypi.org/project/python-dateutil/>

Dependencies

- Python
- Six

Type

standard

Version Information

package-version.txt:

```
2.8.1
```

install-requires.txt:

```
dateutil >=2.8.1
```

Equivalent System Packages

conda:

```
$ conda install python:python-dateutil
```

macports: install the following packages: python:python-dateutil See <https://repology.org/project/python:python-dateutil/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.58 decorator: Python library providing decorators

Description

Better living through Python with decorators

Type

standard

Version Information

package-version.txt:

```
4.4.2
```

install-requires.txt:

```
decorator >=4.4.0
```

Equivalent System Packages

conda:

```
$ conda install python:decorator
```

macports: install the following packages: python:decorator opensuse:

```
$ sudo zypper install python:decorator
```

See <https://repology.org/project/python:decorator/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.59 deformation: Count points on hypersurfaces using the deformation method

Description

Deformation is a C library for counting points on hypersurfaces using the deformation method, developed by Sebastian Pancratz.

License

GLPv3

Upstream Contact

- Sebastian Pancratz: sebastian.pancratz@gmail.com

Type

experimental

Version Information

package-version.txt:

d05941b.p0

Equivalent System Packages

See <https://repology.org/project/deformation/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.60 defusedxml: Addresses vulnerabilities of XML parsers and XML libraries

Description

defusedxml addresses vulnerabilities of XML parsers and XML libraries.

It became a dependency of nbconvert starting with nbconvert 5.4.

License

Python Software Foundation License (PSFL)

Upstream Contact

<https://pypi.org/project/defusedxml/>

Dependencies

- pip

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
0.6.0
```

install-requires.txt:

```
defusedxml >=0.6.0
```

Equivalent System Packages

conda:

```
$ conda install python:defusedxml
```

macports: install the following packages: python:defusedxml See <https://repology.org/project/python:defusedxml/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.61 docutils: Processing plaintext documentation into useful formats, such as HTML or LaTeX

Description

Docutils is a modular system for processing documentation into useful formats, such as HTML, XML, and LaTeX. For input Docutils supports reStructuredText, an easy-to-read, what-you-see-is-what-you-get plaintext markup syntax.

License

Modified BSD

Upstream Contact

Author: David Goodger

Home Page: <http://docutils.sourceforge.net/>

Dependencies

None

Special Update/Build Instructions

None

Type

standard

Version Information

package-version.txt:

```
0.14
```

install-requires.txt:

```
docutils >=0.14
```

Equivalent System Packages

conda:

```
$ conda install docutils python:docutils
```

macports: install the following packages: docutils python:docutils opensuse:

```
$ sudo zypper install docutils python:docutils
```

See <https://repology.org/project/docutils/versions>, <https://repology.org/project/python:docutils/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.62 dot2tex: Create PGF/TikZ commands from Graphviz output

Description

dot2tex is a Python module, whose purpose is to give graphs generated by Graphviz a more LaTeX friendly look and feel. This is accomplished by converting xdot output from Graphviz to a series of PSTricks or PGF/TikZ commands.

See <https://github.com/kjellmf/dot2tex/>

License

- MIT

Upstream Contact

- Kjell Magne Fauske, km@fauskes.net

Dependencies

graphviz (www.graphviz.org) should be installed and in the path (for example via the graphviz spkg).

preview, a LaTeX package for extracting parts of a document.

Self-tests dependencies:

- graphviz
- texlive-latex-base
- texlive-pictures
- texlive-pstricks

Patches

- remove_test_semicolon.patch:

Remove the failing semicolon test for the open dot2tex issue #5 - <https://github.com/kjellmf/dot2tex/issues/5>

Special Update/Build Instructions

Make sure corresponding optional doctests still pass:

```
sage -t --long --optional=dot2tex,graphviz,sage src/
```

Type

optional

Version Information

package-version.txt:

```
2.11.3.p0
```

install-requires.txt:

```
dot2tex >=2.11.3
```

Equivalent System Packages

arch:

```
$ sudo pacman -S dot2tex python:dot2tex
```

macports: install the following packages: dot2tex python:dot2tex See <https://repology.org/project/dot2tex/versions>, <https://repology.org/project/python:dot2tex/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.63 e_antic: Real embedded number fields

Description

e-antic is a C library for exact computations with real embedded number field maintained by Vincent Delecroix.

Website: <https://github.com/videlec/e-antic>

License

e-antic is licensed GPL v3.

Upstream Contact

- <https://github.com/videlec/e-antic>

Dependencies

- GMP/MPFR
- FLINT
- ARB

Type

optional

Version Information

package-version.txt:

```
0.1.9
```

Equivalent System Packages

conda:

```
$ conda install e-antic
```

See <https://repology.org/project/e-antic/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.64 ecl: An implementation of the Common Lisp language

Description

ECL is an implementation of the Common Lisp language as defined by the ANSI X3J13 specification. The most relevant features:

- A bytecodes compiler and interpreter.
- Compiles Lisp also with any C/C++ compiler.
- It can build standalone executables and libraries.
- ASDF, Sockets, Gray streams, MOP, and other useful components.
- Extremely portable.
- A reasonable license.

ECL supports the operating systems Linux, FreeBSD, NetBSD, OpenBSD, Solaris and Windows, running on top of the Intel, Sparc, Alpha and PowerPC processors. Porting to other architectures should be rather easy.

Website: <http://ecls.sourceforge.net/>

License

- LGPL V2+ or compatible - for details see <http://ecls.sourceforge.net/license.html>

Upstream Contact

- the ECL mailing list - see <http://ecls.sourceforge.net/resources.html>

Special Update/Build Instructions

- Note: for the time being, ECL is built single threaded library as it seems to interact badly with the pexpect interface and Sage's signal handling when built multithreaded.
- Do NOT quote SAGE_LOCAL when setting CPPFLAGS and/or LDFLAGS, in spkg-install as this caused the build to break. See http://trac.sagemath.org/sage_trac/ticket/10187#comment:117
- TODO: Add the ECL test suite, and an spkg-check file to run it.
- TODO: Make ECL use Sage's Boehm GC on MacOS X as well (but perhaps put some changes from ECL's into Sage's Boehm GC), then remove the src/src/gc directory, too.

Type

standard

Version Information

package-version.txt:

```
21.2.1
```

Equivalent System Packages

conda:

```
$ conda install ecl
```

Debian/Ubuntu:

```
$ sudo apt-get install ecl
```

freebsd:

```
$ sudo pkg install ecl
```

macports: install the following packages: ecl nix:

```
$ nix-env --install ecl
```

See <https://repology.org/project/ecl/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.65 eclib: Enumerating and computing with elliptic curves defined over the rational numbers

Description

John Cremona's programs for enumerating and computing with elliptic curves defined over the rational numbers.

mwrnk is a program written in C++ for computing Mordell-Weil groups of elliptic curves over \mathbb{Q} via 2-descent. It is available as source code in the eclib package, which may be distributed under the GNU General Public License, version 2, or any later version.

mwrnk is now only distributed as part of eclib. eclib is also included in Sage, and for most potential users the easiest way to run mwrnk is to install Sage (which also of course gives you much much more). I no longer provide a source code distribution of mwrnk by itself: use eclib instead.

License

eclib is licensed GPL v2+.

Upstream Contact

- Author: John Cremona
- Email: john.cremona@gmail.com
- Website: <http://homepages.warwick.ac.uk/staff/J.E.Cremona/mwrank/index.html>
- Repository: <https://github.com/JohnCremona/eclib>

Dependencies

- PARI
- NTL
- FLINT

Type

standard

Version Information

package-version.txt:

```
20190909
```

Equivalent System Packages

arch:

```
$ sudo pacman -S eclib
```

conda:

```
$ conda install eclib
```

Debian/Ubuntu:

```
$ sudo apt-get install eclib
```

Fedora/Redhat/CentOS:

```
$ sudo yum install eclib
```

freebsd:

```
$ sudo pkg install eclib
```

gentoo:

```
$ sudo emerge eclib
```

nix:

```
$ nix-env --install eclib
```

See <https://repology.org/project/eclib/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.66 ecm: Elliptic curve method for integer factorization

Description

GMP-ECM - Elliptic Curve Method for Integer Factorization

Sources can be obtained from <http://gforge.inria.fr/projects/ecm/>

License

LGPL V3+

Upstream Contact

- ecm-discuss@lists.gforge.inria.fr (requires subscription)

Dependencies

- GMP/MPIR (Note: Python is **not** required for ordinary builds.)
- GNU patch

Special Update/Build Instructions

- GMP-ECM comes with a self-tuning feature; we could support that as an option (`$SAGE_TUNE_*=yes`) in the future.
- ECM currently does not (by itself) use the `CC` and `CFLAGS` settings from `'gmp.h'` since we pass (other) options in `CFLAGS`, and `CC` is set by Sage and might get set by the user. We now at least partially fix that such that “optimized” code generation options (`'-mcpu=...'`, `'-mtune=...'`) are used by gcc. Of course a user can also manually enable them by setting the “global” `CFLAGS` to e.g. `'-march=native'` on x86[_64] systems, or `'-mcpu=...'` and `'-mtune=...'` on other architectures where “native” isn’t supported. Note that this doesn’t affect the packages’ selection of processor- specific optimized [assembly] code. `'spkg-install'` already reads the settings from Sage’s and also a system-wide GMP / MPIR now, but doesn’t (yet) use all of them. If `SAGE_FAT_BINARY=“yes”`, we should avoid too specific settings of `“-mcpu=...”`, and perhaps pass a more generic `“-host=...”` to `'configure'`. (MPIR honors `'-enable-fat'` to some extent, but this option isn’t used on anything other than x86 / x86_64.)
- We currently work around a linker bug on MacOS X 10.5 PPC (with GCC 4.2.1) which breaks `'configure'` if debug symbols are enabled. This **might** get fixed in later upstream releases.

- We could save some space by removing the `src/build.vc10/` directory which isn't used in Sage. (It gets probably more worth in case also directories / files for later versions of Microsoft Visual C get added.)

Type

standard

Version Information

package-version.txt:

```
7.0.4.p2
```

Equivalent System Packages

conda:

```
$ conda install ecm-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install ecm-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install ecm-devel
```

freebsd:

```
$ sudo pkg install ecm-devel
```

macports: install the following packages: ecm-devel nix:

```
$ nix-env --install ecm-devel
```

void:

```
$ sudo xbps-install ecm-devel
```

See <https://repology.org/project/ecm-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.67 elliptic_curves: Databases of elliptic curves

Description

Includes two databases:

- A small subset of John Cremona's database of elliptic curves up to conductor 10000.
- William Stein's database of interesting curves

Upstream Contact

cremona_mini

- Author: John Cremona
- Email: john.cremona@gmail.com
- Website: <http://johncremona.github.io/ecdata/>

ellcurves

- Author: William Stein
- Email: wstein@gmail.com

Dependencies

- sqlite
- python

Type

standard

Version Information

package-version.txt:

```
0.8.1
```

Equivalent System Packages

conda:

```
$ conda install sagemath-elliptic-curves
```

See <https://repology.org/project/sagemath-elliptic-curves/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.68 entrypoints: Discover and load entry points from installed Python packages

Description

Discover and load entry points from installed packages.

Upstream Contact

<https://github.com/takluyver/entrypoints>

Special Update/Build Instructions

Upstream does not provide a source tarball, so the tarball was taken from github and renamed.

The source tarball does not contain setup.py, so we put the setup commands in spkg-install.

Type

standard

Version Information

package-version.txt:

```
0.3
```

install-requires.txt:

```
entrypoints >=0.3
```

Equivalent System Packages

conda:

```
$ conda install entrypoints python:entrypoints
```

macports: install the following packages: entrypoints python:entrypoints See <https://repology.org/project/entrypoints/versions>, <https://repology.org/project/python:entrypoints/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.69 fflas_ffpack: Dense linear algebra over word-size finite fields

Description

FFLAS-FFPACK is a LGPL-2.1+ source code library for dense linear algebra over word-size finite fields.

<http://linbox-team.github.io/fflas-ffpack/>

License

LGPL V2.1 or later

SPKG Repository

<https://bitbucket.org/malb/fflas-ffpack-spkg>

Upstream Contact

- <ffpack-devel@googlegroups.com>

Dependencies

- Givaro
- ATLAS (non-OSX)/The Accelerate Framework (on OSX)

Patches

- bash.patch: fix shebang line to “#!/usr/bin/env bash”

Type

standard

Version Information

package-version.txt:

2.4.3.p0

Equivalent System Packages

arch:

```
$ sudo pacman -S fflas-ffpack
```

conda:

```
$ conda install fflas-ffpack
```

Debian/Ubuntu:

```
$ sudo apt-get install fflas-ffpack
```

Fedora/Redhat/CentOS:

```
$ sudo yum install fflas-ffpack
```

freebsd:

```
$ sudo pkg install fflas-ffpack
```

gentoo:

```
$ sudo emerge fflas-ffpack
```

nix:

```
$ nix-env --install fflas-ffpack
```

opensuse:

```
$ sudo zypper install fflas-ffpack
```

See <https://repology.org/project/fflas-ffpack/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.70 flint: Fast Library for Number Theory

Description

FLINT is a C library for doing number theory, maintained by William Hart.

Website: <http://www.flintlib.org>

License

FLINT is licensed GPL v2+.

Upstream Contact

- flint-devel Gougle Group (<http://groups.google.co.uk/group/flint-devel>)
- William Hart

Dependencies

- MPFR
- MPFR
- NTL

Type

standard

Version Information

package-version.txt:

```
2.6.3
```

Equivalent System Packages

conda:

```
$ conda install flint
```

cygwin:

```
$ apt-cyg install flint
```

Debian/Ubuntu:

```
$ sudo apt-get install flint
```

Fedora/Redhat/CentOS:

```
$ sudo yum install flint
```

freebsd:

```
$ sudo pkg install flint
```

gentoo:

```
$ sudo emerge flint
```

homebrew:

```
$ brew install flint
```


macports: install the following packages: flint nix:

```
$ nix-env --install flint
```

opensuse:

```
$ sudo zypper install flint
```

void:

```
$ sudo xbps-install flint
```

See <https://repology.org/project/flint/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.71 flintqs: Multi-polynomial quadratic sieve for integer factorization

Description

This is William Hart's GPL'd highly optimized multi-polynomial quadratic sieve for integer factorization:

<http://www.friedspace.com/QS/>

See also <http://www.maths.warwick.ac.uk/~masfaw/preprint.html>

See also the repository: <https://github.com/sagemath/FlintQS>

Type

standard

Version Information

package-version.txt:

```
1.0.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S flintqs
```

conda:

```
$ conda install flintqs
```

Debian/Ubuntu:

```
$ sudo apt-get install flintqs
```

freebsd:

```
$ sudo pkg install flintqs
```

gentoo:

```
$ sudo emerge flintqs
```

nix:

```
$ nix-env --install flintqs
```

See <https://repology.org/project/flintqs/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.72 fpLLL: Lattice algorithms, including LLL with floating-point orthogonalization

Description

fpLLL contains implementations of several lattice algorithms. The implementation relies on floating-point orthogonalization, and LLL is central to the code, hence the name.

Website: <https://github.com/fplll/fplll>

License

- LGPL V2.1+

Upstream Contact

- Martin Albrecht <martinralbrecht+fplll@gmail.com>
- Mailing List <https://groups.google.com/forum/#!forum/fplll-devel>

Dependencies

- gmp
- mpfr

Type

standard

Version Information

package-version.txt:

```
5.4.0
```

Equivalent System Packages

conda:

```
$ conda install fplll
```

Fedora/Redhat/CentOS:

```
$ sudo yum install fplll
```

freebsd:

```
$ sudo pkg install fplll
```

gentoo:

```
$ sudo emerge fplll
```

homebrew:

```
$ brew install fplll
```

opensuse:

```
$ sudo zypper install fplll
```

See <https://repology.org/project/fplll/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.73 fpylll: Python interface for FPLLL

Description

A Python interface for <https://github.com/fplll/fplll> (Lattice algorithms using floating-point arithmetic)

License

GPL version 2 or later

Upstream Contact

<https://github.com/fplll/fpylll>

Dependencies

- Cython
- fplll
- Sage (optional)
- NumPy (optional)

Type

standard

Version Information

package-version.txt:

```
0.5.5
```

install-requires.txt:

```
fpylll ==0.5.5
```

Equivalent System Packages

conda:

```
$ conda install fpylll python:fpylll
```

See <https://repology.org/project/fpylll/versions>, <https://repology.org/project/python:fpylll/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.74 freetype: A free, high-quality, and portable font engine

Description

From the documentation:

FreeType is a software font engine that is designed to be small, efficient, highly customizable, and portable while capable of producing high-quality output (glyph images). It can be used in graphics libraries, display servers, font conversion tools, text image generation tools, and many other products as well.

Note that FreeType is a font service and doesn't provide APIs to perform higher-level features like text layout or graphics processing (e.g., colored text rendering, 'hollowing', etc.). However, it greatly simplifies these tasks by providing a simple, easy to use, and uniform interface to access the content of font files.

Please note that ‘FreeType’ is also called ‘FreeType 2’, to distinguish it from the old, deprecated ‘FreeType 1’ library, a predecessor no longer maintained and supported.

The package in Sage is called freetype (in lowercase).

License

- FreeType (BSD-like)
- GNU Public License v2

From the documentation:

FreeType is released under two open-source licenses: our own BSD-like FreeType License and the GNU Public License, Version 2. It can thus be used by any kind of projects, be they proprietary or not.

Upstream Contact

- home: <https://www.freetype.org>
- repo:
 - official: <http://git.savannah.gnu.org/cgit/freetype>
 - mirror: <https://github.com/aseprite/freetype2/>

Dependencies

See the `dependencies` file.

Type

standard

Version Information

package-version.txt:

```
2.10.4
```

Equivalent System Packages

conda:

```
$ conda install freetype-devel harfbuzz glib
```

cygwin:

```
$ apt-cyg install freetype-devel harfbuzz glib
```

Debian/Ubuntu:

```
$ sudo apt-get install freetype-devel harfbuzz glib
```

freebsd:

```
$ sudo pkg install freetype-devel harfbuzz glib
```

homebrew:

```
$ brew install freetype-devel harfbuzz glib
```

macports: install the following packages: freetype-devel harfbuzz glib nix:

```
$ nix-env --install freetype-devel harfbuzz glib
```

opensuse:

```
$ sudo zypper install freetype-devel harfbuzz glib
```

slackware:

```
$ sudo slackpkg install freetype-devel harfbuzz glib
```

void:

```
$ sudo xbps-install freetype-devel harfbuzz glib
```

See <https://repology.org/project/freetype-devel/versions>, <https://repology.org/project/harfbuzz/versions>, <https://repology.org/project/glib/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.75 fricas: A general purpose computer algebra system

Description

FriCAS is a general purpose computer algebra system.

License

Modified BSD license.

Upstream Contact

<http://fricas.sourceforge.net/>

Dependencies

- ecl

Type

optional

Version Information

package-version.txt:

1.3.6

Equivalent System Packages

macports: install the following packages: fricas See <https://repology.org/project/fricas/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.76 frobby: Computations on monomial ideals**Description**

The software package Frobby provides a number of computations on monomial ideals. The current main feature is the socle of a monomial ideal, which is largely equivalent to computing the maximal standard monomials, the Alexander dual or the irreducible decomposition.

Operations on monomial ideals are much faster than algorithms designed for ideals in general, which is what makes a specialized library for these operations on monomial ideals useful.

License

- GPL version 2.0 or later

Upstream Contact

- <http://www.broune.com/frobby/>
- <https://github.com/Macaulay2/frobby>

Dependencies

- GMP built with support for C++

Special Update/Build instructions

Download Frobbly at www.broune.com/ and then type “make spkg VER=blah” which wil create an spkg named frobby-VER.spkg in bin/. The files related to doing this is in the sage/ sub-directory of the Frobbly source distribution.

Type

optional

Version Information

package-version.txt:

0.9.0.p2

Equivalent System Packages

See <https://repology.org/project/frobby/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.77 gambit: Computations on finite, noncooperative games

Description

Gambit is a set of software tools for doing computation on finite, noncooperative games. The Gambit Project was founded in the mid-1980s by Richard McKelvey at the California Institute of Technology.

License

GPL v2+

Upstream Contact

- Website: <http://www.gambit-project.org/>
- Mailing List: <http://sourceforge.net/p/gambit/mailman/gambit-devel/>

Dependencies

- python
- cython
- setuptools
- IPython
- scipy

Type

experimental

Version Information

package-version.txt:

15.1.1.p0

Equivalent System Packages

See <https://repology.org/project/gambit-game-theory/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.78 gap: Groups, Algorithms, Programming - a system for computational discrete algebra**Description**

GAP is a system for computational discrete algebra, with particular emphasis on Computational Group Theory. GAP provides a programming language, a library of thousands of functions implementing algebraic algorithms written in the GAP language as well as large data libraries of algebraic objects. See also the overview and the description of the mathematical capabilities. GAP is used in research and teaching for studying groups and their representations, rings, vector spaces, algebras, combinatorial structures, and more. The system, including source, is distributed freely. You can study and easily modify or extend it for your special use.

This is a stripped-down version of GAP. The databases, which are architecture-independent, are in a separate package.

Upstream Contact

<http://www.gap-system.org>

David Joyner, wdjoyner@gmail.com (on the GAP team, but Steve Linton, sal@dcs.st-and.ac.uk, is basically the lead developer)

Dependencies

- Readline
- MPIR

Special Update/Build Instructions

This is a stripped-down version of GAP. The downloading of the sources and removal of unneeded parts is done by the script `spkg-src`. When you update GAP, please also update and use the `spkg-src` script.

- Do we really want to copy everything from the build directory???

You need the full GAP tree to compile/install many GAP packages.

- There's apparently a command missing (in `spkg-install`) building the (HTML?) documentation. Earlier changelog entries as well as the description above state the documentation was removed from the upstream sources... Since the (pre-)built HTML documentation is currently included, I've commented out some lines in that part of `spkg-install`. -leif

Patches

- `writeandcheck.patch`: fix infinite loop in `writeandcheck()` when writing an error message fails.

Type

standard

Version Information

package-version.txt:

```
4.11.0.p1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S gap
```

conda:

```
$ conda install gap
```

Debian/Ubuntu:

```
$ sudo apt-get install gap
```

freebsd:

```
$ sudo pkg install gap
```

nix:

```
$ nix-env --install gap
```

See <https://repology.org/project/gap/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.79 gap3: A minimal distribution of GAP 3 containing packages that have no equivalent in GAP 4

Description

This package installs Jean Michel's pre-packaged GAP3, which is a minimal GAP3 distribution containing packages that have no equivalent in GAP4.

Below is the full description from Jean Michel's webpage (accessed 23 July 2015).

A pre-packaged GAP3 with everything you need

To help people who are just interested in GAP3 because they need a package which has not been ported to GAP4, I have prepared an easy-to install minimal GAP3 distribution containing an up-to-date versions of the packages:

anusq, arep, autag, chevie, cryst, dce, grim, matrix, meataxe, monoid, nq, pcqa, sisyphe, specht, ve, vkcurve.

These packages have been chosen since most have no equivalent in GAP4. They are autoloaded when starting gap.

This distribution includes only partial lists of small groups, 2-groups, 3-groups, character tables from the Atlas and tables of marks. It does not include either the packages:

anupq, grape, kbmag, xgap, cohomolo, gliss, guava, xmod

which have some equivalent in GAP4. You can get these extra features at

<http://www.math.rwth-aachen.de/~Frank.Luebeck/gap/GAP3>

In this distribution:

- The on-line help includes the documentation of the included packages.
- The html documentation (htm/index.html) also does.
- The manual (manual.pdf) also does.

License

Most parts of the GAP distribution, including the core part of the GAP system, are distributed under the terms of the GNU General Public License (see <http://www.gnu.org/licenses/gpl.html> or the file GPL in the etc directory of the GAP installation).

SPKG Maintainers

- Christian Stump <christian.stump@gmail.com>

Upstream Contact

Jean Michel <jmichel@math.jussieu.fr> <http://webusers.imj-prg.fr/~jean.michel/>

Special Update/Build Instructions

The difference between the distributed tarball and Jean Michel's original tarball also contains the binaries

Patches

None

Dependencies

None

Type

experimental

Version Information

package-version.txt:

04jul17

Equivalent System Packages

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.80 gap_jupyter: Jupyter kernel for GAP

Description

Jupyter kernel for GAP

This wrapper-kernel is a Jupyter kernel for the GAP Computer Algebra System based on the same ideas as the bash wrapper kernel.

License

3-Clause BSD License

Upstream Contact

- <https://github.com/gap-packages/jupyter-gap>

Type

optional

Version Information

package-version.txt:

```
0.9
```

install-requires.txt:

```
gap_jupyter >=0.9
```

Equivalent System Packages

conda:

```
$ conda install gap-jupyterkernel
```

See <https://repology.org/project/gap-jupyterkernel/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.81 gap_packages: A collection of GAP packages

Description

Several “official” and “undeposited” GAP packages available from <http://www.gap-system.org/Packages/packages.html>

Upstream Contact

- Dmitrii Pasechnik, dimpase@gmail.com
- David Joyner, wdjoyner@gmail.com (on the GAP team)
- Steve Linton, sal@dcs.st-and.ac.uk (basically the GAP lead developer)

Dependencies

- GAP (a standard spkg)

TODO

The crystallographic group packages are untested/untestable. They rely on polymake and the dependency “cryst” is missing. This needs to be cleaned up.

Notes

A brief description of each package follows:

cohomolo - The cohomolo package is a GAP interface to some C programs for computing Schur multipliers and covering groups of finite groups and first and second cohomology groups of finite groups acting on finite modules. (Author: Max Horn, Markus Pfeiffer)

CoReLG - Contains functionality for working with real semisimple Lie algebras. (Author: Heiko Dietrich, Paolo Faccin, Willem Adriaan de Graaf)

crime - package to compute the cohomology ring of finite p-groups, induced maps, and Massey products. (Author: Marcus Bishop)

cryst - Computing with crystallographic groups (Authors: Bettina Eick, Franz Gähler, Werner Nickel)

CTblLib - The GAP Character Table Library (Author: Thomas Breuer)

DESIGN is a package for classifying, partitioning and studying block designs. (Author: Leonard H. Soicher)

FactInt is a package providing routines for factoring integers, in particular:

- Pollard’s p-1
- Williams’ p+1
- Elliptic Curves Method (ECM)
- Continued Fraction Algorithm (CFRAC)
- Multiple Polynomial Quadratic Sieve (MPQS)

(Author: Stefan Kohl)

GAPDoc is a package containing a definition of a structure for GAP documentation, based on XML. It also contains conversion programs for producing text-, DVI-, PDF- or HTML-versions of such documents, with hyperlinks if possible. (Authors: Frank Luebeck, Max Neunhoeffner)

GBNP - The GBNP package provides algorithms for computing Grobner bases of noncommutative polynomials with coefficients from a field implemented in GAP and with respect to the “total degree first then lexicographical” ordering. Further provided are some variations, such as a weighted and truncated version and a tracing facility. The word “algorithm” is to be interpreted loosely here: in general one cannot expect such an algorithm to terminate, as it would imply solvability of the word problem for finitely presented (semi)groups. (Authors: A.M. Cohen, J.W. Knopper)

GRAPE is a package for computing with graphs and groups, and is primarily designed for constructing and analysing graphs related to groups, finite geometries, and designs. (Author: Leonard H. Soicher)

GUAVA is included here, and with Sage standard.

HAP (Homological Algebra Programming) is a GAP package providing some functions for group cohomology computation. (Author: Graham Ellis)

HAPcryst - an extension package for HAP, which allows for group cohomology computation for a wider class of groups. (Author: Marc Roeder)

hecke - Provides functions for calculating decomposition matrices of Hecke algebras of the symmetric groups and q -Schur algebras. Hecke is a port of the GAP 3 package Specht 2.4 to GAP 4. (Author: Dmitriy Traytel)

LAGUNA - this package provides functionality for calculation of the normalized unit group of the modular group algebra of the finite p -group and for investigation of Lie algebra associated with group algebras and other associative algebras. (Authors :Victor Bovdi, Alexander Konovalov, Richard Rossmanith, Csaba Schneider)

liealgdb - A database of Lie algebras (Author: Serena Cicalo', Willem Adriaan de Graaf, Csaba Schneider)

LiePRing - Database and algorithms for Lie p -rings (Author: Michael Vaughan-Lee, Bettina Eick)

LieRing - contains functionality for working with finitely presented Lie rings and the Lazard correspondence. (Author: Serena Cicalo', Willem Adriaan de Graaf)

loops - Provides researchers in nonassociative algebra with a computational tool that integrates standard notions of loop theory with libraries of loops and group-theoretical algorithms of GAP. The package also expands GAP toward nonassociative structures. (Authors: Gabor Nagy, Petr Vojtechovsky)

mapclass - The package calculates the mapping class group orbits for a given finite group. (Authors: Adam James, Kay Magaard, Sergey Shpectorov, Helmut Volklein)

polymake - an interface with the (standalone) polymake program used by HAPcryst. (Author: Marc Roeder)

qpa - Quivers and Path Algebras provides data structures and algorithms for doing computations with finite dimensional quotients of path algebras, and finitely generated modules over such algebras. The current version of the QPA package has data structures for quivers, quotients of path algebras, and modules, homomorphisms and complexes of modules over quotients of path algebras. (Authors: Edward Green, Oeyvind Solberg)

quagroup - Contains functionality for working with quantized enveloping algebras of finite-dimensional semisimple Lie algebras. (Author: Willem Adriaan de Graaf)

reprsn - The package provides GAP functions for computing characteristic zero matrix representations of finite groups. (Author: Vahid Dabbaghian)

sla - a package for doing computations with simple Lie algebras (Author: Willem Adriaan de Graaf)

SONATA ("System Of Nearrings And Their Applications") is a package which constructs finite nearrings and related objects. (Authors: Erhard Aichinger, Franz Binder, Jürgen Ecker, Peter Mayr, Christof Noebauer)

TORIC is a GAP package for computing with toric varieties. (Author: David Joyner)

Type

optional

Version Information

package-version.txt:

```
4.11.0.p1
```

Equivalent System Packages

conda:

```
$ conda install gap
```

See <https://repology.org/project/gap/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.82 gc: The Boehm-Demers-Weiser conservative garbage collector

Description

The Boehm-Demers-Weiser conservative garbage collector.

License

- Permissive BSD + GPL 2.0+

Upstream Contact

Webpage: <http://www.hboehm.info/gc/>

Email List: bdwgc@lists.opendylan.org

Dependencies

None.

Special Update/Build Instructions

None.

Patches

- cygwin64.patch: let libgc build on Cygwin64.

Type

standard

Version Information

package-version.txt:

```
8.0.4
```

Equivalent System Packages

arch:

```
$ sudo pacman -S gc
```

conda:

```
$ conda install gc
```

cygwin:

```
$ apt-cyg install gc
```

Debian/Ubuntu:

```
$ sudo apt-get install gc
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gc
```

freebsd:

```
$ sudo pkg install gc
```

gentoo:

```
$ sudo emerge gc
```

homebrew:

```
$ brew install gc
```

macports: install the following packages: gc opensuse:

```
$ sudo zypper install gc
```

slackware:

```
$ sudo slackpkg install gc
```

See <https://repology.org/project/gc/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.83 gcc: The GNU Compiler Collection, including the C, C++ and Fortran compiler

Description

The GNU Compiler Collection, including the C, C++ and Fortran compiler.

License

GPL version 2 or version 3

Upstream Contact

<https://gcc.gnu.org/>

Dependencies

- zlib
- MPFR
- MPFR
- MPC

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
9.2.0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S gcc
```

cygwin:

```
$ apt-cyg install gcc
```

Debian/Ubuntu:

```
$ sudo apt-get install gcc
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gcc
```

freebsd:

```
$ sudo pkg install gcc
```

opensuse:

```
$ sudo zypper install gcc
```

See <https://repology.org/project/gcc/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.84 gdb: The GNU Project debugger

Description

GDB, the GNU Project debugger, allows you to see what is going on “inside” another program while it executes – or what another program was doing at the moment it crashed.

License

GPL v3+

Upstream Contact

<http://www.gnu.org/software/gdb/>

Dependencies

- python
- mpc
- mpfr
- ppl
- gmp/mpir
- makeinfo (external)

Special Update/Build Instructions

Current version needs makeinfo installed to build successfully.

Type

experimental

Version Information

package-version.txt:

```
8.2
```

Equivalent System Packages

conda:

```
$ conda install gdb
```

macports: install the following packages: gdb opensuse:

```
$ sudo zypper install gdb
```

See <https://repology.org/project/gdb/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.85 gf2x: Fast arithmetic in $\text{GF}(2)[x]$ and searching for irreducible/primitive trinomials

Description

gf2x is a C/C++ software package containing routines for fast arithmetic in $\text{GF}(2)[x]$ (multiplication, squaring, GCD) and searching for irreducible/primitive trinomials.

Website: <http://gf2x.gforge.inria.fr/>

License

- GNU GPLv2+.

Upstream Contact

- Richard Brent
- Pierrick Gaudry
- Emmanuel Thomé
- Paul Zimmermann

Dependencies

- None

Special Update/Build Instructions

- As some patches touch config/acinclude.m4, we have to touch aclocal.m4, configure, Makefile.in and gf2x/gf2x-config.h.in to prevent autotools to try to regenerate these files.

Patches

- 0001-Trac-15014-Let-gf2x-build-a-shared-library-on-Cygwin.patch: pass -no-undefined flag to libtool.
- 0002-tr-portability.patch: backport upstream fix for non-portable tr use
- 0003-Improve-detection-of-sse2-support.patch: backport upstream improved check for sse2
- 0004-Add-disable-hardware-specific-code.patch: add option -disable-hardware-specific-code to build system. This is partly backported from upstream.
- 0005-Update-autotooled-files.patch: the above patches make changes to code used by autotools for generation of the build system. This patches those files, so that autotools need not be installed.
- 0006-Fix_make_check_not_failing_on_errors.patch: (upstream patch) Fix bug in shell script such that 'make check' always fails upon errors.

Type

standard

Version Information

package-version.txt:

1.3.0

Equivalent System Packages

arch:

```
$ sudo pacman -S gf2x
```

conda:

```
$ conda install gf2x
```

Debian/Ubuntu:

```
$ sudo apt-get install gf2x
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gf2x
```

freebsd:

```
$ sudo pkg install gf2x
```

opensuse:

```
$ sudo zypper install gf2x
```

See <https://repology.org/project/gf2x/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.86 gfan: Groebner fans and tropical varieties

Description

Gfan is a software package for computing Groebner fans and tropical varieties.

These are polyhedral fans associated to polynomial ideals. The maximal cones of a Groebner fan are in bijection with the marked reduced Groebner bases of its defining ideal. The software computes all marked reduced Groebner bases of an ideal. Their union is a universal Groebner basis. The tropical variety of a polynomial ideal is a certain subcomplex of the Groebner fan. Gfan contains algorithms for computing this complex for general ideals and specialized algorithms for tropical curves, tropical hypersurfaces and tropical varieties of prime ideals. In addition to the above core functions the package contains many tools which are useful in the study of Groebner bases, initial ideals and tropical geometry. The full list of commands can be found in Appendix B of the manual. For ordinary Groebner basis computations Gfan is not competitive in speed compared to programs such as CoCoA, Singular and Macaulay2.

License

- GPL version 2 or version 3 (according to the gfan website)

Upstream Contact

Anders Nedergaard Jensen

<https://users-math.au.dk/jensen/software/gfan/gfan.html>

Dependencies

- GMP/MPPIR
- CDDLIB

Special Update/Build Instructions

Remove the doc, homepage, and examples subdirectories, which take up most of the space.

Type

standard

Version Information

package-version.txt:

```
0.6.2.p1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S gfan
```

conda:

```
$ conda install gfan
```

Debian/Ubuntu:

```
$ sudo apt-get install gfan
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gfan
```

freebsd:

```
$ sudo pkg install gfan
```

gentoo:

```
$ sudo emerge gfan
```

nix:

```
$ nix-env --install gfan
```

opensuse:

```
$ sudo zypper install gfan
```

See <https://repology.org/project/gfan/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.87 gfortran: Fortran compiler from the GNU Compiler Collection

Description

The GNU Compiler Collection, including the C, C++ and Fortran compiler. This particular package is meant to only make gfortran available.

License

GPL version 2 or version 3

Upstream Contact

<http://gcc.gnu.org/>

Dependencies

- zlib
- MPIR
- MPFR
- MPC

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
9.2.0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S gcc-fortran
```

conda:

```
$ conda install gcc-fortran
```

cygwin:

```
$ apt-cyg install gcc-fortran
```

Debian/Ubuntu:

```
$ sudo apt-get install gcc-fortran
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gcc-fortran
```

freebsd:

```
$ sudo pkg install gcc-fortran
```

homebrew:

```
$ brew install gcc-fortran
```

macports: install the following packages: gcc-fortran opensuse:

```
$ sudo zypper install gcc-fortran
```

slackware:

```
$ sudo slackpkg install gcc-fortran
```

void:

```
$ sudo xbps-install gcc-fortran
```

See <https://repology.org/project/gcc-fortran/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.88 giac: A general purpose computer algebra system

Description

- Giac is a general purpose Computer algebra system by Bernard Parisse. It consists of:
- a C++ library (libgiac).
- a command line interpreter (icas or giac).
- the built of the FLTK-based GUI (xcas) has been disabled in the spkg-install file.
- The english documentation will be installed in:
`$SAGE_LOCAL/share/giac/doc/en/cascmd_en/index.html`
- Author's website with debian, ubuntu, macosx, windows package:
<http://www-fourier.ujf-grenoble.fr/~parisse/giac.html>
- The FreeBSD port is math/giacxcas

Licence

GPLv3+

Note: except the french html documentation which is freely redistributable for non commercial only purposes. This doc has been removed in the Sage package, see spkg-src

Upstream Contact

- Bernard Parisse: <http://www-fourier.ujf-grenoble.fr/~parisse/giac.html>
- Source file (giac-x.y.z-t.tar.gz) in:
<http://www-fourier.ujf-grenoble.fr/~parisse/debian/dists/stable/main/source/>

Dependencies

- gettext, readline
- giac will benefit of ntl, pari, mpfr, gsl, lapack but they should be already installed by sage.
- giac can also benefit of mpfi for arithmetic on intervals.
- The Documentation is pre-built, hevea or latex or ... are not needed to install the package.

Special Update/Build Instructions

- Use spkg-src to update this package

Type

standard

Version Information

package-version.txt:

```
1.6.0.47p2
```

Equivalent System Packages

arch:

```
$ sudo pacman -S  giac-devel libgiac
```

conda:

```
$ conda install giac-devel libgiac
```

Debian/Ubuntu:

```
$ sudo apt-get install  giac-devel libgiac
```

Fedora/Redhat/CentOS:

```
$ sudo yum install  giac-devel libgiac
```

freebsd:

```
$ sudo pkg install giac-devel libgiac
```

nix:

```
$ nix-env --install giac-devel libgiac
```

opensuse:

```
$ sudo zypper install giac-devel libgiac
```

void:

```
$ sudo xbps-install  giac-devel libgiac
```

See <https://repology.org/project/giac-devel/versions>, <https://repology.org/project/libgiac/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.89 git: Version control system

Description

Git is a fast, scalable, distributed revision control system with an unusually rich command set that provides both high-operations and full access to internals.

- `man git`

Upstream Contact

- Website: <https://git-scm.com/>

Type

optional

Version Information

Equivalent System Packages

conda:

```
$ conda install git
```

cygwin:

```
$ apt-cyg install git
```

Debian/Ubuntu:

```
$ sudo apt-get install git
```

Fedora/Redhat/CentOS:

```
$ sudo yum install git
```

freebsd:

```
$ sudo pkg install git
```

homebrew:

```
$ brew install git
```

macports: install the following packages: git opensuse:

```
$ sudo zypper install git
```

slackware:

```
$ sudo slackpkg install git
```

See <https://repology.org/project/git/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.90 givaro: C++ library for arithmetic and algebraic computations

Description

Givaro is a C++ library for arithmetic and algebraic computations. Its main features are implementations of the basic arithmetic of many mathematical entities: Primes fields, Extensions Fields, Finite Fields, Finite Rings, Polynomials, Algebraic numbers, Arbitrary precision integers and rationals (C++ wrappers over gmp) It also provides data-structures and templated classes for the manipulation of basic algebraic objects, such as vectors, matrices (dense, sparse, structured), univariate polynomials (and therefore recursive multivariate).

Website: <https://casys.gricad-pages.univ-grenoble-alpes.fr/givaro/>

SPKG Repository: <https://bitbucket.org/malb/givaro-spkg>

License

- GNU GPL

Upstream Contact

- Clement Pernet

Dependencies

- GNU patch
- GMP/MPIR

Type

standard

Version Information

package-version.txt:

```
4.1.1
```

Equivalent System Packages

conda:

```
$ conda install givaro
```

Debian/Ubuntu:

```
$ sudo apt-get install givaro
```

Fedora/Redhat/CentOS:

```
$ sudo yum install givaro
```

freebsd:

```
$ sudo pkg install givaro
```

gentoo:

```
$ sudo emerge givaro
```

nix:

```
$ nix-env --install givaro
```

opensuse:

```
$ sudo zypper install givaro
```

See <https://repology.org/project/givaro/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.91 glpk: GNU Linear Programming Kit

Description

The GLPK (GNU Linear Programming Kit) package is intended for solving large-scale linear programming (LP), mixed integer programming (MIP), and other related problems. It is a set of routines written in ANSI C and organized in the form of a callable library.

GLPK supports the GNU MathProg modelling language, which is a subset of the AMPL language.

The GLPK package includes the following main components:

- primal and dual simplex methods
- primal-dual interior-point method
- branch-and-cut method
- translator for GNU MathProg
- application program interface (API)
- stand-alone LP/MIP solver

License

The GLPK package is GPL version 3.

Upstream Contact

GLPK is currently being maintained by:

- Andrew Makhorin (mao@gnu.org, mao@mai2.rcnet.ru)

<http://www.gnu.org/software/glpk/#maintainer>

Dependencies

- GMP/MPFR
- zlib

Special Update/Build Instructions

- `configure` doesn't support specifying the location of the GMP library to use; only `--with-gmp[=yes]` or `--with-gmp=no` are valid options. (So we *have to* add Sage's include and library directories to `CPPFLAGS` and `LDFLAGS`, respectively.)
- Do we need the `--disable-static`? The stand-alone solver presumably runs faster when built with a static library; also other (stand-alone) programs using it would. (Instead, we should perhaps use `--enable-static` `--enable-shared` to go safe.)

Patches

- All patches below are currently used by `spkg-src`
- `src/01-zlib.patch`: don't build the included zlib library.
- `src/02-cygwin_sharedlib.patch`: Let a shared library be built on Cygwin by passing the `-no-undefined` flag to `libtool`.

The numbering reflect the order in which they have been created from glpk pristine's sources

Type

standard

Version Information

package-version.txt:

5.0.p0

Equivalent System Packages

arch:

```
$ sudo pacman -S glpk-devel
```

conda:

```
$ conda install glpk-devel
```

cygwin:

```
$ apt-cyg install glpk-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install glpk-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install glpk-devel
```

freebsd:

```
$ sudo pkg install glpk-devel
```

gentoo:

```
$ sudo emerge glpk-devel
```

homebrew:

```
$ brew install glpk-devel
```

macports: install the following packages: glpk-devel nix:

```
$ nix-env --install glpk-devel
```

opensuse:

```
$ sudo zypper install glpk-devel
```

void:

```
$ sudo xbps-install glpk-devel
```

See <https://repology.org/project/glpk-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.92 glucose: A SAT solver

Description

Glucose is a SAT solver.

Citing its website:

The name of the solver is a contraction of the concept of “glue clauses”, a particular kind of clauses that glucose detects and preserves during search. Glucose is heavily based on Minisat, so please do cite Minisat also if you want to cite Glucose.

License

- nonparallel glucose: MIT
- parallel glucose-syrup: MIT modified with:

The parallel version of Glucose (all files modified since Glucose 3.0 releases, 2013) cannot be used in any competitive event (sat competitions/evaluations) without the express permission of the authors (Gilles Audemard / Laurent Simon). This is also the case for any competitive event using Glucose Parallel as an embedded SAT engine (single core or not).

Upstream Contact

Website: <http://www.labri.fr/perso/lsimon/glucose/>

Dependencies

zlib

Special Update/Build Instructions

None.

Type

optional

Version Information

package-version.txt:

4.1

Equivalent System Packages

See <https://repology.org/project/glucose/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.93 gmp: Library for arbitrary precision arithmetic

Description

GMP is a free library for arbitrary precision arithmetic, operating on signed integers, rational numbers, and floating-point numbers. There is no practical limit to the precision except the ones implied by the available memory in the machine GMP runs on. GMP has a rich set of functions, and the functions have a regular interface.

License

- LGPL V3

Upstream Contact

- <http://gmplib.org>

Type

standard

Version Information

package-version.txt:

```
6.2.0
```

Equivalent System Packages

conda:

```
$ conda install gmpxx-devel
```

cygwin:

```
$ apt-cyg install gmpxx-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install gmpxx-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gmpxx-devel
```

freebsd:

```
$ sudo pkg install gmpxx-devel
```

gentoo:

```
$ sudo emerge gmpxx-devel
```

homebrew:

```
$ brew install gmpxx-devel
```

macports: install the following packages: gmpxx-devel opensuse:

```
$ sudo zypper install gmpxx-devel
```

slackware:

```
$ sudo slackpkg install gmpxx-devel
```

void:

```
$ sudo xbps-install gmpxx-devel
```

See <https://repology.org/project/gmpxx-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.94 gmpy2: Python interface to GMP/MPIR, MPFR, and MPC

Description

GMP/MPIR, MPFR, and MPC interface to Python 2.6+ and 3.x

gmpy2 is a C-coded Python extension module that supports multiple-precision arithmetic. In addition to supporting GMP or MPIR for multiple-precision integer and rational arithmetic, gmpy2 adds support for the MPFR (correctly rounded real floating-point arithmetic) and MPC (correctly rounded complex floating-point arithmetic) libraries.

Type

standard

Version Information

package-version.txt:

```
2.1.0b5
```

install-requires.txt:

```
gmpy2 >=2.1.0b5
```

Equivalent System Packages

conda:

```
$ conda install python:gmplib python:gmplib-devel
```

macports: install the following packages: python:gmplib python:gmplib-devel See <https://repology.org/project/python:gmplib/versions>, <https://repology.org/project/python:gmplib-devel/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.95 gp2c: A compiler for translating GP routines to C

Description

The gp2c compiler is a package for translating GP routines into the C programming language, so that they can be compiled and used with the PARI system or the GP calculator.

License

GPL version 2+

Upstream Contact

- <http://pari.math.u-bordeaux.fr/>

Dependencies

- PARI
- Perl

Type

optional

Version Information

package-version.txt:

```
0.0.10.p0
```

Equivalent System Packages

Debian/Ubuntu:

```
$ sudo apt-get install gp2c
```

freebsd:

```
$ sudo pkg install gp2c
```

gentoo:

```
$ sudo emerge gp2c
```

opensuse:

```
$ sudo zypper install gp2c
```

See <https://repology.org/project/gp2c/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.96 graphs: A database of combinatorial graphs

Description

A database of graphs. Created by Emily Kirkman based on the work of Jason Grout. Since April 2012 it also contains the ISGCI graph database.

Upstream Contact

- https://jasongrout.org/graph_database
- For ISGCI:
H.N. de Ridder (hnridder@graphclasses.org)
- For Andries Brouwer's database:

The data is taken from from Andries E. Brouwer's website (<https://www.win.tue.nl/~aeb/>). Anything related to the data should be reported to him directly (aeb@cw.nl)

The code used to parse the data and create the `.json` file is available at https://github.com/nathanncohen/strongly_regular_graphs_database.

Dependencies

N/A

Type

standard

Version Information

package-version.txt:

```
20210214.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S sagemath-graphs
```

conda:

```
$ conda install sagemath-graphs
```

See <https://repology.org/project/sagemath-graphs/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.97 graphviz: Graph visualization software

Description

Graphviz is open source graph visualization software. It has several main graph layout programs. They take descriptions of graphs in a simple text language, and make diagrams in several useful formats.

License

Eclipse Public License 1.0

Upstream Contact

<https://graphviz.org/about/>

Type

optional

Version Information

Equivalent System Packages

alpine: install the following packages: graphviz-devel arch:

```
$ sudo pacman -S graphviz-devel
```

conda:

```
$ conda install graphviz-devel
```

cygwin:

```
$ apt-cyg install graphviz-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install graphviz-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install graphviz-devel
```

freebsd:

```
$ sudo pkg install graphviz-devel
```

homebrew:

```
$ brew install graphviz-devel
```

macports: install the following packages: graphviz-devel nix:

```
$ nix-env --install graphviz-devel
```

opensuse:

```
$ sudo zypper install graphviz-devel
```

void:

```
$ sudo xbps-install graphviz-devel
```

See <https://repology.org/project/graphviz-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.98 gsl: The GNU Scientific Library

Description

The GNU Scientific Library

Website: <http://www.gnu.org/software/gsl/>

From the website above: The GNU Scientific Library (GSL) is a numerical library for C and C++ programmers. It is free software under the GNU General Public License.

The library provides a wide range of mathematical routines such as random number generators, special functions and least-squares fitting. There are over 1000 functions in total with an extensive test suite. If the variable SAGE_CHECK is exported to the value “yes” when building Sage, GSL’s test suite is run.

License

- GPL V3

Upstream Contact

- <http://www.gnu.org/software/gsl/>

GSL mailing lists:

- Bug-gsl <bug-gsl@gnu.org> mailing list – bug reports for the GNU Scientific Library should be sent to bug-gsl@gnu.org
- Help-gsl <help-gsl@gnu.org> users mailing list – for questions about installation, how GSL works and how it is used, or general questions concerning GSL.
- Info-gsl <info-gsl@gnu.org> mailing list – announcements of new releases are made there.

Dependencies

- None - GSL does not depend on any other Sage package to compile, link and pass all of GSL’s self-tests. Despite that fact, BLAS is listed as a dependency. (It comes with its own CBLAS implementation that is e.g. used when running the GSL test suite during installation; however, the Sage library only uses it as a fall-back, if e.g. BLAS library is not present.)

Special Update/Build Instructions

Type

standard

Version Information

package-version.txt:

```
2.6
```

Equivalent System Packages

arch:

```
$ sudo pacman -S gsl-devel
```

conda:

```
$ conda install gsl-devel
```

cygwin:

```
$ apt-cyg install gsl-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install gsl-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gsl-devel
```

freebsd:

```
$ sudo pkg install gsl-devel
```

gentoo:

```
$ sudo emerge gsl-devel
```

homebrew:

```
$ brew install gsl-devel
```

macports: install the following packages: gsl-devel nix:

```
$ nix-env --install gsl-devel
```

opensuse:

```
$ sudo zypper install gsl-devel
```

slackware:

```
$ sudo slackpkg install gsl-devel
```

void:

```
$ sudo xbps-install gsl-devel
```

See <https://repology.org/project/gsl-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.99 html5lib: An HTML parser

Description

HTML parser based on the WHATWG HTML specification.

License

MIT License

Upstream Contact

Home Page: <https://github.com/html5lib/html5lib-python/issues>

Dependencies

Python, webencodings, six

Type

standard

Version Information

package-version.txt:

```
1.0.1
```

install-requires.txt:

```
html5lib >=1.0.1
```

Equivalent System Packages

conda:

```
$ conda install html5lib python:html5lib
```

macports: install the following packages: `html5lib` `python:html5lib` See <https://repology.org/project/html5lib/versions>, <https://repology.org/project/python:html5lib/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.100 iconv: Library for language/country-dependent character encodings

Description

GNU libiconv is a library that is used to enable different languages, with different characters to be handled properly.

License

- GPL 3 and LGPL 3. So we can safely link against the library in Sage.

Upstream Contact

- <http://www.gnu.org/software/libiconv/>
- Bug reports to bug-gnu-libiconv@gnu.org

Dependencies

- None for the purposes of Sage, but in general gettext.

Special Update/Build Instructions

- None, other than anyone updating this package should be familiar with how to write shell scripts.

Type

standard

Version Information

package-version.txt:

```
1.15
```

Equivalent System Packages

cygwin:

```
$ apt-cyg install libiconv
```

macports: install the following packages: libiconv See <https://repology.org/project/libiconv/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.101 igraph: A library for creating and manipulating graphs

Description

igraph is a library for creating and manipulating graphs. It is intended to be as powerful (ie. fast) as possible to enable the analysis of large graphs.

License

GPL version 2

Upstream Contact

<http://igraph.org/c/>

Dependencies

- GMP/MPIR
- libxml2, but this is not shipped with Sage, so the user has to install libxml2-dev from her distro.

Special Update/Build Instructions

Type

optional

Version Information

package-version.txt:

```
0.8.3
```

Equivalent System Packages

arch:

```
$ sudo pacman -S igraph
```

conda:

```
$ conda install igraph
```

Debian/Ubuntu:

```
$ sudo apt-get install igraph
```

Fedora/Redhat/CentOS:

```
$ sudo yum install igraph
```

freebsd:

```
$ sudo pkg install igraph
```

gentoo:

```
$ sudo emerge igraph
```

homebrew:

```
$ brew install igraph
```

macports: install the following packages: igraph See <https://repology.org/project/igraph/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.102 imagesize: Parser for image file metadata

Description

It parses image files' header and return image size.

Type

standard

Version Information

package-version.txt:

```
1.2.0
```

install-requires.txt:

```
imagesize >=1.1.0
```

Equivalent System Packages

conda:

```
$ conda install python:imagesize
```

macports: install the following packages: python:imagesize See <https://repology.org/project/python:imagesize/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.103 iml: Integer Matrix Library

Description

IML is a free library of C source code which implements algorithms for computing exact solutions to dense systems of linear equations over the integers. IML is designed to be used with the ATLAS/BLAS library and GMP bignum library.

Written in portable C, IML can be used on both 32-bit and 64-bit machines. It can be called from C++.

Website: <https://www.cs.uwaterloo.ca/~astorjoh/iml.html>

License

- GPLv2+

Upstream Contact

- Zhuliang Chen z4chen@uwaterloo.ca
- Arne Storjohann astorjoh@uwaterloo.ca

Dependencies

- GMP
- ATLAS

Special Update/Build Instructions

- As of version 1.0.4, you need to repackage the upstream tarball using the spkg-src script because there was a bugfix version of 1.0.4 reposted upstream without version number bump.

Patches

- examples.patch: Modified some of the examples.

Type

standard

Version Information

package-version.txt:

1.0.4p1.p2

Equivalent System Packages

arch:

```
$ sudo pacman -S imlib2-devel
```

conda:

```
$ conda install imlib2-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install imlib2-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install imlib2-devel
```

freebsd:

```
$ sudo pkg install imlib2-devel
```

gentoo:

```
$ sudo emerge imlib2-devel
```

nix:

```
$ nix-env --install imlib2-devel
```

opensuse:

```
$ sudo zypper install imlib2-devel
```

void:

```
$ sudo xbps-install imlib2-devel
```

See <https://repology.org/project/imlib2-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.104 `importlib_metadata`: Library to access the metadata for a Python package

Description

`importlib_metadata` is a library to access the metadata for a Python package. It is intended to be ported to Python 3.8.

License

Apache Software License

Upstream Contact

Home page: <http://importlib-metadata.readthedocs.io/>

Dependencies

Python, Setuptools, zipp

Type

standard

Version Information

package-version.txt:

```
1.7.0
```

install-requires.txt:

```
importlib_metadata >=1.7.0
```

Equivalent System Packages

conda:

```
$ conda install python:importlib-metadata
```

See <https://repology.org/project/python:importlib-metadata/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.105 ipykernel: IPython Kernel for Jupyter

Description

This package provides the IPython kernel for Jupyter.

Type

standard

Version Information

package-version.txt:

```
5.2.1
```

install-requires.txt:

```
ipykernel >=5.2.1
```

Equivalent System Packages

conda:

```
$ conda install python:ipykernel
```

macports: install the following packages: python:ipykernel See <https://repology.org/project/python:ipykernel/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.106 ipython: Interactive computing environment with an enhanced interactive Python shell

Description

Interactive computing environment with an enhanced interactive Python shell

From the IPython website:

IPython is a multiplatform, Free Software project (BSD licensed) that offers:

- An enhanced Python shell designed for efficient interactive work. It includes many enhancements over the default Python shell, including the ability for controlling interactively all major GUI toolkits in a non-blocking manner.
- A library to build customized interactive environments using Python as the basic language (but with the possibility of having extended or alternate syntaxes).
- A system for interactive distributed and parallel computing (this is part of IPython's new development).

License

BSD

Upstream Contact

<http://ipython.org>

ipython-dev@scipy.org

ipython-user@scipy.org

Type

standard

Version Information

package-version.txt:

```
7.16.1
```

install-requires.txt:

```
ipython >=7.13.0
```

Equivalent System Packages

conda:

```
$ conda install ipython
```

macports: install the following packages: ipython opensuse:

```
$ sudo zypper install ipython
```

See <https://repology.org/project/ipython/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.107 ipython_genutils: Vestigial utilities from IPython

Description

Vestigial utilities from IPython

Type

standard

Version Information

package-version.txt:

```
0.2.0
```

install-requires.txt:

```
ipython_genutils >=0.2.0
```

Equivalent System Packages

conda:

```
$ conda install python:ipython-genutils
```

macports: install the following packages: python:ipython-genutils See <https://repology.org/project/python:ipython-genutils/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.108 ipywidgets: Interactive HTML widgets for Jupyter notebooks and the IPython kernel**Description**

Interactive HTML widgets for Jupyter notebooks and the IPython kernel.

Type

standard

Version Information

package-version.txt:

```
7.6.3
```

install-requires.txt:

```
ipywidgets >=7.5.1
```

Equivalent System Packages

conda:

```
$ conda install python:ipywidgets
```

macports: install the following packages: python:ipywidgets See <https://repology.org/project/python:ipywidgets/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.109 isl: Sets and relations of integer points bounded by affine constraints

Description

isl is a thread-safe C library for manipulating sets and relations of integer points bounded by affine constraints. The descriptions of the sets and relations may involve both parameters and existentially quantified variables. All computations are performed in exact integer arithmetic using GMP.

License

isl is released under the MIT license, but depends on the LGPL GMP library.

Upstream Contact

- <http://groups.google.com/group/isl-development>

Citation

```
@incollection{Verdoolaege2010isl,
  author = {Verdoolaege, Sven},
  title = {isl: An Integer Set Library for the Polyhedral Model},
  booktitle = {Mathematical Software - ICMS 2010},
  series = {Lecture Notes in Computer Science},
  editor = {Fukuda, Komei and Hoeven, Joris and Joswig, Michael and
    Takayama, Nobuki},
  publisher = {Springer},
  isbn = {978-3-642-15581-9},
  pages = {299-302},
  volume = {6327},
  year = {2010}
}
```

Type

optional

Version Information

package-version.txt:

```
0.20
```

Equivalent System Packages

conda:

```
$ conda install isl15-devel
```

cygwin:

```
$ apt-cyg install isl15-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install isl15-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install isl15-devel
```

freebsd:

```
$ sudo pkg install isl15-devel
```

gentoo:

```
$ sudo emerge isl15-devel
```

homebrew:

```
$ brew install isl15-devel
```

macports: install the following packages: isl15-devel opensuse:

```
$ sudo zypper install isl15-devel
```

void:

```
$ sudo xbps-install isl15-devel
```

See <https://repology.org/project/isl15-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.110 jedi: Static analysis tool providing IDE support for Python

Description

Jedi is a static analysis tool for Python that is typically used in IDEs/editors plugins. Jedi has a focus on autocompletion and goto functionality. Other features include refactoring, code search and finding references.

Type

standard

Version Information

package-version.txt:

```
0.17.2
```

install-requires.txt:

```
jedi >=0.17.0
```

Equivalent System Packages

conda:

```
$ conda install jedi python:jedi
```

macports: install the following packages: jedi python:jedi See <https://repology.org/project/jedi/versions>, <https://repology.org/project/python:jedi/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.111 jinja2: General purpose template engine for Python

Description

Jinja2 is a library for Python 2.4 and onwards that is designed to be flexible, fast and secure.

If you have any exposure to other text-based template languages, such as Smarty or Django, you should feel right at home with Jinja2. It's both designer and developer friendly by sticking to Python's principles and adding functionality useful for templating environments.

License

Modified BSD License

Upstream Contact

Author: Pocoo Team <<http://pocoo.org>>

Homepage: <http://jinja.pocoo.org/>

Dependencies

- Python (≥ 2.4)
- setuptools (or distribute)
- Pygments (according to ‘spkg/standard/deps’)
- docutils (dito, as a note only)

Special Update/Build Instructions

None. (Just make sure its prerequisites are new enough in Sage, to avoid downloads during the build / installation.)

Type

standard

Version Information

package-version.txt:

```
2.11.2
```

install-requires.txt:

```
jinja2 >=2.11.2
```

Equivalent System Packages

conda:

```
$ conda install python:jinja2
```

macports: install the following packages: python:jinja2 opensuse:

```
$ sudo zypper install python:jinja2
```

See <https://repology.org/project/python:jinja2/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.112 jmol: Java viewer for chemical structures in 3D

Description

Java viewer for chemical structures in 3D.

This provides files necessary for Jmol (java).

This package does not install JSmol (javascript), which upstream bundles with Jmol.

License

GPLv2+

Upstream Contact

- <http://jmol.sourceforge.net>
- Bob Hanson
- e-mail: hansonr@stolaf.edu
- Homepage: <https://www.stolaf.edu/people/hansonr/>
- Development page: <https://github.com/BobHanson/Jmol-SwingJS>
- Download page: <https://sourceforge.net/projects/jmol/files/Jmol/>

Dependencies

No build-time dependencies.

The commandline jmol requires java at runtime.

Special Build Instructions

To avoid depending on `unzip` at build time, we have to repack the tarball, see `spkg-src`. We take the opportunity to remove some unnecessary subdirectories, see http://wiki.jmol.org/index.php/Jmol_JavaScript_Object#In_detail

Type

standard

Version Information

package-version.txt:

14.29.52

Equivalent System Packages

arch:

```
$ sudo pacman -S jmol
```

conda:

```
$ conda install jmol
```

macports: install the following packages: jmol nix:

```
$ nix-env --install jmol
```

opensuse:

```
$ sudo zypper install jmol
```

See <https://repology.org/project/jmol/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.113 jsonschema: Python implementation of JSON Schema

Description

jsonschema is an implementation of JSON Schema for Python

License

MIT License

Upstream Contact

Home page: <http://github.com/Julian/jsonschema>

Dependencies

- Python
- Setuptools
- attrs
- importlib_metadata
- pyrsistent

Type

standard

Version Information

package-version.txt:

```
3.2.0
```

install-requires.txt:

```
jsonschema >=3.2.0
```

Equivalent System Packages

conda:

```
$ conda install python:jsonschema
```

macports: install the following packages: python:jsonschema opensuse:

```
$ sudo zypper install python:jsonschema
```

See <https://repology.org/project/python:jsonschema/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.114 jupymake: A Python wrapper for the polymake shell

Description

The Python module JuPyMake provides an interface to polymake.

License

- GPL v2

Upstream Contact

<https://github.com/polymake/JuPyMake>

Dependencies

- pip
- polymake

Special Update/Build Instructions

Type

optional

Version Information

package-version.txt:

```
0.9
```

install-requires.txt:

```
jupymake >=0.9
```

Equivalent System Packages

See <https://repology.org/project/jupymake/versions>, <https://repology.org/project/python:jupymake/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.115 jupyter_client: Jupyter protocol implementation and client libraries

Description

jupyter_client contains the reference implementation of the Jupyter protocol. It also provides client and kernel management APIs for working with kernels.

It also provides the jupyter kernelspec entrypoint for installing kernelspecs for use with Jupyter frontends.

Type

standard

Version Information

package-version.txt:

```
6.1.6
```

install-requires.txt:

```
jupyter_client >=6.1.6
```

Equivalent System Packages

conda:

```
$ conda install jupyter-client python:jupyter-client
```

macports: install the following packages: jupyter-client python:jupyter-client opensuse:

```
$ sudo zypper install jupyter-client python:jupyter-client
```

See <https://repology.org/project/jupyter-client/versions>, <https://repology.org/project/python:jupyter-client/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.116 jupyter_core: Jupyter core package

Description

Jupyter core package. A base package on which Jupyter projects rely.

Type

standard

Version Information

package-version.txt:

```
4.6.3
```

install-requires.txt:

```
jupyter_core >=4.6.3
```

Equivalent System Packages

conda:

```
$ conda install jupyter-core python:jupyter-core
```

macports: install the following packages: jupyter-core python:jupyter-core opensuse:

```
$ sudo zypper install jupyter-core python:jupyter-core
```

See <https://repology.org/project/jupyter-core/versions>, <https://repology.org/project/python:jupyter-core/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.117 jupyter_jsmol: JSmol viewer widget for Jupyter

Description

JSmol viewer widget for Jupyter

License

BSD

Upstream Contact

<https://pypi.org/project/jupyter-jsmol/>

Type

standard

Version Information

package-version.txt:

```
0.2.4
```

install-requires.txt:

```
jupyter-jsmol
```

Equivalent System Packages

See <https://repology.org/project/jupyter-jsmol/versions>, <https://repology.org/project/python:jupyter-jsmol/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.118 jupyterlab: An extensible environment for interactive and reproducible computing

Description

An extensible environment for interactive and reproducible computing, based on the Jupyter Notebook and Architecture.

License

BSD License

Upstream Contact

Home page: <https://jupyter.org/>

Dependencies

- Python
- Setuptools
- jupyter_core
- jupyter_client

Type

optional

Version Information

requirements.txt:

```
jupyterlab ~= 2.2.5
```

Equivalent System Packages

conda:

```
$ conda install jupyterlab python:jupyterlab
```

macports: install the following packages: jupyterlab python:jupyterlab See <https://repology.org/project/jupyterlab/versions>, <https://repology.org/project/python:jupyterlab/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.119 jupyterlab_widgets: A JupyterLab extension for Jupyter/IPython widgets

Description

A JupyterLab extension for Jupyter/IPython widgets.

License

BSD License

Upstream Contact

Home page: <https://github.com/jupyter-widgets/ipywidgets>

Dependencies

- jupyterlab
- nodejs

Type

optional

Version Information

package-version.txt:

```
2.0
```

Equivalent System Packages

macports: install the following packages: jupyterlab-widgets See <https://repology.org/project/jupyterlab-widgets/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.120 kenzo: Construct topological spaces and compute homology groups

Description

Kenzo is a package to compute properties (mainly homology groups) of topological spaces. It allows defining spaces created from others by constuctions like loop spaces, classifying spaces and so on.

License

GPL

Upstream Contact

- <https://github.com/gheber/kenzo>

Dependencies

- ECL (Embedded Common Lisp)

Type

optional

Version Information

package-version.txt:

1.1.9

Equivalent System Packages

See <https://repology.org/project/kenzo/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.121 kiwisolver: An implementation of the Cassowary constraint solving algorithm

Description

From <https://pypi.org/project/kiwisolver/>

A fast implementation of the Cassowary constraint solver

Kiwi is an efficient C++ implementation of the Cassowary constraint solving algorithm. Kiwi is an implementation of the algorithm based on the seminal Cassowary paper. It is not a refactoring of the original C++ solver. Kiwi has been designed from the ground up to be lightweight and fast. Kiwi ranges from 10x to 500x faster than the original Cassowary solver with typical use cases gaining a 40x improvement. Memory savings are consistently > 5x.

In addition to the C++ solver, Kiwi ships with hand-rolled Python bindings.

License

Modified BSD License

Upstream Contact

<https://github.com/nucleic/kiwi>

Dependencies

- python
- setuptools

Type

standard

Version Information

package-version.txt:

```
1.0.1
```

install-requires.txt:

```
kiwisolver >=1.0.1
```

Equivalent System Packages

conda:

```
$ conda install python:kiwisolver
```

macports: install the following packages: python:kiwisolver See <https://repology.org/project/python:kiwisolver/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.122 latte_int: Count lattice points, compute volumes, and integrate over convex polytopes

Description

LattE (Lattice point Enumeration) Integrale solves the problems of counting lattice points in and integration over convex polytopes.

License

GPLv2

Upstream Contact

Matthias Köppe, UC Davis, CA, USA

Dependencies

GMP (MPIR), 4ti2, NTL, cddlib.

Type

optional

Version Information

package-version.txt:

```
1.7.6
```

Equivalent System Packages

arch:

```
$ sudo pacman -S latte-integrale
```

conda:

```
$ conda install latte-integrale
```

opensuse:

```
$ sudo zypper install latte-integrale
```

See <https://repology.org/project/latte-integrale/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.123 lcalc: L-function calculator

Description

Michael Rubinstein's L-function calculator.

License

- LGPL V2+

Upstream contact

Michael Rubinstein <mrubinst@uwaterloo.ca>

Sources: http://oto.math.uwaterloo.ca/~mrubinst/L_function_public/L.html

Newer beta version 1.3 (not yet in Sage): <http://code.google.com/p/l-calc/>

Dependencies

- GMP/MPFR
- MPFR
- PARI
- GNU patch

Special Update/Build Instructions

- There is some garbage in the upstream sources which should be removed:

```
src/include/.Lexplicit_formula.h.swp
src/include/.Lvalue.h.swp
src/include/._.DS_Store
src/include/.DS_Store
src/include/Lexplicit_formula.h.swap.crap
src/include/Lvalue.h.bak
src/src/Makefile.old
src/src/.Makefile.old.swp
src/src/._.DS_Store
src/src/.DS_Store
src/src/.Lcommandline.ggo.swp
src/src/libLfunction.a
```

- We (and apparently also upstream) currently don't build Lcalc's tests (see Makefile), hence there's no spkg-check. This might change in newer upstream versions.
- The original Makefile uses \$(CC) to compile C++ (also using \$(CCFLAGS)), which it defines to 'g++', and hardcodes 'g++' when linking the shared library. (It should use \$(CXX) instead, which might *default* to 'g++'.) We now (lcalc-1.23.p10) patch the Makefile also to use \$(CXX) for compiling and linking C++; \$(CXX) now *defaults* to 'g++', and \$(CC) to 'gcc', but both can be overridden by simply setting their respective environment variables. (Same for \$(INSTALL_DIR) btw.)

Patches

- Makefile.patch:

We change a lot there, since Lcalc doesn't have a 'configure' script, and hence the Makefile is supposed to be edited to customize Lcalc (build options, locations of headers and libraries etc.). Besides that, we

- put CXXFLAGS into Lcalc's "CCFLAGS" used for compiling C++,
- remove some stuff involving LDFLAGS1 and LDFLAGS2, setting just LDFLAGS,
- use \$(MAKE) instead of 'make' in the crude build receipts,
- use CXXFLAG64 when linking the shared library,
- now use \$(CXX) for compiling and linking C++, which *defaults* to 'g++', but can be overridden by setting the environment variable of the same name. (\$(CC) now *defaults* to 'gcc', although currently not really used as far as I can see.)
- \$(INSTALL_DIR) can now be overridden by simply setting the environment variable of the same name.

- Lcommon.h.patch:

Uncomment the definition of lcalc_to_double(const long double& x). (Necessary for GCC >= 4.6.0, cf. #10892.) Comment from there: The reason is the following code horror from src/src/include/Lcommon.h: [...] But somebody who is familiar with the codebase should really rewrite lcalc to not redefine the double() cast, that's just fragile and will sooner or later again fail inside some system headers.

- pari-2.7.patch:

Various changes to port to newer versions of PARI.

- time.h.patch:

(Patches src/include/Lcommandline_numbertheory.h) Include also <time.h> in Lcommandline_numbertheory.h (at least required on Cygwin, cf. #9845). This should get reported upstream.

- lcalc-1.23_default_parameters_1.patch: Make Lcalc (1.23) build with GCC 4.9

Type

standard

Version Information

package-version.txt:

```
1.23.p20
```

Equivalent System Packages

arch:

```
$ sudo pacman -S lcalc
```

conda:

```
$ conda install lcalc
```

Debian/Ubuntu:

```
$ sudo apt-get install lcalc
```

Fedora/Redhat/CentOS:

```
$ sudo yum install lcalc
```

freebsd:

```
$ sudo pkg install lcalc
```

nix:

```
$ nix-env --install lcalc
```

See <https://repology.org/project/lcalc/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.124 libatomic_ops: Access hardware-provided atomic memory update operations

Description

A part of the Boehm-Demers-Weiser conservative garbage collector.

License

- Permissive BSD + GPL 2.0+

Upstream Contact

- Webpage: <http://www.hboehm.info/gc/>
- Email List: bdwgc@lists.opendylan.org

Dependencies

None.

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
7.6.10
```

Equivalent System Packages

arch:

```
$ sudo pacman -S libatomic_ops
```

conda:

```
$ conda install libatomic_ops
```

cygwin:

```
$ apt-cyg install libatomic_ops
```

Debian/Ubuntu:

```
$ sudo apt-get install libatomic_ops
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libatomic_ops
```

freebsd:

```
$ sudo pkg install libatomic_ops
```

gentoo:

```
$ sudo emerge libatomic_ops
```

homebrew:

```
$ brew install libatomic_ops
```

macports: install the following packages: libatomic_ops opensuse:

```
$ sudo zypper install libatomic_ops
```

slackware:

```
$ sudo slackpkg install libatomic_ops
```

See https://repology.org/project/libatomic_ops/versions

If the system package is installed, `./configure` will check whether it can be used.

4.1.125 libbraiding: Computing with braids

Description

libbraiding is a library to compute several properties of braids, including centralizer and conjugacy check.

License

GPLv3+

SPKG Maintainers

- Miguel Marco

Upstream Contact

Miguel Marco (mmarco@unizar.es)

Type

standard

Version Information

package-version.txt:

```
1.1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S libbraiding
```

conda:

```
$ conda install libbraiding
```

Debian/Ubuntu:

```
$ sudo apt-get install libbraiding
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libbraiding
```

freebsd:

```
$ sudo pkg install libbraiding
```

gentoo:

```
$ sudo emerge libbraiding
```

nix:

```
$ nix-env --install libbraiding
```

opensuse:

```
$ sudo zypper install libbraiding
```

See <https://repology.org/project/libbraiding/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.126 libffi: A portable foreign-function interface library

Description

Compilers for high level languages generate code that follow certain conventions. These conventions are necessary, in part, for separate compilation to work. One such convention is the “calling convention”. The “calling convention” is essentially a set of assumptions made by the compiler about where function arguments will be found on entry to a function. A “calling convention” also specifies where the return value for a function is found.

Some programs may not know at the time of compilation what arguments are to be passed to a function. For instance, an interpreter may be told at run-time about the number and types of arguments used to call a given function. Libffi can be used in such programs to provide a bridge from the interpreter program to compiled code.

The libffi library provides a portable, high level programming interface to various calling conventions. This allows a programmer to call any function specified by a call interface description at run time.

FFI stands for Foreign Function Interface. A foreign function interface is the popular name for the interface that allows code written in one language to call code written in another language. The libffi library really only provides the lowest, machine dependent layer of a fully featured foreign function interface. A layer must exist above libffi that handles type conversions for values passed between the two languages.

License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Upstream Contact

- <https://sourceware.org/libffi/>
- <https://github.com/libffi/libffi>

Type

standard

Version Information

package-version.txt:

```
3.2.1
```

Equivalent System Packages

conda:

```
$ conda install libffi-devel
```

cygwin:

```
$ apt-cyg install libffi-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install libffi-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libffi-devel
```

freebsd:

```
$ sudo pkg install libffi-devel
```

macports: install the following packages: libffi-devel opensuse:

```
$ sudo zypper install libffi-devel
```

slackware:

```
$ sudo slackpkg install libffi-devel
```

void:

```
$ sudo xbps-install libffi-devel
```

See <https://repology.org/project/libffi-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.127 libgd: Dynamic graphics generation tool

Description

GD is an open source code library for the dynamic creation of images by programmers. GD is written in C, and “wrappers” are available for Perl, PHP and other languages. GD creates PNG, JPEG, GIF, WebP, XPM, BMP images, among other formats. GD is commonly used to generate charts, graphics, thumbnails, and most anything else, on the fly. While not restricted to use on the web, the most common applications of GD involve website development.

License

- Custom (BSD-ish)

Upstream Contact

- <https://libgd.github.io>
- Pierre Joye (<http://blog.thepimp.net>)
- <http://libgd.bitbucket.org/>

Dependencies

- libpng
- freetype
- iconv

Special Update/Build Instructions

See spkg-src script.

Type

standard

Version Information

package-version.txt:

```
2.1.1.1.pl
```

Equivalent System Packages

alpine: install the following packages: gd fontconfig libXpm libX11 libxcb libXau libXdmcp arch:

```
$ sudo pacman -S gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

conda:

```
$ conda install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

cygwin:

```
$ apt-cyg install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

Debian/Ubuntu:

```
$ sudo apt-get install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

Fedora/Redhat/CentOS:

```
$ sudo yum install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

freebsd:

```
$ sudo pkg install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

gentoo:

```
$ sudo emerge gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

homebrew:

```
$ brew install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

macports: install the following packages: gd fontconfig libXpm libX11 libxcb libXau libXdmcp nix:

```
$ nix-env --install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

opensuse:

```
$ sudo zypper install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

slackware:

```
$ sudo slackpkg install gd fontconfig libXpm libX11 libxcb libXau libXdmcp
```

See <https://repology.org/project/gd/versions>, <https://repology.org/project/fontconfig/versions>, <https://repology.org/project/libXpm/versions>, <https://repology.org/project/libX11/versions>, <https://repology.org/project/libxcb/versions>, <https://repology.org/project/libXau/versions>, <https://repology.org/project/libXdmcp/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.128 libhomfly: Compute the homfly polynomial of knots and links

Description

libhomfly is a library to compute the homfly polynomial of knots and links.

License

Public domain

SPKG Maintainers

- Miguel Marco

Upstream Contact

Miguel Marco (mmarco@unizar.es)

Dependencies

- gc

Type

standard

Version Information

package-version.txt:

```
1.02r6
```

Equivalent System Packages

arch:

```
$ sudo pacman -S libhomfly llibhomfly
```

conda:

```
$ conda install libhomfly llibhomfly
```

Debian/Ubuntu:

```
$ sudo apt-get install libhomfly llibhomfly
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libhomfly llibhomfly
```

freebsd:

```
$ sudo pkg install libhomfly llibhomfly
```

gentoo:

```
$ sudo emerge libhomfly llibhomfly
```

nix:

```
$ nix-env --install libhomfly llibhomfly
```

opensuse:

```
$ sudo zypper install libhomfly llibhomfly
```

See <https://repology.org/project/libhomfly/versions>, <https://repology.org/project/libhomfly/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.129 libnauty: Find automorphism groups of graphs, generate non-isomorphic graphs (callable library)

Description

Nauty has various tools for finding the automorphism group of a graph, generating non-isomorphic graphs with certain properties, etc.

This script package represents the callable library of nauty.

License

Since version 2.6, nauty license is GPL-compatible, see

<http://users.cecs.anu.edu.au/~bdm/nauty/COPYRIGHT.txt>

(a copy of this file, called COPYRIGHT, is also present in the tarball)

Special Packaging Instruction

Upstream distribute tarball named `nauty${version}.tar.gz`. We cannot deal with that so rename it `nauty-${version}.tar.gz` (notice the “-”) without any changes.

Upstream Contact

Brendan D. McKay Computer Science Department Australian National University bdm@cs.anu.edu.au

Adolfo Piperno Dipartimento di Informatica Sapienza - Università di Roma piperno@di.uniroma1.it

See <http://cs.anu.edu.au/~bdm/nauty/> or <http://pallini.di.uniroma1.it/>

Type

optional

Version Information

Equivalent System Packages

Debian/Ubuntu:

```
$ sudo apt-get install nauty
```

Fedora/Redhat/CentOS:

```
$ sudo yum install nauty
```

macports: install the following packages: nauty See <https://repology.org/project/nauty/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.130 libogg: Library for the Ogg multimedia container format

Description

libogg is the official reference library for the Ogg multimedia container format, and the native file and stream format for the Xiph.org multimedia codecs. As with all Xiph.org technology is it an open format free for anyone to use.

Website: <http://www.xiph.org/ogg>

License

Copyright (c) 2002, Xiph.org Foundation

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Xiph.org Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Upstream Contact

The Xiph.org mailing lists - see <http://lists.xiph.org/mailman/listinfo>

Dependencies

This spkg provides dependencies for

- the Sage library

Special Update/Build Instructions

- No changes went into src.

Type

optional

Version Information

package-version.txt:

```
1.3.1.p0
```

Equivalent System Packages

conda:

```
$ conda install libogg
```

macports: install the following packages: libogg opensuse:

```
$ sudo zypper install libogg
```

See <https://repology.org/project/libogg/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.131 libpng: Bitmap image support

Description

libpng is the official PNG reference library. It supports almost all PNG features, is extensible, and has been extensively tested for over 13 years. The home site for development versions (i.e., may be buggy or subject to change or include experimental features) is <http://libpng.sourceforge.net/>, and the place to go for questions about the library is the png-mng-implement mailing list.

Website: <http://www.libpng.org/pub/png/libpng.html>

License

The libpng license - see <http://www.libpng.org/pub/png/src/libpng-LICENSE.txt>

Upstream Contact

<https://libpng.sourceforge.io>

The png mailing lists - see <http://www.libpng.org/pub/png/pngmisc.html#lists>

Dependencies

This spkg depends on:

- libz

Special Update/Build Instructions

- On old versions of Darwin, the symbolic links libpng.* created by libpng16 may interfere with a system-wide libPng.dylib.

– the following is very likely to be obsolete in 2014 —

This system-wide library is likely to be a different version and on top of that, the symbols exported there are prefixed with “_cg” (for “Core Graphics”). So even if by chance the functionalities of the two libraries were interchangeable, libraries or applications looking for one and being presented the other won’t find the symbols they expect. Note the uppercase “P” which could prevent this conflict; unfortunately, the default filesystem used by Apple is case-insensitive.

Note there would be no problem if the system-wide library was not looked for when Sage is being built or run, but that’s not the case either; it is at least looked for by the “ImageIO” framework:

- when Python is built with Mac OS extensions, fixed in #4008;
 - when Mercurial is built because it uses \$EDITOR, cf. #4678;
 - when R is built and it finds -lpng, cf. #4409 and #11696.
- this is no longer done, as of #27186 —

As not all of these problems are easily dealt with and new ones may arise, we chose to delete the \$SAGE_LOCAL/lib/libpng.* symlinks. Therefore, some packages like Tachyon, which by default look for -lpng are patched to look for -lpng16 instead.

Type

standard

Version Information

package-version.txt:

```
1.6.29.p1
```

Equivalent System Packages

conda:

```
$ conda install libpng-devel
```

freebsd:

```
$ sudo pkg install libpng-devel
```

homebrew:

```
$ brew install libpng-devel
```

macports: install the following packages: libpng-devel opensuse:

```
$ sudo zypper install libpng-devel
```

slackware:

```
$ sudo slackpkg install libpng-devel
```

void:

```
$ sudo xbps-install libpng-devel
```

See <https://repology.org/project/libpng-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.132 libsemigroups: Library for semigroups and monoids

Description

C++ library for semigroups and monoids; used in GAP's package Semigroups.

License

GPL-3.0

Upstream Contact

<http://james-d-mitchell.github.io/libsemigroups> <https://github.com/james-d-mitchell/libsemigroups>

Type

optional

Version Information

package-version.txt:

1.0.9

Equivalent System Packages

conda:

```
$ conda install libsemigroups
```

freebsd:

```
$ sudo pkg install libsemigroups
```

opensuse:

```
$ sudo zypper install libsemigroups
```

See <https://repology.org/project/libsemigroups/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.133 libtheora: Library for the Theora video codec**Description**

libtheora is the official reference library for the Theora video codec. Theora is a free and open video compression format from the Xiph.org Foundation.

Website: <http://www.xiph.org/theora>

License

Copyright (c) 2002, Xiph.org Foundation

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Xiph.org Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Upstream Contact

The Xiph.org mailing lists - see <http://lists.xiph.org/mailman/listinfo>

Dependencies

This spkg depends on

- libogg
- libpng

This spkg provides dependencies for

- the Sage library

Special Update/Build Instructions

- No changes went into src.

Type

experimental

Version Information

package-version.txt:

```
1.1.1
```

Equivalent System Packages

conda:

```
$ conda install libtheora
```

macports: install the following packages: libtheora opensuse:

```
$ sudo zypper install libtheora
```

See <https://repology.org/project/libtheora/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.134 libxml2: XML parser and toolkit

Description

XML C parser and toolkit

License

MIT

Upstream Contact

<http://www.xmlsoft.org/index.html>

Type

optional

Version Information

Equivalent System Packages

alpine: install the following packages: libxml2-devel arch:

```
$ sudo pacman -S libxml2-devel
```

cygwin:

```
$ apt-cyg install libxml2-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install libxml2-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libxml2-devel
```

freebsd:

```
$ sudo pkg install libxml2-devel
```

gentoo:

```
$ sudo emerge libxml2-devel
```

homebrew:

```
$ brew install libxml2-devel
```

macports: install the following packages: libxml2-devel nix:

```
$ nix-env --install libxml2-devel
```

opensuse:

```
$ sudo zypper install libxml2-devel
```

slackware:

```
$ sudo slackpkg install libxml2-devel
```

void:

```
$ sudo xbps-install libxml2-devel
```

See <https://repology.org/project/libxml2-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.135 lidia: A library for computational number theory

Description

A library for computational number theory.

Abandoned upstream and has disappeared from the web at TU Darmstadt.

We use as our new upstream a version minimally maintained for the LattE project.

<https://www.math.ucdavis.edu/~latte/software/packages/lidia/current/lidia-2.3.0+latte-patches-2014-10-04.tar.gz>

License

lidia is released under the GPL, or so it is claimed. See https://groups.google.com/forum/#!msg/sage-devel/kTxgPSqrbUM/5Txj3_IKhlQJ and <https://lists.debian.org/debian-legal/2007/07/msg00120.html>

Upstream Contact

Matthias Köppe, UC Davis, CA, USA

Dependencies

GMP.

Type

optional

Version Information

package-version.txt:

```
2.3.0+latte-patches-2019-05-02
```

Equivalent System Packages

See <https://repology.org/project/lidia/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.136 lie: Library for the representation theory of complex semisimple Lie groups and algebras

Description

LiE is the name of a software package that enables mathematicians and physicists to perform computations of a Lie group theoretic nature. It focuses on the representation theory of complex semisimple (reductive) Lie groups and algebras, and on the structure of their Weyl groups and root systems.

LiE does not compute directly with elements of the Lie groups and algebras themselves; it rather computes with weights, roots, characters and similar objects. Some specialities of LiE are: tensor product decompositions, branching to subgroups, Weyl group orbits, reduced elements in Weyl groups, distinguished coset representatives and much more. These operations have been compiled into the program which results in fast execution: typically one or two orders of magnitude faster than similar programs written in a general purpose program.

The LiE programming language makes it possible to customise and extend the package with more mathematical functions. A user manual is provided containing many examples.

LiE establishes an interactive environment from which commands can be given that involve basic programming primitives and powerful built-in functions. These commands are read by an interpreter built into the package and passed to the core of the system. This core consists of programs representing some 100 mathematical functions. The interpreter offers on-line facilities which explain operations and functions, and which give background information about Lie group theoretical concepts and about currently valid definitions and values.

(from <http://www-math.univ-poitiers.fr/~maavl/LiE/description.html>)

License

GNU Lesser General Public License (LGPL), version unspecified

Upstream Contact

- Marc van Leeuwen, <http://www-math.univ-poitiers.fr/~maavl/>

Dependencies

- readline
- ncurses
- bison (not included in this package or in Sage!)

Type

experimental

Version Information

package-version.txt:

2.2.2

Equivalent System Packages

macports: install the following packages: lie See <https://repology.org/project/lie/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.137 linbox: Linear algebra with dense, sparse, structured matrices over the integers and finite fields

Description

LinBox is a C++ template library for exact, high-performance linear algebra computation with dense, sparse, and structured matrices over the integers and over finite fields.

License

LGPL V2 or later

Upstream Contact

- <https://linalg.org/>
- <linbox-devel@googlegroups.com>
- <linbox-use@googlegroups.com>

SPKG Repository

<https://bitbucket.org/malb/linbox-spkg>

Dependencies

- GNU patch
- GMP/MPFR
- MPFR
- NTL
- fpLLL
- IML
- M4RI
- M4RIE
- Givaro
- FFLAS/FFPACK
- ATLAS (non-OSX)/The Accelerate Framework (on OSX)
- ATLAS (non-MacOS X) / The Accelerate Framework (on MacOS X), or GSL's CBLAS

Special Update/Build Instructions

TODO:

- spkg-check is disabled for now, should work in the next release after 1.3.2.
- Check whether `make fullcheck` works/builds, is worth running, and doesn't take ages. (Version 1.1.6 doesn't seem to have such a target.)

Type

standard

Version Information

package-version.txt:

1.6.3.p1

Equivalent System Packages

arch:

```
$ sudo pacman -S linbox
```

conda:

```
$ conda install linbox
```

Debian/Ubuntu:

```
$ sudo apt-get install linbox
```

freebsd:

```
$ sudo pkg install linbox
```

nix:

```
$ nix-env --install linbox
```

opensuse:

```
$ sudo zypper install linbox
```

See <https://repology.org/project/linbox/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.138 lrcalc: Littlewood-Richardson calculator

Description

Littlewood-Richardson Calculator

<http://sites.math.rutgers.edu/~asbuch/lrcalc/>

License

GNU General Public License V2+

Upstream Contact

Anders S. Buch (asbuch@math.rutgers.edu)

<https://bitbucket.org/asbuch/lrcalc>

Type

standard

Version Information

package-version.txt:

```
1.2.pl
```

Equivalent System Packages

arch:

```
$ sudo pacman -S lrcalc
```

conda:

```
$ conda install lrcalc
```

Debian/Ubuntu:

```
$ sudo apt-get install lrcalc
```

Fedora/Redhat/CentOS:

```
$ sudo yum install lrcalc
```

freebsd:

```
$ sudo pkg install lrcalc
```

gentoo:

```
$ sudo emerge lrcalc
```

nix:

```
$ nix-env --install lrcalc
```

See <https://repology.org/project/lrcalc/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.139 Irslib: Reverse search algorithm for vertex enumeration and convex hull problems

Description

Irslib implements the linear reverse search algorithm of Avis and Fukuda.

See the homepage (<http://cgm.cs.mcgill.ca/~avis/C/Irs.html>) for details.

We use an autotoolized version from <https://github.com/mkoeppel/irslib/tree/autoconfiscation>

License

lrslib is released under a GPL v2+ license.

Upstream Contact

David Avis, avis at cs dot mcgill dot edu.

Dependencies

To build and install the “plrs” binary, a multi-thread version of lrs, need to first install the full Boost package (“sage -i boost”).

If the package finds an MPI C++ compiler script (mpic++), it also builds and installs the “mplrs” binary, a distributed version of lrs using MPI.

(Sage currently does not make use of plrs and mplrs.)

Special Update/Build Instructions

Type

optional

Version Information

package-version.txt:

```
062+autotools-2017-03-03.p1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S lrslib
```

conda:

```
$ conda install lrslib
```

Debian/Ubuntu:

```
$ sudo apt-get install lrslib
```

Fedora/Redhat/CentOS:

```
$ sudo yum install lrslib
```

freebsd:

```
$ sudo pkg install lrslib
```

gentoo:

```
$ sudo emerge lrslib
```

nix:

```
$ nix-env --install lrslib
```

opensuse:

```
$ sudo zypper install lrslib
```

See <https://repology.org/project/lrslib/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.140 m4ri: fast arithmetic with dense matrices over GF(2)

Description

M4RI: Library for matrix multiplication, reduction and inversion over GF(2). (See also `m4ri/README` for a brief overview.)

License

- GNU General Public License Version 2 or later (see `src/COPYING`)

Upstream Contact

- Authors: Martin Albrecht et al.
- Email: m4ri-devel@googlegroups.com
- Website: <https://bitbucket.org/malb/m4ri>

Dependencies

- libPNG

Special Update/Build Instructions

- Delete the upstream Mercurial repositories (file `m4ri/.hgtags`, directory `m4ri/.hg`).
- Delete the directory `m4ri/autom4te.cache` (if present).
- Delete `m4ri.vcproj` (and perhaps other unnecessary baggage).
- Touch `m4ri/configure` to make sure it is newer than its sources.

Type

standard

Version Information

package-version.txt:

```
20200115
```

Equivalent System Packages

arch:

```
$ sudo pacman -S libm4ri
```

conda:

```
$ conda install libm4ri
```

Debian/Ubuntu:

```
$ sudo apt-get install libm4ri
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libm4ri
```

freebsd:

```
$ sudo pkg install libm4ri
```

gentoo:

```
$ sudo emerge libm4ri
```

nix:

```
$ nix-env --install libm4ri
```

opensuse:

```
$ sudo zypper install libm4ri
```

See <https://repology.org/project/libm4ri/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.141 m4rie: Arithmetic with dense matrices over $\text{GF}(2^k)$

Description

M4RIE: Library for matrix multiplication, reduction and inversion over $\text{GF}(2^k)$ for $2 \leq k \leq 10$.

License

- GNU General Public License Version 2 or later (see src/COPYING)

Upstream Contact

- Authors: Martin Albrecht
- Email: <m4ri-devel@googlegroups.com>
- Website: <http://m4ri.sagemath.org>

Dependencies

- M4RI
- Givaro

Type

standard

Version Information

package-version.txt:

```
20200115
```

Equivalent System Packages

arch:

```
$ sudo pacman -S libm4rie
```

conda:

```
$ conda install libm4rie
```

Debian/Ubuntu:

```
$ sudo apt-get install libm4rie
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libm4rie
```

freebsd:

```
$ sudo pkg install libm4rie
```

gentoo:

```
$ sudo emerge libm4rie
```

nix:

```
$ nix-env --install libm4rie
```

opensuse:

```
$ sudo zypper install libm4rie
```

See <https://repology.org/project/libm4rie/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.142 markupsafe: Safely add untrusted strings to HTML/XML markup

Description

Implements a XML/HTML/XHTML Markup safe string for Python

License

Simplified BSD

Upstream Contact

Home page: <http://github.com/mitsuhiko/markupsafe>

Dependencies

Python, setuptools

Type

standard

Version Information

package-version.txt:

```
1.1.1
```

install-requires.txt:

```
markupsafe >=1.1.0
```

Equivalent System Packages

conda:

```
$ conda install python:markupsafe
```

macports: install the following packages: python:markupsafe opensuse:

```
$ sudo zypper install python:markupsafe
```

See <https://repology.org/project/python:markupsafe/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.143 mathjax: A JavaScript library for displaying mathematical formulas

Description

MathJax is a JavaScript library for displaying mathematical formulas.

MathJax is used by the Jupyter notebook and the Sphinx documentation.

License

Apache License, version 2.0

Upstream Contact

Home page: <https://www.mathjax.org/>

Dependencies

None.

Special Update/Build Instructions

None.

Patches

- `nopng_config.patch`: prevent font warning messages since png files are removed. See section “Trimming II – not strictly necessary” of <https://github.com/mathjax/MathJax-docs/wiki/Guide%3A-reducing-size-of-a-mathjax-installation>

Type

standard

Version Information

package-version.txt:

```
2.7.4.p0
```

Equivalent System Packages

conda:

```
$ conda install mathjax
```

opensuse:

```
$ sudo zypper install mathjax
```

See <https://repology.org/project/mathjax/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.144 matplotlib: Python 2D plotting library

Description

From the Matplotlib website: matplotlib is a python 2D plotting library which produces publication quality figures in a variety of hardcopy formats and interactive environments across platforms. matplotlib can be used in python scripts, the python and ipython shell (ala matlab or mathematica), web application servers, and six graphical user interface toolkits.

License

The Matplotlib license - see <http://matplotlib.sourceforge.net/users/license.html>: Matplotlib only uses BSD compatible code, and its license is based on the PSF license. See the Open Source Initiative licenses page for details on individual licenses. Non-BSD compatible licenses (eg LGPL) are acceptable in matplotlib Toolkits. For a discussion of the motivations behind the licencing choice, see Licenses.

Upstream Contact

<https://matplotlib.org>

The matplotlib mailing lists: see <http://sourceforge.net/projects/matplotlib>

Dependencies

- python
- numpy
- setuptools (≥ 0.7)
- freetype
- patch (used in spkg-install)
- dateutil
- pyparsing
- tornado
- kiwisolver

Build Instructions/Changes

- NOTE: To drastically cut down on spkg size, we delete the internal testing images. To do this, we repackage the tarball by removing the contents of `lib/matplotlib/tests/baseline_images/*`, this is done by the `spkg-src` script.
- `setup.py.patch`: disable loading of Tests. Otherwise, `setup.py` raises an error because it can't find the deleted files from `src/lib/matplotlib/tests/baseline_images/*`
- NOTE: as of matplotlib-1.0.0 and Sage 4.6, Sage does not use `$HOME/.matplotlib` by default. Instead, it sets `MPLCONFIGDIR` to a subdirectory in `$DOT_SAGE`, see `src/bin/sage-env`

Type

standard

Version Information

package-version.txt:

```
3.3.4
```

install-requires.txt:

```
matplotlib >=3.3.1
```

Equivalent System Packages

conda:

```
$ conda install python:matplotlib
```

macports: install the following packages: python:matplotlib opensuse:

```
$ sudo zypper install python:matplotlib
```

See <https://repology.org/project/python:matplotlib/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.145 maxima: System for manipulating symbolic and numerical expressions

Description

Maxima is a system for the manipulation of symbolic and numerical expressions, including differentiation, integration, Taylor series, Laplace transforms, ordinary differential equations, systems of linear equations, polynomials, and sets, lists, vectors, matrices, and tensors. Maxima yields high precision numeric results by using exact fractions, arbitrary precision integers, and variable precision floating point numbers. Maxima can plot functions and data in two and three dimensions.

For more information, see the Maxima web site

<http://maxima.sourceforge.net>

License

Maxima is distributed under the GNU General Public License, with some export restrictions from the U.S. Department of Energy. See the file COPYING.

Upstream Contact

- The Maxima mailing list - see <http://maxima.sourceforge.net/maximalist.html>

Dependencies

- ECL (Embedded Common Lisp)

Special Update/Build Instructions

1. Go to <http://sourceforge.net/projects/maxima/files/Maxima-source/> and download the source tarball maxima-x.y.z.tar.gz; place it in the upstream/ directory.
2. Update package-version.txt and run 'sage -package fix-checksum'.
3. Make sure the patches still apply cleanly, and update them if necessary.
4. Test the resulting package.

All patch files in the patches/ directory are applied. Descriptions of these patches are either in the patch files themselves or below.

- 0001-taylor2-Avoid-blowing-the-stack-when-diff-expand-isn.patch: Fix for Maxima bug #2520 (abs_integrate fails on abs(sin(x)) and abs(cos(x))). Introduced in Trac #13364 (Upgrade Maxima to 5.29.1).
- build-fasl.patch: Build a fasl library for ecl in addition to an executable program. Introduced in Trac #16178 (Build maxima fasl without asdf).
- infodir.patch: Correct the path to the Info directory. Introduced in Trac #11348 (maxima test fails when install tree is moved).
- matrixexp.patch: Fix matrixexp(matrix([%i*%pi])), which broke after Maxima 5.29.1. Introduced in Trac #13973.
- maxima.system.patch: Set c::*compile-in-constants* to t. Introduced in Trac #11966 (OS X 10.7 Lion: Maxima fails to build).
- undoing_true_false_printing_patch.patch: Revert an upstream change causing '?' to be printed around some words. Introduced in Trac #13364 (Upgrade Maxima to 5.29.1).

Type

standard

Version Information

package-version.txt:

5.44.0

Equivalent System Packages

arch:

```
$ sudo pacman -S maxima maxima-ecl maxima-sage
```

conda:

```
$ conda install maxima maxima-ecl maxima-sage
```

Debian/Ubuntu:

```
$ sudo apt-get install maxima maxima-ecl maxima-sage
```

macports: install the following packages: maxima maxima-ecl maxima-sage nix:

```
$ nix-env --install maxima maxima-ecl maxima-sage
```

opensuse:

```
$ sudo zypper install maxima maxima-ecl maxima-sage
```

See <https://repology.org/project/maxima/versions>, <https://repology.org/project/maxima-ecl/versions>, <https://repology.org/project/maxima-sage/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.146 mcqd: An exact algorithm for finding a maximum clique in an undirected graph

Description

MaxCliqueDyn is a fast exact algorithm for finding a maximum clique in an undirected graph.

License

GPL 3

Upstream Contact

MCQD is currently being maintained by Janez Konc. <https://gitlab.com/janezkonc/mcqd>

Dependencies

None

Type

optional

Version Information

package-version.txt:

```
1.0.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S mcqd
```

opensuse:

```
$ sudo zypper install mcqd
```

See <https://repology.org/project/mcqd/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.147 meataxe: Library for computing with modular representations**Description**

SharedMeatAxe 1.0 is an autotoolized shared library version of C MeatAxe 2.4.24, a set of programs for computing with modular representations. The package comprises a shared library “libmtx”, as well as several executables.

See <http://users.minet.uni-jena.de/~king/SharedMeatAxe/> for the package documentation.

Licence

The Shared Meat-Axe is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 2 of the License, or (at your option) any later version. See the file COPYING.

Upstream contact

- Simon King <simon.king@uni-jena.de>

Type

optional

Version Information

package-version.txt:

```
1.0.1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S shared-meataxe sharedmeataxe
```

Fedora/Redhat/CentOS:

```
$ sudo yum install shared-meataxe sharedmeataxe
```

See <https://repology.org/project/shared-meataxe/versions>, <https://repology.org/project/sharedmeataxe/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.148 mistune: A markdown parser in pure Python

Description

The fastest markdown parser in pure Python

License

BSD License

Upstream Contact

Home Page: <https://github.com/lepture/mistune>

Dependencies

Python, Cython, Pip

Type

standard

Version Information

package-version.txt:

```
0.8.4
```

install-requires.txt:

```
mistune >=0.8.4
```

Equivalent System Packages

conda:

```
$ conda install mistune python:mistune
```

See <https://repology.org/project/mistune/versions>, <https://repology.org/project/python:mistune/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.149 modular_decomposition: A modular decomposition algorithm

Description

This is an implementation of a modular decomposition algorithm.

<http://www.liafa.jussieu.fr/~fm/> (in french)

License

GPL

Upstream Contact

Fabien de Montgolfier

<http://www.liafa.jussieu.fr/~fm/>

Dependencies

None

Patches

None

Type

experimental

Version Information

package-version.txt:

20100607

Equivalent System Packages

See <https://repology.org/project/modular-decomposition/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.150 mpc: Arithmetic of complex numbers with arbitrarily high precision and correct rounding

Description

From <http://www.multiprecision.org/mpc>: GNU MPC is a C library for the arithmetic of complex numbers with arbitrarily high precision and correct rounding of the result. It extends the principles of the IEEE-754 standard for fixed precision real floating point numbers to complex numbers, providing well-defined semantics for every operation. At the same time, speed of operation at high precision is a major design goal.

License

LGPLv3+ for the code and GFDLv1.3+ (with no invariant sections) for the documentation.

Upstream Contact

The MPC website is located at <http://www.multiprecision.org/mpc>.

The MPC team can be contacted via the MPC mailing list:

mpc-discuss@lists.gforge.inria.fr

Dependencies

- MPPIR
- MPFR

Special Update/Build Instructions

- `mpc_mul_faster.patch`: Patch from Paul Zimmermann to speed up MPC multiplication (for small precisions) by reducing overhead in MPFR operations.

Type

standard

Version Information

package-version.txt:

```
1.1.0
```

Equivalent System Packages

conda:

```
$ conda install mpc libmpc-devel
```

cygwin:

```
$ apt-cyg install mpc libmpc-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install mpc libmpc-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install mpc libmpc-devel
```

freebsd:

```
$ sudo pkg install mpc libmpc-devel
```

gentoo:

```
$ sudo emerge mpc libmpc-devel
```

homebrew:

```
$ brew install mpc libmpc-devel
```

nix:

```
$ nix-env --install mpc libmpc-devel
```

opensuse:

```
$ sudo zypper install mpc libmpc-devel
```

void:

```
$ sudo xbps-install mpc libmpc-devel
```

See <https://repology.org/project/mpc/versions>, <https://repology.org/project/libmpc-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.151 mpfi: Multiple precision interval arithmetic library based on MPFR

Description

MPFI is a library for interval arithmetic, which is built upon the MPFR multiple precision floating-point arithmetic.

MPFI is intended to be a portable library written in C for arbitrary precision interval arithmetic with intervals represented using MPFR reliable floating-point numbers. It is based on the GNU MP library and on the MPFR library. The purpose of an arbitrary precision interval arithmetic is on the one hand to get “guaranteed” results, thanks to interval computation, and on the other hand to obtain accurate results, thanks to multiple precision arithmetic. The MPFI library is built upon MPFR in order to benefit from the correct rounding provided, for each operation or function, by MPFR. Further advantages of using MPFR are its portability and compliance with the IEEE 754 standard for floating-point arithmetic.

License

This version of MPFI is released under the GNU Lesser General Public License. It is permitted to link MPFI to non-free programs, as long as when distributing them the MPFI source code and a means to re-link with a modified MPFI is provided.

Upstream Contact

<http://perso.ens-lyon.fr/nathalie.revol/software.html>

The MPFI website is located at <http://mpfi.gforge.inria.fr/>

The MPFI team can be contacted via the MPFI mailing list: mpfi-users@lists.gforge.inria.fr

Dependencies

- GMP
- MPFR

Type

standard

Version Information

package-version.txt:

```
1.5.2
```

Equivalent System Packages

conda:

```
$ conda install mpfi
```

Debian/Ubuntu:

```
$ sudo apt-get install mpfi
```

freebsd:

```
$ sudo pkg install mpfi
```

gentoo:

```
$ sudo emerge mpfi
```

homebrew:

```
$ brew install mpfi
```

nix:

```
$ nix-env --install mpfi
```

opensuse:

```
$ sudo zypper install mpfi
```

See <https://repology.org/project/mpfi/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.152 mpfr: Multiple-precision floating-point computations with correct rounding

Description

The MPFR library is a C library for multiple-precision floating-point computations with correct rounding. MPFR has continuously been supported by the INRIA and the current main authors come from the Caramba and AriC project-teams at Loria (Nancy, France) and LIP (Lyon, France) respectively; see more on the credit page. MPFR is based on the GMP multiple-precision library.

The main goal of MPFR is to provide a library for multiple-precision floating-point computation which is both efficient and has a well-defined semantics. It copies the good ideas from the ANSI/IEEE-754 standard for double-precision floating-point arithmetic (53-bit significand).

License

MPFR is free. It is distributed under the GNU Lesser General Public License (GNU Lesser GPL), version 3 or later (2.1 or later for MPFR versions until 2.4.x). The library has been registered in France by the Agence de Protection des Programmes under the number IDDN FR 001 120020 00 R P 2000 000 10800, on 15 March 2000. This license guarantees your freedom to share and change MPFR, to make sure MPFR is free for all its users. Unlike the ordinary General Public License, the Lesser GPL enables developers of non-free programs to use MPFR in their programs. If you have written a new function for MPFR or improved an existing one, please share your work!

Upstream Contact

The MPFR website is located at <http://mpfr.org/>

The MPFR team can be contacted via the MPFR mailing list: mpfr@loria.fr

Dependencies

- GMP/MPFR
- GNU patch

Special Update/Build Instructions

- Make sure MPFR's settings of `CC` and `CFLAGS` still get properly extracted, currently from its `config.log` in the `src/` directory.
- We should remove the `configure` option `--disable-thread-safe` in case the issues without that have meanwhile been fixed. (Then we should actually pass `--enable-thread-safe`.)

TODO

- `--disable-thread-safe` should be switched to `--enable-thread-safe`, need to check that this works on the buildbot machines

Type

standard

Version Information

package-version.txt:

```
4.0.1.p0
```

Equivalent System Packages

conda:

```
$ conda install mpfr
```

cygwin:

```
$ apt-cyg install mpfr
```

Debian/Ubuntu:

```
$ sudo apt-get install mpfr
```

Fedora/Redhat/CentOS:

```
$ sudo yum install mpfr
```

freebsd:

```
$ sudo pkg install mpfr
```

gentoo:

```
$ sudo emerge mpfr
```

homebrew:

```
$ brew install mpfr
```

opensuse:

```
$ sudo zypper install mpfr
```

slackware:

```
$ sudo slackpkg install mpfr
```

void:

```
$ sudo xbps-install mpfr
```

See <https://repology.org/project/mpfr/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.153 mpfrcx: Arithmetic of univariate polynomials over arbitrary precision real or complex numbers

Description

Mpfrcx is a library for the arithmetic of univariate polynomials over arbitrary precision real (Mpfr) or complex (Mpc) numbers, without control on the rounding. For the time being, only the few functions needed to implement the floating point approach to complex multiplication are implemented. On the other hand, these comprise asymptotically fast multiplication routines such as Toom–Cook and the FFT.

License

MPFRCX is distributed under the Gnu Lesser General Public License, either version 2.1 of the licence, or (at your option) any later version (LGPLv2.1+).

Upstream Contact

The MPFRCX website is located at <http://www.multiprecision.org/mpfrcx> .

Type

optional

Version Information

package-version.txt:

0.5

Equivalent System Packages

opensuse:

<pre>\$ sudo zypper install mpfrcx</pre>
--

See <https://repology.org/project/mpfrcx/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.154 mpir: Multiple precision integers and rationals (fork of GMP)

Description

Multiple Precision Integers and Rationals.

MPIR is an open source multiprecision integer library derived from version 5.0.1 of the GMP (GNU Multi Precision) project (which was licensed LGPL v2+).

See <http://www.mpir.org>

License

- LGPL V3+

Upstream Contact

- The Google group `mpir-devel`
- thempirteam@googlemail.com

Dependencies

- `iconv`
- `GNU patch`

Special Update/Build Instructions

- TODO:
- Perhaps also modify `CXXFLAGS` (and/or `CPPFLAGS`).
- We currently don't use anything of GMP's/MPIR's `CC` setting, and matching with the current compiler (`$CC`) is perhaps suboptimal.
- Remove some files / directories not needed for Sage from upstream:
- `build.vc*` directories (Microsoft Visual C build files)
- `3.0.0-644faf502c56f97d9accd301965fc57d6ec70868` was created by running the `spkg-src` script.

Type

standard

Version Information

package-version.txt:

```
3.0.0-644faf502c56f97d9accd301965fc57d6ec70868.p0
```

Equivalent System Packages

conda:

```
$ conda install mpir
```

freebsd:

```
$ sudo pkg install mpir
```

opensuse:

```
$ sudo zypper install mpir
```

See <https://repology.org/project/mpir/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.155 mpmath: Pure Python library for multiprecision floating-point arithmetic

Description

Mpmath is a pure-Python library for multiprecision floating-point arithmetic. It provides an extensive set of transcendental functions, unlimited exponent sizes, complex numbers, interval arithmetic, numerical integration and differentiation, root-finding, linear algebra, and much more. Almost any calculation can be performed just as well at 10-digit or 1000-digit precision, and in many cases mpmath implements asymptotically fast algorithms that scale well for extremely high precision work. If available, mpmath will (optionally) use gmpy to speed up high precision operations.

Upstream Contact

- Author: Fredrik Johansson
- Email: fredrik.johansson@gmail.com
- <http://mpmath.org>
- Website: <https://github.com/fredrik-johansson/mpmath/>

Dependencies

- Python

Type

standard

Version Information

package-version.txt:

```
1.1.0
```

install-requires.txt:

```
mpmath >=1.1.0
```

Equivalent System Packages

conda:

```
$ conda install mpmath python:mpmath
```

See <https://repology.org/project/mpmath/versions>, <https://repology.org/project/python:mpmath/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.156 nauty: Find automorphism groups of graphs, generate non-isomorphic graphs

Description

Nauty has various tools for finding the automorphism group of a graph, generating non-isomorphic graphs with certain properties, etc.

License

Since version 2.6, nauty license is GPL-compatible, see

<http://users.cecs.anu.edu.au/~bdm/nauty/COPYRIGHT.txt>

(a copy of this file, called COPYRIGHT, is also present in the tarball)

Special Packaging Instruction

Upstream distribute tarball named `nauty${version}.tar.gz`. We cannot deal with that so rename it `nauty-${version}.tar.gz` (notice the “-”) without any changes.

Upstream Contact

Brendan D. McKay, Computer Science Department Australian National University bdm@cs.anu.edu.au

Adolfo Piperno, Dipartimento di Informatica Sapienza - Università di Roma piperno@di.uniroma1.it

See <http://cs.anu.edu.au/~bdm/nauty/> Or <http://pallini.di.uniroma1.it/>

Type

standard

Version Information

package-version.txt:

```
27rl.pl
```

Equivalent System Packages

arch:

```
$ sudo pacman -S nauty
```

conda:

```
$ conda install nauty
```

Debian/Ubuntu:

```
$ sudo apt-get install nauty
```

Fedora/Redhat/CentOS:

```
$ sudo yum install nauty
```

freebsd:

```
$ sudo pkg install nauty
```

homebrew:

```
$ brew install nauty
```

nix:

```
$ nix-env --install nauty
```

opensuse:

```
$ sudo zypper install nauty
```

See <https://repology.org/project/nauty/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.157 nbconvert: Converting Jupyter Notebooks

Description

jupyter nbconvert converts notebooks to various other formats via Jinja templates.

Type

standard

Version Information

package-version.txt:

```
5.6.1
```

install-requires.txt:

```
nbconvert >=5.6.1
```

Equivalent System Packages

conda:

```
$ conda install nbconvert python:nbconvert jupyter-nbconvert python:jupyter-nbconvert
```

opensuse:

```
$ sudo zypper install nbconvert python:nbconvert jupyter-nbconvert python:jupyter-
↪nbconvert
```

See <https://repology.org/project/nbconvert/versions>, <https://repology.org/project/python:nbconvert/versions>, <https://repology.org/project/jupyter-nbconvert/versions>, <https://repology.org/project/python:jupyter-nbconvert/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.158 nbformat: Base implementation of the Jupyter notebook format**Description**

This package contains the base implementation of the Jupyter Notebook format, and Python APIs for working with notebooks.

Type

standard

Version Information

package-version.txt:

```
5.0.7
```

install-requires.txt:

```
nbformat >=5.0.7
```

Equivalent System Packages

conda:

```
$ conda install nbformat python:nbformat jupyter-nbformat python:jupyter-nbformat
```

opensuse:

```
$ sudo zypper install nbformat python:nbformat jupyter-nbformat python:jupyter-  
↪nbformat
```

See <https://repology.org/project/nbformat/versions>, <https://repology.org/project/python:nbformat/versions>, <https://repology.org/project/jupyter-nbformat/versions>, <https://repology.org/project/python:jupyter-nbformat/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.159 ncurses: Classic terminal output library

Description

Ncurses (new curses, pronounced “enn-curses”) started as a freely distributable “clone” of System V Release 4.0 (SVr4) curses. It has outgrown the “clone” description, and now contains many features which are not in SVr4 curses. Curses is a pun on the term “cursor optimization”. It is a library of functions that manage an application’s display on character-cell terminals (e.g., VT100).

The name “ncurses” was first used as the name of the curses library in Pavel Curtis’s pcurses, dated 1982. It was apparently developed on a BSD 4.4 system, at Cornell. Parts of pcurses are readily identifiable in ncurses, including the basics for the terminfo compiler (named compile in that package):

- the Caps, used to define the terminfo capabilities
- awk scripts MKcatab.awk, MKnames.awk
- the library modules used for the terminfo compiler.

Besides ncurses, parts of pcurses still survive in 2010, in recognizable form in Solaris.

Website: <http://invisible-island.net/ncurses>

License

- MIT-style

Upstream Contact

- bug-ncurses@gnu.org

Dependencies

None

Special Update/Build Instructions

None

Type

standard

Version Information

package-version.txt:

```
6.0.p0
```

Equivalent System Packages

conda:

```
$ conda install ncurses-devel
```

cygwin:

```
$ apt-cyg install ncurses-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install ncurses-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install ncurses-devel
```

freebsd:

```
$ sudo pkg install ncurses-devel
```

macports: install the following packages: ncurses-devel opensuse:

```
$ sudo zypper install ncurses-devel
```

slackware:

```
$ sudo slackpkg install ncurses-devel
```

void:

```
$ sudo xbps-install ncurses-devel
```

See <https://repology.org/project/ncurses-devel/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.160 networkx: Python package for complex networks

Description

NetworkX (NX) is a Python package for the creation, manipulation, and study of the structure, dynamics, and functions of complex networks.

License

BSD

Upstream Contact

<https://networkx.github.io/>

Type

standard

Version Information

package-version.txt:

```
2.5
```

install-requires.txt:

```
# gentoo uses 2.5
networkx >=2.4, <2.6
```

Equivalent System Packages

conda:

```
$ conda install python:networkx
```

macports: install the following packages: `python:networkx` `opensuse:`

```
$ sudo zypper install python:networkx
```

See <https://repology.org/project/python:networkx/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.161 nibabel: Access a multitude of neuroimaging data formats

Description

Access a multitude of neuroimaging data formats

License

MIT License

Upstream Contact

<https://pypi.org/project/nibabel/>

Type

optional

Version Information

requirements.txt:

```
nibabel
```

Equivalent System Packages

conda:

```
$ conda install nibabel python:nibabel
```

macports: install the following packages: nibabel python:nibabel opensuse:

```
$ sudo zypper install nibabel python:nibabel
```

See <https://repology.org/project/nibabel/versions>, <https://repology.org/project/python:nibabel/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.162 ninja_build: A build system with a focus on speed

Description

Ninja is a small build system with a focus on speed.

License

Apache License 2.0

Upstream Contact

<https://ninja-build.org/>

Dependencies

None

Type

optional

Version Information

package-version.txt:

```
1.8.2
```

Equivalent System Packages

arch:

```
$ sudo pacman -S  ninja
```

conda:

```
$ conda install ninja
```

cygwin:

```
$ apt-cyg install ninja
```

Debian/Ubuntu:

```
$ sudo apt-get install  ninja
```

Fedora/Redhat/CentOS:

```
$ sudo yum install  ninja
```

freebsd:

```
$ sudo pkg install ninja
```

gentoo:

```
$ sudo emerge ninja
```

homebrew:

```
$ brew install ninja
```

macports: install the following packages: ninja opensuse:

```
$ sudo zypper install ninja
```

void:

```
$ sudo xbps-install  ninja
```

See <https://repology.org/project/ninja/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.163 nodeenv: A tool to create isolated node.js environments

Description

nodeenv (node.js virtual environment) is a tool to create isolated node.js environments.

It creates an environment that has its own installation directories, that doesn't share libraries with other node.js virtual environments.

License

BSD License

Upstream Contact

Home page: <https://github.com/ekalinin/nodeenv>

Dependencies

- Python

Type

optional

Version Information

requirements.txt:

```
nodeenv ~= 1.4.0
```

Equivalent System Packages

conda:

```
$ conda install nodeenv python:nodeenv
```

See <https://repology.org/project/nodeenv/versions>, <https://repology.org/project/python:nodeenv/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.164 nodejs: A JavaScript runtime built on Chrome's V8 JavaScript engine

Description

Node.js® is a JavaScript runtime built on Chrome's V8 JavaScript engine.

It is installed into an isolated nodeenv.

License

MIT License

Upstream Contact

Home page: <https://nodejs.org/>

Dependencies

- nodeenv

Type

optional

Version Information

package-version.txt:

```
12.18.3
```

Equivalent System Packages

conda:

```
$ conda install nodejs
```

opensuse:

```
$ sudo zypper install nodejs
```

See <https://repology.org/project/nodejs/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.165 **normaliz**: Computations in affine monoids, vector configurations, lattice polytopes, and rational cones

Description

Normaliz is a tool for computations in affine monoids, vector configurations, lattice polytopes, and rational cones.

For more details see <http://www.mathematik.uni-osnabrueck.de/normaliz/>

License

- GPL v3

Upstream Contact

- normaliz@uos.de
- Winfried Bruns <wbruns@uos.de>
- Christof Söger <csoeger@uos.de>
- see also <https://www.normaliz.uni-osnabrueck.de/home/contact/>
and <https://github.com/Normaliz>

Dependencies

- GMP/MPFR
- boost

Special Update/Build Instructions

- The spkg currently disables features that require packages SCIP and CoCoA, for which we don't have packages (yet).

Type

optional

Version Information

package-version.txt:

```
3.8.9
```

Equivalent System Packages

conda:

```
$ conda install normaliz libnormaliz
```

opensuse:

```
$ sudo zypper install normaliz libnormaliz
```

See <https://repology.org/project/normaliz/versions>, <https://repology.org/project/libnormaliz/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.166 nose: Python unit testing framework

Description

nose extends the test loading and running features of unittest, making it easier to write, find and run tests.

License

GNU LGPL

Upstream Contact

Author: Jason Pellerin Home Page: <http://readthedocs.org/docs/nose/>

see also <https://github.com/nose-devs/nose>

Dependencies

- setuptools / distribute
- Python
- GNU patch (shipped with Sage)

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
1.3.7
```

install-requires.txt:

```
nose >=1.3.7
```

Equivalent System Packages

conda:

```
$ conda install nose python:nose
```

macports: install the following packages: nose python:nose See <https://repology.org/project/nose/versions>, <https://repology.org/project/python:nose/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.167 notebook: Jupyter notebook, a web-based notebook environment for interactive computing

Description

The Jupyter HTML notebook is a web-based notebook environment for interactive computing.

Type

standard

Version Information

package-version.txt:

```
6.1.1
```

install-requires.txt:

```
notebook >=6.1.1
```

Equivalent System Packages

conda:

```
$ conda install python:notebook
```

macports: install the following packages: python:notebook See <https://repology.org/project/python:notebook/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.168 notedown: Create IPython notebooks from markdown

Description

Notedown is a simple tool to create IPython notebooks from markdown.

License

BSD 2-Clause License

Upstream Contact

Author: Aaron O’Leary Home page: <https://github.com/aaren/notedown>

Dependencies

- Python
- setuptools
- nbformat
- nbconvert
- six
- pandoc_attributes

Type

optional

Version Information

package-version.txt:

```
1.5.1
```

install-requires.txt:

```
notedown >=1.5.1
```

Equivalent System Packages

conda:

```
$ conda install python:notedown
```

See <https://repology.org/project/python:notedown/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.169 ntl: A library for doing number theory

Description

NTL is a high-performance, portable C++ library providing data structures and algorithms for manipulating signed, arbitrary length integers, and for vectors, matrices, and polynomials over the integers and over finite fields.

Website: <http://www.shoup.net/ntl/>

License

- GNU LGPLv2.1+

Upstream Contact

- Victor Shoup - for contact info see <http://www.shoup.net/>

Dependencies

- gmp
- gf2x

Special Update/Build Instructions

- None

Type

standard

Version Information

package-version.txt:

```
11.4.3
```

Equivalent System Packages

conda:

```
$ conda install ntl
```

cygwin:

```
$ apt-cyg install ntl
```

Debian/Ubuntu:

```
$ sudo apt-get install ntl
```

Fedora/Redhat/CentOS:

```
$ sudo yum install ntl
```

freebsd:

```
$ sudo pkg install ntl
```

gentoo:

```
$ sudo emerge ntl
```

homebrew:

```
$ brew install ntl
```

macports: install the following packages: ntl nix:

```
$ nix-env --install ntl
```

opensuse:

```
$ sudo zypper install ntl
```

See <https://repology.org/project/ntl/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.170 numpy: Package for scientific computing with Python

Description

This package adds numerical linear algebra and other numerical computing capabilities to python.

Upstream Contact

- <https://numpy.org/>
- Travis Oliphant
- Fernando Perez
- Brian Granger

Dependencies

- GNU patch
- Python
- Lapack
- Blas
- Atlas
- Fortran

Special Update/Build Instructions

- Scipy uses numpy's distutils to control its compilation of fortran code.
Whenever numpy is updated it is necessary to make sure that scipy still builds ok.

Type

standard

Version Information

package-version.txt:

```
1.19.5
```

install-requires.txt:

```
numpy >=1.19
```

Equivalent System Packages

conda:

```
$ conda install python:numpy
```

macports: install the following packages: python:numpy See <https://repology.org/project/python:numpy/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.171 openblas: An optimized implementation of BLAS (Basic Linear Algebra Subprograms)

Description

OpenBLAS is an optimized open library implementing the Basic Linear Algebra Subprograms (BLAS) specification. It is based on GotoBLAS2 1.13 BSD version.

License

3-clause BSD license

SPKG Repository

<https://www.openblas.net>

GitHub page: <https://github.com/xianyi/OpenBLAS>

Releases: <https://github.com/xianyi/OpenBLAS/releases>

Upstream Contact

- OpenBLAS users mailing list:
<https://groups.google.com/forum/#!forum/openblas-users>
- OpenBLAS developers mailing list:
<https://groups.google.com/forum/#!forum/openblas-dev>

Type

standard

Version Information

package-version.txt:

```
0.3.13
```

Equivalent System Packages

arch:

```
$ sudo pacman -S openblas-devel
```

conda:

```
$ conda install openblas-devel
```

cygwin:

```
$ apt-cyg install openblas-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install openblas-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install openblas-devel
```

freebsd:

```
$ sudo pkg install openblas-devel
```

gentoo:

```
$ sudo emerge openblas-devel
```

homebrew:

```
$ brew install openblas-devel
```

macports: install the following packages: openblas-devel nix:

```
$ nix-env --install openblas-devel
```

opensuse:

```
$ sudo zypper install openblas-devel
```

void:

```
$ sudo xbps-install openblas-devel
```

See <https://repology.org/project/openblas-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.172 openssl: Implementation of the SSL and TLS protocols

Description

From wikipedia: OpenSSL is an open source implementation of the SSL and TLS protocols. The core library (written in the C programming language) implements the basic cryptographic functions and provides various utility functions. Wrappers allowing the use of the OpenSSL library in a variety of computer languages are available.

License

- Apache License v2 (considered compatible with GPL v3)

Upstream Contact

- <http://openssl.org/>

Type

standard

Version Information

package-version.txt:

```
3.0.0-alpha12
```

Equivalent System Packages

alpine: install the following packages: libressl-openssl arch:

```
$ sudo pacman -S libressl-openssl
```

conda:

```
$ conda install libressl-openssl
```

cygwin:

```
$ apt-cyg install libressl-openssl
```

Debian/Ubuntu:

```
$ sudo apt-get install libressl-openssl
```

Fedora/Redhat/CentOS:

```
$ sudo yum install libressl-openssl
```

freebsd:

```
$ sudo pkg install libressl-openssl
```

homebrew:

```
$ brew install libressl-openssl
```

macports: install the following packages: libressl-openssl nix:

```
$ nix-env --install libressl-openssl
```

opensuse:

```
$ sudo zypper install libressl-openssl
```

slackware:

```
$ sudo slackpkg install libressl-openssl
```

void:

```
$ sudo xbps-install libressl-openssl
```

See <https://repology.org/project/libressl-openssl/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.173 ore_algebra: Ore algebra

Description

A Sage implementation of Ore algebras, Ore polynomials, and differentially finite functions.

Main features for the most common algebras include basic arithmetic and actions; `gcd` and `lcm`; D-finite closure properties; creative telescoping; natural transformations between related algebras; guessing; desingularization; solvers for polynomials, rational functions and (generalized) power series. Univariate differential operators also support the numerical computation of analytic solutions with rigorous error bounds and related features.

License

- GPL-2.0+

Upstream Contact

- Website: https://github.com/mkauers/ore_algebra/
- Sage accounts: mkauers, mmezzarobba

Dependencies

- None

Type

optional

Version Information

requirements.txt:

```
git+https://github.com/mkauers/ore_algebra@6826ac49b4cdf66a563449aced21a2fd1fd085c9
→#egg=ore_algebra
```

Equivalent System Packages

See <https://repology.org/project/ore-algebra/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.174 p_group_cohomology: Modular cohomology rings of finite groups

Description

Modular Cohomology Rings of Finite Groups

The package is located at <http://users.fmi.uni-jena.de/cohomology/>, that's to say the tarball `p_group_cohomology-x.y.tar.xz` can be found there and the documentation of the package is provided at <http://users.fmi.uni-jena.de/cohomology/documentation/>

License

Copyright (C) 2018 Simon A. King <simon.king@uni-jena.de> Copyright (C) 2011 Simon A. King <simon.king@uni-jena.de> Copyright (C) 2009 Simon A. King <simon.king@nuigalway.ie> and

David J. Green <david.green@uni-jena.de>

Distributed under the terms of the GNU General Public License (GPL), version 2 or later (at your choice).

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

The full text of the GPL is available at:

<http://www.gnu.org/licenses/>

The package includes a data base of cohomology rings of the groups of order 64 and provides access to a data base of cohomology rings of the groups of order 128 and 243, located at

<http://cohomology.uni-jena.de/db/>

These data bases are distributed under the Creative Commons Attribution-Share Alike 3.0 License. The full text of this licence is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

SPKG Maintainers

Simon A. King <simon.king@uni-jena.de>

Upstream Contact

Simon A. King <simon.king@uni-jena.de> David J. Green <david.green@uni-jena.de>

Acknowledgements

The development of the initial version of this SPKG was funded by the German Science Foundation, DFG project GR 1585/4.1, and was accomplished at the Friedrich Schiller University Jena.

Since version 1.0.1, the further work on this SPKG was funded by Marie Curie grant MTKD-CT-2006-042685 and was pursued at the National University of Ireland, Galway. Since November 2010, it is moved back to Jena.

We thank William Stein for giving us access to various computers on which we could build test the SPKG and on which some huge computations could be completed, and acknowledge the support by National Science Foundation Grant No. DMS-0821725.

We thank Mathieu Dutour Sikirić for hints on how to use GAP more efficiently.

We owe Peter Symonds the idea of using the Poincaré series in a rather efficient completeness criterion.

We are grateful to John Palmieri for his help on making p_group_cohomology work with python-3.

Dependencies

- The SharedMeatAxe needs to be installed, as a build time dependency.

This can be met by installing the meataxe spkg

Testing

Our package provides a very short test suite for David Green’s routines for the computation of minimal projective resolutions. The majority of this package’s tests is formed by doc tests in the Cython code. In fact, any class, method and function is covered by tests.

Note that internet access is required for these tests, as it is attempted to download cohomology rings from a public data base in the web.

The script `spkg-check` calls `sage -t --force_lib` on the files in `pGroupCohomology`.

Documentation

The documentation of this package is automatically built, if the environment variable `SAGE_SPKG_INSTALL_DOCS` is yes (do “`export SAGE_SPKG_INSTALL_DOCS=yes`” on the command line before installation). The documents are put into `SAGE_ROOT/local/share/doc/p_group_cohomology/`.

Type

optional

Version Information

package-version.txt:

```
3.3.2
```

install-requires.txt:

```
p_group_cohomology >=3.3
```

Equivalent System Packages

See <https://repology.org/project/sagemath-p-group-cohomology/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.175 packaging: Core utilities for Python packages

Description

Core utilities for Python packages

Type

standard

Version Information

package-version.txt:

```
20.4
```

install-requires.txt:

```
packaging >=18.0
# Trac #30975: packaging 20.5 is known to work but we have to silence
↪ "DeprecationWarning: Creating a LegacyVersion"
```

Equivalent System Packages

conda:

```
$ conda install packaging python:packaging
```

macports: install the following packages: packaging python:packaging See <https://repology.org/project/packaging/versions>, <https://repology.org/project/python:packaging/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.176 palp: A package for Analyzing Lattice Polytopes

Description

A Package for Analyzing Lattice Polytopes (PALP) is a set of C programs for calculations with lattice polytopes and applications to toric geometry.

It contains routines for vertex and facet enumeration, computation of incidences and symmetries, as well as completion of the set of lattice points in the convex hull of a given set of points. In addition, there are procedures specialised to reflexive polytopes such as the enumeration of reflexive subpolytopes, and applications to toric geometry and string theory, like the computation of Hodge data and fibration structures for toric Calabi-Yau varieties. The package is well tested and optimised in speed as it was used for time consuming tasks such as the classification of reflexive polyhedra in 4 dimensions and the creation and manipulation of very large lists of 5-dimensional polyhedra.

While originally intended for low-dimensional applications, the algorithms work in any dimension and our key routine for vertex and facet enumeration compares well with existing packages.

License

- When released, GPL 2 was in force.
- There is a link to a web page, which now points to GPL 3, but would have pointed to GPL 2 at the time the package was released.
- Therefore one can deduce the authors were happy for this to be released under GPL 2 or a later version.

Upstream Contact

- Author: Harald Skarke (skarke@maths.ox.ac.uk)
- Home page: <http://hep.itp.tuwien.ac.at/~kreuzer/CY/CYpalp.html>

Type

standard

Version Information

package-version.txt:

```
2.11
```

Equivalent System Packages

arch:

```
$ sudo pacman -S palp
```

conda:

```
$ conda install palp
```

Debian/Ubuntu:

```
$ sudo apt-get install palp
```

Fedora/Redhat/CentOS:

```
$ sudo yum install palp
```

nix:

```
$ nix-env --install palp
```

See <https://repology.org/project/palp/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.177 pandoc: A document converter

Description

This script package represents the document converter pandoc.

We do not have an SPKG for it. The purpose of this script package is to associate system package lists with it.

Type

optional

Version Information

Equivalent System Packages

alpine: install the following packages: pandoc arch:

```
$ sudo pacman -S pandoc
```

conda:

```
$ conda install pandoc
```

Debian/Ubuntu:

```
$ sudo apt-get install pandoc
```

Fedora/Redhat/CentOS:

```
$ sudo yum install pandoc
```

freebsd:

```
$ sudo pkg install pandoc
```

gentoo:

```
$ sudo emerge pandoc
```

homebrew:

```
$ brew install pandoc
```

macports: install the following packages: pandoc opensuse:

```
$ sudo zypper install pandoc
```

void:

```
$ sudo xbps-install pandoc
```

See <https://repology.org/project/pandoc/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.178 pandoc_attributes: A parser and generator for pandoc block attributes

Description

This is a simple parser / emitter for pandoc block attributes, intended for use with pandocfilters.

License

BSD 2-Clause License

Upstream Contact

- Author: Aaron O’Leary
- Home page: <https://github.com/aaren/pandoc-attributes>

Dependencies

- Python
- setuptools
- pandocfilters

Special Update/Build Instructions

There are no release numbers, hence find the latest commit, download [https://github.com/aaren/pandoc-attributes/archive/\\${COMMIT}.zip](https://github.com/aaren/pandoc-attributes/archive/${COMMIT}.zip) and rename it pandoc_attributes-\${COMMIT:0:8}.zip

Type

optional

Version Information

package-version.txt:

```
8bc82f6d
```

install-requires.txt:

```
pandoc_attributes >=8bc82f6d
```

Equivalent System Packages

conda:

```
$ conda install pandoc-attributes python:pandoc-attributes
```

See <https://repology.org/project/pandoc-attributes/versions>, <https://repology.org/project/python:pandoc-attributes/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.179 pandocfilters: A Python module for writing pandoc filters

Description

A python module for writing pandoc filters.

License

BSD 3-Clause License

Upstream Contact

Author: John MacFarlane Home page: <https://github.com/jgm/pandocfilters>

Dependencies

- Python

Special Update/Build Instructions

Download the last release from <https://pypi.python.org/pypi/pandocfilters>

Type

standard

Version Information

package-version.txt:

```
1.4.2
```

install-requires.txt:

```
pandocfilters >=1.4.2
```

Equivalent System Packages

conda:

```
$ conda install python:pandocfilters
```

macports: install the following packages: python:pandocfilters See <https://repology.org/project/python:pandocfilters/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.180 pari: Computer algebra system for fast computations in number theory

Description

PARI/GP is a widely used computer algebra system designed for fast computations in number theory (factorizations, algebraic number theory, elliptic curves...), but also contains a large number of other useful functions to compute with mathematical entities such as matrices, polynomials, power series, algebraic numbers etc., and a lot of transcendental functions. PARI is also available as a C library to allow for faster computations.

Originally developed by Henri Cohen and his co-workers (Université Bordeaux I, France), PARI is now under the GPL and maintained by Karim Belabas with the help of many volunteer contributors.

License

GPL version 2+

Upstream Contact

- <http://pari.math.u-bordeaux.fr/>

Dependencies

- Perl
- MPIR or GMP
- Readline
- GNU patch (shipped with Sage)

Special Update/Build Instructions

See patches/README.txt for a list of patches.

The current upstream tarball was created from the PARI git repository by running “make snapshot”.

Type

standard

Version Information

package-version.txt:

```
2.11.4.p1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata
```

conda:

```
$ conda install pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata
```

Debian/Ubuntu:

```
$ sudo apt-get install pari pari-devel pari-elldata pari-galdata pari-galpol pari-  
↪seadata
```

Fedora/Redhat/CentOS:

```
$ sudo yum install pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata
```

freebsd:

```
$ sudo pkg install pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata
```

gentoo:

```
$ sudo emerge pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata
```

homebrew:

```
$ brew install pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata
```

macports: install the following packages: pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata nix:

```
$ nix-env --install pari pari-devel pari-elldata pari-galdata pari-galpol pari-seadata
```

opensuse:

```
$ sudo zypper install pari pari-devel pari-elldata pari-galdata pari-galpol pari-  
↪seadata
```

void:

```
$ sudo xbps-install pari pari-devel pari-elldata pari-galdata pari-galpol pari-  
↪seadata
```

See <https://repology.org/project/pari/versions>, <https://repology.org/project/pari-devel/versions>, <https://repology.org/project/pari-elldata/versions>, <https://repology.org/project/pari-galdata/versions>, <https://repology.org/project/pari-galpol/versions>, <https://repology.org/project/pari-seadata/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.181 pari_elldata: PARI data package for elliptic curves

Description

PARI/GP version of J. E. Cremona Elliptic Curve Data, needed by `ellsearch` and `ellidentify`.

License

GNU General Public License (GPL version 2 or any later version).

Upstream Contact

<http://pari.math.u-bordeaux.fr/>

Dependencies

- Installation: None
- Runtime: PARI/GP

Type

optional

Version Information

package-version.txt:

```
20161017
```

Equivalent System Packages

arch:

```
$ sudo pacman -S pari-elldata
```

conda:

```
$ conda install pari-elldata
```

freebsd:

```
$ sudo pkg install pari-elldata
```

opensuse:

```
$ sudo zypper install pari-elldata
```

void:

```
$ sudo xbps-install pari-elldata
```

See <https://repology.org/project/pari-elldata/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.182 **pari_galdata: PARI data package needed to compute Galois groups in degrees 8 through 11**

Description

PARI package “galdata”: Needed by polgalois to compute Galois group in degrees 8 through 11.

License

GPL version 2+

Upstream Contact

<http://pari.math.u-bordeaux.fr/>

Dependencies

None (package contains data files only)

Type

standard

Version Information

package-version.txt:

```
20080411.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S pari-galdata
```

conda:

```
$ conda install pari-galdata
```

Fedora/Redhat/CentOS:

```
$ sudo yum install pari-galdata
```

freebsd:

```
$ sudo pkg install pari-galdata
```

opensuse:

```
$ sudo zypper install pari-galdata
```

void:

```
$ sudo xbps-install pari-galdata
```

See <https://repology.org/project/pari-galdata/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.183 `pari_galpol`: PARI data package for polynomials defining Galois extensions of the rationals

Description

PARI package of the GALPOL database of polynomials defining Galois extensions of the rationals, accessed by `galoisgetpol`, `galoisgetgroup`, `galoisgetname`.

License

GNU General Public License (GPL version 2 or any later version).

Upstream Contact

<http://pari.math.u-bordeaux.fr/>

Dependencies

- Installation: None
- Runtime: PARI/GP

Type

optional

Version Information

package-version.txt:

```
20180625
```

Equivalent System Packages

arch:

```
$ sudo pacman -S pari-galpol
```

conda:

```
$ conda install pari-galpol
```

Fedora/Redhat/CentOS:

```
$ sudo yum install pari-galpol
```

freebsd:

```
$ sudo pkg install pari-galpol
```

opensuse:

```
$ sudo zypper install pari-galpol
```

void:

```
$ sudo xbps-install pari-galpol
```

See <https://repology.org/project/pari-galpol/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.184 pari_jupyter: Jupyter kernel for PARI/GP

Description

A Jupyter kernel for PARI/GP

License

GPL version 3 or later

Upstream Contact

- https://github.com/jdemeyer/pari_jupyter
- Jeroen Demeyer <J.Demeyer@UGent.be>

Dependencies

- Python (tested with version 2.7.14 and 3.6.1)
- Jupyter 4
- PARI version 2.8.0 or later
- Readline (any version which works with PARI)
- Optional: Cython version 0.25 or later

Type

optional

Version Information

package-version.txt:

```
1.3.2
```

install-requires.txt:

```
pari_jupyter >=1.3.2
```

Equivalent System Packages

conda:

```
$ conda install pari-jupyter python:pari-jupyter
```

See <https://repology.org/project/pari-jupyter/versions>, <https://repology.org/project/python:pari-jupyter/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.185 pari_nftables: PARI data package for number fields

Description

Repackaging of the historical megrez number field tables (errors fixed, 1/10th the size, easier to use).

License

GNU General Public License (GPL version 2 or any later version).

Upstream Contact

<http://pari.math.u-bordeaux.fr/>

Dependencies

- Installation: None
- Runtime: PARI/GP

Type

optional

Version Information

package-version.txt:

```
20080929
```

Equivalent System Packages

conda:

```
$ conda install pari-nftables
```

freebsd:

```
$ sudo pkg install pari-nftables
```

opensuse:

```
$ sudo zypper install pari-nftables
```

See <https://repology.org/project/pari-nftables/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.186 `pari_seadata`: PARI data package needed by `ellap` for large primes (full version)

Description

Needed by `ellap` for large primes. These polynomials were extracted from the ECHIDNA databases and computed by David R. Kohel. This covers finite fields of cardinality q up to 750 bits. PARI/GP 2.9 contains fallback code to go on when all modular polynomials in the database have been exhausted and can handle larger fields (with an important slowdown).

License

GNU General Public License (GPL version 2 or any later version).

Upstream Contact

<http://pari.math.u-bordeaux.fr/>

Dependencies

- Installation: None
- Runtime: PARI/GP

Type

optional

Version Information

package-version.txt:

```
20090618
```

Equivalent System Packages

arch:

```
$ sudo pacman -S pari-seadata
```

conda:

```
$ conda install pari-seadata
```

Fedora/Redhat/CentOS:

```
$ sudo yum install pari-seadata
```

freebsd:


```
$ sudo pkg install pari-seadata
```

opensuse:

```
$ sudo zypper install pari-seadata
```

void:

```
$ sudo xbps-install pari-seadata
```

See <https://repology.org/project/pari-seadata/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.187 `pari_seadata_small`: PARI data package needed by ellap for large primes (small version)

Description

PARI package “`seadata_small`”: Needed by `ellap` for large primes. This “small” one is a much smaller version that should be suitable for primes up to 350 bits. These polynomials were extracted from the ECHIDNA databases and computed by David R. Kohel.

License

GPL version 2+

Upstream Contact

<http://pari.math.u-bordeaux.fr/>

Dependencies

None (package contains data files only)

Type

standard

Version Information

package-version.txt:

```
20090618.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S pari-seadata-small
```

conda:

```
$ conda install pari-seadata-small
```

freebsd:

```
$ sudo pkg install pari-seadata-small
```

See <https://repology.org/project/pari-seadata-small/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.188 parso: A Python parser

Description

Parso is a Python parser that supports error recovery and round-trip parsing for different Python versions (in multiple Python versions). Parso is also able to list multiple syntax errors in your python file.

Type

standard

Version Information

package-version.txt:

```
0.7.0
```

install-requires.txt:

```
parso >=0.7.0
```

Equivalent System Packages

conda:

```
$ conda install python:parso
```

macports: install the following packages: python:parso See <https://repology.org/project/python:parso/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.189 patch: Applies diffs and patches to files

Description

‘patch’ takes a patch file containing a difference listing produced by the ‘diff’ program and applies those differences to one or more original files, producing patched versions.

The version of ‘patch’ included is the GNU one. Some of the ‘diff’ files produced by GNU ‘diff’ are not acceptable to some versions of the ‘patch’ command, such as the ‘patch’ command that comes with Solaris.

License

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

Upstream Contact

Main web site: <http://savannah.gnu.org/projects/patch/>

Bug database: <http://savannah.gnu.org/bugs/?group=patch>

Submit bugs: <http://savannah.gnu.org/bugs/?func=additem&group=patch>

Mailing lists: bug-patch@gnu.org

Dependencies

None

Special Update/Build Instructions

In the event patches ever need to be made to this package, the method of applying the patches should not rely on the ‘patch’ existing on the system.

Type

standard

Version Information

package-version.txt:

2.7.5

Equivalent System Packages

arch:

```
$ sudo pacman -S patch
```

conda:

```
$ conda install patch
```

cygwin:

```
$ apt-cyg install patch
```

Debian/Ubuntu:

```
$ sudo apt-get install patch
```

Fedora/Redhat/CentOS:

```
$ sudo yum install patch
```

freebsd:

```
$ sudo pkg install patch
```

homebrew:

```
$ brew install patch
```

macports: install the following packages: patch opensuse:

```
$ sudo zypper install patch
```

slackware:

```
$ sudo slackpkg install patch
```

See <https://repology.org/project/patch/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.190 pcre: Perl-compatible regular expressions library

Description

Perl-compatible regular expressions library.

License

BSD License; see LICENCE (sic) at the root of the original tarball.

Upstream Contact

Mailing list at <https://lists.exim.org/mailman/listinfo/pcre-dev>

Dependencies

None listed.

Special Update/Build Instructions

None applicable (see README at tarball's root).

Type

standard

Version Information

package-version.txt:

```
8.40.p2
```

Equivalent System Packages

conda:

```
$ conda install pcre-devel pcre2-devel
```

cygwin:

```
$ apt-cyg install pcre-devel pcre2-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install pcre-devel pcre2-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install pcre-devel pcre2-devel
```

freebsd:

```
$ sudo pkg install pcre-devel pcre2-devel
```

homebrew:

```
$ brew install pcre-devel pcre2-devel
```

macports: install the following packages: pcre-devel pcre2-devel opensuse:

```
$ sudo zypper install pcre-devel pcre2-devel
```

slackware:

```
$ sudo slackpkg install pcre-devel pcre2-devel
```

void:

```
$ sudo xbps-install pcre-devel pcre2-devel
```

See <https://repology.org/project/pcre-devel/versions>, <https://repology.org/project/pcre2-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.191 perl_cpan_polymake_prereq: Represents all Perl packages that are prerequisites for polymake

Description

This script package represents all Perl packages that are prerequisites for polymake.

License

Various free software licenses

Type

optional

Version Information

Equivalent System Packages

cpan: install the following packages: XML-Writer XML-LibXML XML-LibXSLT File-Slurp dev-perl/Term-ReadLine-Gnu JSON SVG dev-perl/MongoDB Debian/Ubuntu:

```
$ sudo apt-get install XML-Writer XML-LibXML XML-LibXSLT File-Slurp dev-perl/Term-  
↪ReadLine-Gnu JSON SVG dev-perl/MongoDB
```

Fedora/Redhat/CentOS:

```
$ sudo yum install XML-Writer XML-LibXML XML-LibXSLT File-Slurp dev-perl/Term-  
↪ReadLine-Gnu JSON SVG dev-perl/MongoDB
```

freebsd:

```
$ sudo pkg install XML-Writer XML-LibXML XML-LibXSLT File-Slurp dev-perl/Term-  
↪ReadLine-Gnu JSON SVG dev-perl/MongoDB
```

gentoo:

```
$ sudo emerge XML-Writer XML-LibXML XML-LibXSLT File-Slurp dev-perl/Term-ReadLine-Gnu_
↪JSON SVG dev-perl/MongoDB
```

If the system package is installed, `./configure` will check whether it can be used.

4.1.192 perl_term_readline_gnu: Perl extension for the GNU Readline/History libraries

Description

Perl extension for the GNU Readline/History Library

Available on CPAN

License

The Perl 5 License (Artistic 1 & GPL 1)

Upstream Contact

Hiroo HAYASHI

Dependencies

readline

Type

experimental

Version Information

package-version.txt:

```
1.35
```

Equivalent System Packages

arch:

```
$ sudo pacman -S perl-Term-ReadLine-Gnu
```

cpan: install the following packages: perl-Term-ReadLine-Gnu cygwin:

```
$ apt-cyg install perl-Term-ReadLine-Gnu
```

Debian/Ubuntu:

```
$ sudo apt-get install perl-Term-ReadLine-Gnu
```

Fedora/Redhat/CentOS:

```
$ sudo yum install perl-Term-ReadLine-Gnu
```

freebsd:

```
$ sudo pkg install perl-Term-ReadLine-Gnu
```

gentoo:

```
$ sudo emerge perl-Term-ReadLine-Gnu
```

macports: install the following packages: perl-Term-ReadLine-Gnu opensuse:

```
$ sudo zypper install perl-Term-ReadLine-Gnu
```

void:

```
$ sudo xbps-install perl-Term-ReadLine-Gnu
```

See <https://repology.org/project/perl-Term-ReadLine-Gnu/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.193 pexpect: Python module for controlling and automating other programs

Description

Pexpect is a pure Python module for spawning child applications; controlling them; and responding to expected patterns in their output.

License

ISC license: <http://opensource.org/licenses/isc-license.txt> This license is approved by the OSI and FSF as GPL-compatible.

Upstream Contact

- <http://pexpect.readthedocs.org/en/stable/>
- <https://github.com/pexpect/pexpect>

Dependencies

- GNU patch
- Python

Type

standard

Version Information

package-version.txt:

```
4.8.0
```

install-requires.txt:

```
pexpect >=4.8.0
```

Equivalent System Packages

conda:

```
$ conda install pexpect python:pexpect
```

macports: install the following packages: pexpect python:pexpect opensuse:

```
$ sudo zypper install pexpect python:pexpect
```

See <https://repology.org/project/pexpect/versions>, <https://repology.org/project/python:pexpect/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.194 pickleshare: A ‘shelve’ like datastore with concurrency support

Description

PickleShare - a small ‘shelve’ like datastore with concurrency support

Like shelve, a PickleShareDB object acts like a normal dictionary. Unlike shelve, many processes can access the database simultaneously. Changing a value in database is immediately visible to other processes accessing the same database.

Concurrency is possible because the values are stored in separate files. Hence the “database” is a directory where all files are governed by PickleShare.

Type

standard

Version Information

package-version.txt:

```
0.7.5
```

install-requires.txt:

```
pickleshare >=0.7.5
```

Equivalent System Packages

conda:

```
$ conda install pickleshare python:pickleshare
```

macports: install the following packages: pickleshare python:pickleshare opensuse:

```
$ sudo zypper install pickleshare python:pickleshare
```

See <https://repology.org/project/pickleshare/versions>, <https://repology.org/project/python:pickleshare/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.195 pillow: Python Imaging Library

Description

Pillow is the “friendly” PIL fork by Alex Clark and Contributors.

The Python Imaging Library (PIL) adds powerful image processing and graphics capabilities to Python. The library supports many file formats.

License

Standard PIL License

Upstream Contact

- Author: Alex Clark <aclark@aclark.net>
- <https://python-pillow.org/>
- Homepage: <http://python-imaging.github.io/>

Dependencies

- Python

Type

standard

Version Information

package-version.txt:

```
8.1.2
```

install-requires.txt:

```
pillow >=7.2.0
```

Equivalent System Packages

conda:

```
$ conda install python:pillow
```

macports: install the following packages: python:pillow opensuse:

```
$ sudo zypper install python:pillow
```

See <https://repology.org/project/python:pillow/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.196 pip: Tool for installing and managing Python packages

Description

This package installs pip, the tool for installing and managing Python packages, such as those found in the Python Package Index. It's a replacement for easy_install.

License

MIT

Upstream Contact

- Project Page: <https://github.com/pypa/pip>
- Install howto: <https://pip.pypa.io/en/latest/installing.html>
- Changelog: <https://pip.pypa.io/en/latest/news.html>
- Bug Tracking: <https://github.com/pypa/pip/issues>
- Mailing list: <http://groups.google.com/group/python-virtualenv>
- Docs: <https://pip.pypa.io/>

Dependencies

- python
- setuptools

Type

standard

Version Information

package-version.txt:

```
21.0.1
```

install-requires.txt:

```
pip >=20.2.3
```

Equivalent System Packages

conda:

```
$ conda install pip3 python:pip python3x-pip
```

macports: install the following packages: pip3 python:pip python3x-pip opensuse:

```
$ sudo zypper install pip3 python:pip python3x-pip
```

See <https://repology.org/project/pip3/versions>, <https://repology.org/project/python:pip/versions>, <https://repology.org/project/python3x-pip/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.197 pkgconf: An implementation of the pkg-config spec

Description

Pkgconf is an implementation of the pkg-config spec with minimal dependencies.

License

ISC License (equivalent to Simplified BSD)

Upstream Contact

<https://github.com/pkgconf/pkgconf>

Dependencies

- C compiler + toolchain

Special Update/Build Instructions

- install.patch: Use install script from AC_PROG_INSTALL

Pkgconf is used in bzip2, so we must not use the bzip2-compressed tarball.

Type

standard

Version Information

package-version.txt:

```
0.9.7.p2
```

Equivalent System Packages

conda:

```
$ conda install pkgconf pkg-config
```

Debian/Ubuntu:

```
$ sudo apt-get install pkgconf pkg-config
```

Fedora/Redhat/CentOS:

```
$ sudo yum install pkgconf pkg-config
```

freebsd:

```
$ sudo pkg install pkgconf pkg-config
```

homebrew:

```
$ brew install pkgconf pkg-config
```

macports: install the following packages: pkgconf pkg-config opensuse:

```
$ sudo zypper install pkgconf pkg-config
```

See <https://repology.org/project/pkgconf/versions>, <https://repology.org/project/pkg-config/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.198 pkgconf: Python interface to pkg-config

Description

Pkgconf is a Python module to interface with the pkg-config command line tool.

License

MIT License

Upstream Contact

<https://github.com/matze/pkgconfig>

Dependencies

- Python 2.6+

Special Update/Build Instructions

Standard setup.py

- remove_nose.patch: Remove the nose dependency (not actually used)

Type

standard

Version Information

package-version.txt:

```
1.5.1
```

install-requires.txt:

```
pkgconfig >=1.5.1
```

Equivalent System Packages

conda:

```
$ conda install python:pkgconfig
```

macports: install the following packages: python:pkgconfig opensuse:

```
$ sudo zypper install python:pkgconfig
```

See <https://repology.org/project/python:pkgconfig/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.199 planarity: Planarity-related graph algorithms

Description

This code project provides a library for implementing graph algorithms as well as implementations of several planarity-related graph algorithms. The origin of this project is the reference implementation for the Edge Addition Planarity Algorithm [1], which is now the fastest and simplest linear-time method for planar graph embedding and planarity obstruction isolation (i.e. Kuratowski subgraph isolation).

[1] <http://dx.doi.org/10.7155/jgaa.00091>

License

New BSD License

Upstream Contact

- <https://github.com/graph-algorithms/edge-addition-planarity-suite/>
- John Boyer <John.Boyer.PhD@gmail.com>

Dependencies

None

Special Update/Build Instructions

The tarballs can be found at, <https://github.com/graph-algorithms/edge-addition-planarity-suite/releases> sage tarball is repackaged after running autogen.sh

Type

standard

Version Information

package-version.txt:

```
3.0.1.0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S planarity
```

conda:

```
$ conda install planarity
```

Debian/Ubuntu:

```
$ sudo apt-get install planarity
```

Fedora/Redhat/CentOS:

```
$ sudo yum install planarity
```

freebsd:

```
$ sudo pkg install planarity
```

gentoo:

```
$ sudo emerge planarity
```

nix:

```
$ nix-env --install planarity
```

opensuse:

```
$ sudo zypper install planarity
```


See <https://repology.org/project/planarity/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.200 plantri: Generate non-isomorphic sphere-embedded graphs

Description

Plantri is a program that generates certain types of graphs that are imbedded on the sphere.

Exactly one member of each isomorphism class is output, using an amount of memory almost independent of the number of graphs produced. This, together with the exceptionally fast operation and careful validation, makes the program suitable for processing very large numbers of graphs.

Isomorphisms are defined with respect to the embeddings, so in some cases outputs may be isomorphic as abstract graphs.

License

Plantri is distributed without a license.

Upstream Contact

Gunnar Brinkmann

- University of Ghent
- Gunnar.Brinkmann@ugent.be

Brendan McKay

- Australian National University
- bdm@cs.anu.edu.au

See <http://cs.anu.edu.au/~bdm/plantri>

Dependencies

- None

Type

optional

Version Information

package-version.txt:

```
4.5
```

Equivalent System Packages

arch:

```
$ sudo pacman -S plantri
```

See <https://repology.org/project/plantri/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.201 polylib: Operations on unions of polyhedra

Description

The Polyhedral Library (PolyLib for short) operates on objects made up of unions of polyhedra of any dimension. polylib is a C library.

License

GPL v3

Upstream Contact

- <https://groups.google.com/forum/#!forum/isl-development>

Dependencies

- GMP

Type

optional

Version Information

package-version.txt:

```
5.22.5
```

Equivalent System Packages

macports: install the following packages: polylib opensuse:

```
$ sudo zypper install polylib
```

See <https://repology.org/project/polylib/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.202 polymake: Computations with polyhedra, fans, simplicial complexes, matroids, graphs, tropical hypersurfaces

Description

polymake is open source software for research in polyhedral geometry. It deals with polytopes, polyhedra and fans as well as simplicial complexes, matroids, graphs, tropical hypersurfaces, and other objects. Supported platforms include various flavors of Linux, Free BSD and Mac OS.

License

- GPL v3

Upstream Contact

- <https://polymake.org/>

Dependencies

Polymake needs a working installation of Perl, including its shared library and some modules (XML::Writer XML::LibXML XML::LibXSLT Term::ReadLine::Gnu JSON SVG). The Polymake interface in Sage additionally needs File::Slurp. For full functionality including polymake's polyDB, also the Perl module MongoDB is required.

These are not provided by a Sage package. The script package perl_cpan_polymake_prereq will signal an error at build time if these prerequisites are not met.

The configure script will inform you about the equivalent system packages that you should install. Otherwise, you can use CPAN (see below).

Sage might install the Term::ReadLine::Gnu module, however, when you install polymake, if it is not provided by the system, or if Sage installs its own readline library.

A distribution-independent way to install Perl modules (into a user's home directory or /usr/local) is using CPAN. This is also the way to install the modules on macOS. For this, if you don't have root access, you will need the local::lib Perl module installed:

```
cpan -i XML::Writer XML::LibXML XML::LibXSLT File::Slurp Term::ReadLine::Gnu JSON SVG_
↳MongoDB
```

Several Sage packages should be installed before installing the polymake package to give a more featureful Polymake installation:

```
sage -i 4ti2 latte_int topcom qhull
```

Software that would need to be installed manually (no Sage package available) for a more featureful Polymake installation: azove, porta, vinci, SplitsTree4.

Information on missing Polymake prerequisites after installing polymake:

```
$ sage -sh
(sage-sh) $ polymake
polytope> show_unconfigured;
```

Debugging polymake install problems

```
# apt-get install libdevel-trace-perl
$ cd src
$ perl -d:Trace support/configure.pl
```

Type

experimental

Version Information

package-version.txt:

```
3.4
```

Equivalent System Packages

opensuse:

```
$ sudo zypper install polymake
```

See <https://repology.org/project/polymake/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.203 polytopes_db: Databases of 2- and 3-dimensional reflexive polytopes

Description

This package includes lists of 2- and 3-dimensional reflexive polytopes.

The list of polygons is quite easy to get and it has been known for a while. The list of 3-polytopes was originally obtained by Maximilian Kreuzer and Harald Skarke using their software PALP, which is included into the standard distribution of Sage. To work with lattice and reflexive polytopes from Sage you can use `sage.geometry.lattice_polytope` module, which relies on PALP for some of its functionality. To get access to the databases of this package, use `ReflexivePolytope` and `ReflexivePolytopes` commands.

License

GPL

Upstream Contact

<http://hep.itp.tuwien.ac.at/~kreuzer/CY/CYpalp.html>

Dependencies

None

Type

standard

Version Information

package-version.txt:

```
20170220.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S sagemath-polytopes-db
```

conda:

```
$ conda install sagemath-polytopes-db
```

See <https://repology.org/project/sagemath-polytopes-db/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.204 polytopes_db_4d: Database of 4-dimensional reflexive polytopes

Description

This package contains the database of 4-d reflexive polytopes with Hodge numbers as index.

Based on the original list by Maximilian Kreuzer and Harald Skarke using their software PALP.

License

GPL v2+

SPKG Maintainers

Volker Braun <vbraun.name@gmail.com>

Dependencies

None

Type

optional

Version Information

package-version.txt:

1.0

Equivalent System Packages

See <https://repology.org/project/polytopes-db-4d/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.205 ppl: Parma Polyhedra Library

Description

The Parma Polyhedra Library (PPL) provides numerical abstractions especially targeted at applications in the field of analysis and verification of complex systems. These abstractions include convex polyhedra, defined as the intersection of a finite number of (open or closed) halfspaces, each described by a linear inequality (strict or non-strict) with rational coefficients; some special classes of polyhedra shapes that offer interesting complexity/precision tradeoffs; and grids which represent regularly spaced points that satisfy a set of linear congruence relations. The library also supports finite powersets and products of (any kind of) polyhedra and grids, a mixed integer linear programming problem solver using an exact-arithmetic version of the simplex algorithm, a parametric integer programming solver, and primitives for the termination analysis via the automatic synthesis of linear ranking functions.

It is written in C++, but comes with interfaces to C, Java, OCaml, and Prolog. PPL is one of the fastest implementations of polyhedral computations.

Benchmarks are included in this paper: <https://arxiv.org/abs/cs/0612085>

License

GPL v3+

Upstream Contact

- <https://www.bugseng.com/ppl>

Core Development Team

- Roberto Bagnara (University of Parma)
- Patricia M. Hill (University of Parma)
- Enea Zaffanella (University of Parma)

Dependencies

- gmp (or mpir)

Special Update/Build Instructions

Patches

- ptrdiff_t-ppl-1.1.patch: Fixes to compile with gcc 4.9; C++ name lookup issue.
- weak.patch: disable use of weak symbols on Cygwin64.

Type

standard

Version Information

package-version.txt:

1.2.p1

Equivalent System Packages

arch:

```
$ sudo pacman -S ppl-devel
```

conda:

```
$ conda install ppl-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install ppl-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install ppl-devel
```

freebsd:

```
$ sudo pkg install ppl-devel
```

gentoo:

```
$ sudo emerge ppl-devel
```

homebrew:

```
$ brew install ppl-devel
```

macports: install the following packages: ppl-devel nix:

```
$ nix-env --install ppl-devel
```

opensuse:

```
$ sudo zypper install ppl-devel
```

void:

```
$ sudo xbps-install ppl-devel
```

See <https://repology.org/project/ppl-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.206 pplpy: Python interface to the Parma Polyhedra Library

Description

PPL Python wrapper

This Python package provides a wrapper to the C++ Parma Polyhedra Library (PPL).

The whole package started as a fork of a tiny part of the Sage software.

License

GPL version 3

Upstream Contact

- <https://github.com/videlec/pplpy>

Type

standard

Version Information

package-version.txt:

```
0.8.6
```

install-requires.txt:

```
# Trac #30922: pplpy 0.8.4 and earlier do not declare dependencies correctly
pplpy >=0.8.6
```

Equivalent System Packages

conda:

```
$ conda install pplpy python:pplpy
```

See <https://repology.org/project/pplpy/versions>, <https://repology.org/project/python:pplpy/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.207 primecount: Algorithms for counting primes

Description

primecount is a C++ implementation of several algorithms for counting primes maintained by Kim Walisch.

Website: <https://github.com/kimwalisch/primecount/>

License

primecount is licensed BSD 2

Upstream Contact

- <https://github.com/kimwalisch/primecount/>

Type

optional

Version Information

package-version.txt:

```
5.1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S primecount
```

opensuse:

```
$ sudo zypper install primecount
```

See <https://repology.org/project/primecount/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.208 prometheus_client: Python client for the systems monitoring and alerting toolkit Prometheus

Description

The official Python 2 and 3 client for Prometheus (see <https://prometheus.io>), an open-source systems monitoring and alerting toolkit.

Type

standard

Version Information

package-version.txt:

```
0.8.0
```

install-requires.txt:

```
prometheus_client >=0.8.0
```

Equivalent System Packages

conda:

```
$ conda install python:prometheus-client
```

macports: install the following packages: python:prometheus-client opensuse:

```
$ sudo zypper install python:prometheus-client
```

See <https://repology.org/project/python:prometheus-client/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.209 prompt_toolkit: Interactive command lines for Python**Description**

Library for building powerful interactive command lines in Python

https://pypi.python.org/pypi/prompt_toolkit

Type

standard

Version Information

package-version.txt:

```
3.0.5
```

install-requires.txt:

```
prompt_toolkit >=3.0.5
```

Equivalent System Packages

conda:

```
$ conda install python:prompt-toolkit
```

macports: install the following packages: python:prompt-toolkit opensuse:

```
$ sudo zypper install python:prompt-toolkit
```

See <https://repology.org/project/python:prompt-toolkit/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.210 psutil: Python library to retrieve information on processes and system utilization

Description

psutil is a cross-platform library for retrieving information on running processes and system utilization (CPU, memory, disks, network) in Python.

License

3-clause BSD license

Upstream Contact

<https://github.com/giampaolo/psutil/>

Type

standard

Version Information

package-version.txt:

```
5.2.0.p2
```

install-requires.txt:

```
psutil >=5.2.0
```

Equivalent System Packages

conda:

```
$ conda install psutil python:psutil
```

macports: install the following packages: psutil python:psutil opensuse:

```
$ sudo zypper install psutil python:psutil
```

See <https://repology.org/project/psutil/versions>, <https://repology.org/project/python:psutil/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.211 ptyprocess: Python interaction with subprocesses in a pseudoterminal

Description

Launch a subprocess in a pseudo terminal (pty), and interact with both the process and its pty.

Sometimes, piping stdin and stdout is not enough. There might be a password prompt that doesn't read from stdin, output that changes when it's going to a pipe rather than a terminal, or curses-style interfaces that rely on a terminal. If you need to automate these things, running the process in a pseudo terminal (pty) is the answer.

License

Ptyprocess is under the ISC license, as code derived from Pexpect.

<http://opensource.org/licenses/ISC>

Upstream Contact

<https://github.com/pexpect/ptyprocess>

Dependencies

- Python

Type

standard

Version Information

package-version.txt:

```
0.5.1.p0
```

install-requires.txt:

```
ptyprocess >=0.5.1
```

Equivalent System Packages

conda:

```
$ conda install ptyprocess python:ptyprocess
```

macports: install the following packages: ptyprocess python:ptyprocess opensuse:

```
$ sudo zypper install ptyprocess python:ptyprocess
```

See <https://repology.org/project/ptyprocess/versions>, <https://repology.org/project/python:ptyprocess/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.212 pybind11: Create Python bindings to C++ code

Description

pybind11 is a lightweight header-only library that exposes C++ types in Python and vice versa, mainly to create Python bindings of existing C++ code. Its goals and syntax are similar to the excellent [Boost.Python](http://www.boost.org/doc/libs/1_58_0/libs/python/doc/) library by David Abrahams: to minimize boilerplate code in traditional extension modules by inferring type information using compile-time introspection.

License

pybind11 is provided under a BSD-style license that can be found in the LICENSE file. By using, distributing, or contributing to this project, you agree to the terms and conditions of this license.

Upstream Contact

<https://github.com/pybind/pybind11>

Type

standard

Version Information

package-version.txt:

```
2.6.0
```

install-requires.txt:

```
pybind11 >=2.5.0
```

Equivalent System Packages

conda:

```
$ conda install python:pybind11
```

macports: install the following packages: python:pybind11 See <https://repology.org/project/python:pybind11/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.213 pybtex: A BibTeX-compatible bibliography processor in Python**Description**

A BibTeX-compatible bibliography processor in Python

License

MIT

Upstream Contact

<https://pypi.org/project/pybtex/>

Type

optional

Version Information

requirements.txt:

```
pybtex
```

Equivalent System Packages

conda:

```
$ conda install python:pybtex
```

macports: install the following packages: python:pybtex opensuse:

```
$ sudo zypper install python:pybtex
```

See <https://repology.org/project/python:pybtex/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.214 pycosat: SAT solver picosat with Python bindings

Description

PicoSAT is a popular SAT solver written by Armin Biere in pure C. This package provides efficient Python bindings to picosat on the C level, i.e. when importing pycosat, the picosat solver becomes part of the Python process itself. For ease of deployment, the picosat source (namely picosat.c and picosat.h) is included in this project. These files have been extracted from the picosat source.

License

MIT

Upstream Contact

- PicoSAT: <http://fmv.jku.at/picosat/>
- pycosat: <https://github.com/ContinuumIO/pycosat>

Dependencies

None.

Special Update/Build Instructions

None.

Type

optional

Version Information

package-version.txt:

```
0.6.3
```

install-requires.txt:

```
pycosat >=0.6.3
```

Equivalent System Packages

conda:

```
$ conda install pycosat python:pycosat
```

See <https://repology.org/project/pycosat/versions>, <https://repology.org/project/python:pycosat/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.215 pycparser: Parser of the C language in Python**Description**

development website: <https://github.com/eliben/pycparser>

PyPI page: <https://pypi.org/project/pycparser/>

License

BSD

Upstream Contact

<https://github.com/eliben/pycparser>

Type

standard

Version Information

package-version.txt:

```
2.20
```

install-requires.txt:

```
pycparser >=2.20
```

Equivalent System Packages

conda:

```
$ conda install pycparser python:pycparser
```

macports: install the following packages: pycparser python:pycparser opensuse:

```
$ sudo zypper install pycparser python:pycparser
```

See <https://repology.org/project/pycparser/versions>, <https://repology.org/project/python:pycparser/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.216 pycygwin: Python bindings for Cygwin's C API

Description

Python bindings for Cygwin's C API. Provides some utilities to help with the Cygwin port. Naturally, this package should only be installed on Cygwin—for other platforms its installation is a no-op.

Website

<https://github.com/embray/PyCygwin>

Type

standard

Version Information

package-version.txt:

```
0.1
```

install-requires.txt:

```
pycygwin >=0.1
```

Equivalent System Packages

See <https://repology.org/project/python:pycygwin/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.217 pyflakes: Passive checker of Python programs

Description

passive checker of Python programs

License

MIT

Upstream Contact

<https://pypi.org/project/pyflakes/>

Type

optional

Version Information

requirements.txt:

```
pyflakes
```

Equivalent System Packages

conda:

```
$ conda install pyflakes python:pyflakes
```

macports: install the following packages: pyflakes python:pyflakes opensuse:

```
$ sudo zypper install pyflakes python:pyflakes
```

See <https://repology.org/project/pyflakes/versions>, <https://repology.org/project/python:pyflakes/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.218 pygments: Generic syntax highlighter

Description

Pygments is a syntax highlighting package written in Python.

It is a generic syntax highlighter suitable for use in code hosting, forums, wikis or other applications that need to prettify source code. Highlights are:

- a wide range of over 300 languages and other text formats is supported
- special attention is paid to details, increasing quality by a fair amount
- support for new languages and formats are added easily
- a number of output formats, presently HTML, LaTeX, RTF, SVG, all image formats that PIL supports and ANSI sequences
- it is usable as a command-line tool and as a library

License

Modified BSD

Upstream Contact

- Author: Georg Brandl
- Home Page: <https://pygments.org>

Dependencies

Python

Special Update/Build Instructions

Patches included:

- `sage_prompt.patch`: patch `pygments/lexers/agile.py` to treat the “sage:” prompt like Python’s “>>>” prompt. This allows a very kludgy patch to be removed from the Sphinx package (see #10118).

Type

standard

Version Information

package-version.txt:

```
2.3.1.p0
```

install-requires.txt:

```
pygments >=2.3.1
```

Equivalent System Packages

conda:

```
$ conda install pygments python:pygments
```

macports: install the following packages: `pygments` `python:pygments` `opensuse`:

```
$ sudo zypper install pygments python:pygments
```

See <https://repology.org/project/pygments/versions>, <https://repology.org/project/python:pygments/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.219 pygraphviz: Python interface to Graphviz

Description

Python interface to Graphviz

License

BSD

Upstream Contact

<https://pypi.org/project/pygraphviz/>

Type

optional

Version Information

requirements.txt:

```
pygraphviz
```

install-requires.txt:

```
pygraphviz
```

Equivalent System Packages

conda:

```
$ conda install python:pygraphviz
```

macports: install the following packages: python:pygraphviz See <https://repology.org/project/python:pygraphviz/versions>
However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.220 pynac: A fork of the symbolic computation software GiNaC that uses Python objects

Description

A modified version of GiNaC that replaces the dependency on CLN by Python.

License

GPL V2+

Upstream Contact

- <https://github.com/pynac/pynac>
- <http://pynac.org>
- Burcin Erocal - burcin spam.erocal.org
- William Stein - wstein spam.gmail.com
- Mike Hansen - mhansen spam.gmail.com

Dependencies

Python

Type

standard

Version Information

package-version.txt:

```
0.7.27.p7
```

Equivalent System Packages

conda:

```
$ conda install pynac
```

Debian/Ubuntu:

```
$ sudo apt-get install pynac
```

freebsd:

```
$ sudo pkg install pynac
```

See <https://repology.org/project/pynac/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.221 pynormaliz: Python bindings for the normaliz library

Description

The Python module PyNormaliz provides wrappers for normaliz.

License

- GPL v2 or later

Upstream Contact

<https://github.com/sebasguts/PyNormaliz>

Dependencies

- pip
- normaliz

Special Update/Build Instructions

Type

optional

Version Information

package-version.txt:

```
2.13
```

install-requires.txt:

```
pynormaliz ==2.12
```

Equivalent System Packages

See <https://repology.org/project/pynormaliz/versions>, <https://repology.org/project/python:pynormaliz/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.222 pyopenssl: Python wrapper module around the OpenSSL library

Description

Python wrapper module around the OpenSSL library

License

Apache License, Version 2.0

Upstream Contact

<https://pypi.org/project/pyOpenSSL/>

Type

optional

Version Information

requirements.txt:

```
service_identity
pyopenssl
```

Equivalent System Packages

conda:

```
$ conda install pyopenssl python:pyopenssl
```

macports: install the following packages: pyopenssl python:pyopenssl opensuse:

```
$ sudo zypper install pyopenssl python:pyopenssl
```

See <https://repology.org/project/pyopenssl/versions>, <https://repology.org/project/python:pyopenssl/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.223 pyparsing: A Python parsing module**Description**

A Python Parsing Module

License

MIT License

Upstream Contact

- Author: Paul McGuire
- Home page: <http://pyparsing.wikispaces.com>

Dependencies

Python

Type

standard

Version Information

package-version.txt:

```
2.4.7
```

install-requires.txt:

```
pyparsing >=2.3.0
```

Equivalent System Packages

conda:

```
$ conda install pyparsing python:pyparsing
```

opensuse:

```
$ sudo zypper install pyparsing python:pyparsing
```

See <https://repology.org/project/pyparsing/versions>, <https://repology.org/project/python:pyparsing/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.224 pyrsistent: Persistent data structures in Python

Description

Pyrsistent is a number of persistent collections (by some referred to as functional data structures). Persistent in the sense that they are immutable.

License

MIT License

Upstream Contact

Home page: <http://github.com/tobgu/pyrsistent/>

Dependencies

- Python
- Setuptools
- hypothesis
- memory-profiler
- psutil
- pyperform
- pytest
- Sphinx
- sphinx-rtd-theme
- tox

Type

standard

Version Information

package-version.txt:

```
0.16.0
```

install-requires.txt:

```
pyrsistent >=0.16.0
```

Equivalent System Packages

conda:

```
$ conda install pyrsistent python:pyrsistent
```

macports: install the following packages: pyrsistent python:pyrsistent See <https://repology.org/project/pyrsistent/versions>, <https://repology.org/project/python:pyrsistent/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.225 pysingular: A basic Python interface to Singular

Description

A basic interface to call Singular from python

This python module is meant to be used in Singulars Jupyter interface.

License

GPL version 2 or later

Upstream Contact

- <https://github.com/sebasguts/SingularPython>

Type

optional

Version Information

package-version.txt:

```
0.9.7
```

install-requires.txt:

```
pysingular >=0.9.5
```

Equivalent System Packages

conda:

```
$ conda install pysingular python:pysingular
```

See <https://repology.org/project/pysingular/versions>, <https://repology.org/project/python:pysingular/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.226 pytest: Simple powerful testing with Python

Description

pytest: simple powerful testing with Python

License

MIT

Upstream Contact

<https://pypi.org/project/pytest/>

Type

optional

Version Information

requirements.txt:

```
pytest
```

Equivalent System Packages

conda:

```
$ conda install python:pytest
```

macports: install the following packages: python:pytest See <https://repology.org/project/python:pytest/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.227 python3: The Python programming language

Description

The Python programming language

Upstream Contact

<https://www.python.org>

Type

standard

Version Information

package-version.txt:

```
3.9.2
```

Equivalent System Packages

alpine: install the following packages: python3 python3-devel cygwin:

```
$ apt-cyg install python3 python3-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install python3 python3-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install python3 python3-devel
```

freebsd:

```
$ sudo pkg install python3 python3-devel
```

homebrew:

```
$ brew install python3 python3-devel
```

macports: install the following packages: python3 python3-devel opensuse:

```
$ sudo zypper install python3 python3-devel
```

void:

```
$ sudo xbps-install python3 python3-devel
```

See <https://repology.org/project/python3/versions>, <https://repology.org/project/python3-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.228 python_igraph: Python bindings for igraph

Description

igraph is a library for creating and manipulating graphs. It is intended to be as powerful (ie. fast) as possible to enable the analysis of large graphs.

License

GPL version 2

Upstream Contact

<http://igraph.org/python/>

Dependencies

- python
- igraph

Special Update/Build Instructions

Type

optional

Version Information

package-version.txt:

```
0.8.3
```

install-requires.txt:

```
python_igraph >=0.7.1999
```

Equivalent System Packages

conda:

```
$ conda install python:igraph python:python-igraph
```

macports: install the following packages: python:igraph python:python-igraph See
<https://repology.org/project/python:igraph/versions>, <https://repology.org/project/python:python-igraph/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.229 pytz: Timezone definitions for Python

Description

World Timezone Definitions for Python

Special Update/Build Instructions

The upstream tarball was repackaged after sanitizing the file permissions with
\$ chmod go-w

Type

standard

Version Information

package-version.txt:

```
2020.4
```

install-requires.txt:

```
pytz >=2020.1
```

Equivalent System Packages

conda:

```
$ conda install python:pytz
```

macports: install the following packages: python:pytz opensuse:

```
$ sudo zypper install python:pytz
```

See <https://repology.org/project/python:pytz/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.230 pyx: Generate PostScript, PDF, and SVG files in Python

Description

Python package for the generation of PostScript, PDF, and SVG files

<https://pypi.python.org/pypi/PyX>

Type

optional

Version Information

requirements.txt:

```
pyx
```

Equivalent System Packages

macports: install the following packages: python:pyx opensuse:

```
$ sudo zypper install python:pyx
```

See <https://repology.org/project/python:pyx/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.231 pyzmq: Python bindings for the zeromq networking library

Description

Python bindings for the zeromq networking library.

License

LGPLv3+

Upstream Contact

<http://www.zeromq.org>

Dependencies

- Python
- Cython
- zeromq

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
19.0.2
```

install-requires.txt:

```
pyzmq >=19.0.2
```

Equivalent System Packages

conda:

```
$ conda install pyzmq python:pyzmq
```

opensuse:

```
$ sudo zypper install pyzmq python:pyzmq
```

See <https://repology.org/project/pyzmq/versions>, <https://repology.org/project/python:pyzmq/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.232 qepcad: Quantifier elimination by partial cylindrical algebraic decomposition

Description

Qepcad is an implementation of quantifier elimination by partial cylindrical algebraic decomposition

License

QEPCAD B Copyright (c) 1990, 2008, Hoon Hong & Chris Brown (contact wcbrown@usna.edu)

Permission to use, copy, modify, and/or distribute this software, including source files, README files, etc., for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED “AS IS” AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA

OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Upstream Contact

- Website: <http://www.usna.edu/CS/qepcadweb/B/QEPCAD.html>
- Alternative location (sometimes more up-to-date):
<https://www.usna.edu/Users/cs/wcbrown/qepcad/B/QEPCAD.html>

Dependencies

- readline
- saclib

Special Update/Build Instructions

One might need to set MAKE to “make -j1” fo this to be built successfully.

Type

experimental

Version Information

package-version.txt:

B.1.72

Equivalent System Packages

See <https://repology.org/project/qepcad-b/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.233 qhull: Compute convex hulls, Delaunay triangulations, Voronoi diagrams

Description

From the README.txt of Qhull:

Qhull computes convex hulls, Delaunay triangulations, Voronoi diagrams, furthest-site Voronoi diagrams, and half-space intersections about a point. It runs in 2-d, 3-d, 4-d, or higher. It implements the Quickhull algorithm for computing convex hulls. Qhull handles round-off errors from floating point arithmetic. It can approximate a convex hull.

The program includes options for hull volume, facet area, partial hulls, input transformations, randomization, tracing, multiple output formats, and execution statistics.

Further notes:

The qhull library is already shipped with the Python library scipy (from version 1.4), see

- <http://docs.scipy.org/doc/scipy/reference/generated/scipy.spatial.ConvexHull.html>
- <http://docs.scipy.org/doc/scipy/reference/generated/scipy.spatial.Delaunay.html>
- <http://docs.scipy.org/doc/scipy/reference/generated/scipy.spatial.Voronoi.html>

There is also the Python interface Pyhull available on PyPI <https://pypi.python.org/pypi/pyhull> (see also documentation at <http://pythonhosted.org/pyhull/>).

Upstream Contact

C. Bradford Barber bradb@shore.net or qhull@qhull.org

Dependencies

Can be compiled with Qt support, but the Sage version currently doesn't try to do this.

License

Not a standard license, but Sage compatible. See the COPYING.txt file in the source directory for details.

Type

optional

Version Information

package-version.txt:

```
2015-src-7.2.0.p1
```

Equivalent System Packages

conda:

```
$ conda install qhull
```

macports: install the following packages: qhull opensuse:

```
$ sudo zypper install qhull
```

See <https://repology.org/project/qhull/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.234 r: A free software environment for statistical computing and graphics

Description

R is a language and environment for statistical computing and graphics. It is a GNU project which is similar to the S language and environment which was developed at Bell Laboratories (formerly AT&T, now Lucent Technologies) by John Chambers and colleagues. R can be considered as a different implementation of S. There are some important differences, but much code written for S runs unaltered under R.

(taken from <http://www.r-project.org/>)

License

- GPL v2 or GPL v3

Upstream Contact

- <https://www.r-project.org>
- R mailing list, #R in IRC

Dependencies

- GNU patch
- iconv
- Readline
- BLAS/LAPACK
- xz
- pcre
- curl
- https-capable SSL

Type

standard

Version Information

package-version.txt:

3.6.3

Equivalent System Packages

arch:

```
$ sudo pacman -S R
```

conda:

```
$ conda install R
```

cygwin:

```
$ apt-cyg install R
```

Debian/Ubuntu:

```
$ sudo apt-get install R
```

Fedora/Redhat/CentOS:

```
$ sudo yum install R
```

freebsd:

```
$ sudo pkg install R
```

gentoo:

```
$ sudo emerge R
```

homebrew:

```
$ brew install R
```

macports: install the following packages: R nix:

```
$ nix-env --install R
```

opensuse:

```
$ sudo zypper install R
```

void:

```
$ sudo xbps-install R
```

See <https://repology.org/project/R/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.235 `r_jupyter`: Jupyter kernel for R

Description

This package installs IRkernel, the R Jupyter kernel.

It gets installed via R's package installer on top of Jupyter.

License

MIT

Upstream Contact

- <https://github.com/IRkernel/IRkernel>
- <https://irkernel.github.io/>

Dependencies

- R
- notebook

Type

optional

Version Information

Equivalent System Packages

See <https://repology.org/project/r:irkernel/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.236 `ratpoints`: Find rational points on hyperelliptic curves

Description

Michael Stoll's program which searches for rational points on hyperelliptic curves.

NOTE: the `ratpoints` package has been assimilated by PARI/GP. Therefore, this package (as Sage package) is deprecated. In the future, it will be removed from Sage.

Upstream Contact

- Author: Michael Stoll
- Email: Michael.Stoll@uni-bayreuth.de
- Website: <http://www.mathe2.uni-bayreuth.de/stoll/programs/>

Dependencies

- GMP/MPFR
- (GNU) patch

Special Update/Build Instructions

Note on SSE2 instructions

- On several architectures, the SSE2 instructions used by ratpoints cause compiler errors. In the case that ratpoints fails to build with SSE2 instructions enabled, the build is repeated with SSE2 disabled.

Type

standard

Version Information

package-version.txt:

```
2.1.3.p5
```

Equivalent System Packages

arch:

```
$ sudo pacman -S ratpoints
```

conda:

```
$ conda install ratpoints
```

Debian/Ubuntu:

```
$ sudo apt-get install ratpoints
```

nix:

```
$ nix-env --install ratpoints
```

See <https://repology.org/project/ratpoints/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.237 readline: Command line editing library

Description

The GNU Readline library provides a set of functions for use by applications that allow users to edit command lines as they are typed in. Both Emacs and vi editing modes are available. The Readline library includes additional functions to maintain a list of previously-entered command lines, to recall and perhaps reedit those lines, and perform csh-like history expansion on previous commands.

Website: <http://tiswww.case.edu/php/chet/readline/rltop.html>

License

- GPL V3+

Upstream Contact

- Chet Ramey at <http://cnswww.cns.cwru.edu/~chet>

Dependencies

- ncurses

Special Update/Build Instructions

We build readline using ncurses. Readline needs to be told to link with libtinfo (part of ncurses), this is what the patch 0002-ltinfo.patch does.

Patches

- 0001-macports.patch: Changes to shobj.conf for OS/X, from macports:
<https://trac.macports.org/browser/trunk/dports/devel/readline/files/patch-shobj-conf.diff>
- 0002-ltinfo.patch: We build readline using ncurses, and for that it needs to be told to link with libtinfo (part of ncurses).

Type

standard

Version Information

package-version.txt:

```
8.0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S readline-devel
```

conda:

```
$ conda install readline-devel
```

cygwin:

```
$ apt-cyg install readline-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install readline-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install readline-devel
```

freebsd:

```
$ sudo pkg install readline-devel
```

homebrew:

```
$ brew install readline-devel
```

macports: install the following packages: readline-devel nix:

```
$ nix-env --install readline-devel
```

opensuse:

```
$ sudo zypper install readline-devel
```

slackware:

```
$ sudo slackpkg install readline-devel
```

void:

```
$ sudo xbps-install readline-devel
```

See <https://repology.org/project/readline-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.238 requests: An HTTP library for Python

Description

Requests is the only Non-GMO HTTP library for Python, safe for human consumption.

Type

standard

Version Information

package-version.txt:

```
2.13.0
```

install-requires.txt:

```
requests >=2.13.0
```

Equivalent System Packages

conda:

```
$ conda install requests python:requests
```

macports: install the following packages: requests python:requests opensuse:

```
$ sudo zypper install requests python:requests
```

See <https://repology.org/project/requests/versions>, <https://repology.org/project/python:requests/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.239 rpy2: Python interface to R

Description

rpy2 is a redesign and rewrite of rpy. It is providing a low-level interface to R, a proposed high-level interface, including wrappers to graphical libraries, as well as R-like structures and functions.

License

- GPL 2+
- Note that we have deleted references to Mozilla PL as an option, which we are allowed to do by the full rpy2 license in order to remain GPL-compatible

Upstream Contact

- <https://rpy2.bitbucket.io>

Dependencies

Special Update/Build Instructions

Patches

- setup.patch: takes care of a few parsing issues.
- cygwin.patch: let rpy2 build on Cygwin.

Type

standard

Version Information

package-version.txt:

```
3.3.6
```

install-requires.txt:

```
rpy2 >=3.3, <3.4
```

Equivalent System Packages

conda:

```
$ conda install rpy2
```

See <https://repology.org/project/rpy2/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.240 rst2ipynb: Convert reStructuredText files to Jupyter notebooks

Description

The rst2ipynb program converts a standalone reStructuredText file to a Jupyter notebook file.

This is currently achieved by converting to markdown with pandoc and then to Jupyter notebook using notedown, plus some configuration and tweaks.

License

BSD 3-Clause License

Upstream Contact

Authors: Scott Sievert and Nicolas M. Thiéry Home page: <https://github.com/nthiery/rst-to-ipynb>

Dependencies

- notedown
- pandoc

Special Update/Build Instructions

Fetch tarball from <https://pypi.python.org/pypi/rst2ipynb/>

As it is written in Haskell, pandoc must be installed from the distro.

The main rationale for having a notedown package in Sage (rather than just let pip fetch it) is that the version on pipy (1.5.0, 2015-10-07) is outdated and lacks important features / fixes for us.

Type

optional

Version Information

package-version.txt:

```
0.2.2.p0
```

install-requires.txt:

```
rst2ipynb >=0.2.2
```

Equivalent System Packages

See <https://repology.org/project/python:rst2ipynb/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.241 rubiks: Programs for Rubik's cube

Description

There are several programs for working with Rubik's cubes, by three different people. Look inside the directories under /src to see specific info and licensing. In summary the three contributors are:

Michael Reid (GPL) http://www.cflmath.com/~reid/Rubik/optimal_solver.html

- optimal - uses many pre-computed tables to find an optimal solution to the 3x3x3 Rubik's cube

Dik T. Winter (MIT License)

- cube - uses Kociemba's algorithm to iteratively find a short solution to the 3x3x3 Rubik's cube
- size222 - solves a 2x2x2 Rubik's cube

Eric Dietz (GPL) <https://web.archive.org/web/20121212175710/http://www.wrongway.org/?rubiksource>

- cu2 - A fast, non-optimal 2x2x2 solver
- cubex - A fast, non-optimal 3x3x3 solver
- mcube - A fast, non-optimal 4x4x4 solver

Type

optional

Version Information

package-version.txt:

```
20070912.p21
```

Equivalent System Packages

arch:

```
$ sudo pacman -S rubiks
```

conda:

```
$ conda install rubiks
```

nix:

```
$ nix-env --install rubiks
```

See <https://repology.org/project/rubiks/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.242 rw: Compute rank-width and rank-decompositions

Description

`rw` is a program that calculates rank-width and rank-decompositions.

<https://sourceforge.net/projects/rankwidth/>

License

GPL version 2 or later

Upstream Contact

Philipp Klaus Krause (philipp@informatik.uni-frankfurt.de)

Type

standard

Version Information

package-version.txt:

```
0.9
```

Equivalent System Packages

arch:

```
$ sudo pacman -S rw
```

conda:

```
$ conda install rw
```

Debian/Ubuntu:

```
$ sudo apt-get install rw
```

Fedora/Redhat/CentOS:

```
$ sudo yum install rw
```

freebsd:

```
$ sudo pkg install rw
```

nix:

```
$ nix-env --install rw
```

void:

```
$ sudo xbps-install rw
```

See <https://repology.org/project/rw/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.243 **saclib**: Computations with real algebraic numbers

Description

Saclib is a library of C programs for computer algebra derived from the SAC2 system. It is mainly used as a dependency of qepcad.

License

Saclib 2.2 Copyright (c) 1993, 2008, RISC-Linz (contact wcbrown@usna.edu)

Permission to use, copy, modify, and/or distribute this software, including source files, README files, etc., for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED “AS IS” AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Upstream Contact

- Website: <http://www.usna.edu/CS/qepcadweb/B/QEPCAD.html>
- Alternative location (sometimes more up-to-date):
<https://www.usna.edu/Users/cs/wcbrown/qepcad/B/QEPCAD.html>

Dependencies

None.

Type

optional

Version Information

package-version.txt:

2.2.7

Equivalent System Packages

See <https://repology.org/project/saclib/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.244 `sage_conf`: Configuration module for the SageMath library

Description

This package provides:

- a single Python module, `sage_conf`, providing configuration information to the SageMath library at the time of its installation and at its runtime
- a console script `sage-config`, for querying the variables of `sage_conf` from the shell
- a sourceable shell script `sage-env-config`, providing additional configuration information in the form of environment variables

This version of the package is generated by the Sage distribution's `configure` script. Downstream packagers and advanced developers and users may want to provide their own implementation of the package to support the intended deployment of the SageMath library.

License

GNU General Public License (GPL) v3 or later

Upstream Contact

<https://www.sagemath.org>

This package is included in the source code of the Sage distribution, in `build/pkgs/sage_conf/src/`.

Type

standard

Version Information

Equivalent System Packages

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.245 sage_flatsurf: computation with flat surfaces

Description

SageMath package for studying the geometry of flat surfaces and the dynamics of their foliations.

License

GNU General Public License, version 2

Upstream Contact

<https://pypi.org/project/sage-flatsurf/>

Type

optional

Version Information

requirements.txt:

sage-flatsurf

Equivalent System Packages

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.246 `sage_numerical_backends_coin`: COIN-OR backend for Sage `MixedIntegerLinearProgram`

Description

COIN-OR backend for Sage `MixedIntegerLinearProgram`

License

GPLv2+

Upstream Contact

<https://pypi.org/project/sage-numerical-backends-coin/>

Type

optional

Version Information

`package-version.txt`:

```
9.0b12
```

`install-requires.txt`:

```
sage_numerical_backends_coin >=9.0b12
```

Equivalent System Packages

See <https://repology.org/project/sage-numerical-backends-coin/versions>, <https://repology.org/project/python:sage-numerical-backends-coin/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.247 `sage_numerical_backends_cplex`: Cplex backend for Sage `MixedIntegerLinearProgram`

Description

Cplex backend for Sage `MixedIntegerLinearProgram`

License

GPLv2+

Upstream Contact

<https://pypi.org/project/sage-numerical-backends-cplex/>

Type

optional

Version Information

package-version.txt:

```
9.0b12
```

install-requires.txt:

```
sage_numerical_backends_cplex >=9.0b12
```

Equivalent System Packages

See <https://repology.org/project/python:sage-numerical-backends-cplex/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.248 `sage_numerical_backends_gurobi`: Gurobi backend for Sage `MixedIntegerLinearProgram`

Description

Gurobi backend for Sage `MixedIntegerLinearProgram`

License

GPLv2+

Upstream Contact<https://pypi.org/project/sage-numerical-backends-gurobi/>**Type**

optional

Version Information

package-version.txt:

`9.0.0`

install-requires.txt:

`sage_numerical_backends_gurobi >=9.0.0`**Equivalent System Packages**

See <https://repology.org/project/sage-numerical-backends-gurobi/versions>, <https://repology.org/project/python:sage-numerical-backends-gurobi/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.249 **sage_sws2rst: Translate legacy Sage worksheet files (.sws) to reStructuredText (.rst) files**

Description

Provides a script `sage - sws2rst`, which translates a Sage worksheet file (.sws) into a reStructuredText (.rst) file.

Sage worksheet files (.sws) are a file format that was used by the now-obsolete Sage notebook (<https://github.com/sagemath/sagenb>), superseded by the Jupyter notebook. SageNB was dropped in the course of the transition of SageMath to Python 3.

This package was extracted from the SageNB sources in <https://trac.sagemath.org/ticket/28838> to provide a way to convert pedagogical material written available in Sage worksheet format.

Type

optional

Version Information

Equivalent System Packages

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.250 `sagenb_export`: Convert legacy SageNB notebooks to Jupyter notebooks and other formats

Description

This is a tool to convert SageNB notebooks to other formats, in particular IPython/Jupyter notebooks.

It includes a Jupyter notebook extension to provide a UI for the import of SageNB notebooks.

Upstream Contact

<https://github.com/vbraun/ExportSageNB>

Type

standard

Version Information

package-version.txt:

```
3.3
```

install-requires.txt:

```
sagenb_export >=3.3
```

Equivalent System Packages

See <https://repology.org/project/sagenb-export/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.251 **sagetex: Embed code, results of computations, and plots from Sage into LaTeX documents**

Description

The SageTeX package allows you to embed code, results of computations, and plots from Sage into LaTeX documents.

License

The *source code* of the SageTeX package may be redistributed and/or modified under the terms of the GNU General Public License as published by the Free Software Foundation, either version 2 of the License, or (at your option) any later version. To view a copy of this license, see <http://www.gnu.org/licenses/> or send a letter to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

The *documentation* of the SageTeX package is licensed under the Creative Commons Attribution-Share Alike 3.0 License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-sa/3.0/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

SPKG Maintainers

Dan Drake (dr.dan.drake at gmail) and SageMath developers (sage-devel@googlegroups.com)

Upstream Contact

Author: Dan Drake.

Web: <https://github.com/sagemath/sagetex>

Dependencies

To install, nothing more than a standard Sage install. The `spkg-check` script will exit without actually testing anything if it cannot find “latex” in your path.

Notes

To use SageTeX, both Sage and LaTeX need to know about it. SageTeX comes standard with Sage, so you only need to make sure LaTeX can find what it needs. Full details are in the Sage installation guide at <http://doc.sagemath.org/html/en/installation/> and <http://doc.sagemath.org/html/en/tutorial/sagetex.html>.

The directory `$SAGE_ROOT/local/share/doc/sagetex` contains documentation and an example file. See `$SAGE_ROOT/local/share/texmf/tex/latex/sagetex` for the source code and some possibly useful scripts. If you have problems or suggestions see [the sage-support group](#).

If you want to help develop SageTeX, please clone the github repository (see the “Upstream Contact” above) and send me patches based on that.

Type

standard

Version Information

package-version.txt:

```
3.5
```

install-requires.txt:

```
sagetex >=3.5
```

Equivalent System Packages

conda:

```
$ conda install sagetex
```

See <https://repology.org/project/sagetex/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.252 scandir: Fast file system iteration for Python

Description

scandir, a better directory iterator and faster `os.walk()`

`scandir()` is a directory iteration function like `os.listdir()`, except that instead of returning a list of bare filenames, it yields `DirEntry` objects that include file type and stat information along with the name. Using `scandir()` increases the speed of `os.walk()` by 2-20 times (depending on the platform and file system) by avoiding unnecessary calls to `os.stat()` in most cases.

Type

standard

Version Information

package-version.txt:

```
1.9.0
```

install-requires.txt:

```
scandir >=1.9.0
```


Equivalent System Packages

conda:

```
$ conda install python:scandir
```

macports: install the following packages: python:scandir opensuse:

```
$ sudo zypper install python:scandir
```

See <https://repology.org/project/python:scandir/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.253 scipoptsuite: Mixed integer programming solver

Description

SCIP is currently one of the fastest non-commercial mixed integer programming (MIP) solvers. It is also a framework for constraint integer programming and branch-cut-and-price. It allows total control of the solution process and the access of detailed information down to the guts of the solver.

License

ZIB Academic License

The ZIB Academic License allows the use of software distributed under this license without charge for research purposes as a member of a non-commercial and academic institution, e.g., a university. The software is available with its source code.

<http://scip.zib.de/academic.txt>

SPKG Maintainers

- Martin Albrecht (original spkg)
- Matthias Koeppe (updates for new spkg style)

Upstream Contact

<http://scip.zib.de/doc/html/AUTHORS.shtml>

Dependencies

cmake

Special Update/Build Instructions

We do not have permission to redistribute SCIP or SoPlex. Hence, you must download it yourself from <http://scip.zib.de> and put the tarball `scipoptsuite-VERSION.tgz` in `$SAGE_ROOT/upstream`, renaming it to `scipoptsuite-VERSION-do-not-distribute.tgz`.

Type

experimental

Version Information

package-version.txt:

5.0.1

Equivalent System Packages

See <https://repology.org/project/scipoptsuite/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.254 scipy: Scientific tools for Python

Description

SciPy (pronounced “Sigh Pie”) is open-source software for mathematics, science, and engineering. The SciPy library depends on NumPy, which provides convenient and fast N-dimensional array manipulation. The SciPy library is built to work with NumPy arrays, and provides many user-friendly and efficient numerical routines such as routines for numerical integration and optimization. Together, they run on all popular operating systems, are quick to install, and are free of charge. NumPy and SciPy are easy to use, but powerful enough to be depended upon by some of the world’s leading scientists and engineers.

License

SciPy’s license is free for both commercial and non-commercial use, under the BSD terms. See http://www.scipy.org/License_Compatibility

Upstream Contact

<https://www.scipy.org/>

Dependencies

- Python, which in Sage has numerous dependencies
- Numpy
- Fortran
- GNU patch

Special Update/Build Instructions

- None.

Type

standard

Version Information

package-version.txt:

```
1.5.4
```

install-requires.txt:

```
scipy >=1.5, <1.6
```

Equivalent System Packages

conda:

```
$ conda install python:scipy
```

macports: install the following packages: python:scipy opensuse:

```
$ sudo zypper install python:scipy
```

See <https://repology.org/project/python:scipy/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.255 send2trash: Send file to trash natively under Mac OS X, Windows and Linux

Description

Send file to trash natively under Mac OS X, Windows and Linux.

Send2Trash is a small package that sends files to the Trash (or Recycle Bin) natively and on all platforms. On OS X, it uses native `FSMoveObjectToTrashSync` Cocoa calls, on Windows, it uses native (and ugly) `SHFileOperation` win32 calls. On other platforms, if `PyGObject` and `GIO` are available, it will use this. Otherwise, it will fallback to its own implementation of the trash specifications from freedesktop.org.

ctypes is used to access native libraries, so no compilation is necessary.

Send2Trash supports Python 2.7 and up (Python 3 is supported).

Type

standard

Version Information

package-version.txt:

```
1.5.0
```

install-requires.txt:

```
send2trash >=1.5.0
```

Equivalent System Packages

conda:

```
$ conda install send2trash python:send2trash
```

macports: install the following packages: send2trash python:send2trash opensuse:

```
$ sudo zypper install send2trash python:send2trash
```

See <https://repology.org/project/send2trash/versions>, <https://repology.org/project/python:send2trash/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.256 setuptools: Build system for Python packages

Description

setuptools is a collection of enhancements to the Python distutils (for Python 2.6 and up) that allow you to more easily build and distribute Python packages, especially ones that have dependencies on other packages.

Website: <http://pypi.python.org/pypi/setuptools/>

License

PSF or ZPL. i.e Python Software Foundation License or Zope Public License

Upstream Contact

- Phillip J. Eby (distutils-sig@python.org)

Dependencies

- python

Build Instructions/Changes

The following patches are in the patches subdirectory. The patches are applied during the build process.

- `pkg_resources.py.patch`: silence warning about permissions.
- `easy_install_lock.patch`: lock the `easy_install.pth` file to allow simultaneous installation

Type

standard

Version Information

package-version.txt:

```
51.1.1.p0
```

install-requires.txt:

```
setuptools >=49.6.0
```

Equivalent System Packages

conda:

```
$ conda install python:setuptools
```

macports: install the following packages: python:setuptools opensuse:

```
$ sudo zypper install python:setuptools
```

See <https://repology.org/project/python:setuptools/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.257 `setuptools_scm`: Python build system extension to obtain package version from version control

Description

the blessed package to manage your versions by scm tags

License

MIT

Upstream Contact

<https://pypi.org/project/setuptools-scm/>

Type

standard

Version Information

package-version.txt:

```
6.0.1
```

install-requires.txt:

```
setuptools_scm >=4.1.2
```

Equivalent System Packages

conda:

```
$ conda install python:setuptools-scm
```

macports: install the following packages: python:setuptools-scm openssl:

```
$ sudo zypper install python:setuptools-scm
```

See <https://repology.org/project/python:setuptools-scm/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.258 `setuptools_wheel`: Build the `setuptools` package as a wheel

After installing `setuptools` and `wheel`, we build a wheel of `setuptools` to complete the set of wheels stored in our wheelhouse.

Type

standard

Version Information

package-version.txt:

```
51.1.1.p0
```

install-requires.txt:

```
# We use this file to mark the package as a Python package
```

Equivalent System Packages

See <https://repology.org/project/python:setuptools/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.259 `simplegeneric`: Simple single-dispatch generic functions for Python

Description

Simple generic functions (similar to Python's own `len()`, `pickle.dump()`, etc.)

The `simplegeneric` module lets you define simple single-dispatch generic functions, akin to Python's built-in generic functions like `len()`, `iter()` and so on. However, instead of using specially-named methods, these generic functions use simple lookup tables, akin to those used by e.g. `pickle.dump()` and other generic functions found in the Python standard library.

As you can see from the above examples, generic functions are actually quite common in Python already, but there is no standard way to create simple ones. This library attempts to fill that gap, as generic functions are an excellent alternative to the Visitor pattern, as well as being a great substitute for most common uses of adaptation.

This library tries to be the simplest possible implementation of generic functions, and it therefore eschews the use of multiple or predicate dispatch, as well as avoiding speedup techniques such as C dispatching or code generation. But it has absolutely no dependencies, other than Python 2.4, and the implementation is just a single Python module of less than 100 lines.

Type

standard

Version Information

package-version.txt:

```
0.8.1.p0
```

install-requires.txt:

```
simplegeneric >=0.8.1
```

Equivalent System Packages

conda:

```
$ conda install simplegeneric python:simplegeneric
```

macports: install the following packages: simplegeneric python:simplegeneric opensuse:

```
$ sudo zypper install simplegeneric python:simplegeneric
```

See <https://repology.org/project/simplegeneric/versions>, <https://repology.org/project/python:simplegeneric/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.260 singular: Computer algebra system for polynomial computations, algebraic geometry, singularity theory

Description

Singular is a computer algebra system for polynomial computations, with special emphasis on commutative and non-commutative algebra, algebraic geometry, and singularity theory.

License

GPLv2 or GPLv3

Upstream Contact

libsingular-devel@mathematik.uni-kl.de

<https://www.singular.uni-kl.de/>

Dependencies

- GNU patch
- readline
- GMP/MPIR
- MPFR
- NTL
- FLINT

Special Update/Build Instructions

The current upstream tarball is made from the branch at <https://github.com/mkoeppe/Singular/tree/Release-4-2-0-p1%2Bsage>

Other notes:

- If the environment variable `SAGE_DEBUG` is set to “yes”, then `omalloc` will be replaced by `xalloc`. The resulting Singular executable and `libsingular` library will be slower than with `omalloc`, but allow for easier debugging of memory corruptions.

Type

standard

Version Information

package-version.txt:

```
4.2.0p1+2021-04-06+sage
```

Equivalent System Packages

conda:

```
$ conda install singular
```

Debian/Ubuntu:

```
$ sudo apt-get install singular
```

freebsd:

```
$ sudo pkg install singular
```

macports: install the following packages: singular nix:

```
$ nix-env --install singular
```

See <https://repology.org/project/singular/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.261 singular_jupyter: Jupyter kernel for Singular

Description

This is a beta version of a jupyter kernel for Singular.

License

GPL version 2 or later

Upstream Contact

- https://github.com/sebasguts/jupyter_kernel_singular

Type

optional

Version Information

package-version.txt:

```
0.9.7
```

install-requires.txt:

```
singular_jupyter >=0.9.7
```

Equivalent System Packages

conda:

```
$ conda install jupyter-singular python:jupyter-kernel-singular
```

See <https://repology.org/project/jupyter-singular/versions>, <https://repology.org/project/python:jupyter-kernel-singular/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.262 sip: Python extension module generator for C and C++ libraries

Description

Python extension module generator for C and C++ libraries

Upstream contact

- <https://www.riverbankcomputing.com/software/sip/>
- <https://pypi.python.org/pypi/SIP>

License

SIP is released under the GPL v2, GPL v3 licenses, and under a license similar to the BSD license.

SIP is copyright (c) Riverbank Computing Limited. Its homepage is <https://www.riverbankcomputing.com/software/sip/>.

Type

optional

Version Information

package-version.txt:

```
4.18
```

Equivalent System Packages

conda:

```
$ conda install python:sip
```

macports: install the following packages: python:sip See <https://repology.org/project/python:sip/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.263 sirocco: Compute topologically certified root continuation of bivariate polynomials

Description

sirocco is a library to compute topologically certified root continuation of bivariate polynomials.

License

GPLv3+

SPKG Maintainers

- Miguel Marco

Upstream Contact

Miguel Marco (mmarco@unizar.es)

Dependencies

- gcc

Type

optional

Version Information

package-version.txt:

```
2.0.2
```

Equivalent System Packages

arch:

```
$ sudo pacman -S sirocco
```

opensuse:

```
$ sudo zypper install sirocco
```

See <https://repology.org/project/sirocco/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.264 six: Python 2 and 3 compatibility utilities

Description

Python 2 and 3 compatibility utilities

License

MIT License

Upstream Contact

- Author: Benjamin Peterson
- Home page: <http://pypi.python.org/pypi/six/>

Dependencies

Python

Type

standard

Version Information

package-version.txt:

```
1.15.0
```

install-requires.txt:

```
six >=1.15.0
```

Equivalent System Packages

conda:

```
$ conda install python:six
```

macports: install the following packages: python:six opensuse:

```
$ sudo zypper install python:six
```

See <https://repology.org/project/python:six/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.265 slabbe: Sébastien Labbé’s Research code

Description

This SageMath package contains various modules for experimentation with

- discrete dynamical systems
- combinatorics
- digital geometry
- visualization
- miscellaneous development tools

License

GPLv2+

Upstream Contact

<https://pypi.org/project/slabbe/>

Type

optional

Version Information

requirements.txt:

slabbe

Equivalent System Packages

See <https://repology.org/project/python:slabbe/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.266 snappy: Topology and geometry of 3-manifolds, with a focus on hyperbolic structures

Description

Studying the topology and geometry of 3-manifolds, with a focus on hyperbolic structures.

License

GPLv2+

Upstream Contact<https://pypi.org/project/snappy/>**Type**

optional

Version Information

requirements.txt:

```
# Note: As of 2021-01, snappy will pull in cypari (!= cypari2) as a dependency
# if installed as a wheel but will actually use Sage's cypari2.
# cypari contains a statically linked copy of pari and other libraries
# and will remain completely unused (wastes 30M). Snappy is about 165M.
# See https://trac.sagemath.org/ticket/31180
snappy
# cypari 2.4.0 has a broken sdist, https://trac.sagemath.org/ticket/31180
cypari !=2.4.0
# An optional database (110M uncompressed)
snappy_15_knots
```

Equivalent System Packages

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.267 snowballstemmer: Stemmer algorithms for natural language processing in Python**Description**

This package provides 16 stemmer algorithms (15 + Porter English stemmer) generated from Snowball algorithms.

It includes following language algorithms:

- Danish
- Dutch
- English (Standard, Porter)
- Finnish
- French
- German
- Hungarian

- Italian
- Norwegian
- Portuguese
- Romanian
- Russian
- Spanish
- Swedish
- Turkish

This is a pure Python stemming library. If PyStemmer is available, this module uses it to accelerate.

Type

standard

Version Information

package-version.txt:

```
1.2.1.p0
```

install-requires.txt:

```
snowballstemmer >=1.2.1
```

Equivalent System Packages

conda:

```
$ conda install python:snowballstemmer
```

macports: install the following packages: python:snowballstemmer opensuse:

```
$ sudo zypper install python:snowballstemmer
```

See <https://repology.org/project/python:snowballstemmer/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.268 speaklater: Lazy strings for Python

Description

Implements a lazy string for python useful for use with gettext

A module that provides lazy strings for translations. Basically you get an object that appears to be a string but changes the value every time the value is evaluated based on a callable you provide.

For example you can have a global lazy_gettext function that returns a lazy string with the value of the current set language.

Type

optional

Version Information

package-version.txt:

```
1.3.p0
```

install-requires.txt:

```
speaklater >=1.3
```

Equivalent System Packages

conda:

```
$ conda install speaklater python:speaklater
```

macports: install the following packages: speaklater python:speaklater opensuse:

```
$ sudo zypper install speaklater python:speaklater
```

See <https://repology.org/project/speaklater/versions>, <https://repology.org/project/python:speaklater/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.269 sphinx: Python documentation generator

Description

Sphinx is a tool that makes it easy to create intelligent and beautiful documentation for Python projects (or other documents consisting of multiple reStructuredText sources), written by Georg Brandl. It was originally created to translate the new Python documentation, but has now been cleaned up in the hope that it will be useful to many other projects.

License

Modified BSD; see e.g. its egg-info file for other options

Upstream Contact

- Author: Georg Brandl
- Home Page: <http://www.sphinx-doc.org>
- see also <http://pypi.python.org/pypi/Sphinx>

Dependencies

- six \geq 1.4
- Jinja2 \geq 2.3
- Pygments \geq 2.0
- docutils \geq 0.11
- snowballstemmer \geq 1.1
- babel \geq 1.3
- setuptools / distribute
- Python
- GNU patch (shipped with Sage)

Special Update/Build Instructions

- The script `create_grammar_pickle.py` creates the file `Grammar2.7.pickle` in `site-packages/Sphinx-.../sphinx/pycode/`. This helps to avoid race conditions when building the documentation in parallel.

Type

standard

Version Information

package-version.txt:

```
3.1.2.p0
```

install-requires.txt:

```
# gentoo uses 3.2.1
sphinx >=3, <3.3
```

Equivalent System Packages

conda:

```
$ conda install python:sphinx
```

macports: install the following packages: python:sphinx opensuse:

```
$ sudo zypper install python:sphinx
```

See <https://repology.org/project/python:sphinx/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.270 sphinxcontrib_applehelp: Sphinx extension which outputs Apple help book

Description

Sphinx extension which outputs Apple help book

License

BSD

Type

standard

Version Information

package-version.txt:

```
1.0.2
```

install-requires.txt:

```
sphinxcontrib_applehelp >=1.0.2
```

Equivalent System Packages

conda:

```
$ conda install python:sphinxcontrib-applehelp
```

macports: install the following packages: python:sphinxcontrib-applehelp opensuse:

```
$ sudo zypper install python:sphinxcontrib-applehelp
```

See <https://repology.org/project/python:sphinxcontrib-applehelp/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.271 sphinxcontrib_devhelp: Sphinx extension which outputs Devhelp documents

Description

Sphinx extension which outputs Devhelp documents

License

BSD

Type

standard

Version Information

package-version.txt:

```
1.0.2
```

install-requires.txt:

```
sphinxcontrib_devhelp >=1.0.2
```

Equivalent System Packages

conda:

```
$ conda install python:sphinxcontrib-devhelp
```

macports: install the following packages: python:sphinxcontrib-devhelp See
<https://repology.org/project/python:sphinxcontrib-devhelp/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.272 sphinxcontrib_htmlhelp: Sphinx extension which outputs HTML help book**Description**

Sphinx extension which outputs HTML help book

License

BSD

Type

standard

Version Information

package-version.txt:

```
1.0.3
```

install-requires.txt:

```
sphinxcontrib_htmlhelp >=1.0.3
```

Equivalent System Packages

conda:

```
$ conda install python:sphinxcontrib-htmlhelp
```

macports: install the following packages: python:sphinxcontrib-htmlhelp See
<https://repology.org/project/python:sphinxcontrib-htmlhelp/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.273 sphinxcontrib_jsmath: Sphinx extension which renders display math in HTML via JavaScript**Description**

Sphinx extension which renders display math in HTML via JavaScript

License

BSD

Type

standard

Version Information

package-version.txt:

```
1.0.1
```

install-requires.txt:

```
sphinxcontrib_jsmath >=1.0.1
```

Equivalent System Packages

conda:

```
$ conda install python:sphinxcontrib-jsmath
```

macports: install the following packages: python:sphinxcontrib-jsmath See
<https://repology.org/project/python:sphinxcontrib-jsmath/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.274 sphinxcontrib_qthelp: Sphinx extension which outputs QtHelp documents

Description

Sphinx extension which outputs QtHelp documents

License

BSD

Type

standard

Version Information

package-version.txt:

```
1.0.3
```

install-requires.txt:

```
sphinxcontrib_qthelp >=1.0.3
```

Equivalent System Packages

conda:

```
$ conda install python:sphinxcontrib-qthelp
```

macports: install the following packages: python:sphinxcontrib-qthelp See <https://repology.org/project/python:sphinxcontrib-qthelp/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.275 sphinxcontrib_serializinghtml: Sphinx extension which outputs serialized HTML files

Description

Sphinx extension which outputs serialized HTML files

License

BSD

Type

standard

Version Information

package-version.txt:

```
1.1.4
```

install-requires.txt:

```
sphinxcontrib_serializinghtml >=1.1.4
```

Equivalent System Packages

conda:

```
$ conda install python:sphinxcontrib-serializinghtml
```

macports: install the following packages: python:sphinxcontrib-serializinghtml opensuse:

```
$ sudo zypper install python:sphinxcontrib-serializinghtml
```

See <https://repology.org/project/python:sphinxcontrib-serializinghtml/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.276 sphinxcontrib_websupport: Sphinx API for Web apps

Description

sphinxcontrib-websupport provides a Python API to easily integrate Sphinx documentation into your Web application.

License

BSD

Type

standard

Version Information

package-version.txt:

```
1.2.1
```

install-requires.txt:

```
sphinxcontrib_websupport >=1.2.1
```

Equivalent System Packages

conda:

```
$ conda install python:sphinxcontrib-websupport
```

macports: install the following packages: python:sphinxcontrib-websupport opensuse:

```
$ sudo zypper install python:sphinxcontrib-websupport
```

See <https://repology.org/project/python:sphinxcontrib-websupport/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.277 sqlalchemy: A database abstraction library

Description

Database Abstraction Library

License

MIT

Upstream Contact

<https://pypi.org/project/SQLAlchemy/>

Type

optional

Version Information

requirements.txt:

```
sqlalchemy
```

Equivalent System Packages

conda:

```
$ conda install python:sqlalchemy
```

macports: install the following packages: python:sqlalchemy opensuse:

```
$ sudo zypper install python:sqlalchemy
```

See <https://repology.org/project/python:sqlalchemy/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.278 sqlite: An SQL database engine

Description

SQLite is a software library that implements a self-contained, serverless, zero-configuration, transactional SQL database engine.

License

Public Domain

Upstream contact

- <https://www.sqlite.org>

Dependencies

- readline

Special Update/Build Instructions

- Use the autoconf version of sqlite.

Type

standard

Version Information

package-version.txt:

```
3290000
```

Equivalent System Packages

arch:

```
$ sudo pacman -S  sqlite-devel
```

conda:

```
$ conda install sqlite-devel
```

cygwin:

```
$ apt-cyg install sqlite-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install  sqlite-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install  sqlite-devel
```

freebsd:

```
$ sudo pkg install sqlite-devel
```

gentoo:

```
$ sudo emerge sqlite-devel
```

homebrew:

```
$ brew install sqlite-devel
```

macports: install the following packages: sqlite-devel nix:

```
$ nix-env --install sqlite-devel
```

opensuse:

```
$ sudo zypper install sqlite-devel
```

slackware:

```
$ sudo slackpkg install sqlite-devel
```

void:

```
$ sudo xbps-install sqlite-devel
```

See <https://repology.org/project/sqlite-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.279 suitesparse: A suite of sparse matrix software

SuiteSparse is a collection of software to deal with sparse matrix. It is hosted at <http://faculty.cse.tamu.edu/davis/suitesparse.html>

This spkg does a minimal install of suitesparse disabling the following

- metis
- GraphBLAS (need cmake)
- Mongoose (need cmake)

An external metis package can be used but we just disable its use.

Patches:

- The first patch disable the building of package using cmake.
- The second patch make sure we use sage's blas/lapack on OS X. By default suitesparse discard any configurations to use the accelerate framework.

The building of metis is disabled by passing MY_METIS_LIB=none to make (any value would have done) We also configure cholmod so it doesn't require metis by passing CHOLMOD_CONFIG=-DNPARTITION to make.

Other configurations are self explanatory.

License: because SuiteSparse is a collection, it comes with a variety of licenses. Find below a copy of the "LICENSES.txt" shipped with SuiteSparse.

AMD/Doc/License.txt

AMD, Copyright (c), 1996-2015, Timothy A. Davis, Patrick R. Amestoy, and Iain S. Duff. All Rights Reserved.

Availability:

<http://www.suitesparse.com>

AMD License: BSD 3-clause:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BTF/Doc/License.txt

BTF, Copyright (C) 2004-2013, University of Florida by Timothy A. Davis and Ekanathan Palamadai. BTF is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

BTF is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

BTF is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

CAMD/Doc/License.txt

CAMD, Copyright (c) by Timothy A. Davis, Yanqing Chen, Patrick R. Amestoy, and Iain S. Duff. All Rights Reserved. CAMD is available under alternate licenses, contact T. Davis for details.

CAMD License: BSD 3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Availability:

<http://www.suitesparse.com>

CCOLAMD/Doc/License.txt

CCOLAMD: constrained column approximate minimum degree ordering Copyright (C) 2005-2016, Univ. of Florida. Authors: Timothy A. Davis, Sivasankaran Rajamanickam, and Stefan Larimore. Closely based on COLAMD by Davis, Stefan Larimore, in collaboration with Esmond Ng, and John Gilbert. <http://www.suitesparse.com>

CCOLAMD license: BSD 3-clause:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CHOLMOD/Doc/License.txt

==Check/License.txt==

CHOLMOD/Check Module. Copyright (C) 2005-2006, Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Check module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

==Cholesky/License.txt==

CHOLMOD/Cholesky module, Copyright (C) 2005-2006, Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Cholesky module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

==Core/License.txt==

CHOLMOD/Core Module. Copyright (C) 2005-2006, Univ. of Florida. Author: Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Core module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

==Demo/License.txt==

CHOLMOD/Demo Module. Copyright (C) 2005-2006, Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Demo module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

==Include/License.txt==

CHOLMOD/Include/* files. Copyright (C) 2005-2006, either Univ. of Florida or T. Davis, depending on the file.

Each file is licensed separately, according to the Module for which it contains definitions and prototypes:

Include/cholmod.h LGPL Include/cholmod_blas.h LGPL Include/cholmod_camd.h part of Partition module Include/cholmod_check.h part of Check module Include/cholmod_cholesky.h part of Cholesky module Include/cholmod_complexity.h LGPL Include/cholmod_config.h LGPL Include/cholmod_core.h part of Core module Include/cholmod_function.h no license; freely usable, no restrictions Include/cholmod_gpu.h part of GPU module Include/cholmod_gpu_kernels.h part of GPU module Include/cholmod_internal.h LGPL Include/cholmod_io64.h LGPL Include/cholmod_matrixops.h part of MatrixOps module Include/cholmod_modify.h part of Modify module Include/cholmod_partition.h part of Partition module Include/cholmod_supernodal.h part of Supernodal module Include/cholmod_template.h LGPL

==MATLAB/License.txt==

CHOLMOD/MATLAB Module. Copyright (C) 2005-2006, Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. MATLAB(tm) is a Registered Trademark of The MathWorks, Inc. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/MATLAB module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

==MatrixOps/License.txt==

CHOLMOD/MatrixOps Module. Copyright (C) 2005-2006, Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/MatrixOps module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

==Modify/License.txt==

CHOLMOD/Modify Module. Copyright (C) 2005-2006, Timothy A. Davis and William W. Hager. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Modify module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

==Partition/License.txt==

CHOLMOD/Partition Module. Copyright (C) 2005-2006, Univ. of Florida. Author: Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Partition module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

==Supernodal/License.txt==

CHOLMOD/Supernodal Module. Copyright (C) 2005-2006, Timothy A. Davis CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Supernodal module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

==Tcov/License.txt==

CHOLMOD/Tcov Module. Copyright (C) 2005-2006, Timothy A. Davis CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Tcov module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

==Valgrind/License.txt==

CHOLMOD/Valgrind Module. Copyright (C) 2005-2006, Timothy A. Davis. CHOLMOD is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

Note that this license is for the CHOLMOD/Valgrind module only. All CHOLMOD modules are licensed separately.

This Module is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This Module is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

COLAMD/Doc/License.txt

COLAMD, Copyright 1998-2016, Timothy A. Davis. <http://www.suitesparse.com> <http://www.suitesparse.com>

COLAMD License: BSD 3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CSparse/Doc/License.txt

CSparse: a Concise Sparse matrix package. Copyright (c) 2006, Timothy A. Davis. <http://www.suitesparse.com>

CSparse is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

CSparse is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

CXSparse/Doc/License.txt

CXSparse: a Concise Sparse matrix package - Extended. Copyright (c) 2006, Timothy A. Davis. <http://www.suitesparse.com>

CXSparse is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

CXSparse is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

CXSparse_newfiles/Doc/License.txt

CXSparse: a Concise Sparse matrix package - Extended. Copyright (c) 2006, Timothy A. Davis. <http://www.suitesparse.com>

CXSparse is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

CXSparse is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

GPUQREngine/Doc/License.txt

GPUQREngine Copyright (c) 2013, Timothy A. Davis, Sencer Nuri Yeralan, and Sanjay Ranka. <http://www.suitesparse.com>

GPUQREngine is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

GPUQREngine is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

KLU/Doc/License.txt

KLU, Copyright (C) 2004-2013, University of Florida by Timothy A. Davis and Ekanathan Palamadai. KLU is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

KLU is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

KLU is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

LDL/Doc/License.txt

LDL Copyright (c) 2005-2013 by Timothy A. Davis. LDL is also available under other licenses; contact the author for details. <http://www.suitesparse.com>

LDL is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

LDL is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

MATLAB_Tools/Doc/License.txt

The MATLAB_Tools collection of packages is Copyright (c), Timothy A. Davis, All Rights Reserved, with the exception of the spqr_rank package, which is Copyright (c), Timothy A. Davis and Les Foster, All Rights Reserved,

All packages are available under alternative licenses. Contact the authors for details.

MATLAB_Tools License, with the exception of SSMULT and SuiteSparseCollection:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SuiteSparseCollection License:

SuiteSparseCollection is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

SuiteSparseCollection is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

SSMULT License:

SSMULT, Copyright (c) 2007-2011, Timothy A. Davis, <http://www.suitesparse.com>.

SSMULT is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

SSMULT is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

RBio/Doc/License.txt

RBio toolbox. Copyright (C) 2006-2009, Timothy A. Davis RBio is also available under other licenses; contact authors for details. <http://www.suitesparse.com>

RBio is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

RBio is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

SPQR/Doc/License.txt

SPQR, Copyright 2008-2016 by Timothy A. Davis. All Rights Reserved. SPQR is available under alternate licenses, contact T. Davis for details.

SPQR License:

Your use or distribution of SPQR or any modified version of SPQR implies that you agree to this License.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Permission is hereby granted to use or copy this program under the terms of the GNU GPL, provided that the Copyright, this License, and the Availability of the original version is retained on all copies. User documentation of any code that uses this code or any modified version of this code must cite the Copyright, this License, the Availability note, and "Used by permission." Permission to modify the code and to distribute modified code is granted, provided the Copyright, this License, and the Availability note are retained, and a notice that the code was modified is included.

Availability:

<http://www.suitesparse.com>

SuiteSparse_GPUruntime/Doc/License.txt

SuiteSparse_GPUruntime Copyright (c) 2013-2016, Timothy A. Davis, Sencer Nuri Yeralan, and Sanjay Ranka. <http://www.suitesparse.com>

SuiteSparse_GPUruntime is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

SuiteSparse_GPUruntime is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this Module; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

ssget/Doc/License.txt

Copyright (c), 2009-2016, Timothy A. Davis, All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UMFPACK/Doc/License.txt

UMFPACK, Copyright 1995-2009 by Timothy A. Davis. All Rights Reserved. UMFPACK is available under alternate licenses, contact T. Davis for details.

UMFPACK License:

Your use or distribution of UMFPACK or any modified version of UMFPACK implies that you agree to this License.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Permission is hereby granted to use or copy this program under the terms of the GNU GPL, provided that the Copyright, this License, and the Availability of the original version is retained on all copies. User documentation of any code that uses this code or any modified version of this code must cite the Copyright, this License, the Availability note, and "Used by permission." Permission to modify the code and to distribute modified code is granted, provided the Copyright, this License, and the Availability note are retained, and a notice that the code was modified is included.

Availability:

<http://www.suitesparse.com>

CSparse/MATLAB/ssget/Doc/License.txt

Copyright (c), 2009-2016, Timothy A. Davis, All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CXsparse/MATLAB/ssget/Doc/License.txt

Copyright (c), 2009-2016, Timothy A. Davis, All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the organizations to which the authors are affiliated, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GraphBLAS/Doc/License.txt

SuiteSparse:GraphBLAS, Copyright 2017, Timothy A. Davis

Licensed under the Apache License, Version 2.0 (the “License”); you may not use SuiteSparse:GraphBLAS except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Mongoose License

Mongoose, Copyright 2018, Timothy A. Davis, Scott P. Kolodziej, William W. Hager, S. Nuri Yeralan
Licensed under the GNU GENERAL PUBLIC LICENSE, Version 3, 29 June 2007

Type

standard

Version Information

package-version.txt:

```
5.6.0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S suitesparse
```

conda:

```
$ conda install suitesparse
```

cygwin:

```
$ apt-cyg install suitesparse
```

Debian/Ubuntu:

```
$ sudo apt-get install suitesparse
```

Fedora/Redhat/CentOS:

```
$ sudo yum install suitesparse
```

freebsd:

```
$ sudo pkg install suitesparse
```

gentoo:

```
$ sudo emerge suitesparse
```

homebrew:

```
$ brew install suitesparse
```

macports: install the following packages: suitesparse opensuse:

```
$ sudo zypper install suitesparse
```

See <https://repology.org/project/suitesparse/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.280 surf: Visualization of algebraic curves, algebraic surfaces and hyperplane sections of surfaces

Description

surf is a tool to visualize some real algebraic geometry: plane algebraic curves, algebraic surfaces and hyperplane sections of surfaces. surf is script driven and has (optionally) a nifty GUI using the Gtk widget set.

This is used by the Singular Jupyter kernel to produce 3D plots.

License

GPL version 2 or later

Upstream Contact

<http://surf.sourceforge.net> (although the project is essentially dead)

Dependencies

- cups (optional)
- GNU flex Version 2.5 or higher
- GTK+ Version 1.2.0 or higher (optional)
- POSIX Threads
- GNU MP(gmp) Version 2 or higher
- lib-tiff
- lib-jpeg
- zlib
- ps2pdf (optional)

This package is “experimental” because not all of these dependencies are packaged with Sage.

Type

experimental

Version Information

package-version.txt:

1.0.6-gcc6

Equivalent System Packages

opensuse:

```
$ sudo zypper install surf-alggeo
```

See <https://repology.org/project/surf-alggeo/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.281 **surface_dynamics: dynamics on surfaces (measured foliations, interval exchange transformation, Teichmüller flow, etc)**

Description

Dynamics on surfaces.

License

GPLv2+

Upstream Contact

https://gitlab.com/videlec/surface_dynamics <https://pypi.org/project/surface-dynamics/>

Type

optional

Version Information

requirements.txt:

```
surface_dynamics
```

Equivalent System Packages

See <https://repology.org/project/python:surface-dynamics/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.282 symengine: A C++ symbolic manipulation library

Description

SymEngine is a standalone fast C++ symbolic manipulation library.

License

BSD 3-clause

Upstream Contact

<https://github.com/symengine/symengine>

Type

optional

Version Information

package-version.txt:

```
0.7.0
```

Equivalent System Packages

conda:

```
$ conda install symengine
```

freebsd:

```
$ sudo pkg install symengine
```

gentoo:

```
$ sudo emerge symengine
```

macports: install the following packages: symengine nix:

```
$ nix-env --install symengine
```

opensuse:

```
$ sudo zypper install symengine
```

See <https://repology.org/project/symengine/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.283 symengine_py: Python wrappers for SymEngine

Description

Python wrappers for SymEngine

License

symengine.py is MIT licensed and uses several LGPL, BSD-3 and MIT licensed libraries

Upstream Contact

<https://github.com/symengine/symengine.py>

Type

optional

Version Information

package-version.txt:

```
0.7.0.post2
```

install-requires.txt:

```
symengine.py >= 0.6.1
```

Equivalent System Packages

conda:

```
$ conda install python:symengine
```

See <https://repology.org/project/python:symengine/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.284 symmetrica: Library for representation theory

Description

Symmetrica is a Collection of C routines for representation theory.

It is a program developed by Lehrstuhl Mathematik II of the University of Bayreuth. It has routines to handle the following topics:

- ordinary representation theory of the symmetric group and related groups (2/11/04)
- ordinary representation theory of the classical groups

- modular representation theory of the symmetric group
- projective representation theory of the symmetric group
- combinatorics of tableaux
- symmetric functions and polynomials (7/22/04)
- commutative and non commutative Schubert polynomials
- operations of finite groups.
- ordinary representation theory of Hecke algebras of type A_n

For more details check <http://www.algorithm.uni-bayreuth.de/en/research/SYMMETRICA>

Updated package on <https://gitlab.com/sagemath/symmetrifica/-/releases> with changes to modernize the source and the build system.

License

Public Domain (see the above web site)

Upstream Contact

- (passed away in 2013) Axel Kohnert - see <http://www.mathe2.uni-bayreuth.de/axel/>

Type

standard

Version Information

package-version.txt:

```
3.0.1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S symmetrifica
```

conda:

```
$ conda install symmetrifica
```

Debian/Ubuntu:

```
$ sudo apt-get install symmetrifica
```

Fedora/Redhat/CentOS:

```
$ sudo yum install symmetrifica
```

freebsd:

```
$ sudo pkg install symmetrica
```

gentoo:

```
$ sudo emerge symmetrica
```

nix:

```
$ nix-env --install symmetrica
```

See <https://repology.org/project/symmetrica/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.285 sympow: Computes special values of symmetric power elliptic curve L-functions

Description

SYMPOW is a package to compute special values of symmetric power elliptic curve L-functions. It can compute up to about 64 digits of precision.

License

- See the file `src/COPYING`

Upstream Contact

SYMPOW does not appear to be maintained any longer. Mark Watkins, the package author, now works at Magma. Previous (possibly still usable) email is watkins@maths.usyd.edu.au

New upstream: <https://gitlab.com/rezozzer/forks/sympow>

Dependencies

- GNU patch

Special Update/Build Instructions

- Some of the code is very dubious, and it is anyone's guess really what the compiler does with it. For example, the following line exists in `src/eulerfactors.c`:

```
if ((HECKE) && (d==1)) return hecke_good(p,ap,m,v);
```

But since `hecke_good` is defined as returning void, it's hard to know exactly how this code behaves. I would not be surprised by any bugs that might show up. I (David Kirkby) would personally not trust this code much at all.

- This is a difficult package to maintain. A trac ticket (#9758) has been opened to implement Watkins-Delaunay's algorithm for computing modular degrees in Sage. Once implemented, it should be possible to remove this package.

- The package is configured such that the data files are in a directory below where ‘sympow’ is installed. If Sage is installed globally, then it will be impossible to create the data files without being root. This has been fixed in the Gentoo Linux distribution. Some information from Christopher can be seen on http://trac.sagemath.org/sage_trac/ticket/9703 This package will generate binary versions of all shipped datafiles, so these will work. However, creating totally new datafiles from scratch will not work.

Type

standard

Version Information

package-version.txt:

```
2.023.6
```

Equivalent System Packages

arch:

```
$ sudo pacman -S sympow
```

conda:

```
$ conda install sympow
```

Debian/Ubuntu:

```
$ sudo apt-get install sympow
```

Fedora/Redhat/CentOS:

```
$ sudo yum install sympow
```

gentoo:

```
$ sudo emerge sympow
```

nix:

```
$ nix-env --install sympow
```

opensuse:

```
$ sudo zypper install sympow
```

See <https://repology.org/project/sympow/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.286 sympy: Python library for symbolic mathematics

Description

SymPy is a Python library for symbolic mathematics. It aims to become a full-featured computer algebra system (CAS) while keeping the code as simple as possible in order to be comprehensible and easily extensible. SymPy is written entirely in Python and does not require any external libraries, except optionally for plotting support.

Website

<https://sympy.org/>

License

New BSD: <http://www.opensource.org/licenses/bsd-license.php>

Upstream Contact

sympy mailinglist: <http://groups.google.com/group/sympy>

Dependencies

- Python 2.5 or later

Special Update/Build Instructions

- A simple script can be used to ease the updating of the SPKG. See the README.

Type

standard

Version Information

package-version.txt:

```
1.7.1
```

install-requires.txt:

```
sympy >=1.6, <1.7
```

Equivalent System Packages

conda:

```
$ conda install python:sympy
```

macports: install the following packages: python:sympy See <https://repology.org/project/python:sympy/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.287 tachyon: A ray tracing system

Description

Tachyon is a raytracer developed by John E. Stone. Tachyon supports the typical ray tracer features, most of the common geometric primitives, shading and texturing modes, etc. It also supports less common features such as HDR image output, ambient occlusion lighting, and support for various triangle mesh and volumetric texture formats beneficial for molecular visualization (e.g. rendering VMD scenes).

Currently not all of Tachyon's functionality is exported by the Sage interface.

License

Copyright (c) 1994-2010 John E. Stone All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Upstream Contact

- <http://jedi.ks.uiuc.edu/~johns/raytracer/>
- <http://www.photonlimited.com/~johns/raytracer/>
- John Stone <johns@ks.uiuc.edu>

Dependencies

This spkg depends on:

- libpng

Special Update/Build Instructions

- Delete the scenes directory, which has lots of cool examples.
- Delete the msvc directory, which is also large and not used within Sage.
- The CVS subdirectories are currently (almost) empty, but should otherwise be deleted.
- The upstream files had strange permissions, i.e. some source files were executable, while almost all files weren't world-readable.
- There's seems to be some crap like `tachyon.html.tar.gz` and a few `.#*` files I haven't [yet] deleted, since they're not that large.
- TODO: Check whether building multi-threaded versions on MacOS X meanwhile works. (This was said to fail with an old beta.)
- TODO: Use `patch` instead of copying over pre-patched files.
- TODO: [Optionally] also install some of the documentation.
- TODO: I doubt the CFLAGS set for AIX and HP-UX won't get overridden by the created Makefile, but that's a minor issue. -leif

Type

standard

Version Information

package-version.txt:

```
0.98.9.p7
```

Equivalent System Packages

arch:

```
$ sudo pacman -S tachyon tachyon-opengl
```

conda:

```
$ conda install tachyon tachyon-opengl
```

Debian/Ubuntu:

```
$ sudo apt-get install tachyon tachyon-opengl
```

Fedora/Redhat/CentOS:

```
$ sudo yum install tachyon tachyon-opengl
```

freebsd:

```
$ sudo pkg install tachyon tachyon-opengl
```

gentoo:

```
$ sudo emerge tachyon tachyon-opengl
```

nix:

```
$ nix-env --install tachyon tachyon-opengl
```

opensuse:

```
$ sudo zypper install tachyon tachyon-opengl
```

See <https://repology.org/project/tachyon/versions>, <https://repology.org/project/tachyon-opengl/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.288 tdlb: Algorithms for computing tree decompositions

Description

Providing algorithms concerning treedecompositions

website: <https://github.com/freetdi/tdlib>

License

GNU General Public License v2

SPKG Maintainers

Lukas Larisch (lukas.larisch@kaust.edu.sa)

Upstream Contact

- Lukas Larisch (lukas.larisch@kaust.edu.sa)
- git-repo: <https://github.com/freetdi/tdlib>

Dependencies

- None

Type

optional

Version Information

package-version.txt:

```
0.3.1.p0
```

Equivalent System Packages

arch:

```
$ sudo pacman -S python:tdlib
```

See <https://repology.org/project/python:tdlib/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.289 terminado: Tornado websocket backend for the term.js Javascript terminal emulator library

Description

This is a Tornado websocket backend for the term.js Javascript terminal emulator library.

It evolved out of pyxterm, which was part of GraphTerm (as lineterm.py), v0.57.0 (2014-07-18), and ultimately derived from the public-domain Ajaxterm code, v0.11 (2008-11-13) (also on Github as part of QWeb).

Type

standard

Version Information

package-version.txt:

```
0.8.3
```

install-requires.txt:

```
terminado >=0.8.3
```

Equivalent System Packages

conda:

```
$ conda install terminado python:terminado
```

macports: install the following packages: terminado python:terminado See <https://repology.org/project/terminado/versions>, <https://repology.org/project/python:terminado/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.290 testpath: Testing utilities for filesystem-related code

Description

Testpath is a collection of utilities for testing code which uses and manipulates the filesystem and system commands

Type

standard

Version Information

package-version.txt:

```
0.4.4
```

install-requires.txt:

```
testpath >=0.4.4
```

Equivalent System Packages

conda:

```
$ conda install testpath python:testpath
```

macports: install the following packages: testpath python:testpath See <https://repology.org/project/testpath/versions>, <https://repology.org/project/python:testpath/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.291 texlive: A comprehensive TeX system

Description

TeX Live is an easy way to get up and running with the TeX document production system. It provides a comprehensive TeX system with binaries for most flavors of Unix, including GNU/Linux, and also Windows. It includes all the major TeX-related programs, macro packages, and fonts that are free software, including support for many languages around the world.

This package installs all texlive packages required to build Sage. If necessary, texlive itself is installed.

License

Various FSF-approved free software licenses. See <https://www.tug.org/texlive/copying.html> for details.

Upstream Contact

Home page: <https://www.tug.org/texlive>

Dependencies

- python

Special Update/Build Instructions

This package requires internet access to download texlive packages for the TeX mirrors.

Type

optional

Version Information

Equivalent System Packages

macports: install the following packages: texlive See <https://repology.org/project/texlive/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.292 texttable: Python module for creating simple ASCII tables

Description

Python module for creating simple ASCII tables

License

MIT License (MIT)

Upstream Contact

<https://github.com/foutaise/texttable/>

Dependencies

- python

Special Update/Build Instructions

Type

optional

Version Information

package-version.txt:

```
1.6.3
```

install-requires.txt:

```
texttable >=1.6.3
```

Equivalent System Packages

macports: install the following packages: `texttable python:texttable` See <https://repology.org/project/texttable/versions>, <https://repology.org/project/python:texttable/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.293 thebe: Add live Jupyter interaction to static websites

Description

Jupyter javascript plugin for static sites. Thebe takes the Jupyter front end, and make it work outside of the notebook context.

This is used by Sage's Sphinx-based documentation build system to produce html documentation that can be turned live (see <https://trac.sagemath.org/ticket/20690>).

License

MIT

Upstream Contact

- Home page: <https://oreillymedia.github.io/thebe/>
- Source: <https://github.com/oreillymedia/thebe/>

Dependencies

None.

Special Update/Build Instructions

There are no release numbers, hence find the latest commit, download <https://github.com/oreillymedia/thebe/archive/\protect\T1\textdollar%7BCOMMIT%7D.zip> and rename it `thebe-${COMMIT:0:8}.zip`

Type

standard

Version Information

package-version.txt:

9624e0a0.p0

Equivalent System Packages

See <https://repology.org/project/thebe/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.294 threejs: JavaScript library to display 3D graphics in the browser

Description

Three.js is a JavaScript library to display 3D graphics in the browser.

License

MIT License

Upstream Contact

Home page: <http://threejs.org>

Dependencies

None.

Special Update/Build Instructions

None.

Type

standard

Version Information

package-version.txt:

```
r122
```

Equivalent System Packages

conda:

```
$ conda install threejs threejs-sage
```

See <https://repology.org/project/threejs/versions>, <https://repology.org/project/threejs-sage/versions>

However, these system packages will not be used for building Sage because `spkg-configure.m4` has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.295 tides: Integration of ODEs

Description

TIDES is a library for integration of ODEs with high precision.

License

GPLv3+

Upstream Contact

- Marcos Rodriguez (marcos@unizar.es)

Dependencies

- gcc
- mpfr
- gmp

Special Update/Build Instructions

minc_tides.patch changes the size of the name of the temporal files, so there is no problem in systems that use long names. Also solves a bug in the inverse function.

Type

optional

Version Information

package-version.txt:

```
2.0.p0
```

Equivalent System Packages

See <https://repology.org/project/tides/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.296 topcom: Compute triangulations of point configurations and oriented matroids

Description

TOPCOM is a collection of clients to compute Triangulations Of Point Configurations and Oriented Matroids, resp.

The algorithms use only combinatorial data of the point configuration as is given by its oriented matroid. Some basic commands for computing and manipulating oriented matroids can also be accessed by the user.

It was very much inspired by the maple program PUNTOS, which was written by Jesus de Loera. TOPCOM is entirely written in C++, so there is a significant speed up compared to PUNTOS.

License

GPL v2

Upstream Contact

Prof. Dr. Jörg Rambau <Joerg.Rambau@uni-bayreuth.de>
Lehrstuhl für Wirtschaftsmathematik
Raum FAN-D.1.29 (Sekretariat: FAN-D.1.30)
Universität Bayreuth
D-95440 Bayreuth
Germany
Tel: +49-921-55-7350, Fax: +49-921-55-7352
<http://www.rambau.wm.uni-bayreuth.de>

Dependencies

- gmp, libcdd

Special Update/Build Instructions

See spkg-src

Type

optional

Version Information

package-version.txt:

0.17.7

Equivalent System Packages

See <https://repology.org/project/topcom/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.297 tornado: Python web framework and asynchronous networking library

Description

Python web framework and asynchronous networking library

License

Apache License

Upstream Contact

Home page: <http://www.tornadoweb.org>

Dependencies

Python

Type

standard

Version Information

package-version.txt:

```
6.0.4
```

install-requires.txt:

```
tornado >=6.0.4
```

Equivalent System Packages

conda:

```
$ conda install python:tornado
```

macports: install the following packages: python:tornado opensuse:

```
$ sudo zypper install python:tornado
```

See <https://repology.org/project/python:tornado/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.298 tox: A command line driven CI frontend and development task automation tool

Description

Command line driven CI frontend and development task automation tool.

The Sage library uses tox as an entry point for testing and linting. See `src/tox.ini` and `sage --advanced`.

Sage-the-distribution uses tox for portability testing. See `SAGE_ROOT/tox.ini`.

License

- MIT License

Upstream Contact

<https://pypi.org/project/tox/>

Type

optional

Version Information

requirements.txt:

```
tox
```

install-requires.txt:

```
# Matches version checked in spkg-configure.m4
tox >=2.5.0
```

Equivalent System Packages

conda:

```
$ conda install tox
```

cygwin:

```
$ apt-cyg install tox
```

Debian/Ubuntu:

```
$ sudo apt-get install tox
```

Fedora/Redhat/CentOS:

```
$ sudo yum install tox
```

freebsd:

```
$ sudo pkg install tox
```

gentoo:

```
$ sudo emerge tox
```

homebrew:

```
$ brew install tox
```

macports: install the following packages: tox slackware:

```
$ sudo slackpkg install tox
```

void:

```
$ sudo xbps-install tox
```

See <https://repology.org/project/tox/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.299 traitlets: A configuration system for Python applications

Description

Traitlets Python config system

A configuration system for Python applications.

Type

standard

Version Information

package-version.txt:

```
4.3.3
```

install-requires.txt:

```
traitlets >=4.3.3
```

Equivalent System Packages

conda:

```
$ conda install traitlets python:traitlets
```

macports: install the following packages: traitlets python:traitlets opensuse:

```
$ sudo zypper install traitlets python:traitlets
```

See <https://repology.org/project/traitlets/versions>, <https://repology.org/project/python:traitlets/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.300 tzlocal: Python timezone information for the local timezone

Description

tzinfo object for the local timezone

Type

standard

Version Information

package-version.txt:

```
2.1
```

install-requires.txt:

```
tzlocal >=2.1
```

Equivalent System Packages

conda:

```
$ conda install tzlocal python:tzlocal
```

macports: install the following packages: tzlocal python:tzlocal opensuse:

```
$ sudo zypper install tzlocal python:tzlocal
```

See <https://repology.org/project/tzlocal/versions>, <https://repology.org/project/python:tzlocal/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.301 valgrind: Memory error detector, call graph generator, runtime profiler

Description

This is an optional spkg. It supports Linux on x86, x86-64, ppc, ppc64 and ARM as well as Darwin (Mac OS X 10.5 and 10.6) on x86 and x86-64.

Valgrind is an instrumentation framework for building dynamic analysis tools. There are Valgrind tools that can automatically detect many memory management and threading bugs, and profile your programs in detail. You can also use Valgrind to build new tools.

The Valgrind distribution currently includes six production-quality tools: a memory error detector, two thread error detectors, a cache and branch-prediction profiler, a call-graph generating cache and branch-prediction profiler, and a heap profiler. It also includes three experimental tools: a heap/stack/global array overrun detector, a second heap profiler that examines how heap blocks are used, and a SimPoint basic block vector generator. It runs on the following platforms: X86/Linux, AMD64/Linux, ARM/Linux, PPC32/Linux, PPC64/Linux, S390X/Linux, ARM/Android (2.3.x), X86/Darwin and AMD64/Darwin (Mac OS X 10.6 and 10.7).

License

Valgrind is Open Source / Free Software, and is freely available under the GNU General Public License, version 2.

Upstream Contact

- <http://www.valgrind.org/>
- valgrind-user, valgrind-devel mailing lists

Dependencies

- None

Special Build Instructions

- To build on OS X, you need to use Apple's compiler. FSF GCC is unsupported.

Patches

- None.

Type

experimental

Version Information

package-version.txt:

```
3.14.0
```

Equivalent System Packages

macports: install the following packages: valgrind opensuse:

```
$ sudo zypper install valgrind
```

See <https://repology.org/project/valgrind/versions>

However, these system packages will not be used for building Sage because spkg-configure.m4 has not been written for this package; see <https://trac.sagemath.org/ticket/27330>

4.1.302 vcversioner: Python build system extension to obtain package version from version control

Description

Write a setup.py with no version information specified, and vcversioner will find a recent, properly-formatted VCS tag and extract a version from it.

License

Python Software Foundation License

Upstream Contact

Home page: <https://pypi.python.org/pypi/vcversioner/>

Dependencies

Python, Setuptools

Type

standard

Version Information

package-version.txt:

```
2.16.0.0.p0
```

install-requires.txt:

```
vcversioner >=2.16.0.0
```

Equivalent System Packages

conda:

```
$ conda install vcversioner python:vcversioner
```

macports: install the following packages: vcversioner python:vcversioner opensuse:

```
$ sudo zypper install vcversioner python:vcversioner
```

See <https://repology.org/project/vcversioner/versions>, <https://repology.org/project/python:vcversioner/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.303 wcwidth: Python support for wide characters in a terminal

Description

Measures number of Terminal column cells of wide-character codes

<https://pypi.python.org/pypi/wcwidth>

Type

standard

Version Information

package-version.txt:

```
0.1.7.p0
```

install-requires.txt:

```
wcwidth >=0.1.7
```

Equivalent System Packages

conda:

```
$ conda install wcwidth python:wcwidth
```

macports: install the following packages: wcwidth python:wcwidth opensuse:

```
$ sudo zypper install wcwidth python:wcwidth
```

See <https://repology.org/project/wcwidth/versions>, <https://repology.org/project/python:wcwidth/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.304 webencodings: Character encoding aliases for legacy web content

Description

Character encoding aliases for legacy web content.

License

BSD License

Upstream Contact

Home Page: <https://github.com/gsnedders/python-webencodings>

Dependencies

Python

Type

standard

Version Information

package-version.txt:

```
0.5.1
```

install-requires.txt:

```
webencodings >=0.5.1
```

Equivalent System Packages

conda:

```
$ conda install python:webencodings
```

macports: install the following packages: python:webencodings opensuse:

```
$ sudo zypper install python:webencodings
```

See <https://repology.org/project/python:webencodings/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.305 wheel: A built-package format for Python

Description

A built-package format for Python

License

MIT

Upstream Contact

<https://pypi.org/project/wheel/>

Type

standard

Version Information

package-version.txt:

```
0.36.2
```

install-requires.txt:

```
# https://trac.sagemath.org/ticket/31050 - version constraint for macOS Big Sur
↪support
wheel >=0.36.2
```

Equivalent System Packages

conda:

```
$ conda install wheel python:wheel
```

macports: install the following packages: wheel python:wheel opensuse:

```
$ sudo zypper install wheel python:wheel
```

See <https://repology.org/project/wheel/versions>, <https://repology.org/project/python:wheel/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.306 widgetsnbextension: Jupyter notebook extension for interactive HTML widgets

Description

Interactive HTML widgets for Jupyter notebooks.

Type

standard

Version Information

package-version.txt:

```
3.5.1.p0
```

install-requires.txt:

```
widgetsnbextension >=3.5.1
```

Equivalent System Packages

arch:

```
$ sudo pacman -S python3-jupyter_widgetsnbextension
```

conda:

```
$ conda install python3-jupyter_widgetsnbextension
```

Fedora/Redhat/CentOS:

```
$ sudo yum install python3-jupyter_widgetsnbextension
```

freebsd:

```
$ sudo pkg install python3-jupyter_widgetsnbextension
```

gentoo:

```
$ sudo emerge python3-jupyter_widgetsnbextension
```

macports: install the following packages: python3-jupyter_widgetsnbextension opensuse:

```
$ sudo zypper install python3-jupyter_widgetsnbextension
```

void:

```
$ sudo xbps-install python3-jupyter_widgetsnbextension
```

See https://repology.org/project/python3-jupyter_widgetsnbextension/versions

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.307 xz: General-purpose data compression software

Description

XZ Utils is free general-purpose data compression software with a high compression ratio.

License

Some parts public domain, other parts GNU LGPLv2.1, GNU GPLv2, or GNU GPLv3.

Upstream Contact

<http://tukaani.org/xz/>

Dependencies

Type

standard

Version Information

package-version.txt:

```
5.2.2.p0
```

Equivalent System Packages

conda:

```
$ conda install xz liblzma-devel
```

cygwin:

```
$ apt-cyg install xz liblzma-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install xz liblzma-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install xz liblzma-devel
```

homebrew:

```
$ brew install xz liblzma-devel
```

macports: install the following packages: xz liblzma-devel opensuse:

```
$ sudo zypper install xz liblzma-devel
```

slackware:

```
$ sudo slackpkg install xz liblzma-devel
```

void:

```
$ sudo xbps-install xz liblzma-devel
```

See <https://repology.org/project/xz/versions>, <https://repology.org/project/liblzma-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.308 yasm: An assembler for the x86 and AMD64 instruction sets

Description

Yasm is a complete rewrite of the NASM assembler under the “new” BSD License (some portions are under other licenses, see COPYING for details).

Yasm currently supports the x86 and AMD64 instruction sets, accepts NASM and GAS assembler syntaxes, outputs binary, ELF32, ELF64, 32 and 64-bit Mach-O, RDOFF2, COFF, Win32, and Win64 object formats, and generates source debugging information in STABS, DWARF 2, and CodeView 8 formats.

Yasm can be easily integrated into Visual Studio 2005/2008 and 2010 for assembly of NASM or GAS syntax code into Win32 or Win64 object files.

See <https://yasm.tortall.net>

License

Yasm is licensed under the 2-clause and 3-clause “revised” BSD licenses, with one exception: the Bit::Vector module used by the mainline version of Yasm to implement its large integer and machine-independent floating point support is triple-licensed under the Artistic license, GPL, and LGPL. The “yasm-nextgen” codebase uses a different BSD-licensed implementation and is thus entirely under BSD-equivalent licenses. The full text of the licenses are provided in the Yasm source distribution.

Upstream Contact

- <https://yasm.tortall.net>

Dependencies

- none

Type

standard

Version Information

package-version.txt:

```
1.3.0.p0
```

Equivalent System Packages

alpine: install the following packages: yasm conda:

```
$ conda install yasm
```

cygwin:

```
$ apt-cyg install yasm
```

Debian/Ubuntu:

```
$ sudo apt-get install yasm
```

Fedora/Redhat/CentOS:

```
$ sudo yum install yasm
```

freebsd:

```
$ sudo pkg install yasm
```

homebrew:

```
$ brew install yasm
```

macports: install the following packages: yasm opensuse:

```
$ sudo zypper install yasm
```

slackware:

```
$ sudo slackpkg install yasm
```

void:

```
$ sudo xbps-install yasm
```

See <https://repology.org/project/yasm/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.309 zeromq: A modern networking library

Description

A modern networking library. Also known as 0mq or zmq. The same API is provided by <http://www.crossroads.io>, though we currently use the <http://www.zeromq.org> implementation.

License

LGPLv3+

Upstream Contact

<http://www.zeromq.org>

Dependencies

A working compiler.

Special Update/Build Instructions

N/A

Type

standard

Version Information

package-version.txt:

```
4.2.5
```

Equivalent System Packages

conda:

```
$ conda install zeromq-devel
```

cygwin:

```
$ apt-cyg install zeromq-devel
```

Debian/Ubuntu:

```
$ sudo apt-get install zeromq-devel
```

Fedora/Redhat/CentOS:

```
$ sudo yum install zeromq-devel
```

freebsd:

```
$ sudo pkg install zeromq-devel
```

homebrew:

```
$ brew install zeromq-devel
```

macports: install the following packages: zeromq-devel opensuse:

```
$ sudo zypper install zeromq-devel
```

void:

```
$ sudo xbps-install zeromq-devel
```

See <https://repology.org/project/zeromq-devel/versions>

If the system package is installed, ./configure will check whether it can be used.

4.1.310 zipp: A pathlib-compatible zipfile object wrapper

Description

A pathlib-compatible Zipfile object wrapper. A backport of the Path object.

License

MIT License

Upstream Contact

Home page: <https://github.com/jaraco/zippp>

Dependencies

Python, Setuptools

Type

standard

Version Information

package-version.txt:

```
0.5.2
```

install-requires.txt:

```
zippp >=0.5.2
```

Equivalent System Packages

conda:

```
$ conda install python:zippp
```

macports: install the following packages: python:zippp See <https://repology.org/project/python:zippp/versions>

However, these system packages will not be used for building Sage because using Python site-packages is not supported by the Sage distribution; see <https://trac.sagemath.org/ticket/29023>

4.1.311 zlib: Data compression library

Description

Massively Spiffy Yet Delicately Unobtrusive Compression Library (Also Free, Not to Mention Unencumbered by Patents)

License

- Modified BSD.

Upstream Contact

- <http://www.zlib.net/>

Dependencies

- None

Special Update/Build Instructions

Patches

- `cygwin_symbols.patch`: remove undefined symbols on Cygwin.

Type

standard

Version Information

package-version.txt:

```
1.2.11.p0
```

Equivalent System Packages

conda:

```
$ conda install zlib
```

cygwin:

```
$ apt-cyg install zlib
```

Debian/Ubuntu:

```
$ sudo apt-get install  zlib
```

Fedora/Redhat/CentOS:

```
$ sudo yum install  zlib
```

homebrew:

```
$ brew install zlib
```

macports: install the following packages: `zlib` `opensuse`:

```
$ sudo zypper install zlib
```

slackware:

```
$ sudo slackpkg install zlib
```

See <https://repology.org/project/zlib/versions>

If the system package is installed, `./configure` will check whether it can be used.

4.1.312 zn_poly: C library for polynomial arithmetic in $\mathbb{Z}/n\mathbb{Z}[x]$

Description

zn_poly is a C library for polynomial arithmetic in $\mathbb{Z}/n\mathbb{Z}[x]$, where n is any modulus that fits into an unsigned long.

Website: https://gitlab.com/sagemath/zn_poly

Note: Original website is at https://web.maths.unsw.edu.au/~davidharvey/code/zn_poly/ but is no longer maintained. Sage maintains an “official” continuation of the project at the above link.

License

GPL V2 or V3. Some of the code has been copied from other projects - see the file `src/COPYING` for details.

Upstream Contact

- David Harvey
- E. M. Bray <erik.m.bray@gmail.com>

Dependencies

- GMP/MPFR
- (some) Python (to create the Makefile)
- GNU patch
- NTL apparently only if we configured zn_poly differently (same for FLINT)

Special Update/Build Instructions

- Make sure the patches still apply.
Especially changes in `makemakefile.py` may also require changes to `spkg-install` (and perhaps also `spkg-check`).
- There’s also a `--use-flint` option to `configure`; no idea what it does, and we currently don’t use it either.
- TODO:
- Use `make install` instead of manually “installing” (copying and symlinking) the [shared] libraries and header files. This requires further tweaking of `makemakefile.py`, since it currently only installs a static library and the headers.

- If everything’s fine, i.e., no problems arise, some comments and especially some code I currently just commented out can certainly be removed. (-leif, 04/2012)
- The version number “0.9.p11” is used as a doctest in the function `package_versions` in `sage/misc/packages.py`, so if this package gets upgraded, that doctest needs to be changed.

Patches

- All patches from Sage have been merged into upstream. These include:
- `makemakefile.py.patch`:
Improves the Python script creating the Makefile for better use at least within Sage; see patch for details. (Last modified at #12433, which added and changed a lot.)
- `profiler.c.patch`, `zn_poly.h.patch`:
Fix potential redefinition of `ulong` (in combination with other headers).
- `mpn_mulmid-tune.c.patch`, `mulmid-tune.c.patch`, `mul-tune.c.patch`:
Fix “jump into scope of identifier with variably modified type” errors. (See #8771).
- `mpn_mulmid-test.c.patch`:
Fix a potential problem when the value of `ZNP_mpn_smp_kara_thresh` is `SIZE_MAX`, this is usually unrealistic but can happen at least on linux on power7 with gcc-4.7.1 (see #14098).
- `fix_fudge_factor_in_nuss-test.c.patch`:
As the name says; fix provided by upstream (David Harvey); see #13947.

Type

standard

Version Information

`package-version.txt`:

```
0.9.2
```

Equivalent System Packages

arch:

```
$ sudo pacman -S  zn-poly libzn-poly
```

conda:

```
$ conda install zn-poly libzn-poly
```

Debian/Ubuntu:

```
$ sudo apt-get install  zn-poly libzn-poly
```

Fedora/Redhat/CentOS:

```
$ sudo yum install zn-poly libzn-poly
```

freebsd:

```
$ sudo pkg install zn-poly libzn-poly
```

nix:

```
$ nix-env --install zn-poly libzn-poly
```

opensuse:

```
$ sudo zypper install zn-poly libzn-poly
```

See <https://repology.org/project/zn-poly/versions>, <https://repology.org/project/libzn-poly/versions>

If the system package is installed, `./configure` will check whether it can be used.