Sunday, 2019-06-30

JEMS Special Camp 2019 Page 1

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
8:00 am	Miyashiro, Cindy	Hydrocortisone cream	1% creamapply small amount to rash areas on back	twice dailyAM and bedtime		ant inflammation		
2:00 pm	Narahara, Craig	Levitiracetam (Keppra)	750 mg/tabletdose is 1 tablet	three times per day8 am; 2 pm; 9 pm	SEasthenia, headache, somnolence, amnesia, anxiety, ataxia, depression, dizziness, diplopia, rhinitis, cough	seizure control		

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
5:00 pm	Miyashiro, Cindy	Brimonidine 0.2% eye solution	1 drop in each eye	twice daily	SEasthenia, dizziness, allergic conjunctivitis, ocular hyperemia, pruritus, burning, hinflammation, dryness	glaucoma treatment		
5:00 pm	Miyashiro, Cindy	Carbamazepine ER (Carbatrol)	220 mg/capsletdose is 3 caplets	twice daily8 am and 5 pm	Do not crush or split ER tablets. SEataxia, dizziness, drowsiness, vertigo, worsening of seizures, confusion, arrhythmias, heart failure. AVOID GRAPEFRUIT JUICE. Take with food to minimize GI effects. Do not take broken or chipped tablets.Notify provider if fever, sore throat, mouth ulcers or easy bruising or bleeding.	anti-seizure		
5:00 pm	Miyashiro, Cindy	Oyster Shell 500 Vitamin D3 200	1 tablet	three times daily 8 am, 5 pm, 9 pm		nutritional supplement		
5:00 pm	Miyashiro, Cindy	Simvastatin	20mg/tabdose is 1 tablet	once daily in evening	SEasthenia, headache, abdominal pain, constipation, flatulence. AVOID USE OF GRAPEFRUIT JUICE.	cholesterol lowering agent		
						2010 05 1		

			1	1	T	T		
Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
6:00 pm	Chua, Hannah	Acetyl L-carnitine	500 mg/capsuledose is 1 capsule	three times daily		Nutritional supplement		
6:00 pm	Chua, Hannah	Fish Oil	1000mg/capsuledose is 1 capsule	twice daily		Nutritional supplement		
6:00 pm	Chua, Hannah	Miralax	1/2 capful	twice daily breakfast and dinner	SEdiarrheaif this occurs, skip two days of miralax and restart at 1/4 capful twice daily. Give with a full glass of liquid.	prevent constipation		
6:00 pm	Hata, Randall	Crestor	20mg/tabdose is 1 tablet	daily in pm.	SEmuscle weakenss, dizziness, headache, abdoinal pain, constipatio, itching, rash	cholesterol lowering agent		
6:00 pm	Hata, Randall	Docusate Sodium	250 mg/capsuledose is 1 capsule	twice daily		stool softener		
6:00 pm	Nakagaki, Christin	e Miralax	17 grams/packetdose is 1 packet. Dissolve in 4-8 oz fluid.	Dinner on Sunday, Tuesday, Thursday only	SEnausea, abdominal cramping, bloating, upset stomach, gas, dizziness, increased sweating.	constipation relief		
6:00 pm	Narahara, Craig	Benztropine (Cogentin)	1 mg/tabdose is 1 tablet	twice daily8 am and 6 pm	SEconfusion, memory impairment, nervousness, depression, disorientation, tachycardia, dilated pupils, dry mouth, urine retention, decreased sweating. USE CAUTION IN HOT WEATHERDRUG INDUCES LACK OF SWEATING SO MAY CAUSE OVERHEATING.	control drooling, saliv ationanti-cholinergic agent		
6:00 pm	Narahara, Craig	Divalproex	500 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm	Give with food or milk to reduce adverse GI effects. SEasthenia, dizziness, drowsiness, headache, insomnia, nervousness, somnolence, tremor, chest pain, nausea	seizure disorder		

Sunday, 2019-06-30

JEMS	Special	Camp	<i>2019</i>)
		P	age 4	Į.

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
6:00 pm	Narahara, Craig	Fiber Pill	625 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm		promote bowel regularity		
6:00 pm	Narahara, Craig	Oyster Calcium	500 mg/tabletdose is 1 tablet	twice daily 8 am and 6 pm		nutritional supplement		

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
8:00 pm	Miyashiro, Cindy	Hydrocortisone cream	1% creamapply small amount to rash areas on back	twice dailyAM and bedtime		ant inflammation		
8:00 pm	Tani, Glenn Ricky	Celexa (Citalopram)	40 mg/tabletdose is 1 tablet	daily at bedtime	SEsomnolence, insomnia, anxiety, agitation, dizziness, paresthesia, tachycardia, orthostatic hypotension, dry mouth, nausea, diarrhea	anti-anxietyanti-depr essant		
8:00 pm	Tani, Glenn Ricky	Cogentin (Benztropine)	1 mg/tabdose is 1 tablet	daily at bedtime8 pm	SEconfusion, memoriy impairement, nervousness, depression, disorinetation, hallucination, tachycardia, urine retension, muscle weakness, decreased sweating. Cautioir in hot weather because of drug induced lack of sweating may cause overheating.	antiparkinsonian, anticholinergic, anti-agitation		
8:00 pm	Tani, Glenn Ricky	Seroquel (Quetiapine Fumartate)	300 mg/tabdose is 1/2 tab or 150 mg	daily at bedtime8 pm	SEdizziness, headache, somnolence, orthostailc hypotension, tachycardia, palpitations, peripheral edema, dry mouth, constipation, Caution in hot weather. Watch for neuroleptic malignant syndrome (EPS effects, hyperthermia, autonomic disturbance) which is rare but deadly.	anti-psychotic, anti-depressant, anti-anxiety		
						2010.06.1		

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
9:00 pm	Chua, Hannah	Magnesium	400 mg/tabletdose is 1 tablet	daily at bedtimecan take half hour before with melatonin		nutritional supplement		
9:00 pm	Chua, Hannah	Melatonin	1 mg/tabletdose is 1 tablet	daily at bedtimecan take half hour before		Nutritional supplement		
9:00 pm	Hata, Randall	Aquaphor spray	spray to affected areas on arms and legs	daily after showering	Spray on caregiver's hands then apply to his arms and legs.	prevent skin dryness		
9:00 pm	Miyashiro, Cindy	Chlorhexidine 0.12% mouth rinse	1/2 oz undiluted rinse in mouth	once daily at bedtime	Daily at bedtime after brushing her teeth. Rinse and swish and spit out.	treatment for gum disease		
9:00 pm	Miyashiro, Cindy	Citalopram HBR (Celexa)	40 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEsomnolence, insomnia, anxiety, agitation, dizziness, paresthesia, tachycardia, orthostatic hypotension, rash. Recognize risk for serotonin toxicityfever, mental status changes, muscle twitching, excessive sweating, shirvering, shaking, diarrhea, loss of coordination	antidepressant		
9:00 pm	Miyashiro, Cindy	Latanoprost	0.005%dose is 1 drop in each eye	daily at bedtime9 pm	SEblurred vision, burning, itching, stinging, conunctivital hyperemia, dry eye, excessive tearing, eye pain. If more than one opthalmic drug is being used, give at least 5 minutes apart.	glaucoma treatment		
9:00 pm	Miyashiro, Cindy	Oyster Shell 500 Vitamin D3 200	1 tablet	three times daily 8 am, 5 pm, 9 pm		nutritional supplement		
9:00 pm	Miyashiro, Cindy	Risperidone HS dose 0.5 mg tab	0.5 mg/tab1 tablet	daily at 9 pm	Total HS dose is 2 tabs1 tab of 1 mg tablet and 1 tab of 0.5 mg tablet. SEakathisia, comnolence, dystonia, headache, insomnia, agitation, anxiety, pain, tachycardia, orthostatic hypotension	mood stabilizeranti-p sychotic		

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
9:00 pm	Miyashiro, Cindy	Risperidone HS dose 1 mg tablet	1 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEdrowsiness,akathisia, dystonia, headache, insomnia, agitation, anxiety, parkinsonism, dizziness	mood stabilizer, anti-psychotic		
9:00 pm	Miyashiro, Cindy	Triamcinolone 0.5%	apply small amount to affected area	twice dailyAM and bedtime	Apply to brown skin discoloration areas.	steroid cream		
9:00 pm	Miyashiro, Cindy	Vitamin E cream	apply to affectd areas of skin rash to back of legs	daily at bedtime		promotes skin health		
9:00 pm	Narahara, Craig	Gemfibrozil (Lopid)	600 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEfatigue, headache, vertigo, atrial fibrillation, hypokalemia, leukopenia, dermatitis	cholesterol control		
9:00 pm	Narahara, Craig	Levitiracetam (Keppra)	750 mg/tabletdose is 1 tablet	three times per day8 am; 2 pm; 9 pm	SEasthenia, headache, somnolence, amnesia, anxiety, ataxia, depression, dizziness, diplopia, rhinitis, cough	seizure control		
as needed	Hata, Randall	Fluticasone 50 mcg Nasal Spray	1 puff each nostril	as needed for sinus congestion	SEnasal congestion, blood in nasal mucosa, nasal irritation	relief of nasal congestion		
as needed	Hata, Randall	Refresh eye drops	1 drop in each eye	as needed for eye dryness		eye lubrication to prevent dryness		
	_							

Saturday, 2019-07-06

JEMS Special Camp 2019 Page 1

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
12 noon	Chua, Hannah	Acetyl L-carnitine	500 mg/capsuledose is 1 capsule	three times daily		Nutritional supplement		
2:00 pm	Narahara, Craig	Levitiracetam (Keppra)	750 mg/tabletdose is 1 tablet	three times per day8 am; 2 pm; 9 pm	SEasthenia, headache, somnolence, amnesia, anxiety, ataxia, depression, dizziness, diplopia, rhinitis, cough	seizure control		

Saturday, 2019-07-06

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
5:00 pm	Miyashiro, Cindy	Brimonidine 0.2% eye solution	1 drop in each eye	twice daily	SEasthenia, dizziness, allergic conjunctivitis, ocular hyperemia, pruritus, burning, hinflammation, dryness	glaucoma treatment		
5:00 pm	Miyashiro, Cindy	Carbamazepine ER (Carbatrol)	220 mg/capsletdose is 3 caplets	twice daily8 am and 5 pm	Do not crush or split ER tablets. SEataxia, dizziness, drowsiness, vertigo, worsening of seizures, confusion, arrhythmias, heart failure. AVOID GRAPEFRUIT JUICE. Take with food to minimize GI effects. Do not take broken or chipped tablets.Notify provider if fever, sore throat, mouth ulcers or easy bruising or bleeding.	anti-seizure		
5:00 pm	Miyashiro, Cindy	Oyster Shell 500 Vitamin D3 200	1 tablet	three times daily 8 am, 5 pm, 9 pm		nutritional supplement		
5:00 pm	Miyashiro, Cindy	Simvastatin	20mg/tabdose is 1 tablet	once daily in evening	SEasthenia, headache, abdominal pain, constipation, flatulence. AVOID USE OF GRAPEFRUIT JUICE.	cholesterol lowering agent		
						2010 05 1		

Saturday, 2019-07-06

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
6:00 pm	Chua, Hannah	Acetyl L-carnitine	500 mg/capsuledose is 1 capsule	three times daily		Nutritional supplement		
6:00 pm	Chua, Hannah	Fish Oil	1000mg/capsuledose is 1 capsule	twice daily		Nutritional supplement		
6:00 pm	Chua, Hannah	Miralax	1/2 capful	twice daily breakfast and dinner	SEdiarrheaif this occurs, skip two days of miralax and restart at 1/4 capful twice daily. Give with a full glass of liquid.	prevent constipation		
6:00 pm	Hata, Randall	Crestor	20mg/tabdose is 1 tablet	daily in pm.	SEmuscle weakenss, dizziness, headache, abdoinal pain, constipatio, itching, rash	cholesterol lowering agent		
6:00 pm	Hata, Randall	Docusate Sodium	250 mg/capsuledose is 1 capsule	twice daily		stool softener		
6:00 pm	Narahara, Craig	Benztropine (Cogentin)	1 mg/tabdose is 1 tablet	twice daily8 am and 6 pm	SEconfusion, memory impairment, nervousness, depression, disorientation, tachycardia, dilated pupils, dry mouth, urine retention, decreased sweating USE CAUTION IN HOT WEATHERDRUG INDUCES LACK OF SWEATING SO MAY CAUSE OVERHEATING.	control drooling, saliv ationanti-cholinergic agent		
6:00 pm	Narahara, Craig	Divalproex	500 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm	Give with food or milk to reduce adverse GI effects. SEasthenia, dizziness, drowsiness, headache, insomnia, nervousness, somnolence, tremor, chest pain, nausea	seizure disorder		
6:00 pm	Narahara, Craig	Fiber Pill	625 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm		promote bowel regularity		
6:00 pm	Narahara, Craig	Oyster Calcium	500 mg/tabletdose is 1 tablet	twice daily 8 am and 6 pm		nutritional supplement		

Saturday, 2019-07-06

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
9:00 pm	Miyashiro, Cindy	Citalopram HBR (Celexa)	40 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEsomnolence, insomnia, anxiety, agitation, dizziness, paresthesia, tachycardia, orthostatic hypotension, rash. Recognize risk for serotonin toxicityfever, mental status changes, muscle twitching, excessive sweating, shirvering, shaking, diarrhea, loss of coordination	antidepressant		
9:00 pm	Miyashiro, Cindy	Oyster Shell 500 Vitamin D3 200	1 tablet	three times daily 8 am, 5 pm, 9 pm		nutritional supplement		
9:00 pm	Miyashiro, Cindy	Risperidone HS dose 0.5 mg tab	0.5 mg/tab1 tablet	daily at 9 pm	Total HS dose is 2 tabs1 tab of 1 mg tablet and 1 tab of 0.5 mg tablet. SEakathisia, comnolence, dystonia, headache, insomnia, agitation, anxiety, pain, tachycardia, orthostatic hypotension	mood stabilizeranti-p sychotic		
9:00 pm	Miyashiro, Cindy	Risperidone HS dose 1 mg tablet	1 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEdrowsiness,akathisia, dystonia, headache, insomnia, agitation, anxiety, parkinsonism, dizziness	mood stabilizer, anti-psychotic		
9:00 pm	Narahara, Craig	Gemfibrozil (Lopid)	600 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEfatigue, headache, vertigo, atrial fibrillation, hypokalemia, leukopenia, dermatitis	cholesterol control		
9:00 pm	Narahara, Craig	Levitiracetam (Keppra)	750 mg/tabletdose is 1 tablet	three times per day8 am; 2 pm; 9 pm	SEasthenia, headache, somnolence, amnesia, anxiety, ataxia, depression, dizziness, diplopia, rhinitis, cough	seizure control		
						2019-06-1		

Saturday, 2019-07-06

JEMS Special Camp 2019
Page 5

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
as needed		Fluticasone 50 mcg Nasal Spray	1 puff each nostril		SEnasal congestion, blood in nasal mucosa, nasal irritation	relief of nasal congestion		
as needed	Hata, Randall	Refresh eye drops	1 drop in each eye	as needed for eye dryness		eye lubrication to prevent dryness		

As Needed

JEMS Special	Camp 2019
	Page 1

Time	Camper	Medication	Dosage	Frequency	Special Instructions	Purpose	Admin	Witness
as needed	Chua, Hannah	Acetaminophen	500 mg1 tablet	as needed every 4 hrs for pain; do not exceed 5 doses in 24 hrs.		mild pain relief		
as needed	Nakagaki, Christin	elbuprofen Jr. Strength	100 mg/tabdose is 3 tablets; CHEWABLE	as needed for menstrual cramps or fever every 6-8 hrs if needed. Give with food.	SEstomach upset, nausea, vomiting, headache, diarrhea, constipation, dizziness, drowsiness, easy bruising or bleeding.ringing in the ears.	as needed for relief of menstrual cramps, fever		