Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Atenolol	anti-hypertensive	25 mg/tabdose is 1 tab	twice daily	SEdizziness, bradycardia, hypotension, heart failure, intermittent claudication, bronchospasm	
8:00 am	Mo Tu We Th Fr Sa	CVS Stool softener	stool softener	250 mg/capsuledose is 1 capsule	twice daily		
8:00 am	Mo Tu We Th Fr Sa	Hydrocodone (Norco)	relief of pain	5/325 mg/1 tabletdose is 1 tablet	three times daily8 am; noon; 4 pm	BEDTIME DOSE IS 2 TABLETS. GIVE WITH FOOD. SElightheadness, dizzziness, sedation, mental clouding, bradycardia, nausea, vomiting, constipation, hypotension	
8:00 am	Mo Tu We Th Fr Sa	Lamictal (Lamotrigine)	seizure control	200 mg/tabdose is 2 tablets	three times daily8 am; noon; 4 pm	SEataxia, dizziness, headache, somnolence, seizures, aggravated reaction, anxiety, concentration disturbance, blurred vision, nausa, vomiting, constipation, dry mouth, rash,photosensitivity reacions. AVOID EXCESS SUN EXPOSURE.	
8:00 am	Mo Tu We Th Fr Sa	Potassium Citrate ER	prevent kidney stones	10 meq/tabdose is 1 tablet	three times a day	SEconfusion, anxiety, irregular heartbeat, leg discomfort, muscle weakness, numbness or tingly feeling in hads or feet, stomach pain, diarrhea. TAKE WITH LOTS OF WATER.	
8:00 am	Mo Tu We Th Fr Sa	Pravastatin	cholesterol lowering agent	20 mg/tabdose is 1 tablet	daily in am	SEdizziness, fatigue, headache, chest pain, rhinitis, nausea, abdominal pain, constipation, myopathy, rhabdomyolysis	
8:00 am	Mo Tu We Th Fr Sa	Zonegran (Zonisamide) cap	seizure control	100 mg/capsuledose is 2 capsules	three times a day8 am; noon; 4 pm	SEdizziness, nausea, headache, somnolence, seizures, difficulties in concentration, mental slowing, diplopia, dry mouth, nausea, kidney stones, rash. DO NOT CRUSH OR OPEN CAPSULE. ENCOURAGE FLUIDS TO AVOID DEHYDRATION.	

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
12:00 noon	Mo Tu We Th Fr	Hydrocodone (Norco)	relief of pain	5/325 mg/1 tabletdose is 1 tablet	three times daily8 am; noon; 4 pm	BEDTIME DOSE IS 2 TABLETS. GIVE WITH FOOD. SElightheadness, dizzziness, sedation, mental clouding, bradycardia, nausea, vomiting, constipation, hypotension	
12:00 noon	Mo Tu We Th Fr	Lamictal (Lamotrigine)	seizure control	200 mg/tabdose is 2 tablets	three times daily8 am; noon; 4 pm	SEataxia, dizziness, headache, somnolence, seizures, aggravated reaction, anxiety, concentration disturbance, blurred vision, nausa, vomiting, constipation, dry mouth, rash,photosensitivity reacions. AVOID EXCESS SUN EXPOSURE.	
12:00 noon	Mo Tu We Th Fr	Oyster, Calcium and D supplement	nutritional supplement	500/200mg/tabdose is 1 tablet	daily at noon		
12:00 noon	Mo Tu We Th Fr	Potassium Citrate ER	prevent kidney stones	10 meq/tabdose is 1 tablet	three times a day	SEconfusion, anxiety, irregular heartbeat, leg discomfort, muscle weakness, numbness or tingly feeling in hads or feet, stomach pain, diarrhea. TAKE WITH LOTS OF WATER.	
12:00 noon	Mo Tu We Th Fr	Zonegran (Zonisamide) cap	seizure control	100 mg/capsuledose is 2 capsules	three times a day8 am; noon; 4 pm	SEdizziness, nausea, headache, somnolence, seizures, difficulties in concentration, mental slowing, diplopia, dry mouth, nausea, kidney stones, rash. DO NOT CRUSH OR OPEN CAPSULE. ENCOURAGE FLUIDS TO AVOID DEHYDRATION.	

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
4:00 pm	Su Mo Tu We Th Fr	CVS Stool softener	stool softener	250 mg/capsuledose is 1 capsule	twice daily		
4:00 pm	Su Mo Tu We Th Fr	Hydrocodone (Norco)	relief of pain	5/325 mg/1 tabletdose is 1 tablet	three times daily8 am; noon; 4 pm	BEDTIME DOSE IS 2 TABLETS. GIVE WITH FOOD. SElightheadness, dizzziness, sedation, mental clouding, bradycardia, nausea, vomiting, constipation, hypotension	
4:00 pm	Su Mo Tu We Th Fr	Lamictal (Lamotrigine)	seizure control	200 mg/tabdose is 2 tablets	three times daily8 am; noon; 4 pm	SEataxia, dizziness, headache, somnolence, seizures, aggravated reaction, anxiety, concentration disturbance, blurred vision, nausa, vomiting, constipation, dry mouth, rash,photosensitivity reacions. AVOID EXCESS SUN EXPOSURE.	
4:00 pm	Su Mo Tu We Th Fr	Potassium Citrate ER	prevent kidney stones	10 meq/tabdose is 1 tablet	three times a day	SEconfusion, anxiety, irregular heartbeat, leg discomfort, muscle weakness, numbness or tingly feeling in hads or feet, stomach pain, diarrhea. TAKE WITH LOTS OF WATER.	
4:00 pm	Su Mo Tu We Th Fr	Zonegran (Zonisamide) cap	seizure control	100 mg/capsuledose is 2 capsules	three times a day8 am; noon; 4 pm	SEdizziness, nausea, headache, somnolence, seizures, difficulties in concentration, mental slowing, diplopia, dry mouth, nausea, kidney stones, rash. DO NOT CRUSH OR OPEN CAPSULE. ENCOURAGE FLUIDS TO AVOID DEHYDRATION.	

## Abasolo, Jerry

JEMS Special Camp 2019
Page 4

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 pm	Su Mo Tu We Th Fr	Allerclear Loratadine	allergy relief, antihistamine, itchy or allergic skin reaction	10mg/tabdose is 1 tablet	daily at bedtime		
9:00 pm	Su Mo Tu We Th Fr	Atenolol	anti-hypertensive	25 mg/tabdose is 1 tab	twice daily	SEdizziness, bradycardia, hypotension, heart failure, intermittent claudication, bronchospasm	
9:00 pm	Su Mo Tu We Th Fr	Hydrocodone/Acetaminoph n -BEDTIME	e pain relief	5/325 mg/tabdose is 2 TABLETS	daily at bedtime	SEdizziness, nausea, vomiting, constipation, hypotension	
9:00 pm	Su Mo Tu We Th Fr	Lamictal Bedtime	seizure control	200 mg/tabdose is 3 tablets	daily at bedtime9 pm	SEnausea, dizziness, confusion, rash. DO NOT TAKE ON AN EMPTY STOMACH.	
9:00 pm	Su Mo Tu We Th Fr	Vinegarexternal use	treatment for ear itch eczema	soak Qtip and swab both ears up until line indicated on Qtip.	daily at bedtime	CAUTION TO AVOID INJURY TO EAR DRUM.	
9:00 pm	Su Mo Tu We Th Fr	Zonegran (Zonisamide) Bedtime	seizure control	100 mg/capdose is 3 capsules	daily at bedtime9 pm	SEnausea, dizziness, confusion	

i acknowledge that the above medicati	ons usted are complete and	u accurate for the abo	ve camper.	
signed:	relationship to camper: _		date:	2019-06-06.09:00am(PDT

## Chen, Jonathan

JEMS Special Camp 2019 Page 1

Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Gabapentin	relief of neuropathic pain	400 mg/capsuledose is 1 capsule	three times per day8 am; 2 pm; 9 pm	SEataxia, dizziness, fatigue, somnolence, abnormal thinking, amnesia, weight gain, diplopia, rhinitis, constipation, coughing	
2:00 pm	Mo Tu We Th Fr	Gabapentin	relief of neuropathic pain	400 mg/capsuledose is 1 capsule	three times per day8 am; 2 pm; 9 pm	SEataxia, dizziness, fatigue, somnolence, abnormal thinking, amnesia, weight gain, diplopia, rhinitis, constipation, coughing	
9:00 pm	Su Mo Tu We Th Fr	Gabapentin	relief of neuropathic pain	400 mg/capsuledose is 1 capsule	three times per day8 am; 2 pm; 9 pm	SEataxia, dizziness, fatigue, somnolence, abnormal thinking, amnesia, weight gain, diplopia, rhinitis, constipation, coughing	

I acknowledge that the above medication	ons listed are complete and accurate for the abo	ve camper.
signed:	relationship to camper:	date:

### **Chien, Stephen**

JEMS Special Camp 2019 Page 1

Camper will receive the following medications/supplements at the indicated times:

I acknowledge that the above medications listed are complete and accurate for the above camper.

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am	Mo Tu We Th Fr Sa	Valsartan	anti-hypertensive	160 mg/tabdose is 1 tablet		SEdizziness, headache insomnia, fatigue, vertigo, hypotension	

	_			
signed:		relationship to camper:	 date:	2019-06-06,09:00am(PD

### Chua, Hannah

JEMS Special Camp 2019 Page 1

### Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am	Mo Tu We Th Fr Sa	Levonorgestrel/estradiol	to control menses	0.15-0.03 mg/1 tab dose is 1 tab	daily in AM	SEnausea, vomiting headache, stomach cramping, dizziness	
9:00 am	Mo Tu We Th Fr Sa	Miralax	prevent constipation	1/2 capful	twice daily breakfast and dinner	SEdiarrheaif this occurs, skip two days of miralax and restart at 1/4 capful twice daily. Give with a full glass of liquid.	
9:00 am	Mo Tu We Th Fr Sa	Vitamin D3	nutritional supplement	2000 IU/capsuledose is 1 capsule	once daily at breakfast		
6:00 pm	Su Mo Tu We Th Fr Sa	Miralax	prevent constipation	1/2 capful	twice daily breakfast and dinner	SEdiarrheaif this occurs, skip two days of miralax and restart at 1/4 capful twice daily. Give with a full glass of liquid.	
as needed	as needed	Acetaminophen	mild pain relief	500 mg1 tablet	as needed every 4 hrs for pain; do not exceed 5 doses in 24 hrs.		

I acknowledge that the above medication	ons listed are complete and accurate for the abo	ve camper.
signed:	relationship to camper:	date:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Cytomel	Treatment for Hashimoto's hypothyroiditis	5 mcg/tabletdose is 2 tablets	daily in morning	SEchest pain, irregular pulse, leg cramps, excessive sweating, srnsitivity to heat, vomiting, nervousness	
8:00 am	Mo Tu We Th Fr Sa	Kristalose	reduce constipation	20 mg/packetdose is 1 packet	twice dailybreakfast and dinner	Mix with liquid.	
8:00 am	Mo Tu We Th Fr Sa	Lorazepam (Ativan) AM	anti anxiety	1 mg/tabletdose is 3 tablets	daily in AM	SEdrowsiness, amnesia, agitation, dizziness, weeakness, unsteadiness, disorientation, hypotension, visual disturbance	
8:00 am	Mo We Th Sa	Synthroid	Hashimoto's hypothyroid itisthyroid hormone replacement	88 mcg/tabletdose is 1 tablet	daily in am on MWTHSAT	SEinsomnia, tremor, headache, tachycardia, arrhythmias	
8:00 am	Tu Fr	Synthroid 1/2 tab Tu, Fri.	Hashimoto's hypothroiditis	88 mcg/tabletdose is 1/2 tab on TU and Fri only	Tuesday and Friday AM only	SEinsomnia, tremor, headache, fever, fatigue, anxiety tachycardia, palpitations, arrhythmias	
6:00 pm	Su Mo Tu We Th Fr	Kristalose	reduce constipation	20 mg/packetdose is 1 packet	twice dailybreakfast and dinner	Mix with liquid.	
					_		
						2019.06.06 09.00am/PDT)	

### **Conville, Mariko**

Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 pm	Su Mo Tu We Th Fr	Latuda	relief of Kleefstra behavioral symptoms; anti-psychotic	20 mg/tabdose is 2 tablets	daily at bedtime	SEsomnolence, akathisia, parkinsonism, drooling, extrapyradimidal disorder, agitation, dystonia, secures, dizziness, insomnia. AVOID GRAPEFRUIT JUICE OR GRAPEFRUIT. Monitor for neuroleptic malignant syndrome: fever, diaphoresis, muscle rigidity, altered mental status, irregular pulse or BP, cardiac arrhythmia, rhabdomyolysis, acute renal failure.	
9:00 pm	Su Mo Tu We Th Fr	Lorazepam BEDTIME	anti-anxiety	1 mg/tabdose is 1 tablet	daily at bedtime	SEdrowsiness, amnesia, agitation, dizziness, weakness, unsteadiness, disorientation, hypotension, visual disturbance	
9:00 pm	Su Mo Tu We Th Fr	Myrbetriq	bladder antispasmodic	50 mg/tabdose is 1 tablet	daily at bedtime	DO NOT CRUSH OR DIVIDE TABLETS.SEheadache, fatigue, dizziness, hypertension, dry mouth, constipation	
9:00 pm	Su Mo Tu We Th Fr	Trader Joe's OTC Folic Acid/B6/B12	nutritional supplement	1 tablet	daily at bedtime		

i acknowledge that the above medica	tions listed are complete and accurate for the abo	ove camper.
signed:	relationship to camper:	date:

### **Eugenio, Benjamin**

JEMS Special Camp 2019 Page 1

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
as needed	Su Mo Tu We Th Fr	Xyzal	treatment for sinus allergies		symptoms at bedtime, if	as needed once per day. SEfatigue, pyrexia, dry mouth, epistaxis, diarrhea, vomiting, cough. discontinue if urinary retention;	

I acknowledge that the above medical	tions listed are complete ar	nd accurate for the al	oove camper.	
signed:	relationship to camper:		date:	2019-06-06,09:00am(PDT)

Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
Mo Tu We Th Fr Sa	Bio-Kult probiotic	digestion and immune	1 capsule	twice dailywith breakfast and dinner meal	SEtemporary increase in gas and bloating	
Mo Tu We Th Fr Sa	Enzyme Complex, without	nutritional health	1 capsule	twice daily with morning meal and evening meal		
Mo Tu We Th Fr Sa	Radiant Life Krill Extra		1 capsule	twice daily with morning meal and dinner meal		
Su Mo Tu We Th Fr	Bio-Kult probiotic	digestion and immune	1 capsule	twice dailywith breakfast and dinner meal	SEtemporary increase in gas and bloating	
Su Mo Tu We Th Fr		nutritional health	1 capsule	twice daily with morning meal and evening meal		
Su Mo Tu We Th Fr	Radiant Life Krill Extra		1 capsule	twice daily with morning meal and dinner meal		
Su Mo Tu We Th Fr Sa	Diphenhydramine	antihistamine, itchy or	1-2 capsules as needed for above symptoms	as needed evey 4 hrs if needed; do not exceed 6 doses in 24 hrs.	SEdrowsiness, sedation, dizziness, incoordination, seizures, confusion, insomnia, headache vertigo, restlessness, palpitations, hypotension	
MMMM	lo Tu We Th Fr Sa lo Tu We Th Fr Sa lo Tu We Th Fr Sa u Mo Tu We Th Fr u Mo Tu We Th Fr	Bio-Kult probiotic  Integrative Nutrivitamin Enzyme Complex, without iron  Radiant Life Krill Extra  U Mo Tu We Th Fr  Bio-Kult probiotic  Understanding Integrative Nutrivitamin Enzyme Complex, without iron  Integrative Nutrivitamin Enzyme Complex, without iron  Radiant Life Krill Extra  Understanding Integrative Nutrivitamin Enzyme Complex, without iron  Radiant Life Krill Extra	Bio-Kult probiotic promotes healthy digestion and immune system multivitamin, general nutritional health supplement  To Tu We Th Fr Sa Radiant Life Krill Extra Fish Oil nutritional supplement  We Th Fr Bio-Kult probiotic promotes healthy digestion and immune system promotes healthy digestion and immune system multivitamin, general nutritional health supplement  Integrative Nutrivitamin Enzyme Complex, without iron Fish Oil nutritional health supplement  We Th Fr Radiant Life Krill Extra Fish Oil nutritional supplement  Amo Tu We Th Fr Radiant Life Krill Extra allergy relief, antibioteomical its but or antibi	Bio-Kult probiotic promotes healthy digestion and immune system 1 capsule system 1 capsule system 1 capsule supplement 1 capsule 1 capsule supplement 1 capsule 1 capsule supplement 2 capsule 1 capsule 3 capsule	Bio-Kult probiotic promotes healthy digestion and immune system promotes healthy applement promotes healthy digestion and immune system promotes healthy dig	promotes healthy digestion and immune system  In Tu We Th Fr Sa  Integrative Nutrivitamine Enzyme Complex, without iron  In Tu We Th Fr Sa  In Tu Cu Su Wu Su Th Fr Sa  In Tu Su Su Su Su Su Tu Su

I acknowledge that the ab	ove medications listed are complete and accurate for	or the above camper.
signed:	relationship to camper:	date:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am	Mo Tu We Th Fr Sa	Docusate Sodium	stool softener	250 mg/capsuledose is 1 capsule	twice daily		
9:00 am	Mo Tu We Th Fr Sa	Fish Oil	nutritional supplement	1000 mg/capsuledose is 1 capsule	once daily in am		
9:00 am	Mo Tu We Th Fr Sa	Multi- Vitamin	nutritional supplement	1 tablet	daily in AM		
9:00 am	Mo Tu We Th Fr Sa	Vitamin C	nutritional supplement	500 mg/tabletdose is 1 tablet	once daily in am		
6:00 pm	Su Mo Tu We Th Fr Sa	Crestor	cholesterol lowering agent	20mg/tabdose is 1 tablet	daily in pm.	SEmuscle weakenss, dizziness, headache, abdoinal pain, constipatio, itching, rash	
6:00 pm	Su Mo Tu We Th Fr Sa	Docusate Sodium	stool softener	250 mg/capsuledose is 1 capsule	twice daily		
9:00 pm	Su Mo Tu We Th Fr	Aquaphor spray	prevent skin dryness	spray to affected areas on arms and legs	daily after showering	Spray on caregiver's hands then apply to his arms and legs.	
as needed	Su Mo Tu We Th Fr Sa	Fluticasone 50 mcg Nasal Spray	relief of nasal congestion	1 puff each nostril	as needed for sinus congestion	SEnasal congestion, blood in nasal mucosa, nasal irritation	
as needed	Su Mo Tu We Th Fr Sa	Refresh eye drops	eye lubrication to prevent dryness	1 drop in each eye	as needed for eye dryness		
	l			l	l		

I acknowledge that the ab	ove medications listed are complete and accurate for	or the above camper.
signed:	relationship to camper:	date:

### **Kanazawa, Curtis**

JEMS Special Camp 2019
Page 1

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
as needed	Su Mo Tu We Th Fr Sa	Chlorpheniramine	seasonal allergies	4 mg1 tablet		drowsiness, impaired motor function, dry mouth, blurred vision	

I acknowledge that the above medicati	ions listed are complete an	id accurate for the above	camper.	
signed:	relationship to camper:	d	late:	2019-06-06,09:00am(PDT)

### **Kanemori, David**

#### Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Active C	immune system support	500 mg/capsuledose is 1 capsule	twice dailybefore breakfast and before dinner	SEloose stools	
8:00 am	Mo Tu We Th Fr Sa	All-In-One	multi-vitamin/mineral supplement	1 tablet	before breakfast and before dinner		
8:00 am	Su Mo Tu We Th Fr	Benfotiamine	protection from high blood sugar	250 mg/capsuledose is 1 capsule	daily before breakfast		
8:00 am	Mo Tu We Th Fr Sa	Fola Pro	methylated folic acid supplement	800 mcg/capsuledose is 1 capsule	daily before breakfast		
8:00 am	Mo Tu We Th Fr Sa	Magnesium Glycinate	nutritional supplement to balance glutamate, aids muscle flexibility, calming effect	400 mg/capsuledoae is 1 capsule	daily before breakfast		
8:00 am	Mo Tu We Th Fr Sa	Pantothenic Acid	nutritional supplement to prevent allergies	500 mg/tabletdose is 1 tablet	daily before breakfast		
8:00 am	Mo Tu We Th Fr Sa	Probiotic	nutritional supplement to promote intestinal health	1 capsule	twice daily before breakfast and before dinner		
8:00 am	Mo Tu We Th Fr Sa	Ultimate Fungal	nutritional supplement to control fungus in gut, helps eczema	1 capsule before breakfast and 2 capsules before dinner	before breakfast and before dinner	NOTE1 BEFORE BREAKFAST; 2 BEFORE DINNER	
8:00 am	Mo Tu We Th Fr Sa	Vitamin D3	5000 IU/capsuledose is 1 capsule	1 capsule	daily before breakfast		
8:00 am	Mo Tu We Th Fr Sa	Wobenzyme	nutritional supplement digestive enzyme	1 capsule	twice daily before breakfast and before dinnner	Includes 300 mg pancreatin; 180 mg papain; 135 mg bromelain; 72 mg trypsin; 3 mg chymotrypsin; 150 mg rutin	

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
5:00 pm	Su Mo Tu We Th Fr	Active C	immune system support	500 mg/capsuledose is 1 capsule	twice dailybefore breakfast and before dinner	SEloose stools	
5:00 pm	Su Mo Tu We Th Fr	All-In-One	multi-vitamin/mineral supplement	1 tablet	before breakfast and before dinner		
5:00 pm	Su Mo Tu We Th Fr	Cat's Claw	prevents Lyme disease	500 mg/capsuledose is 1 capsule	daily before dinner		
5:00 pm	Su Mo Tu We Th Fr	Kidney Support	nutritional supplement to support kidney	1 capsule	daily before dinner	Includes 500 mcg of Vit B12	
5:00 pm	Su Mo Tu We Th Fr	Liver Support	nutritional supplement to support liver	1 capsule	daily before dinner	Includes Vit D350 IU; Vit B3 10 mg	
5:00 pm	Su Mo Tu We Th Fr	Probiotic	nutritional supplement to promote intestinal health	1 capsule	twice daily before breakfast and before dinner		
5:00 pm	Su Mo Tu We Th Fr	TMG (Trimethyl Glycine)	metabolism support	1 tablet	daily before dinner		
5:00 pm	Su Mo Tu We Th Fr	Ultimate Fungal	nutritional supplement to control fungus in gut, helps eczema	1 capsule before breakfast and 2 capsules before dinner	before breakfast and before dinner	NOTE1 BEFORE BREAKFAST; 2 BEFORE DINNER	
5:00 pm	Su Mo Tu We Th Fr	Wobenzyme	nutritional supplement digestive enzyme	1 capsule	twice daily before breakfast and before dinnner	Includes 300 mg pancreatin; 180 mg papain; 135 mg bromelain; 72 mg trypsin; 3 mg chymotrypsin; 150 mg rutin	
as needed	Su Mo Tu We Th Fr Sa	Calendula	homeopathic ointment for healing scrapes and cuts	apply small amount to affected areas	as needed for scrapes and cuts		

I acknowledge that the above med	dications listed are complete and accurat	e for the above camper.
signed:	relationship to camper:	date:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Lamotrigine	seizure control	25 mg/chewable dispersible tabletdose is 100 mg or 4 chewable dispersible tablets	twice dailybreakfast and dinner	If tablets are chewed, give a small amt of water or diluted fruit juice to aid in swallowing. SE_ataxia, dizziness, headache, somnolnce, seizures, anxiety, decreased memory, blurred vision, AVOID EXCESSIVE SUN EXPOSURE. Report headache, fever, neck stiffness, rash, confusion	
8:00 am	Mo Tu We Th Fr Sa	Levothyroxine	thyroid hormone replacement	50 mcg1 tablet	daily in the morning	SEinsomnia, tremor, headache, anxiety, palpitations	
9:00 am	Mo Tu We Th Fr Sa	Fish Oil	nutritional supplement to reduce triglycerides	one gummy 500 mg	once daily in the morning or at breakfast	none	
9:00 am	Mo Tu We Th Fr Sa	Multi-vites Gummy Vitamin	nutritional supplement	2 adult multivatmin gummies	once daily at breakfast		
5:00 pm	Su Mo Tu We Th Fr	Lamotrigine	seizure control	25 mg/chewable dispersible tabletdose is 100 mg or 4 chewable dispersible tablets	twice dailybreakfast and dinner	If tablets are chewed, give a small amt of water or diluted fruit juice to aid in swallowing. SE_ataxia, dizziness, headache, somnolnce, seizures, anxiety, decreased memory, blurred vision, AVOID EXCESSIVE SUN EXPOSURE. Report headache, fever, neck stiffness, rash, confusion	

gned: relationship to camper: date: date:			
signed:	relationship to camper:	date:	2019-06-06 09:00am(PDT)

### **Miyashiro, Cindy**

#### Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Brimonidine 0.2% eye solution	glaucoma treatment	1 drop in each eye	twice daily	SEasthenia, dizziness, allergic conjunctivitis, ocular hyperemia, pruritus, burning, hinflammation, dryness	
8:00 am	Mo Tu We Th Fr Sa	Carbamazepine ER (Carbatrol)	anti-seizure	220 mg/capsletdose is 3 caplets	twice daily8 am and 5 pm	Do not crush or split ER tablets. SEataxia, dizziness, drowsiness, vertigo, worsening of seizures, confusion, arrhythmias, heart failure. AVOID GRAPEFRUIT JUICE. Take with food to minimize GI effects. Do not take broken or chipped tablets.Notify provider if fever, sore throat, mouth ulcers or easy bruising or bleeding.	
8:00 am	Su Mo Tu We Th Fr Sa	Hydrocortisone cream	ant inflammation	1% creamapply small amount to rash areas on back	twice dailyAM and bedtime		
8:00 am	Mo Tu We Th Fr Sa	Oyster Shell 500 Vitamin D3 200	nutritional supplement	1 tablet	three times daily 8 am, 5 pm, 9 pm		
8:00 am	Mo Tu We Th Fr Sa	RisperidoneAM	mood stabilizeranti-p sychotic	2 mg/tabletdose is 1 tablet	daily in AM	SEdrowsiness, akathisia, dystonia, headache, insomnia, agitation, anxiety, tachycardia, orthostatic hypotension	
8:00 am	Mo Tu We Th Fr Sa	Thera-M	nutritional supplement	1 tablet	daily in am		
8:00 am	Mo Tu We Th Fr Sa	Triamcinolone 0.5%	steroid cream	apply small amount to affected area	twice dailyAM and bedtime	Apply to brown skin discoloration areas.	
						2010.06.06.00.00.00.00(DDT)	

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
5:00 pm	Su Mo Tu We Th Fr Sa	Brimonidine 0.2% eye solution	glaucoma treatment	1 drop in each eye	twice daily	SEasthenia, dizziness, allergic conjunctivitis, ocular hyperemia, pruritus, burning, hinflammation, dryness	
5:00 pm	Su Mo Tu We Th Fr Sa	Carbamazepine ER (Carbatrol)	anti-seizure	220 mg/capsletdose is 3 caplets	twice daily8 am and 5 pm	Do not crush or split ER tablets. SEataxia, dizziness, drowsiness, vertigo, worsening of seizures, confusion, arrhythmias, heart failure. AVOID GRAPEFRUIT JUICE. Take with food to minimize GI effects. Do not take broken or chipped tablets.Notify provider if fever, sore throat, mouth ulcers or easy bruising or bleeding.	
5:00 pm	Su Mo Tu We Th Fr Sa	Oyster Shell 500 Vitamin D3 200	nutritional supplement	1 tablet	three times daily 8 am, 5 pm, 9 pm		
5:00 pm	Su Mo Tu We Th Fr Sa	Simvastatin	cholesterol lowering agent	20mg/tabdose is 1 tablet	once daily in evening	SEasthenia, headache, abdominal pain, constipation, flatulence. AVOID USE OF GRAPEFRUIT JUICE.	
8:00 pm	Su Mo Tu We Th Fr	Hydrocortisone cream	ant inflammation	1% creamapply small amount to rash areas on back	twice dailyAM and bedtime		

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 pm	Su Mo Tu We Th Fr	Chlorhexidine 0.12% mouth rinse	treatment for gum disease	1/2 oz undiluted rinse in mouth	once daily at bedtime	Daily at bedtime after brushing her teeth. Rinse and swish and spit out.	
9:00 pm	Su Mo Tu We Th Fr Sa	Citalopram HBR (Celexa)	antidepressant	40 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEsomnolence, insomnia, anxiety, agitation, dizziness, paresthesia, tachycardia, orthostatic hypotension, rash. Recognize risk for serotonin toxicityfever, mental status changes, muscle twitching, excessive sweating, shirvering, shaking, diarrhea, loss of coordination	
9:00 pm	Su Mo Tu We Th Fr	Latanoprost	glaucoma treatment	0.005%dose is 1 drop in each eye	daily at bedtime9 pm	SEblurred vision, burning, itching, stinging, conunctivital hyperemia, dry eye, excessive tearing, eye pain. If more than one opthalmic drug is being used, give at least 5 minutes apart.	
9:00 pm	Su Mo Tu We Th Fr Sa	Oyster Shell 500 Vitamin D3 200	nutritional supplement	1 tablet	three times daily 8 am, 5 pm, 9 pm		
9:00 pm	Su Mo Tu We Th Fr Sa	Risperidone HS dose 0.5 mg tab	mood stabilizeranti-p sychotic	0.5 mg/tab1 tablet	daily at 9 pm	Total HS dose is 2 tabs1 tab of 1 mg tablet and 1 tab of 0.5 mg tablet. SEakathisia, comnolence, dystonia, headache, insomnia, agitation, anxiety, pain, tachycardia, orthostatic hypotension	
9:00 pm	Su Mo Tu We Th Fr Sa	Risperidone HS dose 1 mg tablet	mood stabilizer, anti-psychotic	1 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEdrowsiness,akathisia, dystonia, headache, insomnia, agitation, anxiety, parkinsonism, dizziness	
9:00 pm	Su Mo Tu We Th Fr	Triamcinolone 0.5%	steroid cream	apply small amount to affected area	twice dailyAM and bedtime	Apply to brown skin discoloration areas.	
9:00 pm	Su Mo Tu We Th Fr	Vitamin E cream	promotes skin health	apply to affectd areas of skin rash to back of legs	daily at bedtime		

I acknowledge that the above medicati	ons listed are complete and accurate for	or the above camper.
signed:	relationship to camper:	date:

## **Mock, Vanessa**

JEMS Special Camp 2019
Page 1

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am	Mo Tu We Th Fr Sa	Vitafusion Calcium	nutitional supplement	500 mg2 gummies	once daily at breakfast		
9:00 am	Mo Tu We Th Fr Sa	Vitafusion MultiVites Gummy vitamins	nutritional supplement	2 tummies	once daily at breakfast		

i acknowledge that the above medicati	ons listed are complete and accurate to	r the above camper.	
signed:	relationship to camper:	date:	2019-06-06.09:00am(PDT)

### Nagao, Lacey

JEMS Special Camp 2019
Page 1

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am		One A Day Multivitamin for Women	nutritional supplement	1 tablet	daily at breakfast		
9:00 am	Mo Tu We Th Fr Sa	Vitamin D3	nutritional supplement	1 soft gel	daily at breakfast	D3 125 mcg (500IU)	

I acknowle	cknowledge that the above medications listed are complete and accurate for the above camper.  ned: date:			
signed:	relationship to camper:	date:	2019-06-06.09:00am(PDT)	

### **Nakagaki, Christine**

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am	Mo Tu We Th Fr Sa	Adult Multivitamn Gummies	nutritional supplement	2 gummies	once daily at breakfast		
9:00 am	Mo Tu We Th Fr Sa	Claritin Reditabs	control of seasonal allergies	10 mg/tabletdose is 1 tablet	once daily at breakfast	SEinsomnia, dry mouth, headache, somnolence, nervousness, dizziness, fatigue	
6:00 pm	Su Tu Th	Miralax	constipation relief	17 grams/packetdose is 1 packet. Dissolve in 4-8 oz fluid.	Dinner on Sunday, Tuesday, Thursday only	SEnausea, abdominal cramping, bloating, upset stomach, gas, dizziness, increased sweating.	
as needed	as needed	lbuprofen Jr. Strength	as needed for relief of menstrual cramps, fever	100 mg/tabdose is 3 tablets; CHEWABLE	as needed for menstrual cramps or fever every 6-8 hrs if needed. Give with food.	SEstomach upset, nausea, vomiting, headache, diarrhea, constipation, dizziness, drowsiness, easy bruising or bleeding.ringing in the ears.	
				_			

I acknowledge that the above medication	ons listed are complete and accurate for the a	bove camper.	
signed:	relationship to camper:	date:	2019-06-06,09:00am(PDT)

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Benztropine (Cogentin)	control drooling, saliv ationanti-cholinergic agent	1 mg/tabdose is 1 tablet	twice daily8 am and 6 pm	SEconfusion, memory impairment, nervousness, depression, disorientation, tachycardia, dilated pupils, dry mouth, urine retention, decreased sweating. USE CAUTION IN HOT WEATHERDRUG INDUCES LACK OF SWEATING SO MAY CAUSE OVERHEATING.	
8:00 am	Mo Tu We Th Fr Sa	Divalproex	seizure disorder	500 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm	Give with food or milk to reduce adverse GI effects. SEasthenia, dizziness, drowsiness, headache, insomnia, nervousness, somnolence, tremor, chest pain, nausea	
8:00 am	Mo Tu We Th Fr Sa	Fiber Pill	promote bowel regularity	625 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm		
8:00 am	Mo Tu We Th Fr Sa	Levitiracetam (Keppra)	seizure control	750 mg/tabletdose is 1 tablet	three times per day8 am; 2 pm; 9 pm	SEasthenia, headache, somnolence, amnesia, anxiety, ataxia, depression, dizziness, diplopia, rhinitis, cough	
8:00 am	Mo Tu We Th Fr Sa	Oyster Calcium	nutritional supplement	500 mg/tabletdose is 1 tablet	twice daily 8 am and 6 pm		
8:00 am	Mo Tu We Th Fr Sa	Vitamin D3	nutritional supplement	2000 IU/tabletdose is 1 tablet	once daily in am		
2:00 pm	Su Mo Tu We Th Fr Sa	Levitiracetam (Keppra)	seizure control	750 mg/tabletdose is 1 tablet	three times per day8 am; 2 pm; 9 pm	SEasthenia, headache, somnolence, amnesia, anxiety, ataxia, depression, dizziness, diplopia, rhinitis, cough	
						2010.06.06.00±002±0071	

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
6:00 pm	Su Mo Tu We Th Fr Sa	Benztropine (Cogentin)	control drooling, saliv ationanti-cholinergic agent	1 mg/tabdose is 1 tablet	twice daily8 am and 6 pm	SEconfusion, memory impairment, nervousness, depression, disorientation, tachycardia, dilated pupils, dry mouth, urine retention, decreased sweating. USE CAUTION IN HOT WEATHERDRUG INDUCES LACK OF SWEATING SO MAY CAUSE OVERHEATING.	
6:00 pm	Su Mo Tu We Th Fr Sa	Divalproex	seizure disorder	500 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm	Give with food or milk to reduce adverse GI effects. SEasthenia, dizziness, drowsiness, headache, insomnia, nervousness, somnolence, tremor, chest pain, nausea	
6:00 pm	Su Mo Tu We Th Fr Sa	Fiber Pill	promote bowel regularity	625 mg/tabletdose is 1 tablet	twice daily8 am and 6 pm		
6:00 pm	Su Mo Tu We Th Fr Sa	Oyster Calcium	nutritional supplement	500 mg/tabletdose is 1 tablet	twice daily 8 am and 6 pm		
9:00 pm	Su Mo Tu We Th Fr Sa	Gemfibrozil (Lopid)	cholesterol control	600 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEfatigue, headache, vertigo, atrial fibrillation, hypokalemia, leukopenia, dermatitis	
9:00 pm	Su Mo Tu We Th Fr Sa	Levitiracetam (Keppra)	seizure control	750 mg/tabletdose is 1 tablet	three times per day8 am; 2 pm; 9 pm	SEasthenia, headache, somnolence, amnesia, anxiety, ataxia, depression, dizziness, diplopia, rhinitis, cough	
							$\perp$

I acknowledge that the above medicati	ons listed are complete and	l accurate for the above camper.
signed:	relationship to camper: _	date:

### Nishio, Marc

#### Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Tu Th Sa	LomotilEVEN days	anti-diarrhea	2.5 mg/tabdose is 1 tablet	three times daily		
8:00 am	Mo We Fr	LomotilODD Days	anti-diarrhea	2.5 mg/tabdose is 1 tablet	twice daily	Odd daystwice daily dosing	
8:00 am	Mo Tu We Th Fr Sa	Omeprazole	control heartburn	20 mg/capsuledose is 1 capsule	daily in am	SEasthenia, dizziness, headache, abdominal pain, constipation, flatulence, nausea, rash	
8:00 am	Mo Tu We Th Fr Sa	Risperidone	control of stimulatory behaviors	0.5 mg/tab1 tablet	twice daily	SEakathisia, somnolence, dystonia, headache, insomnia, agitation, anxiety, tachycardia, constipation	
9:00 am	Mo Tu We Th Fr Sa	Calcium wtih Vitamin D	nutritional supplement	500 mg/tabletdose is 1 tablet	twice dailybreakfast and dinner		
9:00 am	Mo Tu We Th Fr Sa	Vitamin D3	nutritional supplement	1000IU/capsuledose is 1 capsule	daily		
12:00 noon	Tu Th	LomotilEVEN days	anti-diarrhea	2.5 mg/tabdose is 1 tablet	three times daily		
5:00 pm	Su Tu Th	LomotilEVEN days	anti-diarrhea	2.5 mg/tabdose is 1 tablet	three times daily		
5:00 pm	Mo We Fr	LomotilODD Days	anti-diarrhea	2.5 mg/tabdose is 1 tablet	twice daily	Odd daystwice daily dosing	

### Nishio, Marc

JEMS Special Camp 2019 Page 2

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
6:00 pm	Su Mo Tu We Th Fr	Calcium wtih Vitamin D	nutritional supplement	500 mg/tabletdose is 1 tablet	twice dailybreakfast and dinner		
8:00 pm	Su Mo Tu We Th Fr	Montelukast (generic for Singular)	seasonal allergy control	10 mg/tab1 tablet	once daily at bedtime	SEheadache, asthenia, dizziness, fatigue, conjunctivitis	
8:00 pm	Su Mo Tu We Th Fr	Risperidone	control of stimulatory behaviors	0.5 mg/tab1 tablet	twice daily	SEakathisia, somnolence, dystonia, headache, insomnia, agitation, anxiety, tachycardia, constipation	
as needed	Su Mo Tu We Th Fr Sa	Lomotil	control diarrhea	2.5 mg/tabdose is 1 tablet	AS NEEDED FOR DIARRHEAAN ADDITIONAL 1 TABLET PER DAY	SEdrowsiness, dizziness, headache, restlessness, dry mouth, nausea, blurred vision	

I acknowl	acknowledge that the above medications listed are complete and accurate for the above camper.  Indee: date:		
signed: _	relationship to camper:	date:	2019-06-06,09:00am(PDT)

### **Ouye, Jamie**

JEMS Special Camp 2019 Page 1

### Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Calcium Gummies	nutritional supplement	500 mg/tabletdose is 1 tablet	twice daily before breakfast and dinner	Chew thoroughly before swallowing.	
8:00 am	Mo Tu We Th Fr Sa	Vitamin C	nutritional supplement	1000 mg/tabletdose is 1 tablet	twice daily breakfast and dinner		
8:00 am	Mo Tu We Th Fr Sa	Vitamin D Gummy	nutritional supplement	1500 mg/tabletdose is 1 tablet	twice daily breakfast and dinner		
8:00 am	Mo Tu We Th Fr Sa	Women's Gummy Vitamin	nutritional supplement	1 Gummy Vitamin	twice daily before breakfast and dinner		
5:00 pm	Su Mo Tu We Th Fr	Calcium Gummies	nutritional supplement	500 mg/tabletdose is 1 tablet	twice daily before breakfast and dinner	Chew thoroughly before swallowing.	
5:00 pm	Su Mo Tu We Th Fr	Vitamin C	nutritional supplement	1000 mg/tabletdose is 1 tablet	twice daily breakfast and dinner		
5:00 pm	Su Mo Tu We Th Fr	Vitamin D Gummy	nutritional supplement	1500 mg/tabletdose is 1 tablet	twice daily breakfast and dinner		
5:00 pm	Su Mo Tu We Th Fr	Women's Gummy Vitamin	nutritional supplement	1 Gummy Vitamin	twice daily before breakfast and dinner		
			_		_		

I acknowledge that the above medication	ons listed are complete and accurate for the abo	ve camper.
signed:	relationship to camper:	date:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am	Mo Tu We Th Fr Sa	amphetamine salts	treatment for ADHD	5 mg/tabdose is 3 tabs or 15 mg	twice daily breakfast and lunchtime	SErestlessness, headache, dry mouth, uncontrollable shaking of a part of your body, constipation or diarrhea	
9:00 am	Mo Tu We Th Fr Sa	Oxybutynin	urinary antispasmodic	5 mg/tabletdose is 1 tablet	twice dailymorning and evening	SEdizziness, insomnia restlessness, asthenia, palpitations, tachycardia, vasodilation, constipation, dry mouth, urinary hesistancy urine retention, UTI	
12:00 noon	Mo Tu We Th Fr	amphetamine salts	treatment for ADHD	5 mg/tabdose is 3 tabs or 15 mg	twice daily breakfast and lunchtime	SErestlessness, headache, dry mouth, uncontrollable shaking of a part of your body, constipation or diarrhea	
6:00 pm	Su Mo Tu We Th Fr	Cephalexin Oral Suspension	antibiotic for prevention of bladder infection	250 mg/5mls. dose is 5 mls or 1 tsp.	daily in evening	SEdizziness, headache, fatigue, agitation, confusion, hallucinations, anorexia, diarrhea, neutropenia, gastritis. Prolonged use can result in overgrowth of nonsusceptible organisms.	
6:00 pm	Su Mo Tu We Th Fr	Escitalopram Oxalate (Lexapro) oral solution	antidepressant;treatmen t for generalized anxiety disorder	5 mg/5 mls. dose is 20 mls.	daily every evening	SEsuicidal behavior, fever, insomnia, dizziness, somnolence, paresthesia, lighthedness, tremor, irritability, palpitations. Alert for serotonin toxicity: FEVER,MENTAL STATUS CHANGES,MUSCLE TWITCHING EXCSSIVE SWEATING, SHIVERING, SHAKING, DIARRHEA, LOSS OF COORDINATION.	
6:00 pm	Su Mo Tu We Th Fr	Oxybutynin	urinary antispasmodic	5 mg/tabletdose is 1 tablet	twice dailymorning and evening	SEdizziness, insomnia restlessness, asthenia, palpitations, tachycardia, vasodilation, constipation, dry mouth, urinary hesistancy urine retention, UTI	

l acknowledge that the above medic	ations listed are complete and accu	rate for the above camper.
signed:	relationship to camper:	date:

### Refuerzo, Melling

#### Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Buspirone	anti-anxiety	10 mg1 tablet	twice daily: 8 am and 5 pm	SEdizziness, nausea, headache, nervousness, lightheaded, drowsiness, fatigue, blurred vision. Give water before giving medication. DO NOT USE GRAPEFRUIT JUICE.	
8:00 am	Mo Tu We Th Fr Sa	Citalopram HBR (Celexa)	anti-depressant	40 mg1 tablet	once daily8 am	SE-nausea, dry mouth, loss of appetite, fatigue, drowsiness, sweating, blurred vision, yawning	
8:00 am	Mo Tu We Th Fr Sa	Lisinopril	treat high blood pressure	10 mg1 tablet	daily in the morning8 am	SEdizziness, lightheadedness, fatigue, headache, dry cough.	
8:00 am	Mo Tu We Th Fr Sa	Metformin	controls high blood sugar	1000 mg1 tablet	twice daily8 am and 5 pm	Give before meals. Peak action is in 2-4 hours. SEmuscle weakness, headache, dizziness, chills, lightheadedness, diarrhea, low blood sugar, stomach upset	
8:00 am	Mo Tu We Th Fr Sa	RisperidoneAM	treatment of mental/mood disorder	1 mg1 tablet	once daily8 am	SEdrowsiness, dizziness, lightheadedness, drooling, nausea, tiredness, agitation, neuroleptic malignant syndrome(EPS effects, hyperthermia, autonomic disturbance), tremor, orthostatic hypotension, tachycardia.WEAR SUNBLOCK; USE CAUTION IN HOT WEATHER TO PREVENT HEATSTROKE.	
5:00 pm	Su Mo Tu We Th Fr	Buspirone	anti-anxiety	10 mg1 tablet	twice daily: 8 am and 5 pm	SEdizziness, nausea, headache, nervousness, lightheaded, drowsiness, fatigue, blurred vision. Give water before giving medication. DO NOT USE GRAPEFRUIT JUICE.	
5:00 pm	Su Mo Tu We Th Fr	Metformin	controls high blood sugar	1000 mg1 tablet	twice daily8 am and 5	Give before meals. Peak action is in 2-4 hours. SEmuscle weakness, headache, dizziness, chills, lightheadedness, diarrhea, low blood sugar, stomach upset	

### Refuerzo, Melling

JEMS Special Camp 2019
Page 2

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 pm	Su Mo Tu We Th Fr	Loratadine	relief of seasonal allergies	10 mg1 tablet	daily in the evening8 pm	SEdrowsiness, impaired motor function, blurred vision, constipation, dry mouth and dry throat	
8:00 pm	Su Mo Tu We Th Fr	Risperidone PM dose	treatment of mental/mood disorder	2 mg1 tablet	once daily in evening8 pm	SEdrowsiness, dizziness, lightheadedness, drooling nausea, tiredness, agitation, neurolopetic malignant syndrome (EPS symptoms, hyperthermia, autonomic disturbance) tremor, orthostatic hypotension, tachycardia. WEAR SUNBLOCK; USE CAUTION IN HOT WEATHER TO PREVENT HEATSTROKE.	
8:00 pm	Su Mo Tu We Th Fr	Simvastatin	cholesterol lowering agent	20 mg1 tablet	daily at bedtime8 pm	SEstomach upset, bloating, constipation, gall stones. AVOID USE OF GRAPEFRUIT JUICE.	

i acknowledge that the above medication	ons listed are complete and accurate to	or the above camper.	
signed:	relationship to camper:	date:	2019-06-06.09:00am(PDT

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 am	Mo Tu We Th Fr Sa	Clopidogrel	anti platelet action; promotes heart and blood circulation	75 mg/tabletdose is 1 tablet	daily in AM	SEconfusion, fatal intracranial bleeding, hypotension, hemorrhage, bronchospasm, respiratory tract bleeding, epistaxis, hematuria, dyspepsia, gastritis, ulcers AVOID USE OF GRAPEFRUIT OR GRAPEFRUIT JUICE. May take longer than usual to stop bleeding. REfrain from activities in which trauma and bleeding may occur. Notify if unusal bleeding or bruising occurs.	
9:00 am	Mo Tu We Th Fr Sa	Vitamin B-12	nutritional supplement	500 mg/tabletdose is 1 tablet	daily after breakfast		
9:00 am	Mo Tu We Th Fr Sa	Vitamin C	nutritional supplement	500 mg/tabletdose is 1 tablet	daily after breakfast		
6:00 pm	Su Mo Tu We Th Fr	L-Arginine	nutritional supplement for the heart	500 mg/tabdose is 2 capsules	daily after dinner	SEindigestion, nausea, headache, bloating, diarrhea, gout, blook abnormalities, allergies, airway inflammation, worsening of asthma, low blood pressure, decreased insulin sensitivity.	
9:00 pm	Su Mo Tu We Th Fr	Zioptan	glaucoma treatment	one drop both eyes	daily at bedtime	SEheadache, ocular stinging or irritation. DRUG COMES IN SINGLE USE CONTAINERS AND UNUSED PORTIONS MUST BE DISCARDED BECAUSE CONTAINERS DO NOT CONTAIN A PRESERVATIVE.	
			_		_		

I acknowledge that the above medicati	ions listed are complete and acc	curate for the above camper.
signed:	relationship to camper:	date:

## **Tani, Glenn Ricky**

JEMS Special Camp 2019
Page 1

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 pm	Su Mo Tu We Th Fr	Celexa (Citalopram)	anti-anxietyanti-depr essant	40 mg/tabletdose is 1 tablet	daily at bedtime	SEsomnolence, insomnia, anxiety, agitation, dizziness, paresthesia, tachycardia, orthostatic hypotension, dry mouth, nausea, diarrhea	
8:00 pm	Su Mo Tu We Th Fr	Cogentin (Benztropine)	antiparkinsonian, anticholinergic, anti-agitation	1 mg/tabdose is 1 tablet	daily at bedtime8 pm	SEconfusion, memoriy impairement, nervousness, depression, disorinetation, hallucination, tachycardia, urine retension, muscle weakness, decreased sweating.Cautioin in hot weather because of drug induced lack of sweating may cause overheating.	
8:00 pm	Su Mo Tu We Th Fr	Seroquel (Quetiapine Fumartate)	anti-psychotic, anti-depressant, anti-anxiety	300 mg/tabdose is 1/2 tab or 150 mg	daily at bedtime8 pm	SEdizziness, headache, somnolence, orthostaiic hypotension, tachycardia, palpitations, peripheral edema, dry mouth, constipation, Caution in hot weather. Watch for neuroleptic malignant syndrome (EPS effects, hyperthermia, autonomic disturbance) which is rare but deadly.	

I acknowledge that the above medi	owledge that the above medications listed are complete and accurate for the above camper. I: date:				
signed:	relationship to camper:	date:	2019-06-06,09:00am(PDT)		

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Trileptal (Oxcarbazepine)AM	anti-seizure	300 mg/tablet dose is 450 mg1.5 tablets	daily in AM	there is a different dose for the bedtime dose. SEsleepiness, abnormal gait, ataxia, dizziness, headache, abnormal vision, hypotension, abdominal pain, rash.Report signs of low sodiumnausea, malaise, headache, lethargy and confusion.	
9:00 pm	Su Mo Tu We Th Fr	Baclofen	anti-spasticity	10 mg/tabdose is 2 tablets	daily at bedtime9 pm	SEsleepiness	
9:00 pm	Su Mo Tu We Th Fr	Trileptal(Oxcarbazepine) HS	anti-seizure	300 mg/tab-dose is 2 tabs at bedtime	daily at bedtime9 pm	SEdrowsiness, abnormal gait, dizziness, headache, tremor, abdominal pain, nausea, vomiting, rash, acne, bruising	
as needed	Su Mo Tu We Th Fr Sa	Neosporin	topical antibiotic ointment	as needed to cover cuts or scarped	as needed for cuts and scrapes	none	
as needed	as needed	Tylenol Extra Strength	500 mg1 tablet	1 tablet	as needed for headache, injury, menstrual cramp		
					_		

I acknowledge that the above medication	ns listed are complete and	l accurate for the above camper.
signed:	relationship to camper: _	date:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Buspirone AM	anti-anxiety	5 mg/tabdose is 3 tabs or 15 mg	daily in AM. ( there is a different dose in PM)	different dose for evening dose. SEdizziness, drowsiness, headache, nervousness, insomnia, light-headedness, fatigue, tachycardia, blurred vision, dry mouth. Do not use grapefruit juice.	
8:00 am	Mo Tu We Th Fr Sa	Claritin (Non-Drowsy Allergy Relief)	seasonal allergies	10mg1 tablet	once daily in am	Seheadache, sleepiness, drowsiness, fatigue, nervousness, stomach pain	
8:00 am	Mo Tu We Th Fr Sa	Fluvoxamine Maleate	antidepressant	50mg/tabdose is 100 mg or 2 tabs	once daily in morning	SEdizziness, drowsiness, suicidal ideation	
8:00 am	Mo Tu We Th Fr Sa	Jolessa	regulate menstrual cycles	0.15-0.03 mg/1 tab dose is 1 tab	once daily in morning	SEgastrointestinal symptoms, bleeding/spoitting, fluid retention, mood changes	
9:00 am	Mo Tu We Th Fr Sa	Multi- Vitamin	nutritional supplement	1 tablet	once daily in morning		
9:00 am	Mo Tu We Th Fr Sa	Vitamin C	nutritional supplement	1000 mg/tabdose is 1 tablet	once daily in morning		
				_	_	2010.06.06.00.002m(DDT)	

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 pm	Su Mo Tu We Th Fr	Buspirone PM	anti-anxiety	5 mg/tabletdose is 1 tablet or 5 mg	daily at pmone hour before bedtime	SEdizziness, drowsiness, headache, nervousness, insomnia, lightheadedness, dry mouth, rash	
8:00 pm	Su Mo Tu We Th Fr	Guanfacine	anti-hypertensive	1 mg/tabdose is 1 tab	once daily in evening	SEdizziness, lightheadedness, drowsiness, dry mouth, loss of appetite. Give evening medication one hour before bedtime.	
8:00 pm	Su Mo Tu We Th Fr	Melatonin	promote sleep	3 mg/1 tab and 5 mg/1 tabdose is 1 tab of each for total of 8 mg total	once daily in the evening	evening medications are taken one hour before bedtime	
8:00 pm	Su Mo Tu We Th Fr	Nortriptyline	anti-depressant and to promote sleep	10 mg/capsule. dose is 40 mg or 4 capsules	once daily in evening	SEnausea, drowsiness, weakness, tiredness, excitement, anxiety, changes in appetite. Evening medications are taken one hour before bedtime	
8:00 pm	Su Mo Tu We Th Fr	Theanine	amino acid	100 mg/tabdose is 1 tab	once daily in evening	evening meds are taken one hour before bedtime	
as needed	Su Mo Tu We Th Fr Sa	Benadryl	seasonal allergies/common cold symptoms	25 mg/tabdose is 2 tabs or 50 mg	as needed for seasonal allergy symptoms	SEdrowsiness, dry mouth, nausea	
as needed	Su Mo Tu We Th Fr Sa	Ibuprofen	relief of headache or mild pain	200 mg/tabdose is 1 tab	as needed for headache or mild pain1 tab every 4 hrs if needed	give with food.	

Tacknowledge that the above medication	cknowledge that the above medications listed are complete and accurate for the above camper.								
signed:	relationship to camper:	date:	2019-06-06,09:00am(PDT)						

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Fr	Alendronate Sodium	promotes bone health	70 mg/tabletdose is 1 tablet	once per week on Friday morning, 30 minutes before breakfast	DO NOT ALLOW TO LIE DOWN FOR 30 MINUTES AFTER TAKING DRUG AND UNTIL AFTER FIRST FOOD OF THE DAY. GIVE DRUG WITH AT LEAST 6-8 OZ OF WATER BEFORE FIRST FOOD OR DRINK OF THE DAY TO FACILITATE DELIVERY TO THE STOMACH. SEabdominal pain, nausea, dyspepsia, constipation, diarrhea, esophageal ulcer, vomiting, dysphagia	
9:00 am	Mo Tu We Th Fr Sa	Areds 2 Eye Vitamin	nutritional supplement for eyes	1 tablet	twice daily with morning meal and dinner meal		
9:00 am	Mo Tu We Th Fr Sa	Calcium Gummies	nutritional supplement to promote bone health	1 gummy	daily in the morning		
9:00 am	Mo Tu We Th Fr Sa	Flax Seed Oil	nutritional supplement for heart health	1400 mg/tablet dose is 1 tablet	daily in the morning		
9:00 am	Mo Tu We Th Fr Sa	Move Free	nutritional supplement to promote joint health	1 tablet	once daily in the morning		
9:00 am	Mo Tu We Th Fr Sa	One a Day for Women	nutritional supplement multivitamin	1 tablet	once daily in the morning		
9:00 am	Mo Tu We Th Fr Sa	Vitamin D3	nutritional supplement	2000 IU/tabletdose is 1 tablet	once daily in the morning		
						2010.06.06.00.00.00.00(DDT)	

### Wang, Rebecca

JEMS Special Camp 2019
Page 2

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
6:00 pm	Su Mo Tu We Th Fr	Areds 2 Eye Vitamin	nutritional supplement for eyes	1 tablet	twice daily with morning meal and dinner meal		
6:00 pm	Su Mo Tu We Th Fr	Citracal Calcium Citrate	nutritional supplement to promote bone health	630 mg/tabletdose is 1 tablet	once daily in the evening		
6:00 pm	Su Mo Tu We Th Fr	Digestive Advantage	nutritional supplement to promote digestive health	1 gummy	once daily in the evening		
6:00 pm	Su Mo Tu We Th Fr	Vitamin B-12	nutritional supplement fort energy health	1000 mg/tabletdose is 1 tablet	once daily in the evening		
6:00 pm	Su Mo Tu We Th Fr	Vitamin C	nutritional supplement	500 mg/tabletdose is 1 tablet	once daily in the evening		

I acknowledge that the above medications listed are complete and accurate for the above camper.									
signed:	relationship to camper:	date:	2019-06-06.09:00am(PDT)						