Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Brimonidine 0.2% eye solution	glaucoma treatment	1 drop in each eye	twice daily	SEasthenia, dizziness, allergic conjunctivitis, ocular hyperemia, pruritus, burning, hinflammation, dryness	
8:00 am	Mo Tu We Th Fr Sa	Carbamazepine ER (Carbatrol)	anti-seizure	220 mg/capsletdose is 3 caplets	twice daily8 am and 5 pm	Do not crush or split ER tablets. SEataxia, dizziness, drowsiness, vertigo, worsening of seizures, confusion, arrhythmias, heart failure. AVOID GRAPEFRUIT JUICE. Take with food to minimize GI effects. Do not take broken or chipped tablets.Notify provider if fever, sore throat, mouth ulcers or easy bruising or bleeding.	
8:00 am	Su Mo Tu We Th Fr Sa	Hydrocortisone cream	ant inflammation	1% creamapply small amount to rash areas on back	twice dailyAM and bedtime		
8:00 am	Mo Tu We Th Fr Sa	Oyster Shell 500 Vitamin D3 200	nutritional supplement	1 tablet	three times daily 8 am, 5 pm, 9 pm		
8:00 am	Mo Tu We Th Fr Sa	RisperidoneAM	mood stabilizeranti -psychotic	2 mg/tabletdose is 1 tablet	daily in AM	SEdrowsiness, akathisia, dystonia, headache, insomnia, agitation, anxiety, tachycardia, orthostatic hypotension	
8:00 am	Mo Tu We Th Fr Sa	Thera-M	nutritional supplement	1 tablet	daily in am		
8:00 am	Mo Tu We Th Fr Sa	Triamcinolone 0.5%	steroid cream	apply small amount to affected area	twice dailyAM and bedtime	Apply to brown skin discoloration areas.	
_							
						2019-06-13	

2019-06-13

Miyashiro, Cindy

Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
5:00 pm	Su Mo Tu We Th Fr Sa	Brimonidine 0.2% eye solution	glaucoma treatment	1 drop in each eye	twice daily	SEasthenia, dizziness, allergic conjunctivitis, ocular hyperemia, pruritus, burning, hinflammation, dryness	
5:00 pm	Su Mo Tu We Th Fr Sa	Carbamazepine ER (Carbatrol)	anti-seizure	220 mg/capsletdose is 3 caplets	twice daily8 am and 5 pm	Do not crush or split ER tablets. SEataxia, dizziness, drowsiness, vertigo, worsening of seizures, confusion, arrhythmias, heart failure. AVOID GRAPEFRUIT JUICE. Take with food to minimize GI effects. Do not take broken or chipped tablets.Notify provider if fever, sore throat, mouth ulcers or easy bruising or bleeding.	
5:00 pm	Su Mo Tu We Th Fr Sa	Oyster Shell 500 Vitamin D3 200	nutritional supplement	1 tablet	three times daily 8 am, 5 pm, 9 pm		
5:00 pm	Su Mo Tu We Th Fr Sa	Simvastatin	cholesterol lowering agent	20mg/tabdose is 1 tablet	once daily in evening	SEasthenia, headache, abdominal pain, constipation, flatulence. AVOID USE OF GRAPEFRUIT JUICE.	
8:00 pm	Su Mo Tu We Th Fr	Hydrocortisone cream	ant inflammation	1% creamapply small amount to rash areas on back	twice dailyAM and bedtime		
						2019-06-13	

2019-06-13

Page 2

Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 pm	Su Mo Tu We Th Fr	Chlorhexidine 0.12% mouth rinse	treatment for gum disease	1/2 oz undiluted rinse in mouth	once daily at bedtime	Daily at bedtime after brushing her teeth. Rinse and swish and spit out.	
9:00 pm	Su Mo Tu We Th Fr Sa	Citalopram HBR (Celexa)	antidepressant	40 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEsomnolence, insomnia, anxiety, agitation, dizziness, paresthesia, tachycardia, orthostatic hypotension, rash. Recognize risk for serotonin toxicityfever, mental status changes, muscle twitching, excessive sweating, shirvering, shaking, diarrhea, loss of coordination	
9:00 pm	Su Mo Tu We Th Fr	Latanoprost	glaucoma treatment	0.005%dose is 1 drop in each eye	daily at bedtime9 pm	SEblurred vision, burning, itching, stinging, conunctivital hyperemia, dry eye, excessive tearing, eye pain. If more than one opthalmic drug is being used, give at least 5 minutes apart.	
9:00 pm	Su Mo Tu We Th Fr Sa	Oyster Shell 500 Vitamin D3 200	nutritional supplement	1 tablet	three times daily 8 am, 5 pm, 9 pm		
9:00 pm	Su Mo Tu We Th Fr Sa	Risperidone HS dose 0.5 mg tab	mood stabilizeranti -psychotic	0.5 mg/tab1 tablet	daily at 9 pm	Total HS dose is 2 tabs1 tab of 1 mg tablet and 1 tab of 0.5 mg tablet. SEakathisia, comnolence, dystonia, headache, insomnia, agitation, anxiety, pain, tachycardia, orthostatic hypotension	
9:00 pm	Su Mo Tu We Th Fr Sa	Risperidone HS dose 1 mg tablet	mood stabilizer, anti-psychotic	1 mg/tabletdose is 1 tablet	daily at bedtime9 pm	SEdrowsiness,akathisia, dystonia, headache, insomnia, agitation, anxiety, parkinsonism, dizziness	
9:00 pm	Su Mo Tu We Th Fr	Triamcinolone 0.5%	steroid cream	apply small amount to affected area	twice dailyAM and bedtime	Apply to brown skin discoloration areas.	
9:00 pm	Su Mo Tu We Th Fr	Vitamin E cream	promotes skin health	apply to affectd areas of skin rash to back of legs	daily at bedtime		

I acknowledge that the above medicat	tions listed are complete and accurat	te for the above camper.
signed:	relationship to camper:	date: