# **Abasolo, Jerry**

## Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
8:00 am	Mo Tu We Th Fr Sa	Atenolol	anti-hypertensive	25 mg/tabdose is 1 tab	twice daily	SEdizziness, bradycardia, hypotension, heart failure, intermittent claudication, bronchospasm	
8:00 am	Mo Tu We Th Fr Sa	CVS Stool softener	stool softener	250 mg/capsuledose is 1 capsule	twice daily		
8:00 am	Mo Tu We Th Fr Sa	Hydrocodone (Norco)	relief of pain	5/325 mg/1 tabletdose is 1 tablet	three times daily8 am; noon; 4 pm	BEDTIME DOSE IS 2 TABLETS. GIVE WITH FOOD. SElightheadness, dizzziness, sedation, mental clouding, bradycardia, nausea, vomiting, constipation, hypotension	
8:00 am	Mo Tu We Th Fr Sa	Lamictal (Lamotrigine)	seizure control	200 mg/tabdose is 2 tablets	three times daily8 am; noon; 4 pm	SEataxia, dizziness, headache, somnolence, seizures, aggravated reaction, anxiety, concentration disturbance, blurred vision, nausa, vomiting, constipation, dry mouth, rash,photosensitivity reacions. AVOID EXCESS SUN EXPOSURE.	
8:00 am	Mo Tu We Th Fr Sa	Potassium Citrate ER	prevent kidney stones	10 meq/tabdose is 1 tablet	three times a day	SEconfusion, anxiety, irregular heartbeat, leg discomfort, muscle weakness, numbness or tingly feeling in hads or feet, stomach pain, diarrhea. TAKE WITH LOTS OF WATER.	
8:00 am	Mo Tu We Th Fr Sa	Pravastatin	cholesterol lowering agent	20 mg/tabdose is 1 tablet	daily in am	SEdizziness, fatigue, headache, chest pain, rhinitis, nausea, abdominal pain, constipation, myopathy, rhabdomyolysis	
8:00 am	Mo Tu We Th Fr Sa	Zonegran (Zonisamide) cap	seizure control	100 mg/capsuledose is 2 capsules	three times a day8 am; noon; 4 pm	SEdizziness, nausea, headache, somnolence, seizures, difficulties in concentration, mental slowing, diplopia, dry mouth, nausea, kidney stones, rash. DO NOT CRUSH OR OPEN CAPSULE. ENCOURAGE FLUIDS TO AVOID DEHYDRATION.	

# **Abasolo, Jerry**

## Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
12 noon	Mo Tu We Th Fr	Hydrocodone (Norco)	relief of pain	5/325 mg/1 tabletdose is 1 tablet	three times daily8 am; noon; 4 pm	BEDTIME DOSE IS 2 TABLETS. GIVE WITH FOOD. SElightheadness, dizzziness, sedation, mental clouding, bradycardia, nausea, vomiting, constipation, hypotension	
12 noon	Mo Tu We Th Fr	Lamictal (Lamotrigine)	seizure control	200 mg/tabdose is 2 tablets	three times daily8 am; noon; 4 pm	SEataxia, dizziness, headache, somnolence, seizures, aggravated reaction, anxiety, concentration disturbance, blurred vision, nausa, vomiting, constipation, dry mouth, rash,photosensitivity reacions. AVOID EXCESS SUN EXPOSURE.	
12 noon	Mo Tu We Th Fr	Oyster, Calcium and D supplement	nutritional supplement	500/200mg/tabdose is 1 tablet	daily at noon		
12 noon	Mo Tu We Th Fr	Potassium Citrate ER	prevent kidney stones	10 meq/tabdose is 1 tablet	three times a day	SEconfusion, anxiety, irregular heartbeat, leg discomfort, muscle weakness, numbness or tingly feeling in hads or feet, stomach pain, diarrhea. TAKE WITH LOTS OF WATER.	
12 noon	Mo Tu We Th Fr	Zonegran (Zonisamide) cap	seizure control	100 mg/capsuledose is 2 capsules	three times a day8 am; noon; 4 pm	SEdizziness, nausea, headache, somnolence, seizures, difficulties in concentration, mental slowing, diplopia, dry mouth, nausea, kidney stones, rash. DO NOT CRUSH OR OPEN CAPSULE. ENCOURAGE FLUIDS TO AVOID DEHYDRATION.	

2019-06-19

# **Abasolo, Jerry**

## Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
4:00 pm	Su Mo Tu We Th Fr	CVS Stool softener	stool softener	250 mg/capsuledose is 1 capsule	twice daily		
4:00 pm	Su Mo Tu We Th Fr	Hydrocodone (Norco)	relief of pain	5/325 mg/1 tabletdose is 1 tablet	three times daily8 am; noon; 4 pm	BEDTIME DOSE IS 2 TABLETS. GIVE WITH FOOD. SElightheadness, dizzziness, sedation, mental clouding, bradycardia, nausea, vomiting, constipation, hypotension	
4:00 pm	Su Mo Tu We Th Fr	Lamictal (Lamotrigine)	seizure control	200 mg/tabdose is 2 tablets	three times daily8 am; noon; 4 pm	SEataxia, dizziness, headache, somnolence, seizures, aggravated reaction, anxiety, concentration disturbance, blurred vision, nausa, vomiting, constipation, dry mouth, rash,photosensitivity reacions. AVOID EXCESS SUN EXPOSURE.	
4:00 pm	Su Mo Tu We Th Fr	Potassium Citrate ER	prevent kidney stones	10 meq/tabdose is 1 tablet	three times a day	SEconfusion, anxiety, irregular heartbeat, leg discomfort, muscle weakness, numbness or tingly feeling in hads or feet, stomach pain, diarrhea. TAKE WITH LOTS OF WATER.	
4:00 pm	Su Mo Tu We Th Fr	Zonegran (Zonisamide) cap	seizure control	100 mg/capsuledose is 2 capsules	three times a day8 am; noon; 4 pm	SEdizziness, nausea, headache, somnolence, seizures, difficulties in concentration, mental slowing, diplopia, dry mouth, nausea, kidney stones, rash. DO NOT CRUSH OR OPEN CAPSULE. ENCOURAGE FLUIDS TO AVOID DEHYDRATION.	
				_			

2019-06-19

Camper will receive the following medications/supplements at the indicated times:

Time	Days	Medication	Purpose	Dosage	Frequency	Special Instructions	Initial
9:00 pm	Su Mo Tu We Th Fr	Allerclear Loratadine	allergy relief, antihistamine, itchy or allergic skin reaction	10mg/tabdose is 1 tablet	daily at bedtime		
9:00 pm	Su Mo Tu We Th Fr	Atenolol	anti-hypertensive	25 mg/tabdose is 1 tab	twice daily	SEdizziness, bradycardia, hypotension, heart failure, intermittent claudication, bronchospasm	
9:00 pm	Su Mo Tu We Th Fr	Hydrocodone / Acetaminophen -BEDTIME	pain relief	5/325 mg/tabdose is 2 TABLETS	daily at bedtime	SEdizziness, nausea, vomiting, constipation, hypotension	
9:00 pm	Su Mo Tu We Th Fr	Lamictal Bedtime	seizure control	200 mg/tabdose is 3 tablets	daily at bedtime9 pm	SEnausea, dizziness, confusion, rash. DO NOT TAKE ON AN EMPTY STOMACH.	
9:00 pm	Su Mo Tu We Th Fr	Vinegarexternal use	treatment for ear itch eczema	soak Qtip and swab both ears up until line indicated on Qtip.	daily at bedtime	CAUTION TO AVOID INJURY TO EAR DRUM.	
9:00 pm	Su Mo Tu We Th Fr	Zonegran (Zonisamide) Bedtime	seizure control	100 mg/capdose is 3 capsules	daily at bedtime9 pm	SEnausea, dizziness, confusion	

I acknowledge that the above medicati	ons listed are complete and	l accurate for the above camper.
signed:	relationship to camper: _	date: