GILEAD MEDICAL AND DENTAL CENTRE LABORATORY REPORT

Patient Name: Lydia Adusei Acheampong

Operator: MINDRAY BC5150 Sample ID:

 Age: AD		Gender: F Running Date: 16/11/2017 Blood Type: EDTA WHOLE BLOOD Standar			Standard
				Range	
WBC	4.99		$10^{3}/mm^{3}$	2.88.5	
	%		#		
NEU	52.6	(25.075.0)	2.63	(2.007.50)	
LYM	37.8	(20.060.0)	1.88	(1.004.00)	
MON	3.6	(2.012.0)	0.18	(0.201.00)	
EOS	5.2	(0.01.0)	0.26	(0.000.50)	
 BAS	0.8	(0.01.0)	0.04	(0.000.20)	
		Normal Range			
RBC	4.09	(3.806.50)			
HGB	11.6	(11.517.0)			
HCT	34.6	(37.054.0)			
MCV	76.9	(80.0100.0)			
MCH	27.3	(27.032.0)			
MCHC	31.4	(32.036.0)			
RDW	13.5	(10.015.0)			
PLT	217	(150.0500.0)			
MPV	11.7	(6.011.0)			

OTHERS SICKLING NEGATIVE
BLOOD GROUP A RHESUS ' D' POSITIVE
G6PD
HCV NON-REACTIVE
HBsAg NON-REACTIVE
BF NO MP SEEN

...... SIGNED BY BIOMEDICAL SCIENTIST