

Key to Diagnostic Excellence

MDS-LANCET LABORATORIES (GH) LTD.

Korle-bu Branch

Tel: 0302 610 522 / 0504 101 196

Fax: 0302 306 746

www.mds-lancet.com

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

For Doctor

PATIENT REFERRING DOCTOR MDS-LANCET LAB - KORLE BU Other Doctors

.... KORLEBU

Patient : AUGUSTINA OLLENU

Doctors Ref: NOT AVAILABLE Age/Sex/DOB: 32 / F /

Id Num

: OA0243851175

Guarantor : MRS A OLLENU

MedAid : CASH N

: 0243851175

(W) NOT AVAILABLE

Lab Ref MRI No.

Spec #

: 701000226

: GH01423762

: 0910:EA00059L

Received Date : 10/09/18 1007

Collection Date : 10/09/18 0945

FINAL Report Date : 10/09/18 1357

Requested : ., THY PROF.NO Ab

ENDOCRINOLOGY

	Test	Result	160		Refer	cence	9
>	THYROTROPIN (TSH) -S	0.629 uIU,	/mL				

	: POPULATION	97.5 REFERENCE	INTERV	AL:			
	:						
	:			:			
	:GENERAL POPULATION (MALES, AND NON	0.38	- 5.33	:			
	:PREGNANT FEMALES, AGED 18-88)						
	:			:			
	: PREGNANT FEMALES			:			
	:FIRST TRIMESTER	0.05	- 3.70	:			
	:SECOND TRIMESTER	0.31	- 4.35	:			
	:THIRD TRIMESTER	0.41	- 5.18	:			
	:			:			

	PLEASE NOTE CHANGE IN REFERENCE RAN	GE					
>	S-FT3 (DIRECT)	7.6 pmo	1/L		3.5	-	7.8
	Please note change in reference ran	ge.					
>	S-FT4 (THYROXINE)	10.7 pmo	1/L		7.9	-	18.5
	REFERENCE RANGES FOR PRE	GNANCY					
	***************************************			:::			
	:1st Trimester : 6.67-14.12 pmol/	L)	160				
	:2nd Trimester : 5.79-12.70 pmol/L)		:			
	:3rd Trimester : 6.11-12.20 pmol/	L)		:			
	****** PLEASE NOTE, CHANGE IN REF	ERENCE RANGE **	*****	*			

** Continued on Next Page **