



Gilead Medical & Dental Centre

info@gileadmedical.com

House of Balm, C896/3, Kanda Highway, Accra-Ghana

Tel: 0302227196

www.gileadmedicalgh.com

Name: George Obeng Appah

Age: 40yrs

Gender: Male

Clinical History: Obstructive Uropathy R/O BPH with microscopic haematuria

Type of Investigation: Abdomino-pelvic Ultrasound

Investigation Date: 27/06/2018

ULTRASOUND REPORT

Abdomen

The liver is of average size, measuring 13.8 mm MCL with homogenous echopattern. No focal mass or diffuse lesion noted. No intra or extrahepatic bile duct dilatation.

The gallbladder shows normal outline and wall thickness. No gallstones, sludge or mass seen. No pericholecystic fluid seen. Absent sonographic Murphy sign.

The visualized portions of the pancreas is of normal sonographic appearance. No pancreatic calcification.

The spleen is normal in size and echopattern measuring 8.0cm. No focal mass or diffuse lesion

Both kidneys are of average size measuring, right (10.4x4.1cm) and left (10.5x4.5cm) respectively with good corticomedullary differentiation and normal renal sinus. No focal loss of renal parenchyma. No hydronephrosis, calculi or focal mass noted.

No ascites, abdominal mass or lymphadenopathy. There is normal abdominal aorta and IVC.

Pelvic

The prostate measures (4.1x3.8x3.5cm) approximately =29.3cm³ and has homogeneous echo pattern. No focal mass or calcifications noted.

The urinary bladder wall is not thickened. The Urinary bladder appears normal. No focal mass or calcifications were seen in it.

Pre void residual bladder volume = 272.7cm³

Post void residual bladder volume =28.7cm³

Impression:

- An average size prostate of size 29g
- Insignificant Post void residual bladder volume
- Normal Abdominal Ultrasound

Sonographer: Rosemond Adu-Sarkodie