

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : ESTHER ABOAGYE

Result Date : 13-MARCH-2018

Gender / Age : FEMALE

Sample No : GM18031301281

Consulting Doctor : DR HENRY AGORTEY

Sample Date : 13-MARCH-2018

Specimen : URINE

DEPARTMENT OF CLINICAL PATHOLOGY

Investigation	Result	Units	Reference Range
URINE PREGNANCY TEST			
UPT	POSITIVE		-

Method : STANDARD

*** END OF REPORT ***

Remarks :

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.