

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : WILLIAM BOACHIE JNR AGYEKUM Sample ID : GM18050901959
Gender / Age : MALE / 35 YEARS Sample Date : 09-MAY-2018
Consulting Doctor : DR. HENRY AGORTEY Specimen : BLOOD

DEPARTMENT OF SEROLOGY

Investigation	Result	
TYPHI DOT IgG & IgM		
Typhi Dot IgG	NON-REACTIVE	-
Typhi Dot IgM	NON-REACTIVE	-

Method : STANDARD

Comment:

The typhoid IgG / IgM Rapid test is a lateral flow immunoassay for the simultaneous detection and differentiation of anti-salmonella typhi IgG and IgM in human serum or plasma. It is intended to be used as a screening test and as aid in the diagnosis of infection with S. typhi.

Interpretation of result:

IgG/IgM	-Negative	= No infection
IgG	-Positive	= Past infection
IgM	-Positive	= Recent
IgG/IgM	-Positive	= Chronic infection

*** END OF REPORT ***

Remarks :
SIGNED BY BIOMEDICAL SCIENTIST

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.