



MDS-LANCET

LABORATORIES

Ghana Limited

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

MDS-LANCET LABORATORIES (GH) LTD.

East Legon Laboratory (Head Office)

Tel: 0302 610 480

Fax: 0302 306 746

www.mds-lancet.com

MEDICAL LABORATORY REPORT

For Doctor

MDS-LANCET LABORATORIES-EMAIL

27 MASERU STREET

EAST LEGON

.... ACCRA

Other Doctors

Patient : NANCY TWUMASI-ASIAMAH

Doctors Ref: NOT AVAILABLE

Age/Sex/DOB: 41 / F / 19770828

Id Num : TAN0262092929

Guarantor : MRS N TWUMASI-ASIAMAH

MedAid : CASH NN

Tel : 0244631462

(W) NOT AVAILABLE

Lab Ref : 706248061

MRI No. : GH01417665

Spec # : 0830:EA00061L

Collection Date : 30/08/18 1001

Received Date : 30/08/18 1019

FINAL Report Date : 01/09/18 1228

Requested : ., THY PROF.NO Ab

ENDOCRINOLOGY

Test	Result	Reference
> THYROTROPIN (TSH) -S	0.073 uIU/mL	
: POPULATION	97.5 REFERENCE INTERVAL:	
: GENERAL POPULATION (MALES, AND NON	0.38 - 5.33	
: PREGNANT FEMALES, AGED 18-88)		
: PREGNANT FEMALES		
: FIRST TRIMESTER	0.05 - 3.70	
: SECOND TRIMESTER	0.31 - 4.35	
: THIRD TRIMESTER	0.41 - 5.18	
: PLEASE NOTE CHANGE IN REFERENCE RANGE		
> S-FT3 (DIRECT)	6.3 pmol/L	3.5 - 7.8
: Please note change in reference range.		
> S-FT4 (THYROXINE)	15.0 pmol/L	7.9 - 18.5
: REFERENCE RANGES FOR PREGNANCY		
: 1st Trimester : 6.67-14.12 pmol/L)		
: 2nd Trimester : 5.79-12.70 pmol/L)		
: 3rd Trimester : 6.11-12.20 pmol/L)		

***** PLEASE NOTE, CHANGE IN REFERENCE RANGE *****

** Continued on Next Page **