

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

MDS-LANCET LABORATORIES (GH) LTD.

East Legon Laboratory (Head Office)

Tel: 0302 610 480

Fax: 0302 306 746

www.mds-lancet.com

MEDICAL LABORATORY REPORT

For Doctor

MDS-LANCET LABORATORIES GH LTD
27 MASERU STREET
EAST LEGON
.... ACCRA

Other Doctors

Patient : MICHAEL OJ SAMPSON
Doctors Ref: NOT AVAILABLE
Age/Sex/DOB: 64 / M /
Id Num : SM0243149803

Guarantor : MR M SAMPSON
MedAid : CASH N
Tel : 0243149803
(W) NOT AVAILABLE

Lab Ref : 706168418
MRI No. : GH01246581
Spec # : 1123:BS00040U

Collection Date : 23/11/17 0703
Received Date : 23/11/17 1026
FINAL Report Date : 23/11/17 1408

Requested : .. U/E+CR, CKMB +TROP I +TROP T, LFT, S-AMYL, P-GLU (f), S-UA,
LIPID PROFILE, HBA1C (EDTA SAMPLE), CEA, PSA, FBC
BIOCHEMISTRY

Test	Result	Reference
> B-HBA1C (GLYCATED)	5.8 %	4.8 - 5.9
Please note change in reference range.		
> B-HBA1C (IFCC)	40 mmol/mol	
> Estimated Average Glucose	6.6 mmol/L	

```

.....
:                               :HBA1C-DCCT (%) :HBA1C-IFCC (mmol/mol):
:.....:.....:.....:.....:.....:.....:
:NON-DIABETES MELLITUS: 4 - 6      : 20 - 42      :
:.....:.....:.....:.....:.....:.....:
:DIABETES MELLITUS    : < 7          : < 53          :
:(Desirable Target)   :               :               :
:.....:.....:.....:.....:.....:.....:

```

Please note: Anemias and haemoglobinopathies may yield discrepant HbA1c results.

For consultation by referring doctors only, please call:

Dr Kogie Reddi +2711 358 0977

Dr Melissa Yssel +2712 483 0237

Dr Stan Zail +2711 358 0750

Dr David Rambau +2712 483 0237