

# GILEAD MEDICAL AND DENTAL CENTRE

## LABORATORY REPORT

Patient Name : GRACE ADU

Sample ID : GM18052302151

Gender / Age : FEMALE / 37 YEARS

Sample Date : 23-MAY-2018

Consulting Doctor : DR. HENRY AGORTEY

Specimen : BLOOD

### DEPARTMENT OF SEROLOGY

Investigation	Result	
TYPHI DOT IgG & IgM		
Typhi Dot IgG	REACTIVE	-
Typhi Dot IgM	REACTIVE	-

Method : STANDARD

#### Comment:

The typhoid IgG / IgM Rapid test is a lateral flow immunoassay for the simultaneous detection and differentiation of anti-salmonella typhi IgG and IgM in human serum or plasma. It is intended to be used as a screening test and as aid in the diagnosis of infection with S. typhi.

#### Interpretation of result:

<b>IgG/IgM</b>	<b>-Negative</b>	<b>= No infection</b>
<b>IgG</b>	<b>-Positive</b>	<b>= Past infection</b>
<b>IgM</b>	<b>-Positive</b>	<b>= Recent</b>
<b>IgG/IgM</b>	<b>-Positive</b>	<b>= Chronic infection</b>

\*\*\* END OF REPORT \*\*\*

Remarks :  
SIGNED BY BIOMEDICAL SCIENTIST

**Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.**

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.