

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

For Doctor

MDS-LANCET LABORATORIES-EMAIL

27 MASERU STREET

EAST LEGON

.... ACCRA

MEDICAL LABORATORY REPORT

Other Doctors

Pr Num : 5201055

Patient : ALISON DARKWAH
 Doctors Ref: NOT AVAILABLE
 Age/Sex/DOB: 46 / F / 19710327
 Id Num : DA0549899264

Guarantor : MS A DARKWAH
 MedAid : CASH N
 Tel : 0549 899 264
 (W) NOT AVAILABLE

Lab Ref : 704138353
 MRI No. : GH01274159
 Spec # : 0112:EA00122L

Collection Date : 12/01/18 1307
 Received Date : 12/01/18 1446
 FINAL Report Date : 13/01/18 1400

Requested : ., THY PROF.NO Ab

ENDOCRINOLOGY

Test	Result	Reference
> THYROTROPIN (TSH) -S	0.893 uIU/mL	
: POPULATION	97.5 REFERENCE INTERVAL:	
: GENERAL POPULATION (MALES, AND NON	0.38 - 5.33	
: PREGNANT FEMALES, AGED 18-88)		
: PREGNANT FEMALES		
: FIRST TRIMESTER	0.05 - 3.70	
: SECOND TRIMESTER	0.31 - 4.35	
: THIRD TRIMESTER	0.41 - 5.18	
: PLEASE NOTE CHANGE IN REFERENCE RANGE		
> S-FT3 (DIRECT)	4.9 pmol/L	3.5 - 7.8
: Please note change in reference range.		
> S-FT4 (THYROXINE)	11.4 pmol/L	7.9 - 18.5
: REFERENCE RANGES FOR PREGNANCY		
: 1st Trimester : 6.67-14.12 pmol/L)		
: 2nd Trimester : 5.79-12.70 pmol/L)		
: 3rd Trimester : 6.11-12.20 pmol/L)		

***** PLEASE NOTE, CHANGE IN REFERENCE RANGE *****