

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : DIVINA KONNEY

Sample ID : DK07180630

Gender / Age : FEMALE /29 YEARS

Sample Date : 20-JULY-2018

Consulting Doctor : DR. HENRY AGORTEY

Specimen : BLOOD

DEPARTMENT OF HAEMATOLOGY

Investigation	Result	Units	Reference Range
FULL BLOOD COUNT (FBC)			
HAEMOGLOBIN	12.4	g/dL	11.5 - 17.00
TOTAL LEUCOCYTE COUNT	6.59	10 ⁹ /L	2.50 - 8.50
NEUTROPHIL	65.9	%	37.00 - 72.00
LYMPHOCYTE	25.9	%	20.00 - 50.00
MONOCYTE	7.1	%	0.00 - 14.00
EOSINOPHIL	0.5	%	0.00 - 6.00
BASOPHIL	0.6	%	0.00 - 1.00
RED BLOOD CELLS	4.52	10 ¹² /L	3.50 - 5.50
PCV	38.5	%	36.00 - 48.00
MCV	85.0	fL	85.00 - 100.00
MCH	27.3	pg	27.00 - 34.00
MCHC	32.2	g/dL	32.00 - 36.00
RDW(CV)	15.5	%	11.50 - 14.00
PLATELET COUNT	155	10 ⁹ /L	150.00 - 450.00
RANDOM BLODD SUGAR	5.5	mmol/L	4.40 – 7.80
THICK BLOOD FILM FOR MALARIA PARASITES	NOT SEEN		
SICKLING TEST	NEGATIVE		
BLOOD GROUP	O RHESUS 'D' POSITIVE		

*** END OF REPORT ***

Remarks :

SIGNED BY BIOMEDICAL SCIENTIST

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : DIVINA KONNEY

Sample ID : DK07180630

Gender / Age : FEMALE /29 YEARS

Sample Date : 20-JULY-2018

Consulting Doctor : DR. HENRY AGORTEY

Specimen : BLOOD

DEPARTMENT OF SEROLOGY & HAEMATOLOGY

Investigation	Result	Units	Reference Range
HBsAg	NON-REACTIVE		-
HCV	NON-REACTIVE		
RETROSCREEN	NON-REACTIVE		
VDRL	NON-REACTIVE		

*** END OF REPORT ***

Remarks :

SIGNED BY BIOMEDICAL SCIENTIST

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : DIVINA KONNEY Results Date : 20- JULY -2018
Gender / Age : FEMALE/ 29 YEARS Sample ID : DK07180630
Consulting Doctor : DR. HENRY AGORTEY Specimen : URINE

DEPARTMENT OF CLINICAL PATHOLOGY

Investigation	Result	Units	Reference Range
---------------	--------	-------	-----------------

URINE R/E

PHYSICAL EXAMINATION

Colour	Straw	-
Transparency	Clear	-
Specific Gravity	1.015	-

CHEMICAL EXAMINATION

Reaction	Acidic	-
PH	5.0	-
Protein	Negative	-
Sugar	Negative	-
Ketone	Negative	-
Bilirubin	Negative	-
Urobilinogen	Normal	-
Blood	Negative	-
Nitrite	Negative	-
Leucocyte	Negative	-

MICROSCOPIC EXAMINATION

Pus Cells	2	/ HPF	-
RBCs	0	/ HPF	-
Epithelial cells	4	/ HPF	-
Cast	Nil	/ HPF	-
Crystal	Nil	/ HPF	-

UPT **POSITIVE**

Method : STANDARD

*** END OF REPORT ***

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : **DIVINA KONNEY**
Gender / Age : **FEMALE / 29 YEARS**
Consulting Doctor : **DR. HENRY AGORTEY**

Result Date : **20-JULY-2018**
Sample No : **DK07180630**
Sample Date : **20-JULY-2018**
Specimen : **STOOL**

DEPARTMENT OF CLINICAL PATHOLOGY

Investigation	Result	Units	Reference Range
STOOL R/E			
<u>PHYSICAL EXAMINATION</u>			
Colour	Brown		-
Consistency	Loose		-
Pus	Absent		-
Mucus	Absent		-
Blood	Absent		-
<u>MICROSCOPIC EXAMINATION</u>			
Pus cells	2	/ HPF	0.00 - 2.00
RBCs	0	/ HPF	-
OVA	Not seen		
Cysts	Not seen		
Others	Intestinal flagellates present(+)		

Method : STANDARD

*** END OF REPORT ***

Remarks :

SIGNED BY BIOMEDICAL SCIENTIST

Remarks :

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.