



## LABORATORY REPORT

Patient Name : JOSEPH BOACHIE-DANQUAH

Sample ID : JB07180598

Gender / Age : MALE / 58 YEARS

Sample Date : 21-DECEMBER-2018

Consulting Doctor : DR. COMFORT A. WIREKO

Specimen : BLOOD

### DEPARTMENT OF SEROLOGY

Investigation	Result
TYPHI DOT IgG & IgM	
Typhi Dot IgG	REACTIVE -
Typhi Dot IgM	REACTIVE -

Method : STANDARD

#### Comment:

The typhoid IgG / IgM Rapid test is a lateral flow immunoassay for the simultaneous detection and differentiation of anti-salmonella typhi IgG and IgM in human serum or plasma. It is intended to be used as a screening test and as aid in the diagnosis of infection with S. typhi.

#### Interpretation of result:

IgG/IgM	-Negative	= No infection
IgG	-Positive	= Past infection
IgM	-Positive	= Recent
IgG/IgM	-Positive	= Chronic infection

\*\*\* END OF REPORT \*\*\*

Remarks :  
SIGNED BY BIOMEDICAL SCIENTIST

**Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.**

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.



## LABORATORY REPORT

---

**Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.**

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.