

in partnership with Lancet Laboratories South Africa ISO/IEC 15189: 2012 ACCREDITED LABORATORY

DS-LANCET MEDICAL LABORATORY REPOR

MDS-LANCET LABORATORIES (GH) LTD. East Legon Laboratory (Head Ofice)

Tel: 0302 610 480 Fax: 0302 306 746 www.mds-lancet.com

Pr Num : 5201055

For Doctor

BLUE VALLEY SPECIALIST MED CTR WJ 15 NEW WEIJA

WINNEBA ROAD XXXX ACCRA

Other Doctors

Patient

: ALLISON DARKWAH

Guarantor : MRS A DARKWAH

Doctors Ref: NOT AVAILABLE

MedAid Tel

: CASHDIS 10 N

Age/Sex/DOB: 46 / F / Id Num : NOT AVAILABLE

: (H)

(W) NOT AVAILABLE

Lab Ref

: 706192722

Collection Date : 19/12/17 1912

MRI No.

: GH01262187

Received Date : 19/12/17 1937

Spec #

: 1219:HC00064L

FINAL Report Date

: 20/12/17 0601

Requested:

., D-DIMER TEST

NO SAMPLE TIME STATED. TIME RECORD IS THE TIME LAB PROCESSED

REQUEST.

ADDITIONAL INFO

HAEMATOLOGY

Test

> QUANTITATIVE D-DIMER

Result

Reference

7.33 ug/mL

< 0.5

For consultation by referring doctors only, please call:

Dr Colin de Bruyn +2711 358 0720

Dr Emma Wypkema +2711 358 0813

Dr Yannis Pillay +2711 358 0718

Dr Lindsay Earlam +2711 358 0733

AutoSystem:liv-PMAIL:email.PDF:3808316

** End of Report **