

Key to Diagnostic Excellence

MDS-LANCET LABORATORIES (GH) LTD. East Legon Laboratory (Head Ofice)

> Tel: 0302 610 480 Fax: 0302 306 746 www.mds-lancet.com

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

For Doctor

MDS-LANCET LABORATORIES-EMAIL

27 MASERU STREET

EAST LEGON ACCRA

Other Doctors

Patient : MARGARETTE ABUGA

Doctors Ref: NOT AVAILABLE

Age/Sex/DOB: 58 / F / 19590602

Id Num : MA0244379750

Guarantor : MRS M ABUGA

MedAid : CASH N

: 0244379750 Tel

(W) NOT AVAILABLE

Lab Ref : 706196668 MRI No. : GH01265776

: 1228:HR00143L

Collection Date : 28/12/17 1128

Received Date : 28/12/17 1153

FINAL Report Date

: 28/12/17 1600

Reference

Requested : ., U/E+CR, LFT, S-UA, LIPID PROFILE, THY PROF.NO Ab, MALARIA SCREEN HAEMATOLOGY

Test

Spec #

MALARIA SMEAR (thin)

MALARIA PARASITES (THICK)

Result

NOT OBSERVED

NOT OBSERVED

For consultation by referring doctors only, please call:

Dr Colin de Bruyn +2711 358 0720 Dr Yannis Pillay +2711 358 0718



MDS-LANCET LABORATORIES (GH) LTD. East Legon Laboratory (Head Ofice)

> Tel: 0302 610 480 Fax: 0302 306 746 www.mds-lancet.com

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

For Doctor

MDS-LANCET LABORATORIES-EMAIL

27 MASERU STREET

EAST LEGON ... ACCRA

Other Doctors

Patient : MARGARETTE ABUGA Doctors Ref: NOT AVAILABLE Age/Sex/DOB: 58 / F / 19590602

Guarantor : MRS M ABUGA MedAid : CASH N Tel : 0244379750

Id Num : MA0244379750

(W) NOT AVAILABLE

Lab Ref : 706196668 Collection Date : 28/12/17 1128 MRI No. : GH01265776 Received Date : 28/12/17 1153 Spec # : 1228:BR00184L FINAL Report Date : 28/12/17 1600

Requested : ., U/E+CR, LFT, S-UA, LIPID PROFILE, THY PROF.NO Ab, MALARIA SCREEN BIOCHEMISTRY

	Result		Reference				
S-SODIUM	142	mmol/L		136	_	145	
S-POTASSIUM	4.2	mmol/L		3.5	_	5.1	
S-CHLORIDE	104	mmol/L		98	_	107	
TOTAL CO2 (bicarbonate),	30	mmol/L	H	22		29	
S-UREA	3.8	mmol/L		2.1	_	7.1	
S-CREATININE	80	umol/L		44	_	80	
eGFR-(CKD-EPI)	70	mL/min					

May be consistent with normal kidney function or early renal disease.

In high risk patients (eg diabetic and hypertensive patients), urine examination for micro-albumin and abnormal cells may be necessary to exclude kidney damage. Re-test annually.

Note: eGFR values as low as 60 mL/min may be normal in persons > 57 yrs old.

NB: KDIGO 2012 Guidelines recommend Urine Albumin measurement as part of CKD Classification using eGFR.

 $NB: eGFR = mL/min/1.73m^2$

LIVER FUNCTION TESTS

S-BILIRUBIN (Total) 4 umol/L 3.42 - 20.52 S-BILIRUBIN conjugated 2 umol/L < ALKALINE PHOSPHATASE, ser 95 IU/L H 32 92 S-g-GLUTAMYL TRANSFERASE 31 IU/L 38

** Continued on Next Page **



MARGARETTE ABUGA

MDS-LANCET LABORATORIES (GH) LTD. East Legon Laboratory (Head Ofice)

www.mds-lancet.com

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189::2012 ACCREDITED LABORATORY DO

NOT AVAILABLE

706196668 / 28/12/17 1128

Pr Num : 5201055

Result			Refer	ence	
10					
10					
18	IU/L		0	9-2	33
20	IU/L		0	-	32
75	g/L		64	_	83
39	g/L	L	39.7	-	49.5
6.4	mmol/L	н		<	5.2
3.7	mmol/L	н .	<	3.0	
1.9	mmol/L		>	1.6	8
4.5	mmol/L	H	<	3.8	
triglycerol tar mol/L sh persons GHER tha 3.4 1.87	rerides > 2 rget, howev could be with eleva n their LD	.26 er ted			
1	75 39 6.4 3.7 1.9 4.5 get for triglyo erol tar mol/L sh persons GHER tha 3.4 1.87	75 g/L 39 g/L 6.4 mmol/L 3.7 mmol/L 1.9 mmol/L 4.5 mmol/L get for lipid lowe. triglycerides > 2 erol target, however. mol/L should be	75 g/L 39 g/L L 6.4 mmol/L H 3.7 mmol/L H 1.9 mmol/L 4.5 mmol/L H get for lipid lowering triglycerides > 2.26 erol target, however mol/L should be persons with elevated GHER than their LDL 3.4 1.87 mmol/L	75 g/L 39 g/L 64 39 g/L 6.4 mmol/L 3.7 mmol/L 1.9 mmol/L 4.5 mmol/L 4.5 mmol/L H get for lipid lowering triglycerides > 2.26 erol target, however mol/L should be persons with elevated GHER than their LDL 3.4 1.87 mmol/L 1 39.7	75 g/L 64 - 39 g/L L 39.7 - 6.4 mmol/L H < 3.7 mmol/L H < 3.0 1.9 mmol/L > 1.6 4.5 mmol/L H < 3.8 get for lipid lowering triglycerides > 2.26 erol target, however mol/L should be persons with elevated GHER than their LDL 3.4 < 4.1 1.87 mmol/L < 1.70

LESTEROL		mmol/	/T.	200		- 1- "				200	
7 /- 1			L	•	mmo.	L/L		:	9	J/L	1
OI/L)	: .			: .				: .			
	:			:				:			
4.0	:	< 1.	8	:	< .	2.6		:	<	0.	8
	: .			: .				: .			
	: .			: .				: .			
5.0	:	< 3.	0	:	< .	3.8		:			
	: .			:				: .			
	4.0	4.0 : 4.5 : 5.0 :	4.0 : < 1. 4.5 : < 2. 5.0 : < 3.	: 4.0 : < 1.8	: : : : : : : : : : : : : : : : : : :	4.0 : < 1.8	4.0 : < 1.8	: : : : : : : : : : : : : : : : : : :	: :	: :	01/L)

- ** Very high risk subjects are:
- 1) Established atherosclerotic disease,
- 2) Type 2 DM
- 3) Type 1 DM with micro-albuminuria and proteinuria
- 4) Genetic Dyslipidaemia
- 5) Chronic Kidney Disease

* *	Continued	on	Next	Page	* *



MDS-LANCET LABORATORIES (GH) LTD. East Legon Laboratory (Head Ofice)

www.mds-lancet.com

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

Pr Num : 5201055

ISO/IEC 15189: 2012 ACCREDITED LABORATORY DO

MARGARETTE ABUGA

NOT AVAILABLE

706196668 / 28/12/17 1128

BIOCHEMISTRY

Test

Result

Reference

Reference: South African Dyslipidaemia Guidelines 2012.

S-URIC ACID

0.35 mmol/L 0.15 - 0.35

Please Note: Updated reference range.

For consultation by referring doctors only, please call:

Dr Stan Zail +2711 358 0750

Dr David Rambau +2712 483 0237

BUCK, M:GH-RECP-REP-PRT:REPRINT.a4:3895859 ** End of Report **



ES

MDS-LANCET LABORATORIES (GH) LTD.
East Legon Laboratory (Head Office)

Tel: 0302 610 480 Fax: 0302 306 746 www.mds-lancet.com

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

MEDICAL LABORATORY2°REPOR

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

For Doctor
MDS-LANCET LABORATORIES-EMAIL

27 MASERU STREET

EAST LEGON ACCRA

Test

Other Doctors

Patient : MARGARETTE ABUGA
Doctors Ref: NOT AVAILABLE
Age/Sex/DOB: 58 / F / 19590602

8 / F / 19590602 Tel

Id Num : MA0244379750

Guarantor : MRS M ABUGA
MedAid : CASH N

: 0244379750

(W) NOT AVAILABLE

Reference

Lab Ref : 706196668

MRI No. : GH01265776

Spec # : 1228:EA00073L

Collection Date : 28/12/17 1128

Received Date : 28/12/17 1153

FINAL Report Date : 28/12/17 1600

Requested: ., U/E+CR, LFT, S-UA, LIPID PROFILE, THY PROF.NO Ab, MALARIA SCREEN ENDOCRINOLOGY

Result

THYROTROPIN (TSH) -S 1.071 uIU/mL : POPULATION 97.5 REFERENCE INTERVAL: :GENERAL POPULATION (MALES, AND NON 0.38 - 5.33 :PREGNANT FEMALES, AGED 18-88) : PREGNANT FEMALES :FIRST TRIMESTER 0.05 - 3.70 :SECOND TRIMESTER 0.31 - 4.35 :THIRD TRIMESTER 0.41 - 5.18 PLEASE NOTE CHANGE IN REFERENCE RANGE S-FT3 (DIRECT) 6.0 pmol/L 3.5 -7.8 Please note change in reference range. S-FT4 (THYROXINE) 10.3 pmol/L 7.9 - 18.5 REFERENCE RANGES FOR PREGNANCY :1st Trimester : 6.67-14.12 pmol/L) :2nd Trimester : 5.79-12.70 pmol/L) :3rd Trimester : 6.11-12.20 pmol/L) ****** PLEASE NOTE, CHANGE IN REFERENCE RANGE *******

** Continued on Next Page **



MDS-LANCET LABORATORIES (GH) LTD. East Legon Laboratory (Head Ofice)

www.mds-lancet.com

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

Pr Num : 5201055

ISO/IEC 15189: 2012 ACCREDITED LABORATORY DO

MARGARETTE ABUGA

NOT AVAILABLE

706196668 / 28/12/17 1128

ENDOCRINOLOGY

Test

Result

Reference

For consultation by referring doctors only, please call:

Dr Stan Zail +2711 358 0750

Dr David Rambau +2712 483 0237