

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : **SAMUEL KWABENA ADU**

Gender / Age : **MALE / 5 YEARS**

Consulting Doctor : **DR. AGORTEY**

Result Date : **28-JULY-2018**

Sample No : **GM18030901219**

Sample Date : **28-JULY-2018**

Specimen : **STOOL**

DEPARTMENT OF CLINICAL PATHOLOGY

| Investigation | Result | Units | Reference Range |
|---------------|--------|-------|-----------------|
|---------------|--------|-------|-----------------|

STOOL R/E

PHYSICAL EXAMINATION

| | | |
|-------------|--------|---|
| Colour | Brown | - |
| Consistency | Formed | - |
| Pus | Absent | - |
| Mucus | Absent | - |
| Blood | Absent | - |

MICROSCOPIC EXAMINATION

| | | | |
|-----------|----------|-------|-------------|
| Pus cells | 5 | / HPF | 0.00 - 2.00 |
| RBCs | 0 | / HPF | - |
| OVA | Not seen | | |
| Cysts | Not seen | | |
| Others | Not seen | | |

Method : STANDARD

*** END OF REPORT ***

Remarks :

SIGNED BY BIOMEDICAL SCIENTIST

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Patient Name : **DANIEL APPIAH AMOH**

Gender / Age : **MALE / 35 YEARS**

Consulting Doctor : **DR. HENRY AGORTEY**

Sample No : **GM18030901219**

Order Date : **09-MARCH-2018**

Results Date : **10-MARCH-2018**

Specimen : **STOOL**

DEPARTMENT OF MICROBIOLOGY

| Investigation | Result | Units | Reference Range |
|---------------|--------|-------|-----------------|
|---------------|--------|-------|-----------------|

Stool Culture & Sensitivity

Stool Culture & Sensitivity

| | | |
|----------------|---|---|
| CULTURE REPORT | No Salmonella or Shigella isolated after 24 hrs of aerobic incubation at 37 °C. | - |
|----------------|---|---|

Method : STANDARD

*** END OF REPORT ***

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.

GILEAD MEDICAL AND DENTAL CENTRE

LABORATORY REPORT

Key: BLUE COLOUR-ABNORMAL LOW, RED COLOUR - ABNORMAL HIGH.

All reports need Clinical correlation. Please discuss if needed. Test results relate only to the item tested. No part of the report can be reproduce without permission of the Laboratory.