

MDS-LANCET LABORATORIES (GH) LTD. East Legon Laboratory (Head Ofice)

Other Doctors

Tel: 0302 610 480 Fax: 0302 306 746 www.mds-lancet.com

Key to Diagnostic Excellence

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

ORATORYOREPORT

For Doctor

MDS-LANCET LABORATORIES GH LTD

27 MASERU STREET

EAST LEGON

.... ACCRA

Patient

: AFUA HANSON

Doctors Ref: NOT AVAILABLE

Age/Sex/DOB: 61 / F / 19560106

Id Num : HEA0244624366

Guarantor : MAD E A HANSON

MedAid

: CASH N

Tel

: 0244624366

(W) NOT AVAILABLE

Lab Ref MRI No.

Spec #

Test

: 706180898

: 1104:BR00061L

: GH01021433

Received Date : 04/11/17 0927

Collection Date : 04/11/17 0915

3.42 - 20.52

32

5

92

FINAL Report Date

: 08/12/17 0727

Requested:

., U/E+CR, LFT, P-GLU (f), S-UA, LIPID PROFILE, ESR (WEST), FBC,

SICKLING PHENOTYPE, HB GENOTYPE, BLOOD GROUP (NO SST), MALARIA SCREEN,

WIDAL

BIOCHEMISTRY

	1000	Result		Reference		
>	S-SODIUM	143	mmol/L	136	_	145
>	S-POTASSIUM	4.5	mmol/L	3.5	_	5.1
>	S-CHLORIDE	101	mmol/L	98	_	107
>	S-UREA	3.7	mmol/L	2.9	_	8.2
>	S-CREATININE	70	umol/L	44	-	80
>	eGFR-(CKD-EPI)	81	mL/min			

May be consistent with normal kidney function or early renal disease.

In high risk patients (eg diabetic and hypertensive patients), urine examination for micro-albumin and abnormal cells may be necessary to exclude kidney damage. Re-test annually.

Note: eGFR values as low as 60 mL/min may be normal in persons > 57 yrs old.

NB: KDIGO 2012 Guidelines recommend Urine Albumin measurement as part of CKD Classification using eGFR.

 $NB: eGFR = mL/min/1.73m^2$

LIVER FUNCTION TESTS

> S-BILIRUBIN (Total)	6 umol/L
> S-BILIRUBIN conjugated	1 umol/L
> ALKALINE PHOSPHATASE, ser	86 IU/L